

# MAGNETIC & ACOUSTIC TREATMENTS

## RADIOFREQUENCY TREATMENT UPGRADE

**INTENSITY LEVEL:**  
VARIED

Please reference the **HydroPeptide Customized Facial** on **page 8** of this manual when adding this procedure to any HydroPeptide treatment. Perform Radiofrequency Treatment Upgrade **after** the **PEEL** removal. Once completed, resume your HydroPeptide Treatment at the step listed below.

**TREATMENT TIME:**  
VARIED

**CONTRAINDICATIONS:**

PREGNANCY  
NURSING  
EPILEPSY  
CARDIAC DISORDERS  
PACEMAKER OR METAL IMPACT

**RADIOFREQUENCY:**

Implement radiofrequency treatment following the manufacturer's device instructions.

Note: Some types of RF do not allow for product application with device. Other RF may allow for different product viscosity/base (ie water, oil, gel, cream application or specific combinations of each). Soothing Serum or Soothing Balm is recommended for the face while Soothing Balm or Perfecting Body Lift is recommended for the body.

**Resume facial at the MASK step as outlined in the HydroPeptide Customized Facial on page 8 and complete the remaining treatment.**

## ULTRASOUND TREATMENT UPGRADE

**INTENSITY LEVEL:**  
VARIED

Please reference the **HydroPeptide Customized Facial** on **page 8** of this manual when adding this procedure to any HydroPeptide treatment. Perform Ultrasound Treatment Upgrade **after** the **MASK** removal. Once completed, resume your HydroPeptide Treatment at the step listed below.

**TREATMENT TIME:**  
VARIED

**CONTRAINDICATIONS:**

PREGNANCY  
NURSING  
OPEN WOUNDS  
CYSTIC ACNE  
EXISTING KELOID SCARRING  
DERMAL OR METAL IMPLANTS

**ULTRASOUND:**

Follow with ¼ tsp. of desired serum of choice and begin Ultrasound, following manufacturer's device instructions.

Remove any excess serum with toner of choice. Apply any other HydroPeptide finishing products (eye cream, moisturizer, solar defense).

**Resume facial at the EYE step as outlined in the HydroPeptide Customized Facial on page 8 and complete the remaining treatment.**

## UL THERAPY TREATMENT UPGRADE This upgrade is performed as a stand-alone treatment.

**INTENSITY LEVEL:**  
VARIED

**TREATMENT TIME:**  
VARIED

**CONTRAINDICATIONS:**

PREGNANCY  
NURSING  
OPEN WOUNDS  
CYSTIC ACNE  
EXISTING KELOID SCARRING  
DERMAL OR METAL IMPLANTS

For allergies and contraindication, please see page 65 of the Esthetics Guide.

**PRE-TREAT:**

Prior to treatment use HydroPeptide CLEANSING GEL as an alternative to harsh degreasers or alcohol-based cleansers. If appropriate, apply serum of choice depending on skin concerns and recommended as a take home product to amplify results.

Option: Anti-Wrinkle Plump & Polish Peel Kit can be used as a pre-treatment and a take-home product in-between scheduled appointments to amplify and maintain results for brightening and resurfacing.

**UL THERAPY:**

Follow manufacturer's device instructions.

**POST-CARE:**

⅛ tsp. SOOTHING SERUM +  
¼ tsp. SOOTHING BALM

If the application of topical products is appropriate, apply Soothing Serum followed by Soothing Balm to reduce the appearance of redness and ease the feelings of sensitivity. Both these products are also recommended for clients to purchase and use as part of their home-care regimen.

Option: Clients may place Soothing Serum and Soothing Balm in the refrigerator for a greater comforting and soothing sensation.