

**EPSON**<sup>®</sup>  
EXCEED YOUR VISION

**LABELWORKS PX  
LW-PX700**

**Faster / Smarter / Easier / Better**



**LIFETIME  
WARRANTY**




370 SMC Drive, Somerset, WI 54025 • ksun.com • info@ksun.com • 1-800-622-6312





PATCH PANEL



HEAT SHRINK TUBE



SELF-LAMINATION




MAGNET TAPE

**Smarter: Import & Store Images to Printer**



**Wider Supply Selection**



Tape Width

4mm to 24mm

**Better: Drop-Stop+Pick & Print Function**



**Prints: Half-cut and full-cut**




**Faster: Hot Keys Cut Data Entry Time**

General ID Labeling



Mixed-Length Label Strip



Punch Block Labels




Self-Lamination Overwrap



Patch Panel / Block-66 Labels



## Better: Label Editor Professional Software




Label Catalog

Import Data (.csv, .txt, .xls, .xlsx, .xlsm)



Cable Labeling

## Better: Front-Loading Cartridges & Less Margin Waste



(for standard industrial tapes)

## Easier: QWERTY Text Entry



Backlit

Large LCD Screen

Print Preview

## LW-PX700 SPECIFICATIONS

### PRINTER

|                             |  |
|-----------------------------|--|
| Certifications              | Energy Star<br>RoHS Compliant  |
| Weight                      | 2.4 lbs w/o battery  |
| Size                        | 136mm x 298mm x 90mm   |
| Print-head width            | 18.1 mm  |
| Printing resolution (dpi)   | 180  |
| Max Print Speed             | 30mm/sec(AC/ Li-ion battery)   |
| Cutter                      | AUTO/HALF  |
| LCD                         | Monochrome<br>16 character x 4 line<br>140 x 80 dot  |
| Backlight                   | Yes  |
| Preview                     | Yes  |
| Keyboard Type               | QWERTY   |
| Tape End Detection          | Yes  |
| Rechargeable Li-ion Battery | Yes  |
| Power Supply                | 6AA/<br>Rechargeable Battery/<br>AC adaptor  |
| Interface                   | USB  |
| Software                    | Label Editor Professional  |
| Support OS                  | Win  |
| Menu Prompt Languages       | English, French, Spanish, German, Italian, Dutch,<br>PortugueseX2, Swedish, Finnish, Norwegian,<br>Danish, Turkish |
| External memory             | No   |
| Wi-Fi / Bluetooth           | No   |
| File Download               | Yes  |
| .BMP, .JPG, .PNG Download   | Yes  |

### ACCESSORIES

|                             |              |
|-----------------------------|--------------|
| Magnet attachment           | Yes          |
| Rechargeable Li-ion Battery | Yes          |
| Hard carrying case          | Yes          |
| AC adaptor                  | Yes          |
| USB Cable                   | Yes          |
| Tape                        | Yes(4m)(TBD) |

### SUPPLIES

|                                 |  |
|---------------------------------|--|
| Tape Width                      | 4-24mm (1/6" - 1")   |
| Die-cut                         | No   |
| HST width                       | 1/8" (203ST_PX) - 9/16"<br>(214ST_PX)                                    |
| Single-print Lead Margin Length | 4mm (on all standard industrial tapes,<br>and select specialty supplies) |



# Standard Industrial Tapes 30' unless noted

|             |                                 |                                 |                                  |
|-------------|---------------------------------|---------------------------------|----------------------------------|
| 1/6"<br>4mm | <b>BLACK</b><br><i>on clear</i> | <b>BLACK</b><br><i>on white</i> | <b>BLACK</b><br><i>on yellow</i> |
|             | 204BCPX                         | 204BWPX                         | 204BYPX                          |

|             |                                 |                                 |                                  |                                 |                                 |                                |                               |
|-------------|---------------------------------|---------------------------------|----------------------------------|---------------------------------|---------------------------------|--------------------------------|-------------------------------|
| 1/4"<br>6mm | <b>BLACK</b><br><i>on clear</i> | <b>BLACK</b><br><i>on white</i> | <b>BLACK</b><br><i>on yellow</i> | <b>WHITE</b><br><i>on black</i> | <b>BLACK</b><br><i>on green</i> | <b>BLACK</b><br><i>on blue</i> | <b>BLACK</b><br><i>on red</i> |
|             | 206BCPX                         | 206BWPX                         | 206BYPX                          | 206WBPX                         | 206BGPX                         | 206BBPX                        | 206BRPX                       |

|             |                                 |                                 |                                  |                                 |                                 |                                |                               |
|-------------|---------------------------------|---------------------------------|----------------------------------|---------------------------------|---------------------------------|--------------------------------|-------------------------------|
| 3/8"<br>9mm | <b>BLACK</b><br><i>on clear</i> | <b>BLACK</b><br><i>on white</i> | <b>BLACK</b><br><i>on yellow</i> | <b>WHITE</b><br><i>on black</i> | <b>BLACK</b><br><i>on green</i> | <b>BLACK</b><br><i>on blue</i> | <b>BLACK</b><br><i>on red</i> |
| PART NO.    | 209BCPX                         | 209BWPX                         | 209BYPX                          | 209WBPX                         | 209BGPX                         | 209BBPX                        | 209BRPX                       |

|              |                                 |                                 |                                  |                                 |                                 |                                |                               |                                  |                                 |                                     |                                       |                                      |                                |                                |  |   |
|--------------|---------------------------------|---------------------------------|----------------------------------|---------------------------------|---------------------------------|--------------------------------|-------------------------------|----------------------------------|---------------------------------|-------------------------------------|---------------------------------------|--------------------------------------|--------------------------------|--------------------------------|--|---|
| 1/2"<br>12mm | <b>BLACK</b><br><i>on clear</i> | <b>BLACK</b><br><i>on white</i> | <b>BLACK</b><br><i>on yellow</i> | <b>WHITE</b><br><i>on black</i> | <b>BLACK</b><br><i>on green</i> | <b>BLACK</b><br><i>on blue</i> | <b>BLACK</b><br><i>on red</i> | <b>BLACK</b><br><i>on orange</i> | <b>WHITE</b><br><i>on clear</i> | <b>WHITE</b><br><i>on vivid red</i> | <b>WHITE</b><br><i>on vivid green</i> | <b>WHITE</b><br><i>on vivid blue</i> | <b>GOLD</b><br><i>on clear</i> | <b>GOLD</b><br><i>on black</i> | <b>BLACK</b><br><i>on white<br/>removable<br/>adhesive</i> | <b>WHITE</b><br><i>on brown<br/>24'</i> |
| PART NO.     | 212BCPX                         | 212BWPX                         | 212BYPX                          | 212WBPX                         | 212BGPX                         | 212BBPX                        | 212BRPX                       | 212BOPX                          | 212WCPX                         | 212WRPX                             | 212WGPX                               | 212WLPX                              | 212GCPX                        | 212GBPX                        | 212RAPX  | 212WBRPX                                |

|              |                                 |                                 |                                  |                                 |                                 |                                |                               |                                  |                                 |                                     |                                       |                                      |  |                                  |                                |                               |                               |   |
|--------------|---------------------------------|---------------------------------|----------------------------------|---------------------------------|---------------------------------|--------------------------------|-------------------------------|----------------------------------|---------------------------------|-------------------------------------|---------------------------------------|--------------------------------------|--|----------------------------------|--------------------------------|-------------------------------|-------------------------------|---|
| 3/4"<br>18mm | <b>BLACK</b><br><i>on clear</i> | <b>BLACK</b><br><i>on white</i> | <b>BLACK</b><br><i>on yellow</i> | <b>WHITE</b><br><i>on black</i> | <b>BLACK</b><br><i>on green</i> | <b>BLACK</b><br><i>on blue</i> | <b>BLACK</b><br><i>on red</i> | <b>BLACK</b><br><i>on orange</i> | <b>WHITE</b><br><i>on clear</i> | <b>WHITE</b><br><i>on vivid red</i> | <b>WHITE</b><br><i>on vivid green</i> | <b>WHITE</b><br><i>on vivid blue</i> | <b>WHITE</b><br><i>on vivid orange</i> | <b>Black</b><br><i>on violet</i> | <b>BLUE</b><br><i>on white</i> | <b>RED</b><br><i>on white</i> | <b>RED</b><br><i>on clear</i> | <b>BLACK</b><br><i>on translucent<br/>matte</i> |
| PART NO.     | 218BCPX                         | 218BWPX                         | 218BYPX                          | 218WBPX                         | 218BGPX                         | 218BBPX                        | 218BRPX                       | 218BOPX                          | 218WCPX                         | 218WRPX                             | 218WGPX                               | 218WLPX                              | 218WOPX                                | 218BVPX                          | 218BLWPX                       | 218RWPX                       | 218RCPX                       | 218BTMPX  |

|            |                                 |                                 |                                  |                                 |                                 |                                |                               |                                  |                                 |                                     |                                       |                                      |  |   |  |   |
|------------|---------------------------------|---------------------------------|----------------------------------|---------------------------------|---------------------------------|--------------------------------|-------------------------------|----------------------------------|---------------------------------|-------------------------------------|---------------------------------------|--------------------------------------|--|---|--|---|
| 1"<br>24mm | <b>BLACK</b><br><i>on clear</i> | <b>BLACK</b><br><i>on white</i> | <b>BLACK</b><br><i>on yellow</i> | <b>WHITE</b><br><i>on black</i> | <b>BLACK</b><br><i>on green</i> | <b>BLACK</b><br><i>on blue</i> | <b>BLACK</b><br><i>on red</i> | <b>BLACK</b><br><i>on orange</i> | <b>WHITE</b><br><i>on clear</i> | <b>WHITE</b><br><i>on vivid red</i> | <b>WHITE</b><br><i>on vivid green</i> | <b>WHITE</b><br><i>on vivid blue</i> | <b>WHITE</b><br><i>on vivid orange</i> | <b>BLACK</b><br><i>on white<br/>super strong<br/>adhesive</i> | <b>BLACK</b><br><i>on yellow<br/>super strong<br/>adhesive</i> | <b>WHITE</b><br><i>on brown<br/>24'</i> |
| PART NO.   | 224BCPX                         | 224BWPX                         | 224BYPX                          | 224WBPX                         | 224BGPX                         | 224BBPX                        | 224BRPX                       | 224BOPX                          | 224WCPX                         | 224WRPX                             | 224WGPX                               | 224WLPX                              | 224WOPX                                | 224IBWPX  | 224IBYPX   | 224WBRPX                                |

# More Sizes, More Colors For All Your Industrial Labeling Needs



## SPECIALTY TAPES

### Glow-in-the-Dark 4.9'



|          |                                       |
|----------|---------------------------------------|
| 212LMYPX | 1/2" <b>Black</b> on glow-in-the-dark |
| 218LMYPX | 3/4" <b>Black</b> on glow-in-the-dark |
| 224LMYPX | 1" <b>Black</b> on glow-in-the-dark   |

### Reflective Tape 4' 9"



|           |                                      |
|-----------|--------------------------------------|
| 224RFWYPX | 1" <b>Black</b> on Reflective white  |
| 224RFYPX  | 1" <b>Black</b> on Reflective yellow |

### Magnet Tape 11'



|      |                                 |                                  |                               |                                |                                 |
|------|---------------------------------|----------------------------------|-------------------------------|--------------------------------|---------------------------------|
|      | <b>Black</b><br><i>on white</i> | <b>Black</b><br><i>on yellow</i> | <b>Black</b><br><i>on red</i> | <b>Black</b><br><i>on blue</i> | <b>Black</b><br><i>on green</i> |
| 1/2" | 212MTBWPX                       | 212MTBYPX                        | 212MTBRPX                     | 212MTBBPX                      | 212MTBGPX                       |
| 3/4" | 218MTBWPX                       | 218MTBYPX                        | 218MTBRPX                     | 218MTBBPX                      | 218MTBGPX                       |
| 1"   | 224MTBWPX                       | 224MTBYPX                        | 224MTBRPX                     | 224MTBBPX                      | 224MTBGPX                       |

### Fabric Tape Iron On 16'4"



|      |                                |                                |
|------|--------------------------------|--------------------------------|
|      | <b>Black</b><br><i>on blue</i> | <b>Black</b><br><i>on pink</i> |
| 3/8" | 209FBWPX                       | 209FBPPX                       |
| 1/2" | 212FBWPX                       | 212FBPPX                       |

### Silver Matte 30'



|                              |              |              |            |  |
|------------------------------|--------------|--------------|------------|--|
| <b>Black</b> on silver matte |              |              |            |  |
| 3/8"<br>9mm                  | 1/2"<br>12mm | 3/4"<br>18mm | 1"<br>24mm |  |
| 209SMPX                      | 212SMPX      | 218SMPX      | 224SMPX    |  |

### Shrink Tube 96"



**Compliance Standards: UL Standard 224** (Rated Temperature: 125° C, Rated Voltage: 300V, Flame Resistance Grade VW-1)

|       |       |                               |                                  |                                 |                                 |                                |                                 |
|-------|-------|-------------------------------|----------------------------------|---------------------------------|---------------------------------|--------------------------------|---------------------------------|
|       | AWG   | <b>Black</b><br><i>on red</i> | <b>Black</b><br><i>on yellow</i> | <b>Black</b><br><i>on white</i> | <b>Black</b><br><i>on green</i> | <b>Black</b><br><i>on blue</i> | <b>White</b><br><i>on black</i> |
| 1/8"  | 16-22 | 203STBRPX                     | 203STBYPX                        | 203STBWPX                       |                                 |                                |                                 |
| 3/16" | 8-12  | 205STBRPX                     | 205STBYPX                        | 205STBWPX                       | 205STBGPX                       | 205STBBPX                      | 205STWBPX                       |
| 1/4"  | 10-20 |                               | 208STBYPX                        | 208STBWPX                       |                                 |                                |                                 |
| 3/8"  | 6-18  |                               |                                  | 210STBWPX                       |                                 |                                |                                 |
| 1/2"  | 2-8   | 211STBRPX                     | 211STBYPX                        | 211STBWPX                       |                                 |                                | 211STWBPX                       |
| 9/16" | 0-5   |                               | 214STBYPX                        | 214STBWPX                       |                                 |                                |                                 |

Polyolefin Shrink Tube Cartridge Color & Sizes (length=96")

### Self-Lamination Overwrap 30'



|         |   |
|---------|---|
| 224SLPX | 1/4" <b>Black</b> on white<br>3/4" Clear Tail (30') |
|---------|---|

Wire wrap tape prints on white area and has clear tail to overlap printed material

### Fluorescent 30'



|                                       |  |  |  |   |
|---------------------------------------|--|--|--|---|
| <b>Black</b> on<br>fluorescent<br>red | <b>Black</b> on<br>fluorescent<br>pink | <b>Black</b> on<br>fluorescent<br>orange | <b>Black</b> on<br>fluorescent<br>yellow | <b>Black</b> on<br>fluorescent<br>green |
| 218FRPX                               | 218FPPX                                | 218FOPX                                  | 218FYPX                                  | 218FGPX                                 |