

EPSON
EXCEED YOUR VISION

**LABELWORKS PX
LW-PX900**

Faster / Wider / Easier / Better



SOLD BY

K-SUN[®]



Watch Video
to Learn More



Industrial Labeling Solutions

370 SMC Drive, Somerset, WI 54025 • ksun.com • info@ksun.com • 1-800-622-6312






PATCH PANEL



HEAT SHRINK TUBE



SELF-LAMINATION



DIE CUT



MAGNETS

Faster: High Speed Printing



Up to 35mm/sec



Half-Cut

Better: Drop-Stop+Pick & Print Function



Wider: Supplies



36mm

24mm

Prints Horizontal, Vertical 1, Vertical 2, Mirror




Faster: Hot Keys Cut Data Entry Time


General ID Labeling



Punch Block Labels



Mix-Length Label Strip



Cable Flag



Self-Lamination Overwrap



Patch Panel / Block-66 Labels



Better: Label Editor Professional Software



Label Catalog

Import Data (.csv, .txt, .xls, .xlsx, .xlsm)



Cable Labeling

Better: Front-Loading Cartridges & Less Margin Waste



(for standard industrial tapes)

Easier: QWERTY Text Entry

Backlit



SPECIFICATIONS

POWER SUPPLY

Dedicated AC Adapter	AST1527Z1-1
Rated Voltage/Frequency	AC 100-240V, 50-60 Hz 900mA
Output	15V, 2.7A
Auto Power Off	5 Minutes Local, 1 Hour PC

ADDITIONAL POWER OPTIONS

Li-ion Battery	Rechargeable with Adapter, 3 Hour
Alkaline Battery	6AA

PRINTER

Certifications	Energy Star
Print Method	Thermal Transfer
Print Speed	35mm/sec with Adapter 35mm/sec with Li-ion Battery 15mm/sec with 6AA Battery
Resolution	360dpi
Tape Cutter	Auto and Half-Cut
Connects Via	USB
Works With	Windows 10*, 8.1, 8, 7 (*Fall 2015)
Software	Label Editor Professional
Bar Codes In Label Editor Professional	EAN-8, EAN-13, CODE 39, CODE 128, UPC-A, UPC-E, NW-7(CodaBar), ITF, EAN-128(GS1-128), GS1 DataBar, QR Code, Micro QR Code, MaxiCode, PDF417, DataMatrix

FEATURES

Bar Codes in Printer	EAN-8, EAN-13, CODE 128, CODE 39, QR CODE, ITF, CODABAR, UPC-A, UPC-E
Large LCD Display	Monochrome 140 x 80 dot with Backlight & Print Preview
LED Battery Charge indicator	Yes
Keyboard	QWERTY - Text
Tape Width	4-36mm, 1/6" - 1 1/2"
Tape End Detection	Yes
Tape Type Detection	Yes
AutoTape Rewind Feature	Reduces margin waste. Available for Standard Tapes
Language Prompt Choice	13-Dansk, Deutsch, English, Español, Français, Italiano, Nederlands, Norsk, Português-Br, Português-EU, Suomi, Svenskan, Türkce
International Characters	For use with foreign languages - 179 characters
Frames, Tables	79 Frames, 10 Tables-Standard 36 Die-Cut Frames, 4 Tables
Fonts	Sans, Romans
Symbols	In Printer 898, In Label Editor Professional Software 1,182
Serialization	0-9 (up to 4 digit), A-Z, a-z
Mix Length- Cut on Demand	Allows to enter text and determine cut or half-cut
Drop-Stop+Pick & Print	Printer holds tape until you release

INDUSTRIAL LABELING SUPPLIES

Standard	7 sizes, 83 tapes
Permanent Aggressive Adhesive	5 sizes, 3 colors
Shrink Tube	7 sizes, 6 colors
Die Cut	3 sizes, 3 shapes, white
Magnetic	4 sizes, 5 colors
Glow-in-the-Dark	4 sizes
Reflective	1 size, 2 colors
Fluorescent	1 size, 5 colors
Self-Lamination Overwrap	2 sizes
Silver Matte	4 sizes
Fabric	2 sizes, 2 colors

PRINTER WEIGHT

1,260g [2.75 lbs.]

PRINTER SIZE

136mm(W)x295mm(D)x97mm(H)
[5.4"(W)x11.6"(D)x3.8"(H)]

AVAILABLE ACCESSORIES

Magnet Attachment, Carrying Case, Lithium-ion Battery



Standard Industrial Tapes 30' unless noted

1/6" 4mm	BLACK <i>on clear</i>	BLACK <i>on white</i>	BLACK <i>on yellow</i>
	204BCPX	204BWPX	204BYPX

1/4" 6mm	BLACK <i>on clear</i>	BLACK <i>on white</i>	BLACK <i>on yellow</i>	WHITE <i>on black</i>	BLACK <i>on green</i>	BLACK <i>on blue</i>	BLACK <i>on red</i>
	206BCPX	206BWPX	206BYPX	206WBPX	206BGPX	206BBPX	206BRPX

3/8" 9mm	BLACK <i>on clear</i>	BLACK <i>on white</i>	BLACK <i>on yellow</i>	WHITE <i>on black</i>	BLACK <i>on green</i>	BLACK <i>on blue</i>	BLACK <i>on red</i>
	209BCPX	209BWPX	209BYPX	209WBPX	209BGPX	209BBPX	209BRPX

1/2" 12mm	BLACK <i>on clear</i>	BLACK <i>on white</i>	BLACK <i>on yellow</i>	WHITE <i>on black</i>	BLACK <i>on green</i>	BLACK <i>on blue</i>	BLACK <i>on red</i>	BLACK <i>on orange</i>	WHITE <i>on clear</i>	WHITE <i>on vivid red</i>	WHITE <i>on vivid green</i>	WHITE <i>on vivid blue</i>	GOLD <i>on clear</i>	GOLD <i>on black</i>	BLACK <i>on white removable adhesive</i>	WHITE <i>on brown 24'</i>
	212BCPX	212BWPX	212BYPX	212WBPX	212BGPX	212BBPX	212BRPX	212BOPX	212WCPX	212WRPX	212WGPX	212WLPX	212GCPX	212GBPX	212RAPX	212WBRPX

3/4" 18mm	BLACK <i>on clear</i>	BLACK <i>on white</i>	BLACK <i>on yellow</i>	WHITE <i>on black</i>	BLACK <i>on green</i>	BLACK <i>on blue</i>	BLACK <i>on red</i>	BLACK <i>on orange</i>	WHITE <i>on clear</i>	WHITE <i>on vivid red</i>	WHITE <i>on vivid green</i>	WHITE <i>on vivid blue</i>	WHITE <i>on vivid orange</i>	Black <i>on violet</i>	BLUE <i>on white</i>	RED <i>on white</i>	RED <i>on clear</i>	BLACK <i>on translucent matte</i>
	218BCPX	218BWPX	218BYPX	218WBPX	218BGPX	218BBPX	218BRPX	218BOPX	218WCPX	218WRPX	218WGPX	218WLPX	218WOPX	218BVPX	218BLWPX	218RWPX	218RCPX	218TMPX

1" 24mm	BLACK <i>on clear</i>	BLACK <i>on white</i>	BLACK <i>on yellow</i>	WHITE <i>on black</i>	BLACK <i>on green</i>	BLACK <i>on blue</i>	BLACK <i>on red</i>	BLACK <i>on orange</i>	WHITE <i>on clear</i>	WHITE <i>on vivid red</i>	WHITE <i>on vivid green</i>	WHITE <i>on vivid blue</i>	WHITE <i>on vivid orange</i>	BLACK <i>on white super strong adhesive</i>	BLACK <i>on yellow super strong adhesive</i>	WHITE <i>on brown 24'</i>
	224BCPX	224BWPX	224BYPX	224WBPX	224BGPX	224BBPX	224BRPX	224BOPX	224WCPX	224WRPX	224WGPX	224WLPX	224WOPX	224IBWPX	224IBYPX	224WBRPX

1 1/2" 36mm	BLACK <i>on clear</i>	BLACK <i>on white</i>	BLACK <i>on yellow</i>	WHITE <i>on black</i>	BLACK <i>on green</i>	BLACK <i>on blue</i>	BLACK <i>on red</i>	BLACK <i>on orange</i>	WHITE <i>on clear</i>	WHITE <i>on vivid red</i>	WHITE <i>on vivid green</i>	WHITE <i>on vivid blue</i>	BLACK <i>on violet</i>	BLACK <i>on white super strong adhesive</i>	BLACK <i>on yellow super strong adhesive</i>	RED <i>on white</i>	RED <i>on yellow</i>
	236BCPX	236BWPX	236BYPX	236WBPX	236BGPX	236BBPX	236BRPX	236BOPX	236WCPX	236WRPX	236WGPX	236WLPX	236BVPX	236IBWPX	236IBYPX	236RWPX	236RYPX

SPECIALTY TAPES

Glow-in-the-Dark 4.9'




212LMYPX	1/2" Black <i>on glow-in-the-dark</i>
218LMYPX	3/4" Black <i>on glow-in-the-dark</i>
224LMYPX	1" Black <i>on glow-in-the-dark</i>
236LMYPX	1-1/2" Black <i>on glow-in-the-dark</i>

Permanent Aggressive 25'



	Black <i>on white</i>	Black <i>on yellow</i>	Black <i>on silver matte</i>
3/8"	209PABWPX	209PABYPX	209PASMPX
1/2"	212PABWPX	212PABYPX	212PASMPX
3/4"	218PABWPX	218PABYPX	218PASMPX
1"	224PABWPX	224PABYPX	224PASMPX
1 1/2"	236PABWPX	236PABYPX	236PASMPX

Self-Lamination Overwrap 30'



224SLPX	1/4" Black <i>on white</i> 3/4" Clear Tail (30')
236SLPX	1/2" Black <i>on white</i> 1" Clear Tail (30')

Wire wrap tape prints on white area and has clear tail to overlap printed material

Fabric Tape Iron On 16'4"



	Black <i>on blue</i>	Black <i>on pink</i>
3/8"	209FBBPX	209FBPPX
1/2"	212FBBPX	212FBPPX

Reflective Tape 4' 9"



224RFWPX	1" Black <i>on Reflective white</i>
224RFYPX	1" Black <i>on Reflective yellow</i>

Die Cut (For Use With LW-PX900 Only)



Black on White		
Circle	Oval	Square
25mm/1" 224CBWPX	25mm x 38mm 1" x 1.5"	25mm x 38mm 1" x 1.5"
180 labels per roll	224OBWPX	224SBWPX
	140 labels per roll	140 labels per roll

Silver Matte 30'



Black on silver matte				
3/8" 9mm	1/2" 12mm	3/4" 18mm	1" 24mm	1 1/2" 36mm
209SMPX	212SMPX	218SMPX	224SMPX	236SMPX

Magnet Tape 11'



	Black <i>on white</i>	Black <i>on yellow</i>	Black <i>on red</i>	Black <i>on blue</i>	Black <i>on green</i>
1/2"	212MTBWPX	212MTBYPX	212MTBRPX	212MTBBPX	212MTBGPX
3/4"	218MTBWPX	218MTBYPX	218MTBRPX	218MTBBPX	218MTBGPX
1"	224MTBWPX	224MTBYPX	224MTBRPX	224MTBBPX	224MTBGPX
1 1/2"	236MTBWPX	236MTBYPX	236MTBRPX	236MTBBPX	236MTBGPX

Shrink Tube 96"



Compliance Standards: UL Standard 224 (Related Temperature: 125°C, Rated Voltage: 300V, Flame Resistance Grade VW-1)

	AWG	Black <i>on red</i>	Black <i>on yellow</i>	Black <i>on white</i>	Black <i>on green</i>	Black <i>on blue</i>	White <i>on black</i>
1/8"	16-22	2035TBWPX	2035TBYPX	2035TBWPX			
3/16"	8-12	2055TBWPX	2055TBYPX	2055TBWPX	2055TBGPX	2055TBBPX	2055TWBPX
1/4"	10-20	2085TBWPX	2085TBYPX	2085TBWPX			
3/8"	6-18	2105TBWPX	2105TBYPX	2105TBWPX			
1/2"	2-8	2115TBWPX	2115TBYPX	2115TBWPX			2115TWBPX
9/16"	0-5	2145TBWPX	2145TBYPX	2145TBWPX			
7/8"	0000-1	2215TBWPX	2215TBYPX	2215TBWPX			

Polyolefin Shrink Tube Cartridge Color & Sizes (length=96")

Fluorescent 30'



Black <i>on fluorescent red</i>	Black <i>on fluorescent pink</i>	Black <i>on fluorescent orange</i>	Black <i>on fluorescent yellow</i>	Black <i>on fluorescent green</i>
218FRPX	218FPX	218FOPX	218FYX	218FGPX

More Sizes, More Colors For All Your Industrial Labeling Needs

