



Environmental Certificates



[Newland](#)

**NL36HO  
NEWLAND | 36" OPEN  
HUTCH**

Newland - simple and modular components combining classic design, quality and value to support a wide range of workspace applications. From private offices, open plan, meeting and training spaces, Newland offers functional and practical desking solutions that will stand the test of time.

- Thermally fused laminate
- 1" thick top and end gables
- 2mm matching edge
- 2 shelves (center shelf fixed, lower shelf adjustable)
- Designed for quick and easy assembly
- Predrilled to accept door kits NL36PHLD

#### Finish Options:

Laminate finish: Available in all Newland finishes




## Specifications

Dimensions: 36"W x 15"D x 36"H

Weight: 95 lbs / 43.09 kg

Volume: 4 ft<sup>3</sup> / 0.11 m<sup>3</sup>



Showcase | 0:31

**Newland**

---



Environmental Certificates



[Newland](#)

**NL36PHLD  
NEWLAND | LAMINATE DOORS FOR 36"  
HUTCH**

Newland - simple and modular components combining classic design, quality and value to support a wide range of workspace applications. From private offices, open plan, meeting and training spaces, Newland offers functional and practical desking solutions that will stand the test of time.

- Set of two Laminate Doors
- To fit onto 36" wide hutch only
- Silver handles
- Non-locking
- Designed for quick and easy assembly

Finish Options:

Laminate finish: Available in all Newland finishes




## Specifications

Dimensions: 35"W x 0.7"D x 34.7"H

Weight: 28 lbs / 12.7 kg

Volume: 3 ft<sup>3</sup> / 0.08 m<sup>3</sup>



Showcase | 0:31

**Newland**

---



Environmental Certificates



[Newland](#)

**NL66HO  
NEWLAND | 66" OPEN  
HUTCH**

Newland - simple and modular components combining classic design, quality and value to support a wide range of workspace applications. From private offices, open plan, meeting and training spaces, Newland offers functional and practical desking solutions that will stand the test of time.

- Thermally fused laminate
- 1" thick top and end gables
- 2mm matching edge
- Wire management grommet (1) is standard for tasklight cord escape below shelf
- 20" clearance between worksurface and bottom of the hutch
- Predrilled to accept door kits NL33DRL (two kits required to fully enclose storage area)
- Tackboard is available separately ML72TB
- Designed for quick and easy assembly

#### Finish Options:

Laminate finish: Available in all Newland finishes




## Specifications

Dimensions: 66"W x 15"D x 36"H

Weight: 133 lbs / 60.33 kg

Volume: 6.75 ft<sup>3</sup> / 0.19 m<sup>3</sup>



Showcase | 0:31

**Newland**

---



Environmental Certificates



[Newland](#)

**NL33DRL  
NEWLAND | 33" LAMINATE DOORS FOR 66"  
HUTCH**

Newland - simple and modular components combining classic design, quality and value to support a wide range of workspace applications. From private offices, open plan, meeting and training spaces, Newland offers functional and practical desking solutions that will stand the test of time.

- Set of two laminate doors for one side of 66" hutch
- Thermally fused laminate
- Designed for quick and easy assembly
- Hinges included
- No handles, door extends slightly below the bottom shelf for finger pull access to open
- Non-locking
- Two sets of doors required for [ML66HO](#) to fully enclose the hutch storage area.

#### Finish Options:

Laminate finish: Available in all Newland finishes



## Specifications


Dimensions: 32.5"W x 0.7"D x 15"H

Weight: 15 lbs / 6.8 kg

Volume: 1.6 ft<sup>3</sup> / 0.04 m<sup>3</sup>

---





Environmental Certificates



[Newland](#)

**ML66TB  
NEWLAND | TACKBOARD FOR 66"  
HUTCH**

- Tackboard for [ML66HO](#)

- Designed for quick and easy installation



## Specifications

Dimensions: 64"W x 1"D x 15.75"H

Weight: 6.4 lbs / 2.9 kg

Volume: 1.3 ft<sup>3</sup> / 0.4 m<sup>3</sup>

---



Environmental Certificates



[Newland](#)

**NL72HO  
NEWLAND | 72" OPEN  
HUTCH**

Newland - simple and modular components combining classic design, quality and value to support a wide range of workspace applications. From private offices, open plan, meeting and training spaces, Newland offers functional and practical desking solutions that will stand the test of time.

- Thermally fused laminate
- 1" thick top and end gables
- 2mm matching edge
- Wire management grommet (1) is standard for tasklight cord escape below shelf
- 20" clearance between worksurface and bottom of hutch
- Predrilled to accept door kits NL35DRL (two kits required to fully enclose storage area)
- Tackboard is available separately [ML72TB](#)
- Designed for quick and easy assembly

#### Finish Options:

Laminate finish: Available in all Newland finishes




## Specifications

Dimensions: 72"W x 15"D x 36"H

Weight: 143 lbs / 64.86 kg

Volume: 7.5 ft<sup>3</sup> / 0.21 m<sup>3</sup>



Showcase | 0:31

**Newland**

---



Environmental Certificates



[Newland](#)

**NL36DRL  
NEWLAND | 36" LAMINATE DOORS FOR 72"  
HUTCH**

Newland - simple and modular components combining classic design, quality and value to support a wide range of workspace applications. From private offices, open plan, meeting and training spaces, Newland offers functional and practical desking solutions that will stand the test of time.

- Set of two laminate doors for one side of 72"W hutch
- Thermally fused laminate
- Designed for quick and easy assembly
- Hinges included
- No handles, door extends slightly below the bottom of the shelf for finger pull access to open
- Non-locking
- Two sets of doors required for ML72HO to fully enclose the hutch storage area

#### Finish Options:

Laminate finish: Available in all Newland finishes




## Specifications

Dimensions: 35.6"W x 0.7"D x 15"H

Weight: 15 lbs / 6.8 kg

Volume: 1.7 ft<sup>3</sup> / 0.04 m<sup>3</sup>

---



Environmental Certificates



[Newland](#)

**ML72TB  
NEWLAND | TACKBOARD FOR 72"  
HUTCH**

- Tackboard for [ML72HO](#)

- Designed for quick and easy installation



## Specifications

Dimensions: 70"W x 1"D x 15.75"H

Weight: 7 lbs / 3.2 kg

Volume: 1.3 ft<sup>3</sup> / 0.4 m<sup>3</sup>

---