

Features


- Metric wedge belt pulleys SPZ, SPA, SPB, and SPC are suitable for both classical and wedge belts Z/SPZ, A/SPA, B/SPB, C/SPC respectively.
- SPZ pulleys can be used with 3V/9N belts, and SPB pulleys can be used with 5V/15N belts. In these cases, they should be applied on both the driving and driven pulleys in order to achieve the same groove distance 'e'.
- TaperTite™ bushings are used on the entire range of standard pulleys, enabling quick and easy mounting and removal from the machine shafts. Convenient to re-install old pulley on other shafts of different diameter by fitting same TaperTite™ bush number but with different bore. Alternatively, QD bushings or Shaft Locking Assemblies can be custom designed to fit with any pulleys.

Materials, quality balance and surface finish


- All pulleys are made of GG20-GG25 cast iron.
- In general, pulleys quality, finish and balance conform to ISO 254:1990. Pulley surface is phosphated to prevent rust.
- All pulleys are balanced to G6.3 grade.

Groove dimensions

- Groove dimensions and tolerance of SPZ, SPA, SPB, SPC pulleys conform to ISO 4183:1995 and DIN 2211. D pulleys groove dimension also conform to ISO 4183:1995
- Groove dimension and tolerance of 3V/9N, 5V/15N, 8V/25N pulleys conform to ISO 5290:2001.
- Face width can be calculated: $F = 2f + e(n-1)$



| Section | PCD | A ±0.5 | D min | e* | f | b | lp | W+ |
|---------|-----------|-----------|----------|------|------|------|-----|------|
| Z | ≤ 80 | 34 | | 12 | 8 | | | 9.7 |
| SPZ | > 80 | 38 | 11 | | | | 8.5 | 9.9 |
| A | ≤ 118 | 34 | | 15 | 10 | 2.75 | 11 | 12.7 |
| SPA | > 118 | 38 | 13.75 | | | | | 12.9 |
| B | ≤ 190 | 34 | | 19 | 12.5 | 3.5 | 14 | 16.1 |
| SPB | > 190 | 38 | 17.5 | | | | | 16.4 |
| C | ≤ 315 | 34 | | 25.5 | 17 | 4.8 | 19 | 21.9 |
| SPC | > 315 | 38 | 23.8 | | | | | 22.3 |
| D | ≤ 475 | 36 | | 37 | 24 | 8.1 | 27 | |
| | > 475 | 38 | 28 | | | | | |
| E | ≤ 600 | 36 | | 44.5 | 29 | 9.6 | 32 | |
| | > 600 | 38 | 33 | | | | | |
| 3V | ≤ 90 | 36 | | | | | | |
| 9N/J | 90<~≤150 | 38 | 8.9 | 10.3 | 9 | 0.6 | | 8.9 |
| | 150<~≤300 | 40 | | | | | | |
| | >300 | 42 | | | | | | |
| 5V | ≤250 | 38 | | | | | | |
| 15N/J | 250<~≤400 | 40 | 15.2 | 17.5 | 13 | 1.3 | | 15.2 |
| | >400 | 42 | | | | | | |
| 8V | ≤400 | 38 | | | | | | |
| 25N/J | 400<~≤560 | 40 | 25.4 | 28.6 | 19 | 2.5 | | 25.4 |
| | >560 | 42 | | | | | | |



SPZ - 1 Grooves, F = 16 mm

| Catalogue Code | Pulley Designation | P | O | Bush No. | Max bore | Type | J | L | N | Weight (kg) |
|----------------|--------------------|-----|-----|----------|----------|------|------|----|-----|-------------|
| 13121050* | 1SPZ 50 | 50 | 54 | 1008 | 25 | 1 | 25.5 | 25 | | 0.37 |
| 13121056* | 1SPZ 56 | 56 | 60 | 1008 | 25 | 1 | 31 | 25 | | 0.45 |
| 13121060 | 1SPZ 60 | 60 | 64 | 1008 | 25 | 2 | | 22 | 58 | 0.25 |
| 13121063 | 1SPZ 63 | 63 | 67 | 1108 | 28 | 2 | | 22 | 60 | 0.30 |
| 13121067 | 1SPZ 67 | 67 | 71 | 1108 | 28 | 2 | | 22 | 60 | 0.30 |
| 13121071 | 1SPZ 71 | 71 | 75 | 1108 | 28 | 2 | | 22 | 60 | 0.40 |
| 13121075 | 1SPZ 75 | 75 | 79 | 1108 | 28 | 2 | | 25 | 60 | 0.50 |
| 13121080 | 1SPZ 80 | 80 | 84 | 1210 | 32 | 2 | | 25 | 76 | 0.40 |
| 13121085 | 1SPZ 85 | 85 | 89 | 1210 | 32 | 2 | | 25 | 76 | 0.50 |
| 13121090 | 1SPZ 90 | 90 | 94 | 1210 | 32 | 2 | | 25 | 76 | 0.70 |
| 13121095 | 1SPZ 95 | 95 | 99 | 1210 | 32 | 2 | | 25 | 76 | 0.80 |
| 13121100 | 1SPZ 100 | 100 | 104 | 1210 | 32 | 2 | | 25 | 76 | 0.90 |
| 13121106 | 1SPZ 106 | 106 | 110 | 1610 | 42 | 2 | | 25 | 86 | 1.10 |
| 13121112 | 1SPZ 112 | 112 | 116 | 1610 | 42 | 2 | | 25 | 86 | 1.15 |
| 13121118 | 1SPZ 118 | 118 | 122 | 1610 | 42 | 2 | | 25 | 86 | 1.20 |
| 13121125 | 1SPZ 125 | 125 | 129 | 1610 | 42 | 2 | | 25 | 86 | 1.30 |
| 13121132 | 1SPZ 132 | 132 | 136 | 1610 | 42 | 2 | | 25 | 86 | 1.50 |
| 13121140 | 1SPZ 140 | 140 | 144 | 1610 | 42 | 2 | | 25 | 86 | 1.60 |
| 13121150 | 1SPZ 150 | 150 | 154 | 1610 | 42 | 2 | | 25 | 86 | 2.00 |
| 13121160 | 1SPZ 160 | 160 | 164 | 1610 | 42 | 11 | | 25 | 86 | 1.70 |
| 13121170 | 1SPZ 170 | 170 | 174 | 1610 | 42 | 11 | | 25 | 86 | 1.90 |
| 13121180 | 1SPZ 180 | 180 | 184 | 1610 | 42 | 11 | | 25 | 86 | 2.00 |
| 13121190 | 1SPZ 190 | 190 | 194 | 1610 | 42 | 11 | | 25 | 86 | 2.10 |
| 13121200 | 1SPZ 200 | 200 | 204 | 2012 | 50 | 11 | | 32 | 105 | 2.70 |
| 13121224 | 1SPZ 224 | 224 | 228 | 2012 | 50 | 7 | 195 | 32 | 105 | 3.00 |
| 13121250 | 1SPZ 250 | 250 | 254 | 2012 | 50 | 9 | 221 | 32 | 105 | 2.80 |
| 13121280 | 1SPZ 280 | 280 | 284 | 2012 | 50 | 9 | 251 | 32 | 105 | 3.50 |
| 13121315 | 1SPZ 315 | 315 | 319 | 2012 | 50 | 9 | 286 | 32 | 105 | 3.80 |
| 13121355 | 1SPZ 355 | 355 | 359 | 2012 | 50 | 9 | 326 | 32 | 105 | 4.50 |
| 13121400 | 1SPZ 400 | 400 | 404 | 2012 | 50 | 9 | 371 | 32 | 105 | 4.33 |
| 13121450 | 1SPZ 450 | 450 | 454 | 2517 | 60 | 9 | 421 | 45 | 120 | 5.82 |

* F = 38 mm


SPZ - 2 Grooves, F = 28 mm

| Catalogue Code | Pulley Designation | P | O | Bush No. | Max bore | Type | J | L | N | Weight (kg) |
|----------------|--------------------|-----|-----|----------|----------|------|------|----|-----|-------------|
| 13122050* | 2SPZ 50 | 50 | 54 | 1008 | 25 | 1 | 25.5 | 25 | | 0.46 |
| 13122056* | 2SPZ 56 | 56 | 60 | 1108 | 28 | 1 | 31 | 22 | | 0.53 |
| 13122060* | 2SPZ 60 | 60 | 64 | 1108 | 28 | 1 | 35 | 22 | | 0.60 |
| 13122063 | 2SPZ 63 | 63 | 67 | 1108 | 28 | 4 | 38 | 22 | | 0.40 |
| 13122067 | 2SPZ 67 | 67 | 71 | 1108 | 28 | 4 | 38 | 22 | | 0.42 |
| 13122071 | 2SPZ 71 | 71 | 75 | 1108 | 28 | 4 | 42 | 22 | | 0.50 |
| 13122075 | 2SPZ 75 | 75 | 79 | 1210 | 32 | 4 | 48 | 25 | | 0.50 |
| 13122080 | 2SPZ 80 | 80 | 84 | 1210 | 32 | 4 | 51 | 25 | | 0.50 |
| 13122085 | 2SPZ 85 | 85 | 89 | 1610 | 42 | 4 | 56 | 25 | | 0.60 |
| 13122090 | 2SPZ 90 | 90 | 94 | 1610 | 42 | 4 | 61 | 25 | | 0.80 |
| 13122095 | 2SPZ 95 | 95 | 99 | 1610 | 42 | 4 | 66 | 25 | | 0.90 |
| 13122100 | 2SPZ 100 | 100 | 104 | 1610 | 42 | 4 | 71 | 25 | | 1.00 |
| 13122106 | 2SPZ 106 | 106 | 110 | 1610 | 42 | 4 | 77 | 25 | | 1.20 |
| 13122112 | 2SPZ 112 | 112 | 116 | 1610 | 42 | 4 | 83 | 25 | | 1.30 |
| 13122118 | 2SPZ 118 | 118 | 122 | 1610 | 42 | 4 | 89 | 25 | | 1.50 |
| 13122125 | 2SPZ 125 | 125 | 129 | 1610 | 42 | 4 | 96 | 25 | | 1.80 |
| 13122132 | 2SPZ 132 | 132 | 136 | 1610 | 42 | 4 | 103 | 25 | | 2.00 |
| 13122140 | 2SPZ 140 | 140 | 144 | 1610 | 42 | 5 | 111 | 25 | | 2.40 |
| 13122150 | 2SPZ 150 | 150 | 154 | 2012 | 50 | 2 | | 32 | 105 | 2.80 |
| 13122160 | 2SPZ 160 | 160 | 164 | 2012 | 50 | 2 | | 32 | 105 | 3.30 |
| 13122170 | 2SPZ 170 | 170 | 174 | 2012 | 50 | 2 | | 32 | 105 | 3.80 |
| 13122180 | 2SPZ 180 | 180 | 184 | 2012 | 50 | 11 | 151 | 32 | 105 | 3.00 |
| 13122190 | 2SPZ 190 | 190 | 194 | 2012 | 50 | 11 | 161 | 32 | 105 | 3.10 |
| 13122200 | 2SPZ 200 | 200 | 204 | 2012 | 50 | 11 | | 32 | 105 | 3.30 |
| 13122224 | 2SPZ 224 | 224 | 228 | 2012 | 50 | 7 | 195 | 32 | 105 | 3.70 |
| 13122250 | 2SPZ 250 | 250 | 254 | 2012 | 50 | 9 | 221 | 32 | 105 | 4.00 |
| 13122280 | 2SPZ 280 | 280 | 284 | 2012 | 50 | 9 | 251 | 32 | 105 | 4.40 |
| 13122315 | 2SPZ 315 | 315 | 319 | 2012 | 50 | 9 | 286 | 32 | 105 | 5.10 |
| 13122355 | 2SPZ 355 | 355 | 359 | 2012 | 50 | 9 | 326 | 32 | 105 | 8.40 |
| 13122400 | 2SPZ 400 | 400 | 404 | 2517 | 60 | 9 | 371 | 45 | 120 | 6.90 |
| 13122450 | 2SPZ 450 | 450 | 454 | 2517 | 60 | 9 | 421 | 45 | 120 | 7.84 |
| 13122500 | 2SPZ 500 | 500 | 504 | 2517 | 60 | 9 | 471 | 45 | 120 | 8.90 |

* F = 50 mm

SPZ - 3 Grooves, F = 40 mm

| Catalogue Code | Pulley Designation | P | O | Bush No. | Max bore | Type | J | L | N | Weight (kg) |
|----------------|--------------------|-----|-----|----------|----------|------|-----|----|-----|-------------|
| 13123063 | 3SPZ 63 | 63 | 67 | 1108 | 28 | 4 | 38 | 22 | | 0.16 |
| 13123067 | 3SPZ 67 | 67 | 71 | 1108 | 28 | 4 | 38 | 22 | | 0.57 |
| 13123071 | 3SPZ 71 | 71 | 75 | 1108 | 28 | 4 | 42 | 22 | | 0.60 |
| 13123075 | 3SPZ 75 | 75 | 79 | 1210 | 32 | 4 | 48 | 25 | | 0.60 |
| 13123080 | 3SPZ 80 | 80 | 84 | 1210 | 32 | 4 | 51 | 25 | | 0.70 |
| 13123085 | 3SPZ 85 | 85 | 89 | 1610 | 42 | 4 | 56 | 25 | | 0.80 |
| 13123090 | 3SPZ 90 | 90 | 94 | 1610 | 42 | 4 | 61 | 25 | | 0.90 |
| 13123095 | 3SPZ 95 | 95 | 99 | 1610 | 42 | 4 | 66 | 25 | | 1.06 |
| 13123100 | 3SPZ 100 | 100 | 104 | 1610 | 42 | 4 | 71 | 25 | | 1.20 |
| 13123106 | 3SPZ 106 | 106 | 110 | 1610 | 42 | 4 | 77 | 25 | | 1.30 |
| 13123112 | 3SPZ 112 | 112 | 116 | 2012 | 50 | 4 | 83 | 32 | | 1.40 |
| 13123118 | 3SPZ 118 | 118 | 122 | 2012 | 50 | 4 | 89 | 32 | | 1.60 |
| 13123125 | 3SPZ 125 | 125 | 129 | 2012 | 50 | 5 | 96 | 32 | | 2.00 |
| 13123132 | 3SPZ 132 | 132 | 136 | 2012 | 50 | 5 | 103 | 32 | | 2.40 |
| 13123140 | 3SPZ 140 | 140 | 144 | 2012 | 50 | 5 | 111 | 32 | | 2.80 |
| 13123150 | 3SPZ 150 | 150 | 154 | 2012 | 50 | 5 | 121 | 32 | | 3.40 |
| 13123160 | 3SPZ 160 | 160 | 164 | 2012 | 50 | 5 | 131 | 32 | | 3.90 |
| 13123170 | 3SPZ 170 | 170 | 174 | 2012 | 50 | 8 | 141 | 32 | 105 | 3.35 |
| 13123180 | 3SPZ 180 | 180 | 184 | 2012 | 50 | 8 | 151 | 32 | 105 | 3.60 |
| 13123190 | 3SPZ 190 | 190 | 194 | 2012 | 50 | 8 | 161 | 32 | 105 | 3.60 |
| 13123200 | 3SPZ 200 | 200 | 204 | 2012 | 50 | 8 | 171 | 32 | 105 | 4.00 |
| 13123224 | 3SPZ 224 | 224 | 228 | 2012 | 50 | 8 | 195 | 32 | 105 | 4.40 |
| 13123250 | 3SPZ 250 | 250 | 254 | 2012 | 50 | 10 | 221 | 32 | 105 | 4.60 |
| 13123280 | 3SPZ 280 | 280 | 284 | 2517 | 60 | 9 | 251 | 45 | 120 | 6.40 |
| 13123315 | 3SPZ 315 | 315 | 319 | 2517 | 60 | 9 | 286 | 45 | 120 | 7.40 |
| 13123355 | 3SPZ 355 | 355 | 359 | 2517 | 60 | 9 | 326 | 45 | 120 | 8.80 |
| 13123400 | 3SPZ 400 | 400 | 404 | 2517 | 60 | 9 | 371 | 45 | 120 | 8.65 |
| 13123450 | 3SPZ 450 | 450 | 454 | 2517 | 60 | 9 | 421 | 45 | 120 | 9.90 |
| 13123500 | 3SPZ 500 | 500 | 504 | 2517 | 60 | 9 | 471 | 45 | 120 | 11.14 |
| 13123630 | 3SPZ 630 | 630 | 634 | 2517 | 60 | 9 | 601 | 45 | 120 | 15.08 |
| 13123800 | 3SPZ 800 | 800 | 804 | 3020 | 75 | 9 | 771 | 51 | 155 | 23.61 |



SPZ - 4 Grooves, F = 52 mm


| Catalogue Code | Pulley Designation | P | O | Bush No. | Max bore | Type | J | L | N | Weight (kg) |
|----------------|--------------------|-----|-----|----------|----------|------|-----|----|-----|-------------|
| 13124063 | 4SPZ 63 | 63 | 67 | 1108 | 28 | 4 | 38 | 22 | | 0.59 |
| 13124067 | 4SPZ 67 | 67 | 71 | 1108 | 28 | 4 | 38 | 22 | | 0.73 |
| 13124071 | 4SPZ 71 | 71 | 75 | 1108 | 28 | 4 | 42 | 25 | | 0.80 |
| 13124075 | 4SPZ 75 | 75 | 79 | 1210 | 32 | 4 | 48 | 25 | | 0.83 |
| 13124080 | 4SPZ 80 | 80 | 84 | 1210 | 32 | 4 | 51 | 25 | | 0.80 |
| 13124085 | 4SPZ 85 | 85 | 89 | 1610 | 42 | 4 | 56 | 25 | | 0.90 |
| 13124090 | 4SPZ 90 | 90 | 94 | 1610 | 42 | 4 | 61 | 25 | | 1.20 |
| 13124095 | 4SPZ 95 | 95 | 99 | 1610 | 42 | 4 | 66 | 25 | | 1.20 |
| 13124100 | 4SPZ 100 | 100 | 104 | 1610 | 42 | 4 | 71 | 25 | | 1.40 |
| 13124106 | 4SPZ 106 | 106 | 110 | 1610 | 42 | 4 | 77 | 25 | | 1.70 |
| 13124112 | 4SPZ 112 | 112 | 116 | 2012 | 50 | 4 | 83 | 32 | | 1.70 |
| 13124118 | 4SPZ 118 | 118 | 122 | 2012 | 50 | 4 | 89 | 32 | | 2.00 |
| 13124125 | 4SPZ 125 | 125 | 129 | 2012 | 50 | 5 | 96 | 32 | | 2.30 |
| 13124132 | 4SPZ 132 | 132 | 136 | 2012 | 50 | 5 | 103 | 32 | | 2.70 |
| 13124140 | 4SPZ 140 | 140 | 144 | 2012 | 50 | 5 | 111 | 32 | | 3.10 |
| 13124150 | 4SPZ 150 | 150 | 154 | 2517 | 60 | 5 | 121 | 45 | | 3.80 |
| 13124160 | 4SPZ 160 | 160 | 164 | 2517 | 60 | 5 | 131 | 45 | | 4.60 |
| 13124170 | 4SPZ 170 | 170 | 174 | 2517 | 60 | 5 | 141 | 45 | | 5.40 |
| 13124180 | 4SPZ 180 | 180 | 184 | 2517 | 60 | 8 | 151 | 45 | 120 | 6.50 |
| 13124190 | 4SPZ 190 | 190 | 194 | 2517 | 60 | 8 | 161 | 45 | 120 | 5.00 |
| 13124200 | 4SPZ 200 | 200 | 204 | 2517 | 60 | 8 | 171 | 45 | 120 | 5.20 |
| 13124224 | 4SPZ 224 | 224 | 228 | 2517 | 60 | 8 | 195 | 45 | 120 | 6.00 |
| 13124250 | 4SPZ 250 | 250 | 254 | 2517 | 60 | 10 | 221 | 45 | 120 | 7.00 |
| 13124280 | 4SPZ 280 | 280 | 284 | 2517 | 60 | 10 | 251 | 45 | 120 | 7.60 |
| 13124315 | 4SPZ 315 | 315 | 319 | 2517 | 60 | 10 | 286 | 45 | 120 | 8.60 |
| 13124355 | 4SPZ 355 | 355 | 359 | 2517 | 60 | 10 | 326 | 45 | 120 | 9.40 |
| 13124400 | 4SPZ 400 | 400 | 404 | 2517 | 60 | 10 | 371 | 45 | 120 | 10.23 |
| 13124450 | 4SPZ 450 | 450 | 454 | 3020 | 75 | 10 | 421 | 51 | 155 | 12.26 |
| 13124500 | 4SPZ 500 | 500 | 504 | 3020 | 75 | 10 | 471 | 51 | 155 | 13.72 |
| 13124630 | 4SPZ 630 | 630 | 634 | 3020 | 75 | 10 | 601 | 51 | 155 | 20.29 |
| 13124800 | 4SPZ 800 | 800 | 804 | 3030 | 75 | 9 | 771 | 76 | 155 | 29.35 |

SPZ - 5 Grooves, F = 64 mm

| Catalogue Code | Pulley Designation | P | O | Bush No. | Max bore | Type | J | L | N | Weight (kg) |
|----------------|--------------------|-----|-----|----------|----------|------|-----|----|-----|-------------|
| 13125085 | 5SPZ 85 | 85 | 89 | 1610 | 42 | 4 | 56 | 25 | | 1.20 |
| 13125090 | 5SPZ 90 | 90 | 94 | 1610 | 42 | 4 | 61 | 25 | | 1.40 |
| 13125095 | 5SPZ 95 | 95 | 99 | 1610 | 42 | 4 | 66 | 25 | | 1.50 |
| 13125100 | 5SPZ 100 | 100 | 104 | 2012 | 50 | 4 | 71 | 32 | | 1.50 |
| 13125106 | 5SPZ 106 | 106 | 110 | 2012 | 50 | 4 | 77 | 32 | | 1.80 |
| 13125112 | 5SPZ 112 | 112 | 116 | 2012 | 50 | 4 | 83 | 32 | | 2.00 |
| 13125118 | 5SPZ 118 | 118 | 122 | 2012 | 50 | 4 | 89 | 32 | | 2.30 |
| 13125125 | 5SPZ 125 | 125 | 129 | 2012 | 50 | 4 | 96 | 32 | | 2.60 |
| 13125132 | 5SPZ 132 | 132 | 136 | 2517 | 60 | 4 | 103 | 45 | | 2.90 |
| 13125140 | 5SPZ 140 | 140 | 144 | 2517 | 60 | 5 | 111 | 45 | | 3.40 |
| 13125150 | 5SPZ 150 | 150 | 154 | 2517 | 60 | 5 | 121 | 45 | | 4.45 |
| 13125160 | 5SPZ 160 | 160 | 164 | 2517 | 60 | 5 | 131 | 45 | | 5.10 |
| 13125170 | 5SPZ 170 | 170 | 174 | 2517 | 60 | 5 | 141 | 45 | | 6.00 |
| 13125180 | 5SPZ 180 | 180 | 184 | 2517 | 60 | 8 | 151 | 45 | 120 | 5.20 |
| 13125190 | 5SPZ 190 | 190 | 194 | 2517 | 60 | 8 | 161 | 45 | 120 | 5.40 |
| 13125200 | 5SPZ 200 | 200 | 204 | 2517 | 60 | 8 | 171 | 45 | 120 | 5.90 |
| 13125224 | 5SPZ 224 | 224 | 228 | 2517 | 60 | 8 | 195 | 45 | 120 | 6.70 |
| 13125250 | 5SPZ 250 | 250 | 254 | 2517 | 60 | 10 | 221 | 45 | 120 | 7.60 |
| 13125280 | 5SPZ 280 | 280 | 284 | 2517 | 60 | 10 | 251 | 45 | 120 | 8.60 |
| 13125315 | 5SPZ 315 | 315 | 319 | 2517 | 60 | 10 | 286 | 45 | 120 | 9.80 |
| 13125355 | 5SPZ 355 | 355 | 359 | 2517 | 60 | 10 | 326 | 45 | 120 | 11.10 |
| 13125400 | 5SPZ 400 | 400 | 404 | 3020 | 75 | 10 | 371 | 51 | 155 | 12.28 |
| 13125450 | 5SPZ 450 | 450 | 454 | 3020 | 75 | 10 | 421 | 51 | 155 | 13.99 |
| 13125500 | 5SPZ 500 | 500 | 504 | 3020 | 75 | 10 | 471 | 51 | 155 | 17.95 |
| 13125630 | 5SPZ 630 | 630 | 634 | 3020 | 75 | 10 | 601 | 51 | 155 | 23.12 |
| 13125800 | 5SPZ 800 | 800 | 804 | 3535 | 90 | 9 | 771 | 89 | 175 | 35.28 |

SPZ - 6 Grooves, F = 76 mm

| Catalogue Code | Pulley Designation | P | O | Bush No. | Max bore | Type | J | L | N | Weight (kg) |
|----------------|--------------------|-----|-----|----------|----------|------|-----|----|-----|-------------|
| 13126090 | 6SPZ 90 | 90 | 94 | 1610 | 42 | 4 | 61 | 25 | | 1.59 |
| 13126095 | 6SPZ 95 | 95 | 99 | 1610 | 42 | 4 | 66 | 25 | | 1.78 |
| 13126100 | 6SPZ 100 | 100 | 104 | 2012 | 50 | 4 | 71 | 32 | | 1.78 |
| 13126106 | 6SPZ 106 | 106 | 110 | 2012 | 50 | 4 | 77 | 32 | | 2.07 |
| 13126112 | 6SPZ 112 | 112 | 116 | 2012 | 50 | 4 | 83 | 32 | | 2.30 |
| 13126118 | 6SPZ 118 | 118 | 122 | 2517 | 60 | 4 | 89 | 45 | | 2.47 |
| 13126125 | 6SPZ 125 | 125 | 129 | 2517 | 60 | 4 | 96 | 45 | | 2.85 |
| 13126132 | 6SPZ 132 | 132 | 136 | 2517 | 60 | 4 | 103 | 45 | | 3.46 |
| 13126140 | 6SPZ 140 | 140 | 144 | 2517 | 60 | 5 | 111 | 45 | | 4.06 |
| 13126150 | 6SPZ 150 | 150 | 154 | 2517 | 60 | 5 | 121 | 45 | | 4.87 |
| 13126160 | 6SPZ 160 | 160 | 164 | 2517 | 60 | 5 | 131 | 45 | | 5.73 |
| 13126170 | 6SPZ 170 | 170 | 174 | 2517 | 60 | 5 | 141 | 45 | | 6.64 |
| 13126180 | 6SPZ 180 | 180 | 184 | 2517 | 60 | 8 | 151 | 45 | 120 | 7.60 |
| 13126190 | 6SPZ 190 | 190 | 194 | 2517 | 60 | 8 | 161 | 45 | 120 | 6.23 |
| 13126200 | 6SPZ 200 | 200 | 204 | 2517 | 60 | 8 | 171 | 45 | 120 | 6.62 |
| 13126224 | 6SPZ 224 | 224 | 228 | 2517 | 60 | 8 | 195 | 45 | 120 | 7.46 |
| 13126250 | 6SPZ 250 | 250 | 254 | 2517 | 60 | 10 | 221 | 45 | 120 | 8.40 |
| 13126280 | 6SPZ 280 | 280 | 284 | 2517 | 60 | 10 | 251 | 45 | 120 | 9.20 |
| 13126315 | 6SPZ 315 | 315 | 319 | 2517 | 60 | 10 | 286 | 45 | 120 | 11.20 |
| 13126355 | 6SPZ 355 | 355 | 359 | 2517 | 60 | 10 | 326 | 45 | 120 | 11.60 |
| 13126400 | 6SPZ 400 | 400 | 404 | 3020 | 75 | 10 | 371 | 51 | 155 | 15.58 |
| 13126450 | 6SPZ 450 | 450 | 454 | 3030 | 75 | 10 | 421 | 76 | 155 | 17.72 |
| 13126500 | 6SPZ 500 | 500 | 504 | 3030 | 75 | 10 | 471 | 76 | 155 | 19.97 |
| 13126630 | 6SPZ 630 | 630 | 634 | 3535 | 90 | 9 | 601 | 89 | 175 | 29.23 |
| 13126800 | 6SPZ 800 | 800 | 804 | 3535 | 90 | 9 | 771 | 89 | 175 | 39.17 |



SPZ - 8 Grooves, F = 100 mm


| Catalogue Code | Pulley Designation | P | O | Bush No. | Max bore | Type | J | L | N | Weight (kg) |
|----------------|--------------------|-----|-----|----------|----------|------|-----|----|-----|-------------|
| 13128140 | 8SPZ 140 | 140 | 144 | 2517 | 60 | 6 | 111 | 45 | | 4.83 |
| 13128150 | 8SPZ 150 | 150 | 154 | 2517 | 60 | 6 | 121 | 45 | | 5.70 |
| 13128160 | 8SPZ 160 | 160 | 164 | 2517 | 60 | 6 | 131 | 45 | | 6.62 |
| 13128180 | 8SPZ 180 | 180 | 184 | 3020 | 75 | 6 | 171 | 51 | | 8.05 |
| 13128200 | 8SPZ 200 | 200 | 204 | 3020 | 75 | 6 | 171 | 51 | | 10.48 |
| 13128224 | 8SPZ 224 | 224 | 228 | 3020 | 75 | 6 | 195 | 51 | | 13.71 |
| 13128250 | 8SPZ 250 | 250 | 254 | 3020 | 75 | 10 | 221 | 51 | 155 | 9.80 |
| 13128280 | 8SPZ 280 | 280 | 284 | 3020 | 75 | 10 | 251 | 51 | 155 | 10.50 |
| 13128355 | 8SPZ 355 | 355 | 359 | 3030 | 75 | 10 | 326 | 76 | 155 | 17.10 |
| 13128400 | 8SPZ 400 | 400 | 404 | 3030 | 75 | 10 | 371 | 76 | 155 | 18.46 |
| 13128450 | 8SPZ 450 | 450 | 454 | 3535 | 90 | 10 | 421 | 89 | 175 | 24.43 |

SPA - 1 Grooves, F = 20 mm

| Catalogue Code | Pulley Designation | P | O | Bush No. | Max bore | Type | J | L | N | Weight (kg) |
|----------------|--------------------|-----|-------|----------|----------|------|-----|----|-----|-------------|
| 13131063 | 1SPA 63 | 63 | 68.6 | 1108 | 28 | 1 | 33 | 48 | 60 | 0.60 |
| 13131067 | 1SPA 67 | 67 | 72.6 | 1108 | 28 | 2 | | 22 | 60 | 0.40 |
| 13131071 | 1SPA 71 | 71 | 76.6 | 1108 | 28 | 2 | | 22 | 60 | 0.40 |
| 13131075 | 1SPA 75 | 75 | 80.6 | 1108 | 28 | 2 | | 22 | 60 | 0.50 |
| 13131080 | 1SPA 80 | 80 | 85.6 | 1210 | 32 | 2 | | 25 | 76 | 0.50 |
| 13131085 | 1SPA 85 | 85 | 90.6 | 1210 | 32 | 2 | | 25 | 76 | 0.60 |
| 13131090 | 1SPA 90 | 90 | 95.6 | 1210 | 32 | 2 | | 25 | 76 | 0.70 |
| 13131095 | 1SPA 95 | 95 | 100.6 | 1210 | 32 | 2 | | 25 | 76 | 0.80 |
| 13131100 | 1SPA 100 | 100 | 105.6 | 1610 | 42 | 2 | | 25 | 86 | 0.85 |
| 13131106 | 1SPA 106 | 106 | 111.6 | 1610 | 42 | 2 | | 25 | 86 | 1.00 |
| 13131112 | 1SPA 112 | 112 | 117.6 | 1610 | 42 | 2 | | 25 | 86 | 1.05 |
| 13131118 | 1SPA 118 | 118 | 123.6 | 1610 | 42 | 2 | | 25 | 86 | 1.20 |
| 13131125 | 1SPA 125 | 125 | 130.6 | 1610 | 42 | 2 | | 25 | 86 | 1.35 |
| 13131132 | 1SPA 132 | 132 | 137.6 | 1610 | 42 | 2 | | 25 | 86 | 1.60 |
| 13131140 | 1SPA 140 | 140 | 145.6 | 1610 | 42 | 2 | | 25 | 86 | 1.80 |
| 13131150 | 1SPA 150 | 150 | 155.6 | 1610 | 42 | 2 | | 25 | 86 | 2.20 |
| 13131160 | 1SPA 160 | 160 | 165.6 | 1610 | 42 | 7 | 126 | 25 | 86 | 1.85 |
| 13131170 | 1SPA 170 | 170 | 175.6 | 1610 | 42 | 7 | 136 | 25 | 86 | 2.00 |
| 13131180 | 1SPA 180 | 180 | 185.6 | 1610 | 42 | 7 | 146 | 25 | 86 | 2.20 |
| 13131190 | 1SPA 190 | 190 | 195.6 | 1610 | 42 | 7 | 156 | 25 | | 2.30 |
| 13131200 | 1SPA 200 | 200 | 205.6 | 2012 | 50 | 7 | 166 | 32 | 105 | 3.00 |
| 13131212 | 1SPA 212 | 212 | 217.6 | 2012 | 50 | 7 | 178 | 32 | 105 | 3.20 |
| 13131224 | 1SPA 224 | 224 | 229.6 | 2012 | 50 | 9 | 190 | 32 | 105 | 3.25 |
| 13131236 | 1SPA 236 | 236 | 241.6 | 2012 | 50 | 9 | 202 | 32 | 105 | 3.90 |
| 13131250 | 1SPA 250 | 250 | 255.6 | 2012 | 50 | 9 | 216 | 32 | 105 | 3.80 |
| 13131280 | 1SPA 280 | 280 | 285.6 | 2012 | 50 | 9 | 246 | 32 | 105 | 4.70 |
| 13131300 | 1SPA 300 | 300 | 305.6 | 2012 | 50 | 9 | 266 | 32 | 105 | 6.00 |
| 13131315 | 1SPA 315 | 315 | 320.6 | 2012 | 50 | 9 | 281 | 32 | 105 | 4.90 |
| 13131355 | 1SPA 355 | 355 | 360.6 | 2012 | 50 | 9 | 321 | 32 | 105 | 5.50 |
| 13131400 | 1SPA 400 | 400 | 405.6 | 2012 | 50 | 9 | 366 | 32 | 105 | 5.91 |
| 13131450 | 1SPA 450 | 450 | 455.6 | 2012 | 50 | 9 | 416 | 32 | 105 | 6.77 |
| 13131500 | 1SPA 500 | 500 | 505.6 | 2517 | 60 | 9 | 466 | 45 | 120 | 8.44 |
| 13131560 | 1SPA 560 | 560 | 565.6 | 2517 | 60 | 9 | 526 | 45 | 120 | 11.62 |
| 13131630 | 1SPA 630 | 630 | 635.6 | 2517 | 60 | 9 | 596 | 45 | 120 | 10.91 |

SPA - 2 Grooves, F = 35 mm

| Catalogue Code | Pulley Designation | P | O | Bush No. | Max bore | Type | J | L | N | Weight (kg) |
|----------------|--------------------|-----|-------|----------|----------|------|-----|----|-----|-------------|
| 13132063 | 2SPA 63 | 63 | 68.6 | 1108 | 28 | 1 | 33 | 63 | 60 | 0.80 |
| 13132067 | 2SPA 67 | 67 | 72.6 | 1108 | 28 | 4 | 37 | 22 | | 0.60 |
| 13132071 | 2SPA 71 | 71 | 76.6 | 1108 | 28 | 4 | 37 | 22 | | 0.50 |
| 13132075 | 2SPA 75 | 75 | 80.6 | 1108 | 28 | 4 | 41 | 22 | | 0.70 |
| 13132080 | 2SPA 80 | 80 | 85.6 | 1210 | 32 | 4 | 46 | 25 | | 0.75 |
| 13132085 | 2SPA 85 | 85 | 90.6 | 1210 | 32 | 4 | 51 | 25 | | 0.80 |
| 13132090 | 2SPA 90 | 90 | 95.6 | 1610 | 42 | 4 | 56 | 25 | | 0.80 |
| 13132095 | 2SPA 95 | 95 | 100.6 | 1610 | 42 | 4 | 61 | 25 | | 1.00 |
| 13132100 | 2SPA 100 | 100 | 105.6 | 1610 | 42 | 4 | 66 | 25 | | 1.00 |
| 13132106 | 2SPA 106 | 106 | 111.6 | 1610 | 42 | 4 | 72 | 25 | | 1.30 |
| 13132112 | 2SPA 112 | 112 | 117.6 | 1610 | 42 | 4 | 78 | 25 | | 1.35 |
| 13132118 | 2SPA 118 | 118 | 123.6 | 1610 | 42 | 4 | 84 | 25 | | 1.60 |
| 13132125 | 2SPA 125 | 125 | 130.6 | 1610 | 42 | 5 | 91 | 25 | | 1.85 |
| 13132132 | 2SPA 132 | 132 | 137.6 | 2012 | 50 | 5 | 98 | 32 | | 2.10 |
| 13132140 | 2SPA 140 | 140 | 145.6 | 2012 | 50 | 5 | 106 | 32 | | 2.50 |
| 13132150 | 2SPA 150 | 150 | 155.6 | 2012 | 50 | 5 | 116 | 32 | | 3.00 |
| 13132160 | 2SPA 160 | 160 | 165.6 | 2012 | 50 | 5 | 126 | 32 | | 3.50 |
| 13132170 | 2SPA 170 | 170 | 175.6 | 2012 | 50 | 5 | 136 | 32 | | 4.15 |
| 13132180 | 2SPA 180 | 180 | 185.6 | 2012 | 50 | 8 | 146 | 32 | 105 | 3.80 |
| 13132190 | 2SPA 190 | 190 | 195.6 | 2012 | 50 | 8 | 156 | 32 | 85 | 4.30 |
| 13132200 | 2SPA 200 | 200 | 205.6 | 2517 | 60 | 7 | 166 | 45 | 120 | 4.40 |
| 13132212 | 2SPA 212 | 212 | 217.6 | 2517 | 60 | 7 | 178 | 45 | 120 | 5.08 |
| 13132224 | 2SPA 224 | 224 | 229.6 | 2517 | 60 | 7 | 190 | 45 | 120 | 5.25 |
| 13132236 | 2SPA 236 | 236 | 241.6 | 2517 | 60 | 7 | 202 | 45 | 120 | 5.50 |
| 13132250 | 2SPA 250 | 250 | 255.6 | 2517 | 60 | 9 | 216 | 45 | 120 | 5.80 |
| 13132280 | 2SPA 280 | 280 | 285.6 | 2517 | 60 | 9 | 246 | 45 | 120 | 6.40 |
| 13132300 | 2SPA 300 | 300 | 305.6 | 2517 | 60 | 9 | 266 | 45 | 120 | 7.10 |
| 13132315 | 2SPA 315 | 315 | 320.6 | 2517 | 60 | 9 | 281 | 45 | 120 | 7.50 |
| 13132355 | 2SPA 355 | 355 | 360.6 | 2517 | 60 | 9 | 321 | 45 | 120 | 8.80 |
| 13132400 | 2SPA 400 | 400 | 405.6 | 2517 | 60 | 9 | 366 | 45 | 120 | 9.35 |
| 13132450 | 2SPA 450 | 450 | 455.6 | 2517 | 60 | 9 | 416 | 45 | 120 | 10.62 |
| 13132500 | 2SPA 500 | 500 | 505.6 | 2517 | 60 | 9 | 466 | 45 | 120 | 12.11 |
| 13132560 | 2SPA 560 | 560 | 565.6 | 3020 | 75 | 9 | 526 | 51 | 155 | 15.45 |
| 13132630 | 2SPA 630 | 630 | 635.6 | 3020 | 75 | 9 | 596 | 51 | 155 | 17.80 |



SPA - 3 Grooves, F = 50 mm

| Catalogue Code | Pulley Designation | P | O | Bush No. | Max bore | Type | J | L | N | Weight (kg) |
|----------------|--------------------|------|--------|----------|----------|------|-----|----|-----|-------------|
| 13132071 | 3SPA 71 | 71 | 76.6 | 1108 | 28 | 4 | 37 | 22 | | 0.70 |
| 13132075 | 3SPA 75 | 75 | 80.6 | 1108 | 28 | 4 | 41 | 22 | | 0.90 |
| 13132080 | 3SPA 80 | 80 | 85.6 | 1210 | 32 | 4 | 46 | 25 | | 0.95 |
| 13132085 | 3SPA 85 | 85 | 90.6 | 1210 | 32 | 4 | 51 | 25 | | 1.00 |
| 13132090 | 3SPA 90 | 90 | 95.6 | 1610 | 42 | 4 | 56 | 25 | | 1.05 |
| 13132095 | 3SPA 95 | 95 | 100.6 | 1610 | 42 | 4 | 61 | 25 | | 1.20 |
| 13132100 | 3SPA 100 | 100 | 105.6 | 1610 | 42 | 5 | 66 | 25 | | 1.40 |
| 13132106 | 3SPA 106 | 106 | 111.6 | 1610 | 42 | 5 | 72 | 25 | | 1.50 |
| 13132112 | 3SPA 112 | 112 | 117.6 | 2012 | 50 | 4 | 78 | 32 | | 1.80 |
| 13132118 | 3SPA 118 | 118 | 123.6 | 2012 | 50 | 5 | 84 | 32 | | 1.85 |
| 13132125 | 3SPA 125 | 125 | 130.6 | 2012 | 50 | 5 | 91 | 32 | | 2.25 |
| 13132132 | 3SPA 132 | 132 | 137.6 | 2012 | 50 | 5 | 98 | 32 | | 2.55 |
| 13132140 | 3SPA 140 | 140 | 145.6 | 2517 | 60 | 5 | 106 | 45 | | 2.80 |
| 13132150 | 3SPA 150 | 150 | 155.6 | 2517 | 60 | 5 | 116 | 45 | | 3.55 |
| 13132160 | 3SPA 160 | 160 | 165.6 | 2517 | 60 | 5 | 126 | 45 | | 4.40 |
| 13132170 | 3SPA 170 | 170 | 175.6 | 2517 | 60 | 5 | 136 | 45 | | 5.20 |
| 13132180 | 3SPA 180 | 180 | 185.6 | 2517 | 60 | 5 | 146 | 45 | | 6.00 |
| 13132190 | 3SPA 190 | 190 | 195.6 | 2517 | 60 | 5 | 156 | 45 | 105 | 7.00 |
| 13132200 | 3SPA 200 | 200 | 205.6 | 2517 | 60 | 8 | 166 | 45 | 120 | 5.20 |
| 13132212 | 3SPA 212 | 212 | 217.6 | 2517 | 60 | 8 | 178 | 45 | 120 | 5.60 |
| 13132224 | 3SPA 224 | 224 | 229.6 | 2517 | 60 | 8 | 190 | 45 | 120 | 6.20 |
| 13132236 | 3SPA 236 | 236 | 241.6 | 2517 | 60 | 8 | 202 | 45 | 120 | 6.35 |
| 13132250 | 3SPA 250 | 250 | 255.6 | 2517 | 60 | 8 | 216 | 45 | 120 | 6.55 |
| 13132280 | 3SPA 280 | 280 | 285.6 | 2517 | 60 | 8 | 246 | 45 | 120 | 8.90 |
| 13132300 | 3SPA 300 | 300 | 305.6 | 3020 | 75 | 9 | 266 | 51 | 155 | 10.20 |
| 13132315 | 3SPA 315 | 315 | 320.6 | 3020 | 75 | 7 | 281 | 51 | 155 | 11.80 |
| 13132355 | 3SPA 355 | 355 | 360.6 | 3020 | 75 | 9 | 321 | 51 | 155 | 12.20 |
| 13132400 | 3SPA 400 | 400 | 405.6 | 3020 | 75 | 9 | 366 | 51 | 155 | 13.32 |
| 13132450 | 3SPA 450 | 450 | 455.6 | 3020 | 75 | 9 | 416 | 51 | 155 | 15.11 |
| 13132500 | 3SPA 500 | 500 | 505.6 | 3020 | 75 | 9 | 466 | 51 | 155 | 17.09 |
| 13132560 | 3SPA 560 | 560 | 565.6 | 3020 | 75 | 9 | 526 | 51 | 155 | 19.59 |
| 13132630 | 3SPA 630 | 630 | 635.6 | 3020 | 75 | 9 | 596 | 51 | 155 | 22.68 |
| 13132800 | 3SPA 800 | 800 | 805.6 | 3535 | 90 | 9 | 766 | 89 | 175 | 34.76 |
| 13132A00 | 3SPA 1000 | 1000 | 1005.6 | 3535 | 90 | 9 | 966 | 89 | 175 | 45.99 |


SPA - 4 Grooves, F = 65 mm

| Catalogue Code | Pulley Designation | P | O | Bush No. | Max bore | Type | J | L | N | Weight (kg) |
|----------------|--------------------|------|--------|----------|----------|------|-----|-----|-----|-------------|
| 13134090 | 4SPA 90 | 90 | 95.6 | 1615 | 42 | 4 | 56 | 38 | | 1.35 |
| 13134095 | 4SPA 95 | 95 | 100.6 | 1615 | 42 | 4 | 61 | 38 | | 1.50 |
| 13134100 | 4SPA 100 | 100 | 105.6 | 1615 | 42 | 5 | 66 | 38 | | 1.80 |
| 13134106 | 4SPA 106 | 106 | 111.6 | 2012 | 50 | 4 | 72 | 32 | | 1.70 |
| 13134112 | 4SPA 112 | 112 | 117.6 | 2012 | 50 | 4 | 78 | 32 | | 2.00 |
| 13134118 | 4SPA 118 | 118 | 123.6 | 2012 | 50 | 5 | 84 | 32 | | 2.20 |
| 13134125 | 4SPA 125 | 125 | 130.6 | 2012 | 50 | 5 | 91 | 32 | | 2.70 |
| 13134132 | 4SPA 132 | 132 | 137.6 | 2517 | 60 | 5 | 98 | 45 | | 2.80 |
| 13134140 | 4SPA 140 | 140 | 145.6 | 2517 | 60 | 5 | 106 | 45 | | 3.80 |
| 13134150 | 4SPA 150 | 150 | 155.6 | 2517 | 60 | 5 | 116 | 45 | | 4.10 |
| 13134160 | 4SPA 160 | 160 | 165.6 | 2517 | 60 | 5 | 126 | 45 | | 5.10 |
| 13134170 | 4SPA 170 | 170 | 175.6 | 2517 | 60 | 5 | 136 | 45 | | 6.18 |
| 13134180 | 4SPA 180 | 180 | 185.6 | 2517 | 60 | 5 | 146 | 45 | | 6.65 |
| 13134190 | 4SPA 190 | 190 | 195.6 | 2517 | 60 | 5 | 156 | 45 | | 7.80 |
| 13134200 | 4SPA 200 | 200 | 205.6 | 3020 | 75 | 5 | 166 | 51 | | 8.30 |
| 13134212 | 4SPA 212 | 212 | 217.6 | 3020 | 75 | 5 | 178 | 51 | | 10.20 |
| 13134224 | 4SPA 224 | 224 | 229.6 | 3020 | 75 | 5 | 190 | 51 | | 11.20 |
| 13134236 | 4SPA 236 | 236 | 241.6 | 3020 | 75 | 5 | 202 | 51 | | 9.50 |
| 13134250 | 4SPA 250 | 250 | 255.6 | 3020 | 75 | 8 | 216 | 51 | 155 | 9.70 |
| 13134280 | 4SPA 280 | 280 | 285.6 | 3020 | 75 | 8 | 246 | 51 | 155 | 10.40 |
| 13134300 | 4SPA 300 | 300 | 305.6 | 3020 | 75 | 10 | 266 | 51 | 155 | 11.57 |
| 13134315 | 4SPA 315 | 315 | 320.6 | 3020 | 75 | 8 | 281 | 51 | 155 | 15.50 |
| 13134355 | 4SPA 355 | 355 | 360.6 | 3020 | 75 | 10 | 321 | 51 | 155 | 13.50 |
| 13134400 | 4SPA 400 | 400 | 405.6 | 3020 | 75 | 10 | 366 | 51 | 155 | 15.45 |
| 13134450 | 4SPA 450 | 450 | 455.6 | 3020 | 75 | 10 | 416 | 51 | 155 | 17.94 |
| 13134500 | 4SPA 500 | 500 | 505.6 | 3020 | 75 | 10 | 466 | 51 | 155 | 20.07 |
| 13134560 | 4SPA 560 | 560 | 565.6 | 3535 | 90 | 9 | 526 | 89 | 175 | 27.38 |
| 13134630 | 4SPA 630 | 630 | 635.6 | 3535 | 90 | 9 | 596 | 89 | 175 | 31.17 |
| 13134800 | 4SPA 800 | 800 | 805.6 | 3535 | 90 | 9 | 766 | 89 | 175 | 41.11 |
| 13134A00 | 4SPA 1000 | 1000 | 1005.6 | 4040 | 100 | 9 | 966 | 102 | 205 | 63.94 |

SPA - 5 Grooves, F = 80 mm

| Catalogue Code | Pulley Designation | P | O | Bush No. | Max bore | Type | J | L | N | Weight (kg) |
|----------------|--------------------|------|--------|----------|----------|------|-----|-----|-----|-------------|
| 13135090 | 5SPA 90 | 90 | 95.6 | 1615 | 42 | 4 | 56 | 38 | | 1.70 |
| 13135095 | 5SPA 95 | 95 | 100.6 | 1615 | 42 | 4 | 61 | 38 | | 1.80 |
| 13135100 | 5SPA 100 | 100 | 105.6 | 1615 | 42 | 4 | 66 | 38 | | 2.20 |
| 13135106 | 5SPA 106 | 106 | 111.6 | 2012 | 50 | 4 | 72 | 32 | | 2.10 |
| 13135112 | 5SPA 112 | 112 | 117.6 | 2012 | 50 | 4 | 78 | 32 | | 2.50 |
| 13135118 | 5SPA 118 | 118 | 123.6 | 2012 | 50 | 5 | 84 | 32 | | 2.70 |
| 13135125 | 5SPA 125 | 125 | 130.6 | 2012 | 50 | 5 | 91 | 32 | | 3.10 |
| 13135132 | 5SPA 132 | 132 | 137.6 | 2517 | 60 | 5 | 98 | 45 | | 3.30 |
| 13135140 | 5SPA 140 | 140 | 145.6 | 2517 | 60 | 5 | 106 | 45 | | 4.00 |
| 13135150 | 5SPA 150 | 150 | 155.6 | 2517 | 60 | 5 | 116 | 45 | | 4.90 |
| 13135160 | 5SPA 160 | 160 | 165.6 | 2517 | 60 | 5 | 126 | 45 | | 5.50 |
| 13135170 | 5SPA 170 | 170 | 175.6 | 3020 | 75 | 5 | 136 | 51 | | 6.50 |
| 13135180 | 5SPA 180 | 180 | 185.6 | 3020 | 75 | 5 | 146 | 51 | | 6.80 |
| 13135190 | 5SPA 190 | 190 | 196.6 | 3020 | 75 | 5 | 156 | 51 | | 8.34 |
| 13135200 | 5SPA 200 | 200 | 205.6 | 3020 | 75 | 6 | 166 | 51 | | 8.90 |
| 13135212 | 5SPA 212 | 212 | 217.6 | 3020 | 75 | 5 | 178 | 51 | | 11.04 |
| 13135224 | 5SPA 224 | 224 | 229.6 | 3020 | 75 | 5 | 190 | 51 | | 12.10 |
| 13135236 | 5SPA 236 | 236 | 241.6 | 3020 | 75 | 5 | 202 | 51 | | 10.44 |
| 13135250 | 5SPA 250 | 250 | 255.6 | 3020 | 75 | 8 | 216 | 51 | 155 | 10.50 |
| 13135280 | 5SPA 280 | 280 | 285.6 | 3535 | 90 | 7 | 246 | 89 | 175 | 15.10 |
| 13135300 | 5SPA 300 | 300 | 305.6 | 3535 | 90 | 9 | 266 | 89 | 175 | 16.57 |
| 13135315 | 5SPA 315 | 315 | 320.6 | 3535 | 90 | 7 | 281 | 89 | 175 | 17.30 |
| 13135355 | 5SPA 355 | 355 | 360.6 | 3535 | 90 | 9 | 321 | 89 | 175 | 20.20 |
| 13135400 | 5SPA 400 | 400 | 405.6 | 3535 | 90 | 9 | 366 | 89 | 175 | 22.09 |
| 13135450 | 5SPA 450 | 450 | 455.6 | 3535 | 90 | 9 | 416 | 89 | 175 | 24.65 |
| 13135500 | 5SPA 500 | 500 | 505.6 | 3535 | 90 | 9 | 466 | 89 | 175 | 27.33 |
| 13135560 | 5SPA 560 | 560 | 565.6 | 3535 | 90 | 9 | 526 | 89 | 175 | 31.24 |
| 13135630 | 5SPA 630 | 630 | 635.6 | 3535 | 90 | 9 | 596 | 89 | 175 | 35.31 |
| 13135800 | 5SPA 800 | 800 | 805.6 | 4040 | 100 | 9 | 766 | 102 | 205 | 54.54 |
| 13135A00 | 5SPA 1000 | 1000 | 1005.6 | 4545 | 110 | 9 | 966 | 114 | 235 | 76.41 |

SPA - 6 Grooves, F = 95 mm




| Catalogue Code | Pulley Designation | P | O | Bush No. | Max bore | Type | J | L | N | Weight (kg) |
|----------------|--------------------|------|--------|----------|----------|------|-----|-----|-----|-------------|
| 13136100 | 6SPA 100 | 100 | 105.6 | 1615 | 42 | 6 | 66 | 38 | | 2.35 |
| 13136106 | 6SPA 106 | 106 | 111.6 | 2012 | 50 | 4 | 72 | 32 | | 2.40 |
| 13136112 | 6SPA 112 | 112 | 117.6 | 2012 | 50 | 4 | 78 | 32 | | 2.70 |
| 13136118 | 6SPA 118 | 118 | 123.6 | 2012 | 50 | 4 | 84 | 32 | | 3.00 |
| 13136125 | 6SPA 125 | 125 | 130.6 | 2012 | 50 | 6 | 91 | 32 | | 3.50 |
| 13136132 | 6SPA 132 | 132 | 137.6 | 2517 | 60 | 6 | 98 | 45 | | 3.80 |
| 13136140 | 6SPA 140 | 140 | 145.6 | 2517 | 60 | 6 | 106 | 45 | | 4.65 |
| 13136150 | 6SPA 150 | 150 | 155.6 | 2517 | 60 | 6 | 116 | 45 | | 5.20 |
| 13136160 | 6SPA 160 | 160 | 165.6 | 2517 | 60 | 6 | 126 | 45 | | 6.20 |
| 13136180 | 6SPA 180 | 180 | 185.6 | 3020 | 75 | 6 | 146 | 51 | | 9.30 |
| 13136190 | 6SPA 190 | 190 | 196.6 | 3020 | 75 | 6 | 156 | 51 | | 9.08 |
| 13136200 | 6SPA 200 | 200 | 205.6 | 3020 | 75 | 6 | 166 | 51 | | 9.80 |
| 13136212 | 6SPA 212 | 212 | 217.6 | 3020 | 75 | 6 | 178 | 51 | | 11.88 |
| 13136224 | 6SPA 224 | 224 | 229.6 | 3020 | 75 | 6 | 190 | 51 | | 13.40 |
| 13136236 | 6SPA 236 | 236 | 241.6 | 3020 | 75 | 8 | 202 | 51 | 155 | 11.48 |
| 13136250 | 6SPA 250 | 250 | 255.6 | 3020 | 75 | 8 | 216 | 51 | 155 | 11.70 |
| 13136280 | 6SPA 280 | 280 | 285.6 | 3535 | 90 | 8 | 246 | 89 | 175 | 16.70 |
| 13136300 | 6SPA 300 | 300 | 305.6 | 3535 | 90 | 10 | 266 | 89 | 175 | 17.92 |
| 13136315 | 6SPA 315 | 315 | 320.6 | 3535 | 90 | 10 | 281 | 89 | 175 | 18.90 |
| 13136355 | 6SPA 355 | 355 | 360.6 | 3535 | 90 | 10 | 321 | 89 | 175 | 21.00 |
| 13136400 | 6SPA 400 | 400 | 405.6 | 3535 | 90 | 10 | 366 | 89 | 175 | 24.25 |
| 13136450 | 6SPA 450 | 450 | 455.6 | 3535 | 90 | 10 | 416 | 89 | 175 | 27.31 |
| 13136500 | 6SPA 500 | 500 | 505.6 | 3535 | 90 | 10 | 466 | 89 | 175 | 30.55 |
| 13136560 | 6SPA 560 | 560 | 565.6 | 3535 | 90 | 10 | 526 | 89 | 175 | 34.64 |
| 13136630 | 6SPA 630 | 630 | 635.6 | 4040 | 100 | 9 | 596 | 102 | 205 | 47.72 |
| 13136800 | 6SPA 800 | 800 | 805.6 | 4040 | 100 | 9 | 766 | 102 | 205 | 59.75 |
| 13136A00 | 6SPA 1000 | 1000 | 1005.6 | 4545 | 110 | 9 | 966 | 114 | 235 | 85.40 |

SPB - 1 Grooves, F = 25 mm

| Catalogue Code | Pulley Designation | P | O | Bush No. | Max bore | Type | J | L | N | Weight (kg) |
|----------------|--------------------|-----|-----|----------|----------|------|-----|----|-----|-------------|
| 13141100 | 1SPB 100 | 100 | 107 | 1610 | 42 | 3 | | 25 | | 0.88 |
| 13141112 | 1SPB 112 | 112 | 119 | 1610 | 42 | 3 | | 25 | | 1.21 |
| 13141118 | 1SPB 118 | 118 | 125 | 1610 | 42 | 3 | | 25 | | 1.40 |
| 13141125 | 1SPB 125 | 125 | 132 | 1610 | 42 | 3 | | 25 | | 1.63 |
| 13141132 | 1SPB 132 | 132 | 139 | 1610 | 42 | 3 | | 25 | | 1.87 |
| 13141140 | 1SPB 140 | 140 | 147 | 1610 | 42 | 3 | | 25 | | 2.16 |
| 13141150 | 1SPB 150 | 150 | 157 | 1610 | 42 | 3 | | 25 | | 2.55 |
| 13141160 | 1SPB 160 | 160 | 167 | 1610 | 42 | 3 | | 25 | | 2.97 |
| 13141170 | 1SPB 170 | 170 | 177 | 1610 | 42 | 7 | 127 | 25 | 92 | 3.42 |
| 13141180 | 1SPB 180 | 180 | 187 | 1610 | 42 | 7 | 137 | 25 | 92 | 3.90 |
| 13141190 | 1SPB 190 | 190 | 197 | 2012 | 50 | 11 | 147 | 32 | 105 | 4.12 |
| 13141200 | 1SPB 200 | 200 | 207 | 2012 | 50 | 11 | 157 | 32 | 105 | 4.64 |
| 13141212 | 1SPB 212 | 212 | 219 | 2012 | 50 | 11 | 169 | 32 | 105 | 5.31 |
| 13141224 | 1SPB 224 | 224 | 231 | 2012 | 50 | 11 | 181 | 32 | 105 | 6.01 |
| 13141236 | 1SPB 236 | 236 | 243 | 2012 | 50 | 11 | 193 | 32 | 105 | 6.76 |
| 13141250 | 1SPB 250 | 250 | 257 | 2012 | 50 | 11 | 207 | 32 | 105 | 7.68 |
| 13141280 | 1SPB 280 | 280 | 287 | 2012 | 50 | 9 | 237 | 32 | 105 | 4.13 |
| 13141315 | 1SPB 315 | 315 | 322 | 2012 | 50 | 9 | 272 | 32 | 105 | 4.80 |

SPB - 2 Grooves, F = 44 mm

| Catalogue Code | Pulley Designation | P | O | Bush No. | Max bore | Type | J | L | N | Weight (kg) |
|----------------|--------------------|-----|-----|----------|----------|------|-----|----|-----|-------------|
| 13142100 | 2SPB 100 | 100 | 107 | 1610 | 42 | 4 | 57 | 44 | | 1.30 |
| 13142112 | 2SPB 112 | 112 | 119 | 1610 | 42 | 4 | 69 | 25 | | 1.72 |
| 13142118 | 2SPB 118 | 118 | 125 | 1610 | 42 | 4 | 75 | 25 | | 1.94 |
| 13142125 | 2SPB 125 | 125 | 132 | 2012 | 50 | 5 | 82 | 32 | | 2.07 |
| 13142132 | 2SPB 132 | 132 | 139 | 2012 | 50 | 5 | 89 | 32 | | 2.40 |
| 13142140 | 2SPB 140 | 140 | 147 | 2012 | 50 | 5 | 97 | 32 | | 2.81 |
| 13142150 | 2SPB 150 | 150 | 157 | 2012 | 50 | 5 | 107 | 32 | | 3.34 |
| 13142160 | 2SPB 160 | 160 | 167 | 2012 | 50 | 5 | 117 | 32 | | 3.92 |
| 13142170 | 2SPB 170 | 170 | 177 | 2012 | 50 | 5 | 127 | 32 | | 4.62 |
| 13142180 | 2SPB 180 | 180 | 187 | 2517 | 60 | 2 | 137 | 45 | 120 | 5.62 |
| 13142190 | 2SPB 190 | 190 | 197 | 2517 | 60 | 2 | 147 | 45 | 120 | 6.50 |
| 13142200 | 2SPB 200 | 200 | 207 | 2517 | 60 | 2 | 157 | 45 | 120 | 7.53 |
| 13142212 | 2SPB 212 | 212 | 219 | 2517 | 60 | 2 | 169 | 45 | 120 | 8.56 |
| 13142224 | 2SPB 224 | 224 | 231 | 2517 | 60 | 2 | 181 | 45 | 120 | 9.60 |
| 13142236 | 2SPB 236 | 236 | 243 | 2517 | 60 | 2 | 193 | 45 | 120 | 10.62 |
| 13142250 | 2SPB 250 | 250 | 257 | 2517 | 60 | 9 | 207 | 45 | 120 | 6.70 |
| 13142265 | 2SPB 265 | 265 | 272 | 2517 | 60 | 7 | 222 | 45 | 120 | 7.77 |
| 13142280 | 2SPB 280 | 280 | 287 | 2517 | 60 | 9 | 237 | 45 | 120 | 7.53 |
| 13142300 | 2SPB 300 | 300 | 307 | 2517 | 60 | 9 | 257 | 45 | 120 | 8.14 |
| 13142315 | 2SPB 315 | 315 | 322 | 2517 | 60 | 9 | 272 | 45 | 120 | 8.66 |
| 13142335 | 2SPB 335 | 335 | 342 | 2517 | 60 | 9 | 292 | 45 | 120 | 9.41 |
| 13142355 | 2SPB 355 | 355 | 362 | 3020 | 75 | 9 | 312 | 51 | 155 | 11.74 |
| 13142375 | 2SPB 375 | 375 | 382 | 3020 | 75 | 9 | 332 | 51 | 155 | 12.11 |
| 13142400 | 2SPB 400 | 400 | 407 | 3020 | 75 | 9 | 357 | 51 | 155 | 13.87 |
| 13142425 | 2SPB 425 | 425 | 432 | 3020 | 75 | 9 | 382 | 51 | 155 | 13.79 |
| 13142450 | 2SPB 450 | 450 | 457 | 3020 | 75 | 9 | 407 | 51 | 155 | 19.90 |
| 13142500 | 2SPB 500 | 500 | 507 | 3020 | 75 | 9 | 457 | 51 | 155 | 18.12 |
| 13142560 | 2SPB 560 | 560 | 567 | 3030 | 75 | 9 | 517 | 76 | 155 | 21.38 |
| 13142630 | 2SPB 630 | 630 | 637 | 3020 | 75 | 9 | 587 | 51 | 155 | 27.66 |



SPB - 3 Grooves, F = 63 mm


| Catalogue Code | Pulley Designation | P | O | Bush No. | Max bore | Type | J | L | N | Weight (kg) |
|----------------|--------------------|------|------|----------|----------|------|-----|-----|-----|-------------|
| 13143100 | 3SPB 100 | 100 | 107 | 1610 | 42 | 4 | 57 | 63 | | 1.80 |
| 13143112 | 3SPB 112 | 112 | 119 | 1610 | 42 | 4 | 69 | 25 | | 2.29 |
| 13143118 | 3SPB 118 | 118 | 125 | 1610 | 42 | 4 | 75 | 25 | | 2.55 |
| 13143125 | 3SPB 125 | 125 | 132 | 2012 | 50 | 5 | 82 | 32 | | 2.73 |
| 13143132 | 3SPB 132 | 132 | 139 | 2012 | 50 | 5 | 89 | 32 | | 3.11 |
| 13143140 | 3SPB 140 | 140 | 147 | 2012 | 50 | 5 | 97 | 32 | | 3.56 |
| 13143150 | 3SPB 150 | 150 | 157 | 2517 | 60 | 5 | 107 | 45 | | 4.10 |
| 13143160 | 3SPB 160 | 160 | 167 | 2517 | 60 | 5 | 117 | 45 | | 4.70 |
| 13143170 | 3SPB 170 | 170 | 177 | 2517 | 60 | 5 | 127 | 45 | | 5.30 |
| 13143180 | 3SPB 180 | 180 | 187 | 2517 | 60 | 5 | 137 | 45 | | 6.91 |
| 13143190 | 3SPB 190 | 190 | 197 | 2517 | 60 | 5 | 147 | 45 | | 8.10 |
| 13143200 | 3SPB 200 | 200 | 207 | 2517 | 60 | 5 | 157 | 45 | | 9.31 |
| 13143212 | 3SPB 212 | 212 | 219 | 2517 | 60 | 5 | 169 | 45 | | 9.90 |
| 13143224 | 3SPB 224 | 224 | 231 | 2517 | 60 | 5 | 181 | 45 | | 11.30 |
| 13143236 | 3SPB 236 | 236 | 243 | 2517 | 60 | 10 | 193 | 45 | 120 | 7.72 |
| 13143250 | 3SPB 250 | 250 | 257 | 3020 | 75 | 5 | 207 | 51 | | 12.60 |
| 13143265 | 3SPB 265 | 265 | 272 | 3020 | 75 | 8 | 222 | 51 | 155 | 11.21 |
| 13143280 | 3SPB 280 | 280 | 287 | 3020 | 75 | 10 | 237 | 51 | 155 | 10.74 |
| 13143300 | 3SPB 300 | 300 | 307 | 3020 | 75 | 10 | 257 | 51 | 155 | 11.64 |
| 13143315 | 3SPB 315 | 315 | 322 | 3020 | 75 | 10 | 272 | 51 | 155 | 12.21 |
| 13143335 | 3SPB 335 | 335 | 342 | 3020 | 75 | 10 | 292 | 51 | 155 | 13.24 |
| 13143355 | 3SPB 355 | 355 | 362 | 3020 | 75 | 10 | 312 | 51 | 155 | 14.24 |
| 13143375 | 3SPB 375 | 375 | 382 | 3020 | 75 | 10 | 332 | 51 | 155 | 19.30 |
| 13143400 | 3SPB 400 | 400 | 407 | 3535 | 90 | 9 | 357 | 89 | 175 | 18.60 |
| 13143425 | 3SPB 425 | 425 | 432 | 3535 | 90 | 9 | 382 | 89 | 175 | 21.49 |
| 13143450 | 3SPB 450 | 450 | 457 | 3535 | 90 | 9 | 407 | 89 | 175 | 21.30 |
| 13143500 | 3SPB 500 | 500 | 507 | 3535 | 90 | 9 | 457 | 89 | 175 | 24.70 |
| 13143560 | 3SPB 560 | 560 | 567 | 3535 | 90 | 9 | 517 | 89 | 175 | 30.50 |
| 13143630 | 3SPB 630 | 630 | 637 | 3535 | 90 | 9 | 587 | 89 | 175 | 37.20 |
| 13143710 | 3SPB 710 | 710 | 717 | 3535 | 90 | 9 | 667 | 89 | 175 | 43.81 |
| 13143800 | 3SPB 800 | 800 | 807 | 3535 | 90 | 9 | 757 | 89 | 175 | 52.39 |
| 13143900 | 3SPB 900 | 900 | 907 | 3535 | 90 | 9 | 857 | 89 | 175 | 50.46 |
| 13143A00 | 3SPB 1000 | 1000 | 1007 | 4040 | 100 | 9 | 957 | 102 | 205 | 64.24 |

SPB - 4 Grooves, F = 82 mm


| Catalogue Code | Pulley Designation | P | O | Bush No. | Max bore | Type | J | L | N | Weight (kg) |
|----------------|--------------------|------|------|----------|----------|------|-----|-----|-----|-------------|
| 13144125 | 4SPB 125 | 125 | 132 | 2012 | 50 | 6 | 82 | 32 | | 3.39 |
| 13144132 | 4SPB 132 | 132 | 139 | 2012 | 50 | 6 | 89 | 32 | | 3.82 |
| 13144140 | 4SPB 140 | 140 | 147 | 2517 | 60 | 5 | 97 | 45 | | 4.85 |
| 13144150 | 4SPB 150 | 150 | 157 | 2517 | 60 | 5 | 107 | 45 | | 6.26 |
| 13144160 | 4SPB 160 | 160 | 167 | 2517 | 60 | 6 | 117 | 45 | | 5.78 |
| 13144170 | 4SPB 170 | 170 | 177 | 2517 | 60 | 6 | 127 | 45 | | 6.71 |
| 13144180 | 4SPB 180 | 180 | 187 | 2517 | 60 | 6 | 137 | 45 | | 7.68 |
| 13144190 | 4SPB 190 | 190 | 197 | 2517 | 60 | 6 | 147 | 45 | | 8.71 |
| 13144200 | 4SPB 200 | 200 | 207 | 3020 | 75 | 5 | 157 | 51 | | 9.38 |
| 13144212 | 4SPB 212 | 212 | 219 | 3020 | 75 | 5 | 169 | 51 | | 10.89 |
| 13144224 | 4SPB 224 | 224 | 231 | 3020 | 75 | 5 | 181 | 51 | | 12.48 |
| 13144236 | 4SPB 236 | 236 | 243 | 3020 | 75 | 8 | 193 | 51 | 155 | 14.16 |
| 13144250 | 4SPB 250 | 250 | 257 | 3020 | 75 | 5 | 207 | 51 | | 16.08 |
| 13144265 | 4SPB 265 | 265 | 272 | 3020 | 75 | 8 | 222 | 51 | 155 | 12.93 |
| 13144280 | 4SPB 280 | 280 | 287 | 3020 | 75 | 8 | 237 | 51 | 155 | 13.40 |
| 13144300 | 4SPB 300 | 300 | 307 | 3020 | 75 | 8 | 257 | 51 | 155 | 14.92 |
| 13144315 | 4SPB 315 | 315 | 322 | 3535 | 90 | 7 | 272 | 89 | 175 | 19.81 |
| 13144335 | 4SPB 335 | 335 | 342 | 3535 | 90 | 9 | 292 | 89 | 175 | 15.50 |
| 13144355 | 4SPB 355 | 355 | 362 | 3535 | 90 | 9 | 312 | 89 | 175 | 15.50 |
| 13144375 | 4SPB 375 | 375 | 382 | 3525 | 90 | 10 | 332 | 65 | 175 | 21.88 |
| 13144400 | 4SPB 400 | 400 | 407 | 3535 | 90 | 9 | 357 | 89 | 175 | 23.15 |
| 13144425 | 4SPB 425 | 425 | 432 | 3535 | 90 | 9 | 382 | 89 | 175 | 24.60 |
| 13144450 | 4SPB 450 | 450 | 457 | 3535 | 90 | 9 | 407 | 89 | 175 | 28.33 |
| 13144500 | 4SPB 500 | 500 | 507 | 3535 | 90 | 9 | 457 | 89 | 175 | 32.92 |
| 13144560 | 4SPB 560 | 560 | 567 | 3535 | 90 | 9 | 517 | 89 | 175 | 37.17 |
| 13144630 | 4SPB 630 | 630 | 637 | 3535 | 90 | 9 | 587 | 89 | 175 | 43.62 |
| 13144710 | 4SPB 710 | 710 | 717 | 3535 | 90 | 9 | 667 | 89 | 175 | 51.97 |
| 13144800 | 4SPB 800 | 800 | 807 | 4040 | 100 | 9 | 757 | 102 | 205 | 65.80 |
| 13144900 | 4SPB 900 | 900 | 907 | 4040 | 100 | 9 | 857 | 102 | 205 | 66.23 |
| 13144A00 | 4SPB 1000 | 1000 | 1007 | 4040 | 100 | 9 | 957 | 102 | 205 | 75.17 |

SPB - 5 Grooves, F = 101 mm


| Catalogue Code | Pulley Designation | P | O | Bush No. | Max bore | Type | J | L | N | Weight (kg) |
|----------------|--------------------|------|------|----------|----------|------|-----|-----|-----|-------------|
| 13145125 | 5SPB 125 | 125 | 132 | 2012 | 50 | 4 | 82 | 32 | | 4.05 |
| 13145132 | 5SPB 132 | 132 | 139 | 2012 | 50 | 6 | 89 | 32 | | 4.20 |
| 13145140 | 5SPB 140 | 140 | 147 | 2517 | 60 | 5 | 97 | 45 | | 4.49 |
| 13145150 | 5SPB 150 | 150 | 157 | 2517 | 60 | 6 | 107 | 45 | | 5.73 |
| 13145160 | 5SPB 160 | 160 | 167 | 2517 | 60 | 6 | 117 | 45 | | 6.67 |
| 13145170 | 5SPB 170 | 170 | 177 | 3020 | 75 | 6 | 127 | 51 | | 6.76 |
| 13145180 | 5SPB 180 | 180 | 187 | 3020 | 75 | 6 | 137 | 51 | | 7.89 |
| 13145190 | 5SPB 190 | 190 | 197 | 3020 | 75 | 6 | 147 | 51 | | 9.08 |
| 13145200 | 5SPB 200 | 200 | 207 | 3020 | 75 | 5 | 157 | 51 | | 10.58 |
| 13145212 | 5SPB 212 | 212 | 219 | 3020 | 75 | 5 | 169 | 51 | | 12.17 |
| 13145224 | 5SPB 224 | 224 | 231 | 3020 | 75 | 5 | 181 | 51 | | 13.89 |
| 13145236 | 5SPB 236 | 236 | 243 | 3535 | 90 | 4 | 193 | 89 | | 19.39 |
| 13145250 | 5SPB 250 | 250 | 257 | 3535 | 90 | 5 | 207 | 89 | | 22.77 |
| 13145280 | 5SPB 280 | 280 | 287 | 3535 | 90 | 8 | 237 | 89 | 175 | 19.15 |
| 13145300 | 5SPB 300 | 300 | 307 | 3535 | 90 | 8 | 257 | 89 | 175 | 20.67 |
| 13145315 | 5SPB 315 | 315 | 322 | 3535 | 90 | 8 | 272 | 89 | 175 | 21.75 |
| 13145335 | 5SPB 335 | 335 | 342 | 3535 | 90 | 10 | 292 | 89 | 175 | 22.06 |
| 13145355 | 5SPB 355 | 355 | 362 | 3535 | 90 | 10 | 312 | 89 | 175 | 23.46 |
| 13145400 | 5SPB 400 | 400 | 407 | 3535 | 90 | 10 | 357 | 89 | 175 | 26.63 |
| 13145450 | 5SPB 450 | 450 | 457 | 3535 | 90 | 10 | 407 | 89 | 175 | 32.84 |
| 13145500 | 5SPB 500 | 500 | 507 | 3535 | 90 | 10 | 457 | 89 | 175 | 39.08 |
| 13145560 | 5SPB 560 | 560 | 567 | 4040 | 100 | 9 | 517 | 102 | 205 | 47.38 |
| 13145630 | 5SPB 630 | 630 | 637 | 4040 | 100 | 9 | 587 | 102 | 205 | 53.11 |
| 13145710 | 5SPB 710 | 710 | 717 | 4040 | 100 | 9 | 667 | 102 | 205 | 62.84 |
| 13145800 | 5SPB 800 | 800 | 807 | 4040 | 100 | 9 | 757 | 102 | 205 | 74.87 |
| 13145900 | 5SPB 900 | 900 | 907 | 4545 | 110 | 9 | 857 | 114 | 235 | 79.75 |
| 13145A00 | 5SPB 1000 | 1000 | 1007 | 4545 | 110 | 9 | 957 | 114 | 235 | 91.13 |



Type 6



Type 8



Type 10

SPB - 6 Grooves, F = 120 mm

| Catalogue Code | Pulley Designation | P | O | Bush No. | Max bore | Type | J | L | N | Weight (kg) |
|----------------|--------------------|------|------|----------|----------|------|-----|-----|-----|-------------|
| 13146140 | 6SPB 140 | 140 | 147 | 2517 | 60 | 6 | 97 | 45 | | 5.53 |
| 13146150 | 6SPB 150 | 150 | 157 | 2517 | 60 | 6 | 107 | 45 | | 6.56 |
| 13146160 | 6SPB 160 | 160 | 167 | 3020 | 75 | 6 | 117 | 51 | | 6.20 |
| 13146170 | 6SPB 170 | 170 | 177 | 3020 | 75 | 6 | 127 | 51 | | 7.71 |
| 13146180 | 6SPB 180 | 180 | 187 | 3020 | 75 | 6 | 137 | 51 | | 8.91 |
| 13146190 | 6SPB 190 | 190 | 197 | 3020 | 75 | 6 | 147 | 51 | | 10.16 |
| 13146200 | 6SPB 200 | 200 | 207 | 3020 | 75 | 6 | 157 | 51 | | 11.78 |
| 13146212 | 6SPB 212 | 212 | 219 | 3535 | 90 | 6 | 169 | 89 | | 15.35 |
| 13146224 | 6SPB 224 | 224 | 231 | 3535 | 90 | 6 | 181 | 89 | | 18.02 |
| 13146236 | 6SPB 236 | 236 | 243 | 3535 | 90 | 6 | 193 | 89 | | 20.84 |
| 13146250 | 6SPB 250 | 250 | 257 | 3535 | 90 | 6 | 207 | 89 | | 24.31 |
| 13146265 | 6SPB 265 | 265 | 272 | 3525 | 90 | 8 | 222 | 65 | 175 | 29.32 |
| 13146280 | 6SPB 280 | 280 | 287 | 3535 | 90 | 8 | 237 | 89 | 175 | 21.04 |
| 13146300 | 6SPB 300 | 300 | 307 | 3535 | 90 | 8 | 257 | 89 | 175 | 22.75 |
| 13146315 | 6SPB 315 | 315 | 322 | 3535 | 90 | 8 | 272 | 89 | 175 | 23.98 |
| 13146335 | 6SPB 335 | 335 | 342 | 3535 | 90 | 10 | 292 | 89 | 175 | 24.56 |
| 13146355 | 6SPB 355 | 355 | 362 | 3535 | 90 | 8 | 312 | 89 | 175 | 27.75 |
| 13146375 | 6SPB 375 | 375 | 382 | 3525 | 90 | 10 | 332 | 65 | 175 | 34.62 |
| 13146400 | 6SPB 400 | 400 | 407 | 3535 | 90 | 10 | 357 | 89 | 175 | 29.36 |
| 13146425 | 6SPB 425 | 425 | 432 | 4040 | 100 | 10 | 382 | 102 | 205 | 38.27 |
| 13146450 | 6SPB 450 | 450 | 457 | 4040 | 100 | 10 | 407 | 102 | 205 | 41.30 |
| 13146500 | 6SPB 500 | 500 | 507 | 4040 | 100 | 10 | 457 | 102 | 205 | 48.28 |
| 13146560 | 6SPB 560 | 560 | 567 | 4040 | 100 | 10 | 517 | 102 | 205 | 54.26 |
| 13146630 | 6SPB 630 | 630 | 637 | 4040 | 100 | 10 | 587 | 102 | 205 | 61.62 |
| 13146710 | 6SPB 710 | 710 | 717 | 4545 | 110 | 10 | 667 | 114 | 235 | 78.95 |
| 13146800 | 6SPB 800 | 800 | 807 | 4545 | 110 | 10 | 757 | 114 | 235 | 89.49 |
| 13146900 | 6SPB 900 | 900 | 907 | 4545 | 110 | 10 | 857 | 114 | 235 | 90.04 |
| 13146A00 | 6SPB 1000 | 1000 | 1007 | 4545 | 110 | 10 | 957 | 114 | 235 | 101.58 |

SPB - 8 Grooves, F = 158 mm


| Catalogue Code | Pulley Designation | P | O | Bush No. | Max bore | Type | J | L | N | Weight (kg) |
|----------------|--------------------|------|------|----------|----------|------|-----|-----|-----|-------------|
| 13148170 | 8SPB 170 | 170 | 177 | 3020 | 75 | 6 | 127 | 51 | | 12.21 |
| 13148180 | 8SPB 180 | 180 | 187 | 3020 | 75 | 6 | 137 | 51 | | 14.11 |
| 13148190 | 8SPB 190 | 190 | 197 | 3030 | 75 | 6 | 147 | 76 | | 15.22 |
| 13148200 | 8SPB 200 | 200 | 207 | 3535 | 90 | 6 | 157 | 89 | | 17.91 |
| 13148212 | 8SPB 212 | 212 | 219 | 3535 | 90 | 6 | 169 | 89 | | 20.75 |
| 13148224 | 8SPB 224 | 224 | 231 | 3535 | 90 | 6 | 181 | 89 | | 23.73 |
| 13148236 | 8SPB 236 | 236 | 243 | 3535 | 90 | 6 | 193 | 89 | | 27.39 |
| 13148250 | 8SPB 250 | 250 | 257 | 3535 | 90 | 6 | 207 | 89 | | 32.43 |
| 13148265 | 8SPB 265 | 265 | 272 | 3525 | 90 | 8 | 222 | 65 | 175 | 24.09 |
| 13148280 | 8SPB 280 | 280 | 287 | 3535 | 90 | 8 | 237 | 89 | 175 | 26.75 |
| 13148300 | 8SPB 300 | 300 | 307 | 3535 | 90 | 8 | 257 | 89 | 175 | 28.20 |
| 13148315 | 8SPB 315 | 315 | 322 | 3535 | 90 | 8 | 272 | 89 | 175 | 29.30 |
| 13148335 | 8SPB 335 | 335 | 342 | 3535 | 90 | 10 | 292 | 89 | 175 | 31.60 |
| 13148355 | 8SPB 355 | 355 | 362 | 3535 | 90 | 10 | 312 | 89 | 175 | 31.60 |
| 13148375 | 8SPB 375 | 375 | 382 | 3525 | 90 | 10 | 332 | 65 | 175 | 45.76 |
| 13148400 | 8SPB 400 | 400 | 407 | 4040 | 100 | 10 | 357 | 102 | 205 | 41.28 |
| 13148425 | 8SPB 425 | 425 | 432 | 4545 | 110 | 10 | 382 | 114 | 205 | 49.85 |
| 13148450 | 8SPB 450 | 450 | 457 | 4040 | 100 | 10 | 407 | 102 | 205 | 48.63 |
| 13148500 | 8SPB 500 | 500 | 507 | 4040 | 100 | 10 | 457 | 102 | 205 | 57.63 |
| 13148560 | 8SPB 560 | 560 | 567 | 4545 | 110 | 10 | 517 | 114 | 235 | 72.28 |
| 13148630 | 8SPB 630 | 630 | 637 | 4545 | 110 | 10 | 587 | 114 | 235 | 59.86 |
| 13148710 | 8SPB 710 | 710 | 717 | 4545 | 110 | 10 | 667 | 114 | 235 | 94.10 |
| 13148800 | 8SPB 800 | 800 | 807 | 4545 | 110 | 10 | 757 | 114 | 235 | 109.62 |
| 13148900 | 8SPB 900 | 900 | 907 | 4545 | 110 | 10 | 857 | 114 | 235 | 106.42 |
| 13148A00 | 8SPB 1000 | 1000 | 1007 | 5050 | 125 | 10 | 957 | 127 | 260 | 126.58 |

SPB - 10 Grooves, F = 196 mm

| Catalogue Code | Pulley Designation | P | O | Bush No. | Max bore | Type | J | L | N | Weight (kg) |
|----------------|--------------------|------|------|----------|----------|------|-----|-----|-----|-------------|
| 1314A224 | 10SPB 224 | 224 | 231 | 3535 | 90 | 6 | 181 | 89 | | 25.23 |
| 1314A236 | 10SPB 236 | 236 | 243 | 3535 | 90 | 6 | 193 | 89 | | 28.48 |
| 1314A250 | 10SPB 250 | 250 | 257 | 3535 | 90 | 6 | 207 | 89 | | 32.44 |
| 1314A280 | 10SPB 280 | 280 | 287 | 3535 | 90 | 8 | 237 | 89 | 175 | 28.20 |
| 1314A315 | 10SPB 315 | 315 | 322 | 3535 | 90 | 8 | 272 | 89 | 175 | 32.30 |
| 1314A335 | 10SPB 335 | 335 | 342 | 4040 | 100 | 10 | 292 | 102 | 205 | 40.13 |
| 1314A355 | 10SPB 355 | 355 | 362 | 4040 | 100 | 10 | 312 | 102 | 205 | 40.91 |
| 1314A400 | 10SPB 400 | 400 | 407 | 4040 | 100 | 10 | 357 | 102 | 205 | 46.62 |
| 1314A450 | 10SPB 450 | 450 | 457 | 4545 | 110 | 10 | 407 | 114 | 235 | 58.11 |
| 1314A500 | 10SPB 500 | 500 | 507 | 4545 | 110 | 10 | 457 | 114 | 235 | 64.22 |
| 1314A560 | 10SPB 560 | 560 | 567 | 4545 | 110 | 10 | 517 | 114 | 235 | 71.91 |
| 1314A630 | 10SPB 630 | 630 | 637 | 4545 | 110 | 10 | 587 | 114 | 235 | 81.51 |
| 1314A710 | 10SPB 710 | 710 | 717 | 4545 | 100 | 10 | 667 | 114 | 235 | 93.25 |
| 1314A800 | 10SPB 800 | 800 | 807 | 4545 | 110 | 10 | 757 | 114 | 235 | 106.90 |
| 1314A900 | 10SPB 900 | 900 | 907 | 5050 | 125 | 10 | 857 | 127 | 260 | 128.21 |
| 1314A00 | 10SPB 1000 | 1000 | 1007 | 5050 | 125 | 10 | 957 | 127 | 260 | 146.23 |

SPC - 2 Grooves, F = 59.5 mm

| Catalogue Code | Pulley Designation | P | O | Bush No. | Max bore | Type | J | L | N | Weight (kg) |
|----------------|--------------------|-----|-------|----------|----------|------|-----|----|---|-------------|
| 13152224 | 2SPC 224 | 224 | 233.6 | 3020 | 75 | 6 | 168 | 51 | | 10.97 |
| 13152250 | 2SPC 250 | 250 | 259.6 | 3020 | 75 | 6 | 194 | 51 | | 14.51 |



SPC - 3 Grooves, F = 85 mm


| Catalogue Code | Pulley Designation | P | O | Bush No. | Max bore | Type | J | L | N | Weight (kg) |
|----------------|--------------------|------|--------|----------|----------|------|------|-----|-----|-------------|
| 13153200 | 3SPC 200 | 200 | 209.6 | 2517 | 60 | 6 | 144 | 45 | | 10.41 |
| 13153212 | 3SPC 212 | 212 | 221.6 | 3020 | 75 | 6 | 156 | 51 | | 11.35 |
| 13153224 | 3SPC 224 | 224 | 233.6 | 3020 | 75 | 6 | 168 | 51 | | 12.97 |
| 13153236 | 3SPC 236 | 236 | 245.6 | 3020 | 75 | 6 | 180 | 51 | | 14.67 |
| 13153250 | 3SPC 250 | 250 | 259.6 | 3020 | 75 | 6 | 194 | 51 | | 16.76 |
| 13153265 | 3SPC 265 | 265 | 274.6 | 3535 | 90 | 2 | | 89 | 175 | 25.04 |
| 13153280 | 3SPC 280 | 280 | 289.6 | 3535 | 90 | 2 | | 89 | 175 | 19.55 |
| 13153300 | 3SPC 300 | 300 | 309.6 | 3535 | 90 | 7 | 244 | 89 | 175 | 21.01 |
| 13153315 | 3SPC 315 | 315 | 324.6 | 3535 | 90 | 7 | 259 | 89 | 175 | 22.04 |
| 13153335 | 3SPC 335 | 335 | 344.6 | 3535 | 90 | 7 | 279 | 89 | 175 | 22.60 |
| 13153355 | 3SPC 355 | 355 | 364.6 | 3535 | 90 | 7 | 299 | 89 | 175 | 26.01 |
| 13153375 | 3SPC 375 | 375 | 384.6 | 3535 | 90 | 7 | 319 | 89 | 175 | 25.10 |
| 13153400 | 3SPC 400 | 400 | 409.6 | 3535 | 90 | 9 | 344 | 89 | 175 | 28.14 |
| 13153425 | 3SPC 425 | 425 | 434.6 | 3535 | 90 | 9 | 369 | 89 | 175 | 28.75 |
| 13153450 | 3SPC 450 | 450 | 459.6 | 3535 | 90 | 9 | 394 | 89 | 175 | 30.39 |
| 13153475 | 3SPC 475 | 475 | 484.6 | 3535 | 90 | 9 | 419 | 89 | 175 | 32.46 |
| 13153500 | 3SPC 500 | 500 | 509.6 | 3535 | 90 | 9 | 444 | 89 | 175 | 34.52 |
| 13153530 | 3SPC 530 | 530 | 539.6 | 3535 | 90 | 9 | 474 | 89 | 175 | 36.82 |
| 13153560 | 3SPC 560 | 560 | 569.6 | 3535 | 90 | 9 | 504 | 89 | 175 | 39.41 |
| 13153630 | 3SPC 630 | 630 | 639.6 | 4040 | 100 | 9 | 574 | 102 | 205 | 52.10 |
| 13153710 | 3SPC 710 | 710 | 719.6 | 4040 | 100 | 9 | 654 | 102 | 205 | 62.50 |
| 13153800 | 3SPC 800 | 800 | 809.6 | 4545 | 110 | 9 | 744 | 114 | 235 | 72.00 |
| 13153A00 | 3SPC 1000 | 1000 | 1009.6 | 5050 | 125 | 9 | 944 | 127 | 260 | 100.14 |
| 13153B00 | 3SPC 1250 | 1250 | 1259.6 | 5050 | 125 | 9 | 1194 | 127 | 260 | 130.82 |

SPC - 4 Grooves, F = 111 mm

| Catalogue Code | Pulley Designation | P | O | Bush No. | Max bore | Type | J | L | N | Weight (kg) |
|----------------|--------------------|------|--------|----------|----------|------|------|-----|-----|-------------|
| 13154200 | 4SPC 200 | 200 | 209.6 | 3020 | 75 | 6 | 144 | 51 | | 11.57 |
| 13154212 | 4SPC 212 | 212 | 221.6 | 3020 | 75 | 6 | 156 | 51 | | 13.22 |
| 13154224 | 4SPC 224 | 224 | 233.6 | 3535 | 90 | 6 | 168 | 89 | | 17.72 |
| 13154236 | 4SPC 236 | 236 | 245.6 | 3535 | 90 | 6 | 180 | 89 | | 20.49 |
| 13154250 | 4SPC 250 | 250 | 259.6 | 3535 | 90 | 6 | 194 | 89 | | 23.91 |
| 13154265 | 4SPC 265 | 265 | 274.6 | 3535 | 90 | 8 | 209 | 89 | 175 | 21.11 |
| 13154280 | 4SPC 280 | 280 | 289.6 | 3535 | 90 | 8 | 224 | 89 | 175 | 22.23 |
| 13154300 | 4SPC 300 | 300 | 309.6 | 3535 | 90 | 8 | 244 | 89 | 175 | 23.95 |
| 13154315 | 4SPC 315 | 315 | 324.6 | 3535 | 90 | 8 | 259 | 89 | 175 | 25.18 |
| 13154335 | 4SPC 335 | 335 | 344.6 | 3535 | 90 | 8 | 279 | 89 | 175 | 27.60 |
| 13154355 | 4SPC 355 | 355 | 364.6 | 3535 | 90 | 8 | 299 | 89 | 175 | 29.44 |
| 13154375 | 4SPC 375 | 375 | 384.6 | 3535 | 90 | 8 | 319 | 89 | 175 | 30.72 |
| 13154400 | 4SPC 400 | 400 | 409.6 | 3535 | 90 | 10 | 344 | 89 | 175 | 33.24 |
| 13154425 | 4SPC 425 | 425 | 434.6 | 3535 | 90 | 10 | 369 | 89 | 175 | 33.76 |
| 13154450 | 4SPC 450 | 450 | 459.6 | 3535 | 90 | 10 | 394 | 89 | 175 | 35.90 |
| 13154475 | 4SPC 475 | 475 | 484.6 | 3535 | 90 | 10 | 419 | 89 | 175 | 38.41 |
| 13154500 | 4SPC 500 | 500 | 509.6 | 3535 | 90 | 10 | 444 | 89 | 175 | 41.06 |
| 13154530 | 4SPC 530 | 530 | 539.6 | 4040 | 100 | 10 | 474 | 102 | 205 | 50.27 |
| 13154560 | 4SPC 560 | 560 | 569.6 | 4040 | 100 | 10 | 504 | 102 | 205 | 53.43 |
| 13154630 | 4SPC 630 | 630 | 639.6 | 4545 | 110 | 9 | 574 | 114 | 235 | 66.03 |
| 13154710 | 4SPC 710 | 710 | 719.6 | 4545 | 110 | 9 | 654 | 114 | 235 | 78.65 |
| 13154800 | 4SPC 800 | 800 | 809.6 | 5050 | 125 | 9 | 744 | 127 | 260 | 90.77 |
| 13154A00 | 4SPC 1000 | 1000 | 1009.6 | 5050 | 125 | 9 | 944 | 127 | 260 | 117.11 |
| 13154B00 | 4SPC 1250 | 1250 | 1259.6 | 5050 | 125 | 9 | 1194 | 127 | 260 | 154.52 |

SPC - 5 Grooves, F = 136 mm

| Catalogue Code | Pulley Designation | P | O | Bush No. | Max bore | Type | J | L | N | Weight (kg) |
|----------------|--------------------|------|--------|----------|----------|------|------|-----|-----|-------------|
| 13155200 | 5SPC 200 | 200 | 209.6 | 3535 | 90 | 6 | 144 | 89 | | 14.38 |
| 13155212 | 5SPC 212 | 212 | 221.6 | 3535 | 90 | 6 | 156 | 89 | | 16.98 |
| 13155224 | 5SPC 224 | 224 | 233.6 | 3535 | 90 | 6 | 168 | 89 | | 19.71 |
| 13155236 | 5SPC 236 | 236 | 245.6 | 3535 | 90 | 6 | 180 | 89 | | 22.60 |
| 13155250 | 5SPC 250 | 250 | 259.6 | 3535 | 90 | 6 | 194 | 89 | | 26.16 |
| 13155265 | 5SPC 265 | 265 | 274.6 | 3535 | 90 | 8 | 209 | 89 | 175 | 23.52 |
| 13155280 | 5SPC 280 | 280 | 289.6 | 3535 | 90 | 8 | 224 | 89 | 175 | 24.91 |
| 13155300 | 5SPC 300 | 300 | 309.6 | 3535 | 90 | 8 | 244 | 89 | 175 | 26.89 |
| 13155315 | 5SPC 315 | 315 | 324.6 | 3535 | 90 | 8 | 259 | 89 | 175 | 28.32 |
| 13155335 | 5SPC 335 | 335 | 344.6 | 3535 | 90 | 8 | 279 | 89 | 175 | 31.11 |
| 13155355 | 5SPC 355 | 355 | 364.6 | 3535 | 90 | 8 | 299 | 89 | 175 | 33.23 |
| 13155375 | 5SPC 375 | 375 | 384.6 | 3535 | 90 | 8 | 319 | 89 | 175 | 35.84 |
| 13155400 | 5SPC 400 | 400 | 409.6 | 3535 | 90 | 10 | 344 | 89 | 175 | 38.32 |
| 13155425 | 5SPC 425 | 425 | 434.6 | 3535 | 90 | 8 | 369 | 102 | 205 | 45.51 |
| 13155450 | 5SPC 450 | 450 | 459.6 | 4040 | 100 | 10 | 394 | 102 | 205 | 47.85 |
| 13155475 | 5SPC 475 | 475 | 484.6 | 4040 | 100 | 10 | 419 | 102 | 205 | 50.60 |
| 13155500 | 5SPC 500 | 500 | 509.6 | 4040 | 100 | 10 | 444 | 102 | 205 | 53.49 |
| 13155530 | 5SPC 530 | 530 | 539.6 | 4040 | 110 | 10 | 474 | 114 | 235 | 62.18 |
| 13155560 | 5SPC 560 | 560 | 569.6 | 4545 | 110 | 10 | 504 | 114 | 235 | 65.72 |
| 13155630 | 5SPC 630 | 630 | 639.6 | 5050 | 125 | 10 | 574 | 127 | 260 | 79.30 |
| 13155710 | 5SPC 710 | 710 | 719.6 | 5050 | 125 | 10 | 654 | 127 | 260 | 89.60 |
| 13155800 | 5SPC 800 | 800 | 809.6 | 5050 | 125 | 10 | 744 | 127 | 260 | 102.46 |
| 13155A00 | 5SPC 1000 | 1000 | 1009.6 | 5050 | 125 | 10 | 944 | 127 | 260 | 133.59 |
| 13155B00 | 5SPC 1250 | 1250 | 1259.6 | 5050 | 125 | 10 | 1194 | 127 | 260 | 177.56 |



SPC - 6 Grooves, F = 162 mm

| Catalogue Code | Pulley Designation | P | O | Bush No. | Max bore | Type | J | L | N | Weight (kg) |
|----------------|--------------------|------|--------|----------|----------|------|------|-----|-----|-------------|
| 13156200 | 6SPC 200 | 200 | 209.6 | 3535 | 90 | 6 | 144 | 89 | | 16.13 |
| 13156212 | 6SPC 212 | 212 | 221.6 | 3535 | 90 | 6 | 156 | 89 | | 18.85 |
| 13156224 | 6SPC 224 | 224 | 233.6 | 3535 | 90 | 6 | 168 | 89 | | 21.71 |
| 13156236 | 6SPC 236 | 236 | 245.6 | 3535 | 90 | 6 | 180 | 89 | | 24.72 |
| 13156250 | 6SPC 250 | 250 | 259.6 | 3535 | 90 | 6 | 194 | 89 | | 28.42 |
| 13156265 | 6SPC 265 | 265 | 274.6 | 3535 | 90 | 8 | 209 | 89 | 175 | 26.01 |
| 13156280 | 6SPC 280 | 280 | 289.6 | 3535 | 90 | 8 | 224 | 89 | 175 | 27.60 |
| 13156300 | 6SPC 300 | 300 | 309.6 | 3535 | 90 | 8 | 244 | 89 | 175 | 29.83 |
| 13156315 | 6SPC 315 | 315 | 324.6 | 3535 | 90 | 8 | 259 | 89 | 175 | 31.45 |
| 13156335 | 6SPC 335 | 335 | 344.6 | 3535 | 90 | 8 | 279 | 89 | 175 | 34.62 |
| 13156355 | 6SPC 355 | 355 | 364.6 | 3535 | 90 | 8 | 299 | 89 | 175 | 37.02 |
| 13156375 | 6SPC 375 | 375 | 384.6 | 4040 | 100 | 8 | 319 | 102 | 205 | 46.39 |
| 13156400 | 6SPC 400 | 400 | 409.6 | 4040 | 100 | 8 | 344 | 102 | 205 | 50.20 |
| 13156425 | 6SPC 425 | 425 | 434.6 | 4040 | 100 | 8 | 369 | 114 | 205 | 56.22 |
| 13156450 | 6SPC 450 | 450 | 459.6 | 4545 | 110 | 8 | 394 | 114 | 235 | 58.92 |
| 13156475 | 6SPC 475 | 475 | 484.6 | 4545 | 110 | 8 | 419 | 114 | 235 | 61.46 |
| 13156500 | 6SPC 500 | 500 | 509.6 | 4545 | 110 | 10 | 444 | 114 | 235 | 64.69 |
| 13156530 | 6SPC 530 | 530 | 539.6 | 4545 | 125 | 10 | 474 | 127 | 235 | 73.77 |
| 13156560 | 6SPC 560 | 560 | 569.6 | 5050 | 125 | 10 | 504 | 127 | 260 | 77.67 |
| 13156630 | 6SPC 630 | 630 | 639.6 | 5050 | 125 | 10 | 574 | 127 | 260 | 87.39 |
| 13156710 | 6SPC 710 | 710 | 719.6 | 5050 | 125 | 10 | 654 | 127 | 260 | 99.41 |
| 13156800 | 6SPC 800 | 800 | 809.6 | 5050 | 125 | 10 | 744 | 127 | 260 | 113.65 |
| 13156A00 | 6SPC 1000 | 1000 | 1009.6 | 5050 | 125 | 10 | 944 | 127 | 260 | 149.80 |
| 13156B00 | 6SPC 1250 | 1250 | 1259.6 | 5050 | 125 | 10 | 1194 | 127 | 260 | 201.34 |

SPC - 8 Grooves, F = 213 mm


| Catalogue Code | Pulley Designation | P | O | Bush No. | Max bore | Type | J | L | N | Weight (kg) |
|----------------|--------------------|------|--------|----------|----------|------|------|-----|-----|-------------|
| 13158200 | 8SPC 200 | 200 | 209.6 | 3535 | 90 | 6 | 144 | 89 | | 19.63 |
| 13158212 | 8SPC 212 | 212 | 221.6 | 3535 | 90 | 6 | 156 | 89 | | 22.59 |
| 13158224 | 8SPC 224 | 224 | 233.6 | 3535 | 90 | 6 | 168 | 89 | | 25.69 |
| 13158236 | 8SPC 236 | 236 | 245.6 | 3535 | 90 | 6 | 180 | 89 | | 28.94 |
| 13158250 | 8SPC 250 | 250 | 259.6 | 3535 | 90 | 6 | 194 | 89 | | 32.93 |
| 13158265 | 8SPC 265 | 265 | 274.6 | 3535 | 90 | 8 | 209 | 89 | 175 | 30.91 |
| 13158280 | 8SPC 280 | 280 | 289.6 | 3535 | 90 | 8 | 224 | 89 | 175 | 32.84 |
| 13158300 | 8SPC 300 | 300 | 309.6 | 4040 | 100 | 6 | 244 | 102 | | 49.93 |
| 13158315 | 8SPC 315 | 315 | 324.6 | 4040 | 100 | 6 | 259 | 102 | | 44.28 |
| 13158335 | 8SPC 335 | 335 | 344.6 | 4040 | 100 | 8 | 279 | 102 | 205 | 47.97 |
| 13158355 | 8SPC 355 | 355 | 364.6 | 4040 | 100 | 8 | 299 | 102 | 205 | 51.05 |
| 13158375 | 8SPC 375 | 375 | 384.6 | 4545 | 110 | 8 | 319 | 114 | 235 | 59.70 |
| 13158400 | 8SPC 400 | 400 | 409.6 | 4545 | 110 | 8 | 344 | 114 | 235 | 63.87 |
| 13158425 | 8SPC 425 | 425 | 434.6 | 4545 | 110 | 8 | 369 | 114 | 235 | 64.97 |
| 13158450 | 8SPC 450 | 450 | 459.6 | 5050 | 125 | 8 | 394 | 127 | 260 | 73.99 |
| 13158475 | 8SPC 475 | 475 | 484.6 | 5050 | 125 | 8 | 419 | 127 | 260 | 77.64 |
| 13158500 | 8SPC 500 | 500 | 509.6 | 5050 | 125 | 8 | 444 | 127 | 260 | 81.31 |
| 13158530 | 8SPC 530 | 530 | 539.6 | 5050 | 125 | 10 | 474 | 127 | 260 | 85.60 |
| 13158560 | 8SPC 560 | 560 | 569.6 | 5050 | 125 | 10 | 504 | 127 | 260 | 90.90 |
| 13158630 | 8SPC 630 | 630 | 639.6 | 5050 | 125 | 10 | 574 | 127 | 260 | 102.88 |
| 13158710 | 8SPC 710 | 710 | 719.6 | 5050 | 125 | 10 | 654 | 127 | 260 | 117.54 |
| 13158800 | 8SPC 800 | 800 | 809.6 | 5050 | 125 | 10 | 744 | 127 | 260 | 136.55 |
| 13158A00 | 8SPC 1000 | 1000 | 1009.6 | 5050 | 125 | 10 | 944 | 127 | 260 | 181.35 |
| 13158B00 | 8SPC 1250 | 1250 | 1259.6 | 5050 | 125 | 10 | 1194 | 127 | 260 | 243.71 |

SPC - 10 Grooves, F = 264 mm


| Catalogue Code | Pulley Designation | P | O | Bush No. | Max bore | Type | J | L | N | Weight (kg) |
|----------------|--------------------|------|--------|----------|----------|------|------|-----|-----|-------------|
| 1315A250 | 10SPC 250 | 250 | 259.6 | 4040 | 100 | 6 | 194 | 102 | | 36.88 |
| 1315A280 | 10SPC 280 | 280 | 289.6 | 4040 | 100 | 8 | 224 | 102 | 200 | 44.98 |
| 1315A300 | 10SPC 300 | 300 | 309.6 | 4545 | 110 | 8 | 244 | 114 | 220 | 53.71 |
| 1315A315 | 10SPC 315 | 315 | 324.6 | 4545 | 110 | 8 | 259 | 114 | 220 | 55.99 |
| 1315A355 | 10SPC 355 | 355 | 364.6 | 4545 | 110 | 8 | 299 | 114 | 235 | 63.81 |
| 1315A400 | 10SPC 400 | 400 | 409.6 | 5050 | 125 | 8 | 344 | 127 | 260 | 77.43 |
| 1315A450 | 10SPC 450 | 450 | 459.6 | 5050 | 125 | 8 | 394 | 127 | 260 | 83.57 |
| 1315A500 | 10SPC 500 | 500 | 509.6 | 5050 | 125 | 8 | 444 | 127 | 260 | 92.13 |
| 1315A560 | 10SPC 560 | 560 | 569.6 | 5050 | 125 | 8 | 504 | 127 | 260 | 103.74 |
| 1315A630 | 10SPC 630 | 630 | 639.6 | 5050 | 125 | 8 | 574 | 127 | 260 | 119.19 |
| 1315A710 | 10SPC 710 | 710 | 719.6 | 5050 | 125 | 8 | 654 | 127 | 260 | 137.09 |
| 1315A800 | 10SPC 800 | 800 | 809.6 | 5050 | 125 | 8 | 744 | 127 | 260 | 160.68 |
| 1315AA00 | 10SPC 1000 | 1000 | 1009.6 | 5050 | 125 | 8 | 944 | 127 | 260 | 217.20 |
| 1315AB00 | 10SPC 1250 | 1250 | 1259.6 | 5050 | 125 | 8 | 1194 | 127 | 260 | 292.11 |

D - 3 Grooves, F = 122 mm


| Catalogue Code | Pulley Designation | P | O | Bush No. | Max bore | Type* | L | N | Wt. No bush |
|----------------|--------------------|------|------|----------|----------|-------|-----|---|-------------|
| 13173300 | 3D 300 | 300 | 316 | 4040 | 100 | 6 | 102 | | 32 |
| 13173335 | 3D 335 | 335 | 351 | 4040 | 100 | 6 | 102 | | 35 |
| 13173345 | 3D 345 | 345 | 361 | 4040 | 100 | 6 | 102 | | 36 |
| 13173355 | 3D 355 | 355 | 371 | 4040 | 100 | 8 | 102 | | 37 |
| 13173365 | 3D 365 | 365 | 381 | 4040 | 100 | 8 | 102 | | 39 |
| 13173375 | 3D 375 | 375 | 391 | 4040 | 100 | 8 | 102 | | 40 |
| 13173385 | 3D 385 | 385 | 401 | 4040 | 100 | 8 | 102 | | 42 |
| 13173400 | 3D 400 | 400 | 416 | 4040 | 100 | 10 | 102 | | 44 |
| 13173450 | 3D 450 | 450 | 466 | 4545 | 110 | 10 | 114 | | 50 |
| 13173500 | 3D 500 | 500 | 516 | 4545 | 110 | 10 | 114 | | 55 |
| 13173560 | 3D 560 | 560 | 576 | 4545 | 110 | 10 | 114 | | 59 |
| 13173670 | 3D 670 | 670 | 686 | 4545 | 110 | 10 | 114 | | 79 |
| 13173850 | 3D 850 | 850 | 866 | 4545 | 110 | 10 | 114 | | 109 |
| 13173A00 | 3D 1000 | 1000 | 1016 | 4545 | 110 | 10 | 114 | | 136 |



Type 6



Type 8



Type 10

D - 4 Grooves, F = 159 mm

| Catalogue Code | Pulley Designation | P | O | Bush No. | Max bore | Type* | L | N | Wt. No bush |
|----------------|--------------------|------|------|----------|----------|-------|-----|---|-------------|
| 13174300 | 4D 300 | 300 | 316 | 4040 | 100 | 6 | 102 | | 38 |
| 13174335 | 4D 335 | 335 | 351 | 4040 | 100 | 6 | 102 | | 39 |
| 13174345 | 4D 345 | 345 | 361 | 4040 | 100 | 6 | 102 | | 40 |
| 13174355 | 4D 355 | 355 | 371 | 4040 | 100 | 8 | 102 | | 42 |
| 13174365 | 4D 365 | 365 | 381 | 4040 | 100 | 8 | 102 | | 43 |
| 13174375 | 4D 375 | 375 | 391 | 4040 | 100 | 8 | 102 | | 45 |
| 13174385 | 4D 385 | 385 | 401 | 4040 | 100 | 8 | 102 | | 46 |
| 13174400 | 4D 400 | 400 | 416 | 4040 | 100 | 10 | 102 | | 48 |
| 13174450 | 4D 450 | 450 | 466 | 4545 | 110 | 10 | 114 | | 55 |
| 13174500 | 4D 500 | 500 | 516 | 4545 | 110 | 10 | 114 | | 60 |
| 13174560 | 4D 560 | 560 | 576 | 4545 | 110 | 10 | 114 | | 70 |
| 13174670 | 4D 670 | 670 | 686 | 4545 | 110 | 10 | 114 | | 88 |
| 13174850 | 4D 850 | 850 | 866 | 6050 | 150 | 10 | 127 | | 127 |
| 13174A00 | 4D 1000 | 1000 | 1016 | 6050 | 150 | 10 | 127 | | 158 |
| 13174B50 | 4D 1250 | 1250 | 1266 | 6050 | 150 | 10 | 127 | | 173 |
| 13174C00 | 4D 1400 | 1400 | 1416 | 6050 | 150 | 10 | 127 | | 191 |

D - 5 Grooves, F = 196 mm


| Catalogue Code | Pulley Designation | P | O | Bush No. | Max bore | Type* | L | N | Wt. No bush |
|----------------|--------------------|------|------|----------|----------|-------|-----|---|-------------|
| 13175300 | 5D 300 | 300 | 316 | 4040 | 100 | 6 | 102 | | 42 |
| 13175335 | 5D 335 | 335 | 351 | 4040 | 100 | 6 | 102 | | 44 |
| 13175345 | 5D 345 | 345 | 361 | 4040 | 100 | 6 | 102 | | 46 |
| 13175355 | 5D 355 | 355 | 371 | 4040 | 100 | 8 | 102 | | 48 |
| 13175365 | 5D 365 | 365 | 381 | 4040 | 100 | 8 | 102 | | 51 |
| 13175375 | 5D 375 | 375 | 391 | 4040 | 100 | 8 | 102 | | 55 |
| 13175385 | 5D 385 | 385 | 401 | 4040 | 100 | 8 | 102 | | 57 |
| 13175400 | 5D 400 | 400 | 416 | 4040 | 100 | 10 | 102 | | 59 |
| 13175450 | 5D 450 | 450 | 466 | 4545 | 110 | 10 | 114 | | 68 |
| 13175500 | 5D 500 | 500 | 516 | 4545 | 110 | 10 | 114 | | 73 |
| 13175560 | 5D 560 | 560 | 576 | 4545 | 110 | 10 | 114 | | 86 |
| 13175670 | 5D 670 | 670 | 686 | 6050 | 150 | 10 | 127 | | 118 |
| 13175850 | 5D 850 | 850 | 866 | 6050 | 150 | 10 | 127 | | 145 |
| 13175A00 | 5D 1000 | 1000 | 1016 | 6050 | 150 | 10 | 127 | | 177 |
| 13175B50 | 5D 1250 | 1250 | 1266 | 6050 | 150 | 10 | 127 | | 205 |
| 13175C00 | 5D 1400 | 1400 | 1416 | 6050 | 150 | 10 | 127 | | 227 |

D - 6 Grooves, F = 233 mm

| Catalogue Code | Pulley Designation | P | O | Bush No. | Max bore | Type* | L | N | Wt. No bush |
|----------------|--------------------|------|------|----------|----------|-------|-----|---|-------------|
| 13176300 | 6D 300 | 300 | 316 | 4545 | 110 | 6 | 114 | | 52 |
| 13176335 | 6D 335 | 335 | 351 | 4545 | 110 | 8 | 114 | | 57 |
| 13176345 | 6D 345 | 345 | 361 | 4545 | 110 | 8 | 114 | | 61 |
| 13176355 | 6D 355 | 355 | 371 | 4545 | 110 | 8 | 114 | | 66 |
| 13176365 | 6D 365 | 365 | 381 | 4545 | 110 | 8 | 114 | | 68 |
| 13176375 | 6D 375 | 375 | 391 | 4545 | 110 | 8 | 114 | | 73 |
| 13176385 | 6D 385 | 385 | 401 | 4545 | 110 | 10 | 114 | | 75 |
| 13176400 | 6D 400 | 400 | 416 | 4545 | 110 | 10 | 114 | | 77 |
| 13176450 | 6D 450 | 450 | 466 | 4545 | 110 | 10 | 114 | | 82 |
| 13176500 | 6D 500 | 500 | 516 | 4545 | 110 | 10 | 114 | | 98 |
| 13176560 | 6D 560 | 560 | 576 | 6050 | 150 | 10 | 127 | | 114 |
| 13176670 | 6D 670 | 670 | 686 | 6050 | 150 | 10 | 127 | | 136 |
| 13176850 | 6D 850 | 850 | 866 | 6050 | 150 | 10 | 127 | | 164 |
| 13176A00 | 6D 1000 | 1000 | 1016 | 6050 | 150 | 10 | 127 | | 200 |
| 13176B50 | 6D 1250 | 1250 | 1266 | 6050 | 150 | 10 | 127 | | 255 |
| 13176C00 | 6D 1400 | 1400 | 1416 | 6050 | 150 | 10 | 127 | | 300 |

D - 8 Grooves, F = 307 mm

| Catalogue Code | Pulley Designation | P | O | Bush No. | Max bore | Type* | L | N | Wt. No bush |
|----------------|--------------------|------|------|----------|----------|-------|-----|---|-------------|
| 13178300 | 8D 300 | 300 | 316 | 4545 | 110 | 6 | 114 | | 64 |
| 13178335 | 8D 335 | 335 | 351 | 4545 | 110 | 8 | 114 | | 68 |
| 13178345 | 8D 345 | 345 | 361 | 4545 | 110 | 8 | 114 | | 73 |
| 13178355 | 8D 355 | 355 | 371 | 4545 | 110 | 8 | 114 | | 77 |
| 13178365 | 8D 365 | 365 | 381 | 4545 | 110 | 8 | 114 | | 81 |
| 13178375 | 8D 375 | 375 | 391 | 4545 | 110 | 8 | 114 | | 83 |
| 13178385 | 8D 385 | 385 | 401 | 4545 | 110 | 8 | 114 | | 86 |
| 13178400 | 8D 400 | 400 | 416 | 4545 | 110 | 8 | 114 | | 91 |
| 13178450 | 8D 450 | 450 | 466 | 6050 | 150 | 10 | 127 | | 118 |
| 13178500 | 8D 500 | 500 | 516 | 6050 | 150 | 10 | 127 | | 123 |
| 13178560 | 8D 560 | 560 | 576 | 6050 | 150 | 10 | 127 | | 136 |
| 13178670 | 8D 670 | 670 | 686 | 6050 | 150 | 10 | 127 | | 159 |
| 13178850 | 8D 850 | 850 | 866 | 6050 | 150 | 10 | 127 | | 205 |
| 13178A00 | 8D 1000 | 1000 | 1016 | 6050 | 150 | 10 | 127 | | 250 |
| 13178B50 | 8D 1250 | 1250 | 1266 | 6050 | 150 | 10 | 127 | | 327 |
| 13178C00 | 8D 1400 | 1400 | 1416 | 6050 | 150 | 10 | 127 | | 409 |



D - 10 Grooves, F = 381 mm


| Catalogue Code | Pulley Designation | P | O | Bush No. | Max bore | Type* | L | N | Wt. No bush |
|----------------|--------------------|------|------|----------|----------|-------|-----|---|-------------|
| 1317A300 | 10D 300 | 300 | 316 | 6050 | 150 | 6 | 127 | | 86 |
| 1317A335 | 10D 335 | 335 | 351 | 6050 | 150 | 6 | 127 | | 100 |
| 1317A345 | 10D 345 | 345 | 361 | 6050 | 150 | 6 | 127 | | 109 |
| 1317A355 | 10D 355 | 355 | 371 | 6050 | 150 | 6 | 127 | | 114 |
| 1317A365 | 10D 365 | 365 | 381 | 6050 | 150 | 8 | 127 | | 118 |
| 1317A375 | 10D 375 | 375 | 391 | 6050 | 150 | 8 | 127 | | 123 |
| 1317A385 | 10D 385 | 385 | 401 | 6050 | 150 | 8 | 127 | | 127 |
| 1317A400 | 10D 400 | 400 | 416 | 6050 | 150 | 8 | 127 | | 132 |
| 1317A450 | 10D 450 | 450 | 466 | 6050 | 150 | 8 | 127 | | 141 |
| 1317A500 | 10D 500 | 500 | 516 | 6050 | 150 | 8 | 127 | | 150 |
| 1317A560 | 10D 560 | 560 | 576 | 6050 | 150 | 10 | 127 | | 159 |
| 1317A670 | 10D 670 | 670 | 686 | 6050 | 150 | 10 | 127 | | 200 |
| 1317A850 | 10D 850 | 850 | 866 | 6050 | 150 | 10 | 127 | | 227 |
| 1317A900 | 10D 1000 | 1000 | 1016 | 6050 | 150 | 10 | 127 | | 295 |
| 1317AB50 | 10D 1250 | 1250 | 1266 | 7060 | 175 | 10 | 152 | | 418 |
| 1317AC00 | 10D 1400 | 1400 | 1416 | 7060 | 175 | 10 | 152 | | 500 |

D - 12 Grooves F = 455 mm

| Catalogue Code | Pulley Designation | P | O | Bush No. | Max bore | Type* | L | N | Wt. No bush |
|----------------|--------------------|------|------|----------|----------|-------|-----|---|-------------|
| 1317B300 | 12D 300 | 300 | 316 | 6050 | 150 | 6 | 127 | | 100 |
| 1317B335 | 12D 335 | 335 | 351 | 6050 | 150 | 6 | 127 | | 114 |
| 1317B345 | 12D 345 | 345 | 361 | 6050 | 150 | 6 | 127 | | 123 |
| 1317B355 | 12D 355 | 355 | 371 | 6050 | 150 | 6 | 127 | | 127 |
| 1317B365 | 12D 365 | 365 | 381 | 6050 | 150 | 6 | 127 | | 136 |
| 1317B375 | 12D 375 | 375 | 391 | 6050 | 150 | 8 | 127 | | 139 |
| 1317B385 | 12D 385 | 385 | 401 | 6050 | 150 | 8 | 127 | | 141 |
| 1317B400 | 12D 400 | 400 | 416 | 6050 | 150 | 8 | 127 | | 145 |
| 1317B450 | 12D 450 | 450 | 466 | 6050 | 150 | 8 | 127 | | 155 |
| 1317B500 | 12D 500 | 500 | 516 | 6050 | 150 | 8 | 127 | | 164 |
| 1317B560 | 12D 560 | 560 | 576 | 6050 | 150 | 10 | 127 | | 182 |
| 1317B670 | 12D 670 | 670 | 686 | 6050 | 150 | 10 | 127 | | 236 |
| 1317B850 | 12D 850 | 850 | 866 | 6050 | 150 | 10 | 127 | | 302 |
| 1317BA00 | 12D 1000 | 1000 | 1016 | 7060 | 175 | 10 | 152 | | 395 |
| 1317BB50 | 12D 1250 | 1250 | 1266 | 7060 | 175 | 10 | 152 | | 495 |
| 1317BC00 | 12D 1400 | 1400 | 1416 | 7060 | 175 | 10 | 152 | | 591 |

3V - 1 Groove, F = 18 mm

| Catalogue Code | Pulley Designation | de O | dp P | Bush No. | Max bore | Type | L | N | Weight (kg) |
|----------------|--------------------|------|-------|----------|----------|------|----|-----|-------------|
| 13191060 | 1 3V 60 | 60 | 58.8 | 1008 | 25 | 2 | 22 | 58 | 0.3 |
| 13191063 | 1 3V 63 | 63 | 61.8 | 1108 | 28 | 2 | 22 | 60 | 0.3 |
| 13191067 | 1 3V 67 | 67 | 65.8 | 1108 | 28 | 2 | 22 | 60 | 0.3 |
| 13191071 | 1 3V 71 | 71 | 69.8 | 1108 | 28 | 2 | 22 | 60 | 0.4 |
| 13191075 | 1 3V 75 | 75 | 73.8 | 1108 | 28 | 2 | 22 | 60 | 0.5 |
| 13191080 | 1 3V 80 | 80 | 78.8 | 1210 | 32 | 2 | 25 | 76 | 0.4 |
| 13191085 | 1 3V 85 | 85 | 83.8 | 1210 | 32 | 2 | 25 | 76 | 0.5 |
| 13191090 | 1 3V 90 | 90 | 88.8 | 1210 | 32 | 2 | 25 | 76 | 0.7 |
| 13191095 | 1 3V 95 | 95 | 93.8 | 1210 | 32 | 2 | 25 | 76 | 0.8 |
| 13191100 | 1 3V 100 | 100 | 98.8 | 1210 | 32 | 2 | 25 | 76 | 0.9 |
| 13191106 | 1 3V 106 | 106 | 104.8 | 1610 | 42 | 2 | 25 | 86 | 1.1 |
| 13191112 | 1 3V 112 | 112 | 110.8 | 1610 | 42 | 2 | 25 | 86 | 1.2 |
| 13191118 | 1 3V 118 | 118 | 116.8 | 1610 | 42 | 2 | 25 | 86 | 1.2 |
| 13191125 | 1 3V 125 | 125 | 123.8 | 1610 | 42 | 2 | 25 | 86 | 1.3 |
| 13191132 | 1 3V 132 | 132 | 130.8 | 1610 | 42 | 2 | 25 | 86 | 1.5 |
| 13191140 | 1 3V 140 | 140 | 138.8 | 1610 | 42 | 2 | 25 | 86 | 1.6 |
| 13191150 | 1 3V 150 | 150 | 148.8 | 1610 | 42 | 2 | 25 | 86 | 2.0 |
| 13191160 | 1 3V 160 | 160 | 158.8 | 1610 | 42 | 11 | 25 | 86 | 1.7 |
| 13191170 | 1 3V 170 | 170 | 168.8 | 1610 | 42 | 11 | 25 | 86 | 1.9 |
| 13191180 | 1 3V 180 | 180 | 178.8 | 1610 | 42 | 11 | 25 | 86 | 2.0 |
| 13191190 | 1 3V 190 | 190 | 188.8 | 1610 | 42 | 11 | 25 | 86 | 2.1 |
| 13191200 | 1 3V 200 | 200 | 198.8 | 2012 | 50 | 11 | 32 | 105 | 2.7 |
| 13191224 | 1 3V 224 | 224 | 222.8 | 2012 | 50 | 7 | 32 | 105 | 3.0 |
| 13191250 | 1 3V 250 | 250 | 248.8 | 2012 | 50 | 9 | 32 | 105 | 2.8 |
| 13191280 | 1 3V 280 | 280 | 278.8 | 2012 | 50 | 9 | 32 | 105 | 3.5 |
| 13191315 | 1 3V 315 | 315 | 313.8 | 2012 | 50 | 9 | 32 | 105 | 3.8 |
| 13191355 | 1 3V 355 | 355 | 353.8 | 2012 | 50 | 9 | 32 | 105 | 4.5 |
| 13191400 | 1 3V 400 | 400 | 398.8 | 2012 | 50 | 9 | 32 | 105 | 4.3 |
| 13191450 | 1 3V 450 | 450 | 448.8 | 2517 | 60 | 9 | 45 | 120 | 5.8 |



3V - 2 Grooves, F = 28.3 mm


| Catalogue Code | Pulley Designation | de O | dp P | Bush No. | Max bore | Type | L | N | Weight (kg) |
|----------------|--------------------|------|-------|----------|----------|------|----|-----|-------------|
| 13192063 | 2 3V 63 | 63 | 61.8 | 1108 | 28 | 4 | 22 | | 0.4 |
| 13192067 | 2 3V 67 | 67 | 65.8 | 1108 | 28 | 4 | 22 | | 0.4 |
| 13192071 | 2 3V 71 | 71 | 69.8 | 1108 | 28 | 4 | 22 | | 0.5 |
| 13192075 | 2 3V 75 | 75 | 73.8 | 1210 | 32 | 4 | 25 | | 0.5 |
| 13192080 | 2 3V 80 | 80 | 78.8 | 1210 | 32 | 4 | 25 | | 0.5 |
| 13192085 | 2 3V 85 | 85 | 83.8 | 1610 | 42 | 4 | 25 | | 0.6 |
| 13192090 | 2 3V 90 | 90 | 88.8 | 1610 | 42 | 4 | 25 | | 0.8 |
| 13192095 | 2 3V 95 | 95 | 93.8 | 1610 | 42 | 4 | 25 | | 0.9 |
| 13192100 | 2 3V 100 | 100 | 98.8 | 1610 | 42 | 4 | 25 | | 1.0 |
| 13192106 | 2 3V 106 | 106 | 104.8 | 1610 | 42 | 4 | 25 | | 1.2 |
| 13192112 | 2 3V 112 | 112 | 110.8 | 1610 | 42 | 4 | 25 | | 1.3 |
| 13192118 | 2 3V 118 | 118 | 116.8 | 1610 | 42 | 4 | 25 | | 1.5 |
| 13192125 | 2 3V 125 | 125 | 123.8 | 1610 | 42 | 4 | 25 | | 1.8 |
| 13192132 | 2 3V 132 | 132 | 130.8 | 1610 | 42 | 4 | 25 | | 2.0 |
| 13192140 | 2 3V 140 | 140 | 138.8 | 1610 | 42 | 5 | 25 | | 2.4 |
| 13192150 | 2 3V 150 | 150 | 148.8 | 2012 | 50 | 2 | 32 | 105 | 2.8 |
| 13192160 | 2 3V 160 | 160 | 158.8 | 2012 | 50 | 2 | 32 | 105 | 3.3 |
| 13192170 | 2 3V 170 | 170 | 168.8 | 2012 | 50 | 2 | 32 | 105 | 3.8 |
| 13192180 | 2 3V 180 | 180 | 178.8 | 2012 | 50 | 11 | 32 | 105 | 3.0 |
| 13192190 | 2 3V 190 | 190 | 188.8 | 2012 | 50 | 11 | 32 | 105 | 3.1 |
| 13192200 | 2 3V 200 | 200 | 198.8 | 2012 | 50 | 11 | 32 | 105 | 3.3 |
| 13192224 | 2 3V 224 | 224 | 222.8 | 2012 | 50 | 7 | 32 | 105 | 3.7 |
| 13192250 | 2 3V 250 | 250 | 248.8 | 2012 | 50 | 9 | 32 | 105 | 4.0 |
| 13192280 | 2 3V 280 | 280 | 278.8 | 2012 | 50 | 9 | 32 | 105 | 4.4 |
| 13192315 | 2 3V 315 | 315 | 313.8 | 2012 | 50 | 9 | 32 | 105 | 5.1 |
| 13192355 | 2 3V 355 | 355 | 353.8 | 2012 | 50 | 9 | 32 | 105 | 8.4 |
| 13192400 | 2 3V 400 | 400 | 398.8 | 2517 | 60 | 9 | 45 | 120 | 6.9 |
| 13192450 | 2 3V 450 | 450 | 448.8 | 2517 | 60 | 9 | 45 | 120 | 7.8 |
| 13192500 | 2 3V 500 | 500 | 498.8 | 2517 | 60 | 9 | 45 | 120 | 8.9 |

3V - 3 Grooves, F = 38.6 mm

| Catalogue Code | Pulley Designation | de O | dp P | Bush No. | Max bore | Type | L | N | Weight (kg) |
|----------------|--------------------|------|-------|----------|----------|------|----|-----|-------------|
| 13193063 | 3 3V 63 | 63 | 61.8 | 1108 | 28 | 4 | 22 | | 0.2 |
| 13193067 | 3 3V 67 | 67 | 65.8 | 1108 | 28 | 4 | 22 | | 0.6 |
| 13193071 | 3 3V 71 | 71 | 69.8 | 1108 | 28 | 4 | 22 | | 0.6 |
| 13193075 | 3 3V 75 | 75 | 73.8 | 1210 | 32 | 4 | 25 | | 0.6 |
| 13193080 | 3 3V 80 | 80 | 78.8 | 1210 | 32 | 4 | 25 | | 0.7 |
| 13193085 | 3 3V 85 | 85 | 83.8 | 1610 | 42 | 4 | 25 | | 0.8 |
| 13193090 | 3 3V 90 | 90 | 88.8 | 1610 | 42 | 4 | 25 | | 0.9 |
| 13193095 | 3 3V 95 | 95 | 93.8 | 1610 | 42 | 4 | 25 | | 1.1 |
| 13193100 | 3 3V 100 | 100 | 98.8 | 1610 | 42 | 4 | 25 | | 1.2 |
| 13193106 | 3 3V 106 | 106 | 104.8 | 1610 | 42 | 4 | 25 | | 1.3 |
| 13193112 | 3 3V 112 | 112 | 110.8 | 2012 | 50 | 4 | 32 | | 1.4 |
| 13193118 | 3 3V 118 | 118 | 116.8 | 2012 | 50 | 4 | 32 | | 1.6 |
| 13193125 | 3 3V 125 | 125 | 123.8 | 2012 | 50 | 5 | 32 | | 2.0 |
| 13193132 | 3 3V 132 | 132 | 130.8 | 2012 | 50 | 5 | 32 | | 2.4 |
| 13193140 | 3 3V 140 | 140 | 138.8 | 2012 | 50 | 5 | 32 | | 2.8 |
| 13193150 | 3 3V 150 | 150 | 148.8 | 2012 | 50 | 5 | 32 | | 3.4 |
| 13193160 | 3 3V 160 | 160 | 158.8 | 2012 | 50 | 5 | 32 | | 3.9 |
| 13193170 | 3 3V 170 | 170 | 168.8 | 2012 | 50 | 8 | 32 | 105 | 3.4 |
| 13193180 | 3 3V 180 | 180 | 178.8 | 2012 | 50 | 8 | 32 | 105 | 3.6 |
| 13193190 | 3 3V 190 | 190 | 188.8 | 2012 | 50 | 8 | 32 | 105 | 3.6 |
| 13193200 | 3 3V 200 | 200 | 198.8 | 2012 | 50 | 8 | 32 | 105 | 4.0 |
| 13193224 | 3 3V 224 | 224 | 222.8 | 2012 | 50 | 8 | 32 | 105 | 4.4 |
| 13193250 | 3 3V 250 | 250 | 248.8 | 2012 | 50 | 10 | 32 | 105 | 4.6 |
| 13193280 | 3 3V 280 | 280 | 278.8 | 2517 | 60 | 9 | 45 | 120 | 6.4 |
| 13193315 | 3 3V 315 | 315 | 313.8 | 2517 | 60 | 9 | 45 | 120 | 7.4 |
| 13193355 | 3 3V 355 | 355 | 353.8 | 2517 | 60 | 9 | 45 | 120 | 8.8 |
| 13193400 | 3 3V 400 | 400 | 398.8 | 2517 | 60 | 9 | 45 | 120 | 8.7 |
| 13193450 | 3 3V 450 | 450 | 448.8 | 2517 | 60 | 9 | 45 | 120 | 9.9 |
| 13193500 | 3 3V 500 | 500 | 498.8 | 2517 | 60 | 9 | 45 | 120 | 11.1 |
| 13193630 | 3 3V 630 | 630 | 628.8 | 2517 | 60 | 9 | 45 | 120 | 15.1 |
| 13193800 | 3 3V 800 | 800 | 798.8 | 3020 | 75 | 9 | 51 | 155 | 23.6 |

3V - 4 Grooves, F = 48.9 mm

| Catalogue Code | Pulley Designation | de O | dp P | Bush No. | Max bore | Type | L | N | Weight (kg) |
|----------------|--------------------|------|-------|----------|----------|------|----|-----|-------------|
| 13194063 | 4 3V 63 | 63 | 61.8 | 1108 | 28 | 4 | 22 | | 0.6 |
| 13194067 | 4 3V 67 | 67 | 65.8 | 1108 | 28 | 4 | 22 | | 0.7 |
| 13194071 | 4 3V 71 | 71 | 69.8 | 1108 | 28 | 4 | 22 | | 0.8 |
| 13194075 | 4 3V 75 | 75 | 73.8 | 1210 | 32 | 4 | 25 | | 0.8 |
| 13194080 | 4 3V 80 | 80 | 78.8 | 1210 | 32 | 4 | 25 | | 0.8 |
| 13194085 | 4 3V 85 | 85 | 83.8 | 1610 | 42 | 4 | 25 | | 0.9 |
| 13194090 | 4 3V 90 | 90 | 88.8 | 1610 | 42 | 4 | 25 | | 1.2 |
| 13194095 | 4 3V 95 | 95 | 93.8 | 1610 | 42 | 4 | 25 | | 1.2 |
| 13194100 | 4 3V 100 | 100 | 98.8 | 1610 | 42 | 4 | 25 | | 1.4 |
| 13194106 | 4 3V 106 | 106 | 104.8 | 1610 | 42 | 4 | 25 | | 1.7 |
| 13194112 | 4 3V 112 | 112 | 110.8 | 2012 | 50 | 4 | 32 | | 1.7 |
| 13194118 | 4 3V 118 | 118 | 116.8 | 2012 | 50 | 4 | 32 | | 2.0 |
| 13194125 | 4 3V 125 | 125 | 123.8 | 2012 | 50 | 5 | 32 | | 2.3 |
| 13194132 | 4 3V 132 | 132 | 130.8 | 2012 | 50 | 5 | 32 | | 2.7 |
| 13194140 | 4 3V 140 | 140 | 138.8 | 2012 | 50 | 5 | 32 | | 3.1 |
| 13194150 | 4 3V 150 | 150 | 148.8 | 2517 | 60 | 5 | 45 | | 3.8 |
| 13194160 | 4 3V 160 | 160 | 158.8 | 2517 | 60 | 5 | 45 | | 4.6 |
| 13194170 | 4 3V 170 | 170 | 168.8 | 2517 | 60 | 5 | 45 | | 5.4 |
| 13194180 | 4 3V 180 | 180 | 178.8 | 2517 | 60 | 8 | 45 | 120 | 6.5 |
| 13194190 | 4 3V 190 | 190 | 188.8 | 2517 | 60 | 8 | 45 | 120 | 5.0 |
| 13194200 | 4 3V 200 | 200 | 198.8 | 2517 | 60 | 8 | 45 | 120 | 5.2 |
| 13194224 | 4 3V 224 | 224 | 222.8 | 2517 | 60 | 8 | 45 | 120 | 6.0 |
| 13194250 | 4 3V 250 | 250 | 248.8 | 2517 | 60 | 10 | 45 | 120 | 7.0 |
| 13194280 | 4 3V 280 | 280 | 278.8 | 2517 | 60 | 10 | 45 | 120 | 7.6 |
| 13194315 | 4 3V 315 | 315 | 313.8 | 2517 | 60 | 10 | 45 | 120 | 8.6 |
| 13194355 | 4 3V 355 | 355 | 353.8 | 2517 | 60 | 10 | 45 | 120 | 9.4 |
| 13194400 | 4 3V 400 | 400 | 398.8 | 2517 | 60 | 10 | 45 | 120 | 10.2 |
| 13194450 | 4 3V 450 | 450 | 448.8 | 3020 | 75 | 9 | 51 | 155 | 12.3 |
| 13194500 | 4 3V 500 | 500 | 498.8 | 3020 | 75 | 9 | 51 | 155 | 13.7 |
| 13194630 | 4 3V 630 | 630 | 628.8 | 3020 | 75 | 9 | 51 | 155 | 20.3 |
| 13194800 | 4 3V 800 | 800 | 798.8 | 3030 | 75 | 9 | 76 | 155 | 29.4 |



3V - 5 Grooves, F = 59.2 mm

| Catalogue Code | Pulley Designation | de O | dp P | Bush No. | Max bore | Type | L | N | Weight (kg) |
|----------------|--------------------|------|-------|----------|----------|------|----|-----|-------------|
| 13195085 | 5 3V 85 | 85 | 83.8 | 1610 | 42 | 4 | 25 | | 1.2 |
| 13195090 | 5 3V 90 | 90 | 88.8 | 1610 | 42 | 4 | 25 | | 1.4 |
| 13195095 | 5 3V 95 | 95 | 93.8 | 1610 | 42 | 4 | 25 | | 1.5 |
| 13195100 | 5 3V 100 | 100 | 98.8 | 2012 | 50 | 4 | 32 | | 1.5 |
| 13195106 | 5 3V 106 | 106 | 104.8 | 2012 | 50 | 4 | 32 | | 1.8 |
| 13195112 | 5 3V 112 | 112 | 110.8 | 2012 | 50 | 4 | 32 | | 2.0 |
| 13195118 | 5 3V 118 | 118 | 116.8 | 2012 | 50 | 4 | 32 | | 2.3 |
| 13195125 | 5 3V 125 | 125 | 123.8 | 2012 | 50 | 4 | 32 | | 2.6 |
| 13195132 | 5 3V 132 | 132 | 130.8 | 2517 | 60 | 4 | 45 | | 2.9 |
| 13195140 | 5 3V 140 | 140 | 138.8 | 2517 | 60 | 5 | 45 | | 3.4 |
| 13195150 | 5 3V 150 | 150 | 148.8 | 2517 | 60 | 5 | 45 | | 4.5 |
| 13195160 | 5 3V 160 | 160 | 158.8 | 2517 | 60 | 5 | 45 | | 5.1 |
| 13195170 | 5 3V 170 | 170 | 168.8 | 2517 | 60 | 5 | 45 | | 6.0 |
| 13195180 | 5 3V 180 | 180 | 178.8 | 2517 | 60 | 8 | 45 | 120 | 5.2 |
| 13195190 | 5 3V 190 | 190 | 188.8 | 2517 | 60 | 8 | 45 | 120 | 5.4 |
| 13195200 | 5 3V 200 | 200 | 198.8 | 2517 | 60 | 8 | 45 | 120 | 5.9 |
| 13195224 | 5 3V 224 | 224 | 222.8 | 2517 | 60 | 8 | 45 | 120 | 6.7 |
| 13195250 | 5 3V 250 | 250 | 248.8 | 2517 | 60 | 10 | 45 | 120 | 7.6 |
| 13195280 | 5 3V 280 | 280 | 278.8 | 2517 | 60 | 10 | 45 | 120 | 8.6 |
| 13195315 | 5 3V 315 | 315 | 313.8 | 2517 | 60 | 10 | 45 | 120 | 9.8 |
| 13195355 | 5 3V 355 | 355 | 353.8 | 2517 | 60 | 10 | 45 | 120 | 11.1 |
| 13195400 | 5 3V 400 | 400 | 398.8 | 3020 | 75 | 10 | 51 | 155 | 12.3 |
| 13195450 | 5 3V 450 | 450 | 448.8 | 3020 | 75 | 10 | 51 | 155 | 14.0 |
| 13195500 | 5 3V 500 | 500 | 498.8 | 3020 | 75 | 10 | 51 | 155 | 18.0 |
| 13195630 | 5 3V 630 | 630 | 628.8 | 3020 | 75 | 10 | 51 | 155 | 23.1 |
| 13195800 | 5 3V 800 | 800 | 798.8 | 3535 | 90 | 9 | 89 | 175 | 35.3 |

3V - 6 Grooves, F = 69.5 mm


| Catalogue Code | Pulley Designation | de O | dp P | Bush No. | Max bore | Type | L | N | Weight (kg) |
|----------------|--------------------|------|-------|----------|----------|------|----|-----|-------------|
| 13196090 | 6 3V 90 | 90 | 88.8 | 1610 | 42 | 4 | 25 | | 1.6 |
| 13196095 | 6 3V 95 | 95 | 93.8 | 1610 | 42 | 4 | 25 | | 1.8 |
| 13196100 | 6 3V 100 | 100 | 98.8 | 2012 | 50 | 4 | 32 | | 1.8 |
| 13196106 | 6 3V 106 | 106 | 104.8 | 2012 | 50 | 4 | 32 | | 2.1 |
| 13196112 | 6 3V 112 | 112 | 110.8 | 2012 | 50 | 4 | 32 | | 2.3 |
| 13196118 | 6 3V 118 | 118 | 116.8 | 2517 | 60 | 4 | 45 | | 2.5 |
| 13196125 | 6 3V 125 | 125 | 123.8 | 2517 | 60 | 4 | 45 | | 2.9 |
| 13196132 | 6 3V 132 | 132 | 130.8 | 2517 | 60 | 4 | 45 | | 3.5 |
| 13196140 | 6 3V 140 | 140 | 138.8 | 2517 | 60 | 5 | 45 | | 4.1 |
| 13196150 | 6 3V 150 | 150 | 148.8 | 2517 | 60 | 5 | 45 | | 4.9 |
| 13196160 | 6 3V 160 | 160 | 158.8 | 2517 | 60 | 5 | 45 | | 5.7 |
| 13196170 | 6 3V 170 | 170 | 168.8 | 2517 | 60 | 5 | 45 | | 6.6 |
| 13196180 | 6 3V 180 | 180 | 178.8 | 2517 | 60 | 8 | 45 | 120 | 7.6 |
| 13196190 | 6 3V 190 | 190 | 188.8 | 2517 | 60 | 8 | 45 | 120 | 6.2 |
| 13196200 | 6 3V 200 | 200 | 198.8 | 2517 | 60 | 8 | 45 | 120 | 6.6 |
| 13196224 | 6 3V 224 | 224 | 222.8 | 2517 | 60 | 8 | 45 | 120 | 7.5 |
| 13196250 | 6 3V 250 | 250 | 248.8 | 2517 | 60 | 10 | 45 | 120 | 8.4 |
| 13196280 | 6 3V 280 | 280 | 278.8 | 2517 | 60 | 10 | 45 | 120 | 9.2 |
| 13196315 | 6 3V 315 | 315 | 313.8 | 2517 | 60 | 10 | 45 | 120 | 11.2 |
| 13196355 | 6 3V 355 | 355 | 353.8 | 2517 | 60 | 10 | 45 | 120 | 11.6 |
| 13196400 | 6 3V 400 | 400 | 398.8 | 3020 | 75 | 10 | 51 | 155 | 15.6 |
| 13196450 | 6 3V 450 | 450 | 448.8 | 3030 | 75 | 9 | 76 | 155 | 17.7 |
| 13196500 | 6 3V 500 | 500 | 498.8 | 3030 | 75 | 9 | 76 | 155 | 20.0 |
| 13196630 | 6 3V 630 | 630 | 628.8 | 3535 | 90 | 9 | 89 | 175 | 29.2 |
| 13196800 | 6 3V 800 | 800 | 798.8 | 3535 | 90 | 9 | 89 | 175 | 39.2 |

3V - 8 Grooves, F = 90.1 mm

| Catalogue Code | Pulley Designation | de O | dp P | Bush No. | Max bore | Type | L | N | Weight (kg) |
|----------------|--------------------|------|-------|----------|----------|------|----|-----|-------------|
| 13198140 | 8 3V 140 | 140 | 138.8 | 2517 | 60 | 6 | 45 | | 4.8 |
| 13198150 | 8 3V 150 | 150 | 148.8 | 2517 | 60 | 6 | 45 | | 5.7 |
| 13198160 | 8 3V 160 | 160 | 158.8 | 2517 | 60 | 6 | 45 | | 6.6 |
| 13198180 | 8 3V 180 | 180 | 178.8 | 3020 | 75 | 6 | 51 | | 8.1 |
| 13198200 | 8 3V 200 | 200 | 198.8 | 3020 | 75 | 6 | 51 | | 10.5 |
| 13198224 | 8 3V 224 | 224 | 222.8 | 3020 | 75 | 6 | 51 | | 13.7 |
| 13198250 | 8 3V 250 | 250 | 248.8 | 3020 | 75 | 10 | 51 | 155 | 9.8 |
| 13198280 | 8 3V 280 | 280 | 278.8 | 3020 | 75 | 10 | 51 | 155 | 10.5 |
| 13198355 | 8 3V 355 | 355 | 353.8 | 3030 | 75 | 10 | 76 | 155 | 17.1 |
| 13198400 | 8 3V 400 | 400 | 398.8 | 3030 | 75 | 10 | 76 | 155 | 18.5 |
| 13198450 | 8 3V 450 | 450 | 448.8 | 3535 | 90 | 10 | 89 | 175 | 24.4 |

5V - 1 Grooves, F = 26 mm

| Catalogue Code | Pulley Designation | de O | dp P | Bush No. | Max bore | Type | L | N | Weight (kg) |
|----------------|--------------------|------|-------|----------|----------|------|----|-----|-------------|
| 131A1100 | 1 5V 100 | 100 | 97.4 | 1610 | 42 | 5 | 25 | | 0.9 |
| 131A1112 | 1 5V 112 | 112 | 109.4 | 1610 | 42 | 5 | 25 | | 1.2 |
| 131A1118 | 1 5V 118 | 118 | 115.4 | 1610 | 42 | 5 | 25 | | 1.4 |
| 131A1125 | 1 5V 125 | 125 | 122.4 | 1610 | 42 | 5 | 25 | | 1.6 |
| 131A1132 | 1 5V 132 | 132 | 129.4 | 1610 | 42 | 5 | 25 | | 1.9 |
| 131A1140 | 1 5V 140 | 140 | 137.4 | 1610 | 42 | 5 | 25 | | 2.2 |
| 131A1150 | 1 5V 150 | 150 | 147.4 | 1610 | 42 | 5 | 25 | | 2.6 |
| 131A1160 | 1 5V 160 | 160 | 157.4 | 1610 | 42 | 5 | 25 | | 3.0 |
| 131A1170 | 1 5V 170 | 170 | 167.4 | 1610 | 42 | 8 | 25 | 86 | 3.4 |
| 131A1180 | 1 5V 180 | 180 | 177.4 | 1610 | 42 | 8 | 25 | 86 | 3.9 |
| 131A1190 | 1 5V 190 | 190 | 187.4 | 2012 | 50 | 11 | 32 | 105 | 4.1 |
| 131A1200 | 1 5V 200 | 200 | 197.4 | 2012 | 50 | 11 | 32 | 105 | 4.6 |
| 131A1212 | 1 5V 212 | 212 | 209.4 | 2012 | 50 | 11 | 32 | 105 | 5.3 |
| 131A1224 | 1 5V 224 | 224 | 221.4 | 2012 | 50 | 11 | 32 | 105 | 6.0 |
| 131A1236 | 1 5V 236 | 236 | 233.4 | 2012 | 50 | 11 | 32 | 105 | 6.8 |
| 131A1250 | 1 5V 250 | 250 | 247.4 | 2012 | 50 | 11 | 32 | 105 | 7.7 |
| 131A1280 | 1 5V 280 | 280 | 277.4 | 2012 | 50 | 9 | 32 | 105 | 4.1 |
| 131A1315 | 1 5V 315 | 315 | 312.4 | 2012 | 50 | 9 | 32 | 105 | 4.8 |



5V - 2 Grooves, F = 43.5 mm


| Catalogue Code | Pulley Designation | de O | dp P | Bush No. | Max bore | Type | L | N | Weight (kg) |
|----------------|--------------------|------|-------|----------|----------|------|----|-----|-------------|
| 131A2100 | 2 5V 100 | 100 | 97.4 | 1610 | 42 | 4 | 25 | | 1.3 |
| 131A2112 | 2 5V 112 | 112 | 109.4 | 1610 | 42 | 4 | 25 | | 1.7 |
| 131A2118 | 2 5V 118 | 118 | 115.4 | 1610 | 42 | 4 | 25 | | 1.9 |
| 131A2125 | 2 5V 125 | 125 | 122.4 | 2012 | 50 | 5 | 32 | | 2.1 |
| 131A2132 | 2 5V 132 | 132 | 129.4 | 2012 | 50 | 5 | 32 | | 2.4 |
| 131A2140 | 2 5V 140 | 140 | 137.4 | 2012 | 50 | 5 | 32 | | 2.8 |
| 131A2150 | 2 5V 150 | 150 | 147.4 | 2012 | 50 | 5 | 32 | | 3.3 |
| 131A2160 | 2 5V 160 | 160 | 157.4 | 2012 | 50 | 5 | 32 | | 3.9 |
| 131A2170 | 2 5V 170 | 170 | 167.4 | 2012 | 50 | 5 | 32 | | 4.6 |
| 131A2180 | 2 5V 180 | 180 | 177.4 | 2517 | 60 | 11 | 45 | 120 | 5.6 |
| 131A2190 | 2 5V 190 | 190 | 187.4 | 2517 | 60 | 11 | 45 | 120 | 6.5 |
| 131A2200 | 2 5V 200 | 200 | 197.4 | 2517 | 60 | 11 | 45 | 120 | 7.5 |
| 131A2212 | 2 5V 212 | 212 | 209.4 | 2517 | 60 | 11 | 45 | 120 | 8.6 |
| 131A2224 | 2 5V 224 | 224 | 221.4 | 2517 | 60 | 11 | 45 | 120 | 9.6 |
| 131A2236 | 2 5V 236 | 236 | 233.4 | 2517 | 60 | 11 | 45 | 120 | 10.6 |
| 131A2250 | 2 5V 250 | 250 | 247.4 | 2517 | 60 | 11 | 45 | 120 | 6.7 |
| 131A2265 | 2 5V 265 | 265 | 262.4 | 2517 | 60 | 11 | 45 | 120 | 7.8 |
| 131A2280 | 2 5V 280 | 280 | 277.4 | 2517 | 60 | 11 | 45 | 120 | 7.5 |
| 131A2300 | 2 5V 300 | 300 | 297.4 | 2517 | 60 | 11 | 45 | 120 | 8.1 |
| 131A2315 | 2 5V 315 | 315 | 312.4 | 2517 | 60 | 11 | 45 | 120 | 8.7 |
| 131A2335 | 2 5V 335 | 335 | 332.4 | 2517 | 60 | 11 | 45 | 120 | 9.4 |
| 131A2355 | 2 5V 355 | 355 | 352.4 | 3020 | 75 | 9 | 51 | 155 | 11.7 |
| 131A2375 | 2 5V 375 | 375 | 372.4 | 3020 | 75 | 9 | 51 | 155 | 12.1 |
| 131A2400 | 2 5V 400 | 400 | 397.4 | 3020 | 75 | 9 | 51 | 155 | 13.9 |
| 131A2425 | 2 5V 425 | 425 | 422.4 | 3020 | 75 | 9 | 51 | 155 | 13.8 |
| 131A2450 | 2 5V 450 | 450 | 447.4 | 3020 | 75 | 9 | 51 | 155 | 19.9 |
| 131A2500 | 2 5V 500 | 500 | 497.4 | 3020 | 75 | 9 | 51 | 155 | 18.1 |
| 131A2560 | 2 5V 560 | 560 | 557.4 | 3020 | 75 | 9 | 51 | 155 | 21.4 |
| 131A2630 | 2 5V 630 | 630 | 627.4 | 3020 | 75 | 9 | 51 | 155 | 27.7 |

5V - 3 Grooves, F = 61 mm


| Catalogue Code | Pulley Designation | de O | dp P | Bush No. | Max bore | Type | L | N | Weight (kg) |
|----------------|--------------------|------|-------|----------|----------|------|-----|-----|-------------|
| 131A3100 | 3 5V 100 | 100 | 97.4 | 1610 | 42 | 4 | 25 | | 1.8 |
| 131A3112 | 3 5V 112 | 112 | 109.4 | 1610 | 42 | 4 | 25 | | 2.3 |
| 131A3118 | 3 5V 118 | 118 | 115.4 | 1610 | 42 | 4 | 25 | | 2.6 |
| 131A3125 | 3 5V 125 | 125 | 122.4 | 2012 | 50 | 5 | 32 | | 2.7 |
| 131A3132 | 3 5V 132 | 132 | 129.4 | 2012 | 50 | 5 | 32 | | 3.1 |
| 131A3140 | 3 5V 140 | 140 | 137.4 | 2012 | 50 | 5 | 32 | | 3.6 |
| 131A3150 | 3 5V 150 | 150 | 147.4 | 2517 | 60 | 5 | 45 | | 4.1 |
| 131A3160 | 3 5V 160 | 160 | 157.4 | 2517 | 60 | 5 | 45 | | 4.7 |
| 131A3170 | 3 5V 170 | 170 | 167.4 | 2517 | 60 | 5 | 45 | | 5.3 |
| 131A3180 | 3 5V 180 | 180 | 177.4 | 2517 | 60 | 5 | 45 | | 6.9 |
| 131A3190 | 3 5V 190 | 190 | 187.4 | 2517 | 60 | 5 | 45 | | 8.1 |
| 131A3200 | 3 5V 200 | 200 | 197.4 | 2517 | 60 | 5 | 45 | | 9.3 |
| 131A3212 | 3 5V 212 | 212 | 209.4 | 2517 | 60 | 5 | 45 | | 9.9 |
| 131A3224 | 3 5V 224 | 224 | 221.4 | 2517 | 60 | 5 | 45 | | 11.3 |
| 131A3236 | 3 5V 236 | 236 | 233.4 | 2517 | 60 | 8 | 45 | 120 | 7.7 |
| 131A3250 | 3 5V 250 | 250 | 247.4 | 3020 | 75 | 8 | 51 | | 12.6 |
| 131A3265 | 3 5V 265 | 265 | 262.4 | 3020 | 75 | 8 | 51 | 155 | 11.2 |
| 131A3280 | 3 5V 280 | 280 | 277.4 | 3020 | 75 | 10 | 51 | 155 | 10.7 |
| 131A3300 | 3 5V 300 | 300 | 297.4 | 3020 | 75 | 10 | 51 | 155 | 11.6 |
| 131A3315 | 3 5V 315 | 315 | 312.4 | 3020 | 75 | 10 | 51 | 155 | 12.2 |
| 131A3335 | 3 5V 335 | 335 | 332.4 | 3020 | 75 | 10 | 51 | 155 | 13.2 |
| 131A3355 | 3 5V 355 | 355 | 352.4 | 3020 | 75 | 10 | 51 | 155 | 14.2 |
| 131A3375 | 3 5V 375 | 375 | 372.4 | 3020 | 75 | 10 | 51 | 155 | 19.3 |
| 131A3400 | 3 5V 400 | 400 | 397.4 | 3535 | 90 | 9 | 89 | 175 | 18.6 |
| 131A3425 | 3 5V 425 | 425 | 422.4 | 3535 | 90 | 9 | 89 | 175 | 21.5 |
| 131A3450 | 3 5V 450 | 450 | 447.4 | 3535 | 90 | 9 | 89 | 175 | 21.3 |
| 131A3500 | 3 5V 500 | 500 | 497.4 | 3535 | 90 | 9 | 89 | 175 | 24.7 |
| 131A3560 | 3 5V 560 | 560 | 557.4 | 3535 | 90 | 9 | 89 | 175 | 30.5 |
| 131A3630 | 3 5V 630 | 630 | 627.4 | 3535 | 90 | 9 | 89 | 175 | 37.2 |
| 131A3710 | 3 5V 710 | 710 | 707.4 | 3535 | 90 | 9 | 89 | 175 | 43.8 |
| 131A3800 | 3 5V 800 | 800 | 797.4 | 3535 | 90 | 9 | 89 | 175 | 52.4 |
| 131A3900 | 3 5V 900 | 900 | 897.4 | 3535 | 90 | 9 | 89 | 175 | 50.5 |
| 131A3A00 | 3 5V 1000 | 1000 | 997.4 | 4040 | 100 | 9 | 102 | 205 | 64.2 |

5V - 4 Grooves, F = 78.5 mm


| Catalogue Code | Pulley Designation | de O | dp P | Bush No. | Max bore | Type | L | N | Weight (kg) |
|----------------|--------------------|------|-------|----------|----------|------|-----|-----|-------------|
| 131A4125 | 4 5V 125 | 125 | 122.4 | 2012 | 50 | 6 | 32 | | 3.4 |
| 131A4132 | 4 5V 132 | 132 | 129.4 | 2012 | 50 | 6 | 32 | | 3.8 |
| 131A4140 | 4 5V 140 | 140 | 137.4 | 2517 | 60 | 6 | 45 | | 4.9 |
| 131A4150 | 4 5V 150 | 150 | 147.4 | 2517 | 60 | 6 | 45 | | 6.3 |
| 131A4160 | 4 5V 160 | 160 | 157.4 | 2517 | 60 | 6 | 45 | | 5.8 |
| 131A4170 | 4 5V 170 | 170 | 167.4 | 2517 | 60 | 6 | 45 | | 6.7 |
| 131A4180 | 4 5V 180 | 180 | 177.4 | 2517 | 60 | 6 | 45 | | 7.7 |
| 131A4190 | 4 5V 190 | 190 | 187.4 | 2517 | 60 | 6 | 45 | | 8.4 |
| 131A4200 | 4 5V 200 | 200 | 197.4 | 3020 | 75 | 5 | 51 | | 9.4 |
| 131A4212 | 4 5V 212 | 212 | 209.4 | 3020 | 75 | 5 | 51 | | 10.9 |
| 131A4224 | 4 5V 224 | 224 | 221.4 | 3020 | 75 | 5 | 51 | | 12.5 |
| 131A4236 | 4 5V 236 | 236 | 233.4 | 3020 | 75 | 8 | 51 | 155 | 14.2 |
| 131A4250 | 4 5V 250 | 250 | 247.4 | 3020 | 75 | 8 | 51 | 155 | 16.1 |
| 131A4265 | 4 5V 265 | 265 | 262.4 | 3020 | 75 | 8 | 51 | 155 | 12.9 |
| 131A4280 | 4 5V 280 | 280 | 277.4 | 3020 | 75 | 8 | 51 | 155 | 13.4 |
| 131A4300 | 4 5V 300 | 300 | 297.4 | 3020 | 75 | 8 | 51 | 155 | 14.9 |
| 131A4315 | 4 5V 315 | 315 | 312.4 | 3535 | 90 | 7 | 89 | 175 | 19.8 |
| 131A4335 | 4 5V 335 | 335 | 332.4 | 3535 | 90 | 9 | 89 | 175 | 15.5 |
| 131A4355 | 4 5V 355 | 355 | 352.4 | 3535 | 90 | 9 | 89 | 175 | 15.5 |
| 131A4375 | 4 5V 375 | 375 | 372.4 | 3535 | 90 | 9 | 89 | 175 | 21.9 |
| 131A4400 | 4 5V 400 | 400 | 397.4 | 3535 | 90 | 9 | 89 | 175 | 23.2 |
| 131A4425 | 4 5V 425 | 425 | 422.4 | 3535 | 90 | 9 | 89 | 175 | 24.6 |
| 131A4450 | 4 5V 450 | 450 | 447.4 | 3535 | 90 | 9 | 89 | 175 | 28.3 |
| 131A4500 | 4 5V 500 | 500 | 497.4 | 3535 | 90 | 9 | 89 | 175 | 32.9 |
| 131A4560 | 4 5V 560 | 560 | 557.4 | 3535 | 90 | 9 | 89 | 175 | 37.2 |
| 131A4630 | 4 5V 630 | 630 | 627.4 | 3535 | 90 | 9 | 89 | 175 | 43.6 |
| 131A4710 | 4 5V 710 | 710 | 707.4 | 3535 | 90 | 9 | 89 | 175 | 52.0 |
| 131A4800 | 4 5V 800 | 800 | 797.4 | 4040 | 100 | 9 | 102 | 205 | 65.8 |
| 131A4900 | 4 5V 900 | 900 | 897.4 | 4040 | 100 | 9 | 102 | 205 | 66.2 |
| 131A4A00 | 4 5V 1000 | 1000 | 997.4 | 4040 | 100 | 9 | 102 | 205 | 75.2 |




Type 4




Type 5




Type 6



Type 8



Type 9



Type 10

5V - 5 Grooves, F= 96 mm


| Catalogue Code | Pulley Designation | de O | dp P | Bush No. | Max bore | Type | L | N | Weight (kg) |
|----------------|--------------------|------|-------|----------|----------|------|-----|-----|-------------|
| 131A5125 | 5 5V 125 | 125 | 122.4 | 2012 | 50 | 4 | 32 | | 4.1 |
| 131A5132 | 5 5V 132 | 132 | 129.4 | 2012 | 50 | 6 | 32 | | 4.2 |
| 131A5140 | 5 5V 140 | 140 | 137.4 | 2517 | 60 | 5 | 45 | | 4.5 |
| 131A5150 | 5 5V 150 | 150 | 147.4 | 2517 | 60 | 6 | 45 | | 5.7 |
| 131A5160 | 5 5V 160 | 160 | 157.4 | 2517 | 60 | 6 | 45 | | 6.7 |
| 131A5170 | 5 5V 170 | 170 | 167.4 | 3020 | 75 | 6 | 51 | | 6.8 |
| 131A5180 | 5 5V 180 | 180 | 177.4 | 3020 | 75 | 6 | 51 | | 7.9 |
| 131A5190 | 5 5V 190 | 190 | 187.4 | 3020 | 75 | 6 | 51 | | 9.1 |
| 131A5200 | 5 5V 200 | 200 | 197.4 | 3020 | 75 | 5 | 51 | | 10.6 |
| 131A5212 | 5 5V 212 | 212 | 209.4 | 3020 | 75 | 5 | 51 | | 12.2 |
| 131A5224 | 5 5V 224 | 224 | 221.4 | 3020 | 75 | 5 | 51 | | 13.9 |
| 131A5236 | 5 5V 236 | 236 | 233.4 | 3535 | 90 | 4 | 89 | | 19.4 |
| 131A5250 | 5 5V 250 | 250 | 247.4 | 3535 | 90 | 5 | 89 | | 22.8 |
| 131A5280 | 5 5V 280 | 280 | 277.4 | 3535 | 90 | 8 | 89 | 175 | 19.2 |
| 131A5300 | 5 5V 300 | 300 | 297.4 | 3535 | 90 | 8 | 89 | 175 | 20.7 |
| 131A5315 | 5 5V 315 | 315 | 312.4 | 3535 | 90 | 8 | 89 | 175 | 21.8 |
| 131A5335 | 5 5V 335 | 335 | 332.4 | 3535 | 90 | 10 | 89 | 175 | 22.1 |
| 131A5355 | 5 5V 355 | 355 | 352.4 | 3535 | 90 | 10 | 89 | 175 | 23.5 |
| 131A5400 | 5 5V 400 | 400 | 397.4 | 3535 | 90 | 10 | 89 | 175 | 26.6 |
| 131A5450 | 5 5V 450 | 450 | 447.4 | 3535 | 90 | 10 | 89 | 175 | 32.8 |
| 131A5500 | 5 5V 500 | 500 | 497.4 | 3535 | 90 | 10 | 89 | 175 | 39.1 |
| 131A5560 | 5 5V 560 | 560 | 557.4 | 4040 | 100 | 9 | 102 | 205 | 47.4 |
| 131A5630 | 5 5V 630 | 630 | 627.4 | 4040 | 100 | 9 | 102 | 205 | 53.1 |
| 131A5710 | 5 5V 710 | 710 | 707.4 | 4040 | 100 | 9 | 102 | 205 | 62.8 |
| 131A5800 | 5 5V 800 | 800 | 797.4 | 4040 | 100 | 9 | 102 | 205 | 74.9 |
| 131A5900 | 5 5V 900 | 900 | 897.4 | 4545 | 110 | 9 | 114 | 235 | 79.8 |
| 131A5A00 | 5 5V 1000 | 1000 | 997.4 | 4545 | 110 | 9 | 114 | 235 | 91.1 |

5V - 6 Grooves, F = 113.5 mm


| Catalogue Code | Pulley Designation | de O | dp P | Bush No. | Max bore | Type | L | N | Weight (kg) |
|----------------|--------------------|------|-------|----------|----------|------|-----|-----|-------------|
| 131A6140 | 6 5V 140 | 140 | 137.4 | 2517 | 60 | 6 | 45 | | 5.5 |
| 131A6150 | 6 5V 150 | 150 | 147.4 | 2517 | 60 | 6 | 45 | | 6.6 |
| 131A6160 | 6 5V 160 | 160 | 157.4 | 3020 | 75 | 6 | 51 | | 6.2 |
| 131A6170 | 6 5V 170 | 170 | 167.4 | 3020 | 75 | 6 | 51 | | 7.7 |
| 131A6180 | 6 5V 180 | 180 | 177.4 | 3020 | 75 | 6 | 51 | | 8.9 |
| 131A6190 | 6 5V 190 | 190 | 187.4 | 3020 | 75 | 6 | 51 | | 10.2 |
| 131A6200 | 6 5V 200 | 200 | 197.4 | 3020 | 75 | 6 | 51 | | 11.8 |
| 131A6212 | 6 5V 212 | 212 | 209.4 | 3535 | 90 | 6 | 89 | | 15.4 |
| 131A6224 | 6 5V 224 | 224 | 221.4 | 3535 | 90 | 6 | 89 | | 18.0 |
| 131A6236 | 6 5V 236 | 236 | 233.4 | 3535 | 90 | 6 | 89 | | 20.8 |
| 131A6250 | 6 5V 250 | 250 | 247.4 | 3535 | 90 | 6 | 89 | | 24.3 |
| 131A6265 | 6 5V 265 | 265 | 262.4 | 3535 | 90 | 8 | 89 | 175 | 29.3 |
| 131A6280 | 6 5V 280 | 280 | 277.4 | 3535 | 90 | 8 | 89 | 175 | 21.0 |
| 131A6300 | 6 5V 300 | 300 | 297.4 | 3535 | 90 | 8 | 89 | 175 | 22.8 |
| 131A6315 | 6 5V 315 | 315 | 312.4 | 3535 | 90 | 8 | 89 | 175 | 24.0 |
| 131A6335 | 6 5V 335 | 335 | 332.4 | 3535 | 90 | 8 | 89 | 175 | 24.6 |
| 131A6355 | 6 5V 355 | 355 | 352.4 | 3535 | 90 | 8 | 89 | 175 | 27.8 |
| 131A6375 | 6 5V 375 | 375 | 372.4 | 3535 | 90 | 10 | 89 | 175 | 34.6 |
| 131A6400 | 6 5V 400 | 400 | 397.4 | 3535 | 90 | 10 | 89 | 175 | 29.4 |
| 131A6425 | 6 5V 425 | 425 | 422.4 | 4040 | 100 | 10 | 102 | 205 | 38.3 |
| 131A6450 | 6 5V 450 | 450 | 447.4 | 4040 | 100 | 10 | 102 | 205 | 41.3 |
| 131A6500 | 6 5V 500 | 500 | 497.4 | 4040 | 100 | 10 | 102 | 205 | 48.3 |
| 131A6560 | 6 5V 560 | 560 | 557.4 | 4040 | 100 | 10 | 102 | 205 | 54.3 |
| 131A6630 | 6 5V 630 | 630 | 627.4 | 4040 | 100 | 10 | 102 | 205 | 61.6 |
| 131A6710 | 6 5V 710 | 710 | 707.4 | 4545 | 110 | 9 | 114 | 235 | 79.0 |
| 131A6800 | 6 5V 800 | 800 | 797.4 | 4545 | 110 | 9 | 114 | 235 | 89.5 |
| 131A6900 | 6 5V 900 | 900 | 897.4 | 4545 | 110 | 9 | 114 | 235 | 90.0 |
| 131A6A00 | 6 5V 1000 | 1000 | 997.4 | 4545 | 110 | 9 | 114 | 235 | 101.6 |

5V - 8 Grooves, F = 148.5 mm


| Catalogue Code | Pulley Designation | de O | dp P | Bush No. | Max bore | Type | L | N | Weight (kg) |
|----------------|--------------------|------|-------|----------|----------|------|-----|-----|-------------|
| 131A8170 | 8 5V 170 | 170 | 167.4 | 3020 | 75 | 6 | 51 | | 11.0 |
| 131A8180 | 8 5V 180 | 180 | 177.4 | 3020 | 75 | 6 | 51 | | 12.2 |
| 131A8190 | 8 5V 190 | 190 | 187.4 | 3030 | 75 | 6 | 76 | | 14.1 |
| 131A8200 | 8 5V 200 | 200 | 197.4 | 3535 | 90 | 6 | 89 | | 15.2 |
| 131A8212 | 8 5V 212 | 212 | 209.4 | 3535 | 90 | 6 | 89 | | 17.9 |
| 131A8224 | 8 5V 224 | 224 | 221.4 | 3535 | 90 | 6 | 89 | | 20.8 |
| 131A8236 | 8 5V 236 | 236 | 233.4 | 3535 | 90 | 6 | 89 | | 23.7 |
| 131A8250 | 8 5V 250 | 250 | 247.4 | 3535 | 90 | 6 | 89 | | 27.4 |
| 131A8265 | 8 5V 265 | 265 | 262.4 | 3535 | 90 | 8 | 89 | 175 | 32.4 |
| 131A8280 | 8 5V 280 | 280 | 277.4 | 3535 | 90 | 8 | 89 | 175 | 24.1 |
| 131A8300 | 8 5V 300 | 300 | 297.4 | 3535 | 90 | 8 | 89 | 175 | 26.8 |
| 131A8315 | 8 5V 315 | 315 | 312.4 | 3535 | 90 | 8 | 89 | 175 | 28.2 |
| 131A8335 | 8 5V 335 | 335 | 332.4 | 3535 | 90 | 10 | 89 | 175 | 29.3 |
| 131A8355 | 8 5V 355 | 355 | 352.4 | 3535 | 90 | 10 | 89 | 175 | 31.6 |
| 131A8375 | 8 5V 375 | 375 | 372.4 | 3535 | 90 | 10 | 89 | 175 | 45.8 |
| 131A8400 | 8 5V 400 | 400 | 397.4 | 4040 | 100 | 10 | 102 | 205 | 41.3 |
| 131A8425 | 8 5V 425 | 425 | 422.4 | 4040 | 100 | 10 | 102 | 205 | 49.9 |
| 131A8450 | 8 5V 450 | 450 | 447.4 | 4040 | 100 | 10 | 102 | 205 | 48.6 |
| 131A8500 | 8 5V 500 | 500 | 497.4 | 4040 | 100 | 10 | 102 | 205 | 57.6 |
| 131A8560 | 8 5V 560 | 560 | 557.4 | 4545 | 110 | 10 | 114 | 235 | 72.3 |
| 131A8630 | 8 5V 630 | 630 | 627.4 | 4545 | 110 | 10 | 114 | 235 | 59.9 |
| 131A8710 | 8 5V 710 | 710 | 707.4 | 4545 | 110 | 10 | 114 | 235 | 94.1 |
| 131A8800 | 8 5V 800 | 800 | 797.4 | 4545 | 110 | 10 | 114 | 235 | 109.6 |
| 131A8900 | 8 5V 900 | 900 | 897.4 | 4545 | 110 | 10 | 114 | 235 | 106.4 |
| 131A8A00 | 8 5V 1000 | 1000 | 997.4 | 5050 | 125 | 10 | 127 | 260 | 126.6 |




Type 6



Type 8



Type 9



Type 10

5V - 10 Grooves, F = 183.5 mm

| Catalogue Code | Pulley Designation | de O | dp P | Bush No. | Max bore | Type | L | N | Weight (kg) |
|----------------|--------------------|------|-------|----------|----------|------|-----|-----|-------------|
| 131AA224 | 10 5V 224 | 224 | 221.4 | 3535 | 90 | 6 | 89 | | 25.2 |
| 131AA236 | 10 5V 236 | 236 | 233.4 | 3535 | 90 | 6 | 89 | | 28.5 |
| 131AA250 | 10 5V 250 | 250 | 247.4 | 3535 | 90 | 6 | 89 | | 32.4 |
| 131AA280 | 10 5V 280 | 280 | 277.4 | 3535 | 90 | 8 | 89 | 175 | 28.2 |
| 131AA315 | 10 5V 315 | 315 | 312.4 | 3535 | 90 | 8 | 89 | 175 | 32.3 |
| 131AA335 | 10 5V 335 | 335 | 332.4 | 4040 | 100 | 10 | 102 | 205 | 40.1 |
| 131AA355 | 10 5V 355 | 355 | 352.4 | 4040 | 100 | 10 | 102 | 205 | 40.9 |
| 131AA400 | 10 5V 400 | 400 | 397.4 | 4040 | 100 | 10 | 102 | 205 | 46.6 |
| 131AA450 | 10 5V 450 | 450 | 447.4 | 4545 | 110 | 10 | 114 | 235 | 58.1 |
| 131AA500 | 10 5V 500 | 500 | 497.4 | 4545 | 110 | 10 | 114 | 235 | 64.2 |
| 131AA560 | 10 5V 560 | 560 | 557.4 | 4545 | 110 | 10 | 114 | 235 | 71.9 |
| 131AA630 | 10 5V 630 | 630 | 627.4 | 4545 | 110 | 10 | 114 | 235 | 81.5 |
| 131AA710 | 10 5V 710 | 710 | 707.4 | 4545 | 110 | 10 | 114 | 235 | 93.3 |
| 131AA800 | 10 5V 800 | 800 | 797.4 | 4545 | 110 | 10 | 114 | 235 | 106.9 |
| 131AA900 | 10 5V 900 | 900 | 897.4 | 5050 | 125 | 10 | 127 | 260 | 128.2 |
| 131AAA00 | 10 5V 1000 | 1000 | 997.4 | 5050 | 125 | 10 | 127 | 260 | 146.2 |

8V - 3 Grooves, F = 95.2 mm

| Catalogue Code | Pulley Designation | de O | dp P | Bush No. | Max bore | Type | L | N | Weight (kg) |
|----------------|--------------------|------|------|----------|----------|------|-----|-----|-------------|
| 131B3300 | 3 8V 300 | 300 | 295 | 3535 | 90 | 10 | 89 | 175 | 11.6 |
| 131B3315 | 3 8V 315 | 315 | 310 | 3535 | 90 | 10 | 89 | 175 | 12.2 |
| 131B3335 | 3 8V 335 | 335 | 330 | 3535 | 90 | 10 | 89 | 175 | 13.2 |
| 131B3355 | 3 8V 355 | 355 | 350 | 3535 | 90 | 10 | 89 | 175 | 14.2 |
| 131B3375 | 3 8V 375 | 375 | 370 | 3535 | 90 | 10 | 89 | 175 | 19.3 |
| 131B3400 | 3 8V 400 | 400 | 395 | 4040 | 100 | 9 | 102 | 205 | 18.6 |
| 131B3425 | 3 8V 425 | 425 | 420 | 4040 | 100 | 9 | 102 | 205 | 21.5 |
| 131B3450 | 3 8V 450 | 450 | 445 | 4040 | 100 | 9 | 102 | 205 | 21.3 |
| 131B3475 | 3 8V 475 | 475 | 470 | 4040 | 100 | 9 | 102 | 205 | 23.0 |
| 131B3500 | 3 8V 500 | 500 | 495 | 4040 | 100 | 9 | 102 | 205 | 24.7 |
| 131B3560 | 3 8V 560 | 560 | 555 | 4040 | 100 | 9 | 102 | 205 | 30.5 |
| 131B3630 | 3 8V 630 | 630 | 625 | 4040 | 100 | 9 | 102 | 205 | 37.2 |
| 131B3710 | 3 8V 710 | 710 | 705 | 4545 | 110 | 9 | 114 | 235 | 43.8 |
| 131B3800 | 3 8V 800 | 800 | 795 | 4545 | 110 | 9 | 114 | 235 | 52.4 |
| 131B3900 | 3 8V 900 | 900 | 895 | 4545 | 110 | 9 | 114 | 235 | 50.5 |
| 131B3A00 | 3 8V 1000 | 1000 | 995 | 5050 | 125 | 9 | 127 | 260 | 64.2 |

8V - 4 Grooves, F = 123.8 mm


| Catalogue Code | Pulley Designation | de O | dp P | Bush No. | Max bore | Type | L | N | Weight (kg) |
|----------------|--------------------|------|------|----------|----------|------|-----|-----|-------------|
| 131B4300 | 4 8V 300 | 300 | 295 | 4040 | 100 | 6 | 102 | 205 | 14.9 |
| 131B4315 | 4 8V 315 | 315 | 310 | 4040 | 100 | 6 | 102 | 205 | 19.8 |
| 131B4335 | 4 8V 335 | 335 | 330 | 4040 | 100 | 6 | 102 | 205 | 15.5 |
| 131B4355 | 4 8V 355 | 355 | 350 | 4040 | 100 | 8 | 102 | 205 | 15.5 |
| 131B4375 | 4 8V 375 | 375 | 370 | 4040 | 100 | 8 | 102 | 205 | 21.9 |
| 131B4400 | 4 8V 400 | 400 | 395 | 4040 | 100 | 8 | 102 | 205 | 23.2 |
| 131B4425 | 4 8V 425 | 425 | 420 | 4040 | 100 | 10 | 102 | 205 | 24.6 |
| 131B4450 | 4 8V 450 | 450 | 445 | 4040 | 100 | 10 | 102 | 205 | 28.3 |
| 131B4475 | 4 8V 475 | 475 | 470 | 4040 | 100 | 10 | 102 | 205 | 30.0 |
| 131B4500 | 4 8V 500 | 500 | 495 | 4545 | 110 | 10 | 114 | 235 | 32.9 |
| 131B4560 | 4 8V 560 | 560 | 555 | 4545 | 110 | 10 | 114 | 235 | 37.2 |
| 131B4630 | 4 8V 630 | 630 | 625 | 4545 | 110 | 10 | 114 | 235 | 43.6 |
| 131B4710 | 4 8V 710 | 710 | 705 | 4545 | 110 | 10 | 114 | 235 | 52.0 |
| 131B4800 | 4 8V 800 | 800 | 795 | 5050 | 125 | 9 | 127 | 260 | 65.8 |
| 131B4900 | 4 8V 900 | 900 | 895 | 5050 | 125 | 9 | 127 | 260 | 66.2 |
| 131B4A00 | 4 8V 1000 | 1000 | 995 | 5050 | 125 | 9 | 127 | 260 | 75.2 |

8V - 5 Grooves, F = 152.4 mm

| Catalogue Code | Pulley Designation | de O | dp P | Bush No. | Max bore | Type | L | N | Weight (kg) |
|----------------|--------------------|------|------|----------|----------|------|-----|-----|-------------|
| 131B5300 | 5 8V 300 | 300 | 295 | 4040 | 100 | 8 | 102 | 205 | 20.7 |
| 131B5315 | 5 8V 315 | 315 | 310 | 4040 | 100 | 8 | 102 | 205 | 21.8 |
| 131B5335 | 5 8V 335 | 335 | 330 | 4040 | 100 | 10 | 102 | 205 | 22.1 |
| 131B5355 | 5 8V 355 | 355 | 350 | 4040 | 100 | 10 | 102 | 205 | 23.5 |
| 131B5375 | 5 8V 375 | 375 | 370 | 4040 | 100 | 10 | 102 | 205 | 25.0 |
| 131B5400 | 5 8V 400 | 400 | 395 | 4040 | 100 | 10 | 102 | 205 | 26.6 |
| 131B5425 | 5 8V 425 | 425 | 420 | 4545 | 110 | 10 | 114 | 235 | 29.0 |
| 131B5450 | 5 8V 450 | 450 | 445 | 4545 | 110 | 10 | 114 | 235 | 32.8 |
| 131B5475 | 5 8V 475 | 475 | 470 | 4545 | 110 | 10 | 114 | 235 | 36.0 |
| 131B5500 | 5 8V 500 | 500 | 495 | 4545 | 110 | 10 | 114 | 235 | 39.1 |
| 131B5560 | 5 8V 560 | 560 | 555 | 4545 | 110 | 10 | 114 | 235 | 47.4 |
| 131B5630 | 5 8V 630 | 630 | 625 | 5050 | 125 | 10 | 127 | 260 | 53.1 |
| 131B5710 | 5 8V 710 | 710 | 705 | 5050 | 125 | 10 | 127 | 260 | 62.8 |
| 131B5800 | 5 8V 800 | 800 | 795 | 5050 | 125 | 10 | 127 | 260 | 74.9 |
| 131B5900 | 5 8V 900 | 900 | 895 | 5050 | 125 | 10 | 127 | 260 | 79.8 |
| 131B5A00 | 5 8V 1000 | 1000 | 995 | 5050 | 125 | 10 | 127 | 260 | 91.1 |

8V - 6 Grooves, F = 181 mm

| Catalogue Code | Pulley Designation | de O | dp P | Bush No. | Max bore | Type | L | N | Weight (kg) |
|----------------|--------------------|------|------|----------|----------|------|-----|-----|-------------|
| 131B6300 | 6 8V 300 | 300 | 295 | 4040 | 100 | 8 | 102 | 205 | 22.8 |
| 131B6315 | 6 8V 315 | 315 | 310 | 4040 | 100 | 8 | 102 | 205 | 24.0 |
| 131B6335 | 6 8V 335 | 335 | 330 | 4040 | 100 | 8 | 102 | 205 | 24.6 |
| 131B6355 | 6 8V 355 | 355 | 350 | 4040 | 100 | 8 | 102 | 205 | 27.8 |
| 131B6375 | 6 8V 375 | 375 | 370 | 4545 | 110 | 10 | 114 | 235 | 34.6 |
| 131B6400 | 6 8V 400 | 400 | 395 | 4545 | 110 | 10 | 114 | 235 | 29.4 |
| 131B6425 | 6 8V 425 | 425 | 420 | 4545 | 110 | 10 | 114 | 235 | 38.3 |
| 131B6450 | 6 8V 450 | 450 | 445 | 4545 | 110 | 10 | 114 | 235 | 41.3 |
| 131B6475 | 6 8V 475 | 475 | 470 | 4545 | 110 | 10 | 114 | 235 | 45.0 |
| 131B6500 | 6 8V 500 | 500 | 495 | 5050 | 125 | 10 | 127 | 260 | 48.3 |
| 131B6560 | 6 8V 560 | 560 | 555 | 5050 | 125 | 10 | 127 | 260 | 54.3 |
| 131B6630 | 6 8V 630 | 630 | 625 | 5050 | 125 | 10 | 127 | 260 | 61.6 |
| 131B6710 | 6 8V 710 | 710 | 705 | 5050 | 125 | 10 | 127 | 260 | 79.0 |
| 131B6800 | 6 8V 800 | 800 | 795 | 5050 | 125 | 10 | 127 | 260 | 89.5 |
| 131B6900 | 6 8V 900 | 900 | 895 | 5050 | 125 | 10 | 127 | 260 | 90.0 |
| 131B6A00 | 6 8V 1000 | 1000 | 995 | 5050 | 125 | 10 | 127 | 260 | 101.6 |



8V - 8 Grooves, F = 238.2 mm

| Catalogue Code | Pulley Designation | de O | dp P | Bush No. | Max bore | Type | L | N | Weight (kg) |
|----------------|--------------------|------|------|----------|----------|------|-----|-----|-------------|
| 131B8300 | 8 8V 300 | 300 | 295 | 4545 | 110 | 8 | 114 | 235 | 26.8 |
| 131B8315 | 8 8V 315 | 315 | 310 | 4545 | 110 | 8 | 114 | 235 | 28.2 |
| 131B8335 | 8 8V 335 | 335 | 330 | 4545 | 110 | 10 | 114 | 235 | 29.3 |
| 131B8355 | 8 8V 355 | 355 | 350 | 4545 | 110 | 10 | 114 | 235 | 31.6 |
| 131B8375 | 8 8V 375 | 375 | 370 | 4545 | 110 | 10 | 114 | 235 | 45.8 |
| 131B8400 | 8 8V 400 | 400 | 395 | 4545 | 110 | 10 | 114 | 235 | 41.3 |
| 131B8425 | 8 8V 425 | 425 | 420 | 5050 | 125 | 10 | 127 | 260 | 49.9 |
| 131B8450 | 8 8V 450 | 450 | 445 | 5050 | 125 | 10 | 127 | 260 | 48.6 |
| 131B8475 | 8 8V 475 | 475 | 470 | 5050 | 125 | 10 | 127 | 260 | 53.0 |
| 131B8500 | 8 8V 500 | 500 | 495 | 5050 | 125 | 10 | 127 | 260 | 57.6 |
| 131B8560 | 8 8V 560 | 560 | 555 | 5050 | 125 | 10 | 127 | 260 | 72.3 |
| 131B8630 | 8 8V 630 | 630 | 625 | 5050 | 125 | 10 | 127 | 260 | 59.9 |
| 131B8710 | 8 8V 710 | 710 | 705 | 5050 | 125 | 10 | 127 | 260 | 94.1 |
| 131B8800 | 8 8V 800 | 800 | 795 | 5050 | 125 | 10 | 127 | 260 | 109.6 |
| 131B8900 | 8 8V 900 | 900 | 895 | 5050 | 125 | 10 | 127 | 260 | 106.4 |
| 131B8A00 | 8 8V 1000 | 1000 | 995 | 5050 | 125 | 10 | 127 | 260 | 126.6 |

8V - 10 Grooves, F = 295.4 mm

| Catalogue Code | Pulley Designation | de O | dp P | Bush No. | Max bore | Type | L | N | Weight (kg) |
|----------------|--------------------|------|------|----------|----------|------|-----|-----|-------------|
| 131BA315 | 10 8V 315 | 315 | 310 | 4545 | 110 | 8 | 114 | 235 | 32.3 |
| 131BA335 | 10 8V 335 | 335 | 330 | 4545 | 110 | 10 | 114 | 235 | 40.1 |
| 131BA355 | 10 8V 355 | 355 | 350 | 4545 | 110 | 10 | 114 | 235 | 40.9 |
| 131BA400 | 10 8V 400 | 400 | 395 | 5050 | 125 | 10 | 127 | 260 | 46.6 |
| 131BA450 | 10 8V 450 | 450 | 445 | 5050 | 125 | 10 | 127 | 260 | 58.1 |
| 131BA500 | 10 8V 500 | 500 | 495 | 5050 | 125 | 10 | 127 | 260 | 64.2 |
| 131BA560 | 10 8V 560 | 560 | 555 | 5050 | 125 | 10 | 127 | 260 | 71.9 |
| 131BA630 | 10 8V 630 | 630 | 625 | 5050 | 125 | 10 | 127 | 260 | 81.5 |
| 131BA710 | 10 8V 710 | 710 | 705 | 5050 | 125 | 10 | 127 | 260 | 93.3 |
| 131BA800 | 10 8V 800 | 800 | 795 | 5050 | 125 | 10 | 127 | 260 | 106.9 |
| 131BA900 | 10 8V 900 | 900 | 895 | 5050 | 125 | 10 | 127 | 260 | 128.2 |
| 131BAA00 | 10 8V 1000 | 1000 | 995 | 6050 | 150 | 10 | 127 | 390 | 146.2 |

