

2000IR

PROFESSIONAL STEAM IRON



To get professional quality results you need a professional quality iron made with components that will endure the rigors of commercial use. The 2000IR iron is designed to provide quality dry steam, and with its cork handle is comfortable to use for long periods.

The 2000IR uses an aluminum plate with 32 separate steam chambers, which eliminates condensation even when used with an extra long steam hose. A manual reset thermal fuse, and thermostat with heavy-duty round riveted points ensures safety and longevity.

SPECIFICATIONS

ELECTRICAL	120V	
ELEMENT	800 watt	
THERMAL FUSE	Yes	
NET WEIGHT	3.9 lb	1.75 kg
SHIPPING WEIGHT	4 lb	1.81 kg
PRODUCT DIMENSIONS	9.5" x 4.75" x 6"	24 x 12 x 15 cm
SHIPPING DIMENSIONS	9.75" x 5.5" x 6.5"	25 x 14 x 16.5 cm
ELECTRICAL APPROVAL	cETLus	
COUNTRY OF ORIGIN	Italy	
WARRANTY	Limited 1 year	

PROFESSIONAL STEAM IRON



RIGHT OR LEFT HANDED



CORK HANDLE



ALUMINUM SOLEPLATE



MADE IN ITALY

2000IR

PROFESSIONAL STEAM IRON



2100IR/2200IR

PROFESSIONAL STEAM IRON



To get professional quality results you need a professional quality iron made with components that will endure the rigors of commercial use. The 2100IR/2200IR iron is designed to provide quality dry steam, and with its cork handle is comfortable to use for long periods.

The 2100IR/2200IR uses an aluminum plate with 32 separate steam chambers, which eliminates condensation even when used with an extra long steam hose. A manual reset thermal fuse, and thermostat with heavy-duty round riveted points ensures safety and longevity.

SPECIFICATIONS

ELECTRICAL	120V = 2100IR 220V = 2200IR
ELEMENT	800 watt
THERMAL FUSE	Yes
STEAM HOSE	7.2' 2.2 m
OPTIONAL HOSE SET	
2150IR (120V)	11.5' 3.3 m
2250IR (220V)	11.5' 3.3 m
SILICONE IRON REST	Standard
STEAM CONNECTOR TYPE	Quick-release
NET WEIGHT	3.9 lb 1.75 kg
SHIPPING WEIGHT	5.2 lb 2.5 kg
PRODUCT DIMENSIONS	9.5" x 4.75" x 6" 24 x 12 x 15 cm
SHIPPING DIMENSIONS	10" x 6" x 7" 25.5 x 15 x 18 cm
ELECTRICAL APPROVAL	cETLus
COUNTRY OF ORIGIN	Italy
WARRANTY	Limited 1 year

PROFESSIONAL STEAM IRON



RIGHT OR LEFT HANDED



CORK HANDLE



ALUMINUM SOLEPLATE



MADE IN ITALY



HEAT RESISTANT
IRON PAD

2100IR/2200IR

PROFESSIONAL STEAM IRON



2150IR/2250IR

PROFESSIONAL STEAM IRON



To get professional quality results you need a professional quality iron made with components that will endure the rigors of commercial use. The 2100IR/2200IR iron is designed to provide quality dry steam, and with its cork handle is comfortable to use for long periods.

The 2100IR/2200IR uses an aluminum plate with 32 separate steam chambers, which eliminates condensation even when used with an extra long steam hose. A manual reset thermal fuse, and thermostat with heavy-duty round riveted points ensures safety and longevity.

SPECIFICATIONS

ELECTRICAL	120V = 2100IR 220V = 2200IR
ELEMENT	800 watt
THERMAL FUSE	Yes
STEAM HOSE	11.5' 3.3 m
OPTIONAL HOSE SET	
2150IR (120V)	11.5' 3.3 m
2250IR (220V)	11.5' 3.3 m
SILICONE IRON REST	Standard
STEAM CONNECTOR TYPE	Quick-release
NET WEIGHT	3.9 lb 1.75 kg
SHIPPING WEIGHT	5.2 lb 2.5 kg
PRODUCT DIMENSIONS	9.5" x 4.75" x 6" 24 x 12 x 15 cm
SHIPPING DIMENSIONS	10" x 6" x 7" 25.5 x 15 x 18 cm
ELECTRICAL APPROVAL	cETLus
COUNTRY OF ORIGIN	Italy
WARRANTY	Limited 1 year

PROFESSIONAL STEAM IRON



RIGHT OR LEFT HANDED



CORK HANDLE



ALUMINUM SOLEPLATE



MADE IN ITALY



HEAT RESISTANT
IRON PAD

2150IR/2250IR

PROFESSIONAL STEAM IRON



2300IR

PROFESSIONAL STEAM IRON



To get professional quality results you need a professional quality iron made with components that will endure the rigors of commercial use. The 2300IR iron is designed to provide quality dry steam, and with its cork handle is comfortable to use for long periods.

The 2300IR uses an aluminum plate with 32 separate steam chambers, which eliminates condensation even when used with an extra long steam hose. A manual reset thermal fuse, and thermostat with heavy-duty round riveted points ensures safety and longevity.

SPECIFICATIONS

ELECTRICAL	120V
ELEMENT	800 watt
THERMAL FUSE	Yes
STEAM HOSE	7.2' 2.2 m
STEAM CONNECTOR TYPE	Quick-release
NET WEIGHT	6.6 lb 3 kg (w/out hose) (w/out hose)
SHIPPING WEIGHT	7.95 lb 3.6 kg
PRODUCT DIMENSIONS	9.5" x 4.75" x 6" 24 x 12 x 15 cm
SHIPPING DIMENSIONS	10" x 6" x 7" 25.5 x 15 x 18 cm
ELECTRICAL APPROVAL	cETLus
COUNTRY OF ORIGIN	Italy
WARRANTY	Limited 1 year

PROFESSIONAL STEAM IRON



RIGHT OR LEFT HANDED



CORK HANDLE



ALUMINUM SOLEPLATE



MADE IN ITALY



HEAT RESISTANT IRON PAD

2300IR

PROFESSIONAL STEAM IRON

