

FINE FIT UNIFORM AND OVERALL cc

MANUFACTURERS OF MENS & LADIES MILITARY / CORPORATE UNIFORMS

Workwear Collection

(011) 618 -8560

info@finefit.co.za

52 Raebor Rd Benrose, JHB



100% Cotton Conti-Suit









- 220g 100% Cotton twill fabric, available with reflective tape on elbows and knees
- Available in 10 Oz Denim fabric with reflective tape on elbows and knees
- · Sold according to jacket sizes
- Concealed metallic zips
- Jacket has two side pockets, Monza chest pocket with single top-stitching throughout
- \bullet Pants have $\frac{1}{2}$ elasticated waistband, two side pockets, one back pocket
- · Triple-stitched inner leg, back and front rise

Acid/Oil Resistant Conti-Suit



- 80/20 Poly cotton with acid resistant finish
- Jacket features include two side pockets
- Sold according to jacket sizes
- Monza chest pocket with double top-stitching
- Concealed YKK metallic zips
- Bar-tacking on pressure points
- The pants have ½ elasticated waistband with triple-stitching on the inner and outer leg as well as the back and front rise
- · Pants feature two side pockets and one back pocket





Budget Poly Cotton Conti-Suit



- Jacket has two side pockets, Monza chest pocket with single top-stitching throughout
- Pants have ½ elasticated waistband, two side pockets, one back pocket
- Triple-stitched inner leg, back and front rise

Poly Cotton Conti-Suit + Reflective Tape











Orange



Grey











- Reflective tape on elbows and knees
- · Sold according to jacket sizes
- Concealed metallic zips
- Jacket has two side pockets, Monza chest pocket with single top-stitching throughout
- Pants have ½ elasticated waistband, two side pockets, one back pocket
- Triple-stitched inner leg, back and front rise

Come n Go - Sasol Spec D59





COME



• Acid & Flame retardant D59 100% Cotton conti suit, navy with reflective tape and arms, chest and legs. Press studs and zip.

- Directional High Visibility
- Directional awareness
- New directional signaling system

• Acid/Green = COME (facing) and Orange/Red = GO (Unsighted). Not only do you see the person, but you know that the person when the person is facing you and may be able to see you.

• Highly visible people are easy to spot in unauthorized areas. Accidents also are minimized and people are more cautious and aware.

Sasol Specifications

Come n Go – Qaphela

• 100% Orange, Red and Green Cotton – Standard with reflective tape on chest and knees. Orange conti body with Hi-viz lime green front and Hi-viz red at the back. 100% Cotton material. MADE TO ORDER

- Directional High Visibility
- Directional awareness
- New directional signaling system

• Acid/Green = COME (facing) and Orange/Red = GO (Unsighted). Not only do you see the person, but you know that the person when the person is facing you and may be able to see you.

• Highly visible people are easy to spot in unauthorized areas. Accidents also are minimized and people are more cautious and aware.

Come n Go – Poly Cotton

(m)

G



• 100% Orange, Red and Green Cotton – Standard with reflective tape on chest and knees. Orange conti body with Hi-viz lime green front and Hi-viz red at the back. 100% Cotton material. MADE TO ORDER

- Directional High Visibility
- Directional awareness
- New directional signaling system

• Acid/Green = COME (facing) and Orange/Red = GO (Unsighted). Not only do you see the person, but you know that the person when the person is facing you and may be able to see you.

• Highly visible people are easy to spot in unauthorized areas. Accidents also are minimized and people are more cautious and aware.

Flame Retardant Conti-Suit



• 100% Cotton • 220/230gsm fabric

- Available with reflective tape on elbows, knees and chest
- · A flame retardant finish coated fabric
- Concealed metallic zips

• Jacket has two side pockets, Monza chest pocket with single top-stitching throughout

• Pants have ½ elasticated waistband, two side pockets, one back pocket

• Triple-stitched inner leg, back and front rise



D59 Acid & Flame Retardant Conti-Suit



- 300g 100% Cotton with acid & flame retardant finish
- Reinforced bar-tacked seams and pressure points
- · Reflective tape on elbows and knees
- · Concealed YKK front zip opening

• Chest pocket with V-flap and press stud, hangerloop, side slits and elasticated cuffs

· Bar-tacking on pressure points

• The pants have ½ elasticated waistband with triple needdle top-stitching on front and back rise and also on the inner and outer leg

• Two swing pockets, money pocket, side tool pocket and one back patch pocket

Dustcoats





Budget Dustcoats

- Button-through front
- Thigh length
- An industry standard for lab, warehouse, workshop and general maintenance
- Single chest and two front pockets



100% Cotton (J54) Dustcoat

- Lapel collar
- Left chest pocket with pen division
- Button front
- Lower patch pockets
- Back vent
- Stress points bar-tacked
- Pockets attached with double needle



Acid Resistant Dustcoat

- Lapel collar
- Left chest pocket with pen division
- Button front
- Lower patch pockets
- Back vent
- Stress points bar-tacked
- Pockets attached with double needle



Premium Dustcoats

- Lapel collar
- Left chest pocket with pen division
- Button front
- Lower patch pockets

- Back vent
- Stress points bar-tacked
- Pockets attached with double needle

Custom Branding



ERD

TURNING

ING

We all know that visual identity is just one of many important factors in creating and maintaining the right perception and impression for your business or organisation.

Embroidering your company's logo or name will make your company instantly recognisable.

Customising your uniform also identifies your staff and establishes them as trustworthy professionals.







higher education & training

Department: Higher Education and Training REPUBLIC OF SOUTH AFRICA

Ear Protection





Standard Hard Hat (SABS)







- SABS approved
- Adjustable ratchet headband
- · Foam cushion front sweatband for added comfort
- Chin strap anchor
- 6 point inner

Nikki Hard Hat (SABS)



- SABS Approved
- Lightweight ABS plastic
- Contoured rain channel
- · Chin strap attachment points
- Ultra-violet inhibitor protects & extends life of helmet
- Anti-glare peak
- Fully adjustable to head sizes of 50 64 centimetres
- · Ratchet and standard liners available

Hard Hat Chin Straps



- 2 Point webbing
- Adjustable straps
- Sold in packs of 10

Safety Eyewear







Sporty Specticals Black Frame



Sporty Goggle with adjustable frame



Mono Goggle + Adjustable Headband



Flip Front Welding Goggle



Welding Helmete with flip front



Automatic Welding Helmete with flip front



Face Shield with Brow Guard

Welding Protection





Chef Wear

Chef Jackets







Bar-tacked on all pressure points Double breasted chef jacket Turned up cuffs Welted chest pocket Thermometer sleeve pocket Single top-stitched armholes and shoulder seams 190g 80/20 Poly Cotton fabric

Baggy Chef Trousers



Bar-tacked pockets for added durability Comfortable baggy pants Ideal for the kitchen Two side pockets One back pocket Monza side pocket on the thigh 200g 65/63 Poly Cotton Elasticated waist with draw cord









Chef Neckerchief



Chef Beanie

Premium Food Grade Slip on Gumboot. Blood and Fat resistant.



Gumboot

Disposable Suits





Tychem 4000S

The new DuPont[™] Tychem[®] 4000 S coverall provides a new alternative for workers seeking safe and comfortable protection in more demanding applications. The garment's fabric, comprising DuPont[™] Tyvek[®] laminated with a chemical barrier film, presents wearers with optimum protection against a range of chemical environments and hazards while being supple and lightweight.

Tychem[®] 4000 S is ideal for chemical mixing, remediation and emergency response. It can be used in a variety of industries, including environmental clean-up operations, oil and gas, chemical engineering, hazardous material response teams and other emergency services.



Tyvek 600+

Tyvek[®] 600 Plus is made of Tyvek[®], but the coveralls offer the added benefit of protective design features and over-taped seams. They help provide an effective barrier against many water-based inorganic chemicals in low concentration, small sized hazardos. These coveralls are ideal for occupations that require effective whole suit protection offered by a Type 4 suit because they are exposed to heavy liquid aerosols or toxic airborne solid particulates. Yet, being robust and breathable they help offer an ideal balance of chemical, particulate protection and comfort.



Tychem 6000F +

The new Tychem[®] 6000 F Plus offers a whole host of ergonomic features to help you perform in the most hazardous of environments, providing lightweight, durable fabric with comfort and safety in mind.

Smart design features: double cuffs, zippers & flaps Ergonomic design Barrier to organic and highly concentrated inorganic chemicals Lightweight, durable DuPont unique fabric Multiple use capability Protection made simple with innovative design

Tychem[®] 6000 F Plus offers industry-leading hooded coveralls with several innovative features for safety and comfort, including anti-static treatment, double cuffs & zippers as well as an ergonomic hood to ideally accommodate full-fitting face masks.



Tyvek 500 Xpert

Its fabric offers a barrier to permeation by liquids when tested according to EN ISO 6529 Method A, performed on white Tyvek® fabric.It passes the new and more stringent Type 6 test method and demonstrates greater protection when tested according to the whole suit Type 4 spray test (EN ISO 17491-4 method B). Moreover, Tyvek® 500 Xpert sets a new standard in particulate protection, with only 0.8% whole suit inward leakage compared to 5% with Tyvek[®] 500 and to 8% with a typical Microporous Film (MPF). The excellent design and overall ergonomic shape of the garment ensures a perfect fit and protection whilst moving, across a whole host of applications.



Tychem 2000C CE Certified, CAT III. Type 3 single use

CE Certified, CAT III. Type 3 single use protective chemical overall. Hooded Hi-Viz yellow coverall. Elasticated wrist, face, waist and ankles. Thumb loops and self-adhesive chin flap for seal on face-masks. Splash or pressurised splash protection for use in a variety of environments including, food and chemical processing, pharmaceutical manufacturing, pulp and paper industries.

Tychem[®] 2000 C coveralls (model CHA5) help offer Type 3-B, 4, 5 and 6 barrier protection against a wide range of inorganic chemical and biological hazards, yet are lightweight and comfortable too.

Protection against both chemical (concentrated inorganic chemicals and ultrafine particles) and biological hazards (meets EN 14126 requirements). Thanks to their ergonomic fit, they help wearers to handle even difficult tasks more easily and comfortably.

Tyvek 800J

Tyvek[®] 800 J is a new, limited-use Type 3* chemical protective garment from DuPont that combines resistance to pressurised jets of water-based chemicals with breathability, durability and freedom-of-movement thanks to its 'Tyvek[®] Impervious Technology! The outcome forwearers of the new Tyvek[®] 800 J is reassuring protection that is both comfortable and robust.

It has been designed for work in very humid applications requiring chemical, liquid and/or oil protection. Typical examples include:

 Industrial cleaning • Petrochemical installations • Sewers • Maintenance * Additional taping of cuffs, ankles, hood and zipper flap required to achieve Type 3 liquid tightness.

Chemical Protection



Chemical Hood + Hardhat



- · All seams welded
- Air Supplied
- 400 Micron clear visor
- Hard Hat incorporated
- · Available without air supply.

Chemical Pesticide Smock



Chemical Bolero Apron

Len

without noti



Technical Data								Size Chart			
Fabric				ere en		No.		Jackets	Ches	the second second second	
Make Up/Type	P	VC Coated Po	lyester	Tear Strength Weft		40 N		Small Medium	115 125	75 76	75 78
Weight		400 gsm		Warp		30 N		Large	135	77	81
Standard Colour		Hi Vis Yellow		Burst Strength Weft		655 N/50mm		X-Large	140	80	84
Other Colours		Not Available		Warp		1232 N/50mm		2X-Large 3X-Large	145 150	85 85	86 87
onier colours		NULAVAIIAUIE		Coating Adhesion		15 N/25mm		4X-Large	155	85	88
								Pants	Waist	In-Lea	Outer-Leg
Polyester Bas	e Fabric			PVC Coating				Small	103	70	100
Make Up/Type		100% Polyseter		Formulation Stipulated Not to Change by Supplier.				Medium Large	107	72 74	103
				Formulation Suppliated Not to Change by Supplier.				X-Large	115	76	109
Weight		0 grams per so	quare metre					2X-Large	121	80	115
Yarns / cm		16 by 14.5						3X-Large	127	84	121
Tolera .								4X-Large	140	88	125
Trims								Print Collection of London	Chest 109	Silverve Le 48	en. Cuff Circ. 28
Zip		Type 5 Nylon Spiral		Hook & Loop Tape		20 mm - White			119	49	28
		Auto Lock Alloy Slider		Seams		High Frequency Welded			129	50	29
				Draw Cord		3mm Polyester			100 C	51	30
		10.000		1.11	The line of		10-10-10-10-10-10-10-10-10-10-10-10-10-1	and the second se	149 159	52 53	30 31
Liquid	Pressure Kpa	a particular constraints of the second se	Result Test 1	Result Test 2	Result Test	and a second state of the second state of	Final Result	and the second second	169	54	32
1: Phosphoric	20		a state of the sta	Pass	Pass Pass	Pass Pass	Pass Pass			Outer-Leg	
	100		Pass	Pass Pass	Pass Pass	Pass	Pass		81	108	48
2: Hydrochloric	0		Pass	Pass	Pass	Pass	Pass		82 82	110 111	50 50
z. nyuroenione	20		Pass	Pass	Pass	Pass	Pass		81	111	51
	100		Pass	Pass	Pass	Pass	Pass	2X-Large		111	51
3: Hydroflouric	0		Pass	Pass	Pass	Pass	Pass	3X-Large		112	52
	20	10	Pass	Pass	Pass	Pass	Pass	4X-Large		113	52
	100	10	Pass	Pass	Pass	Pass	Pass				ect to change
4: Sulphuric	0	5	Pass	Pass	Pass	Pass	Pass	All sizing b			
	20	10	Pass	Pass	Pass	Pass	Pass	CAUTION - Th	e prolemp	nd use of PV	C garments signi
	100	10	Pass	Pass	Pass	Pass	Pass	temperature and poses a danger of defyd These recommendations are based on labora sudgement of Leo Gameets in the tigst of dan preparation and in accordance with ASTM FB		dehydration and h	
	100	60	Pass	Pass	Pass	Pass	Pass			of data evolutile a	
	100		Fail	Fail	Fail	Fail	Fail	and inform qualified professionals engaged in assur Decision the conditions of uttimate use are beyond o			iged in assauring sa
5: Phenol	0		Pass	Pass	Pass	Pass	Pass	control run permeation tests in all possible work en- control run permeation tests in all possible work en-			ble work environm
	20		Pass	Pass	Pass	Pass	Pass	snly. The suitability of a product for a specific ap testing by the purchaser. The data in this guide a additional knowledge and experience are games			people application of
	100	and the second se	Pass	Pass	Pass	Pass	Pass				re gained Test dat
	100	30	Fail	Fail	Fail	Fail	Fail	laboratory performance of tablic specimens and not the intending to use these reconstraindiations should first ver is suitable for the intended use and meets of appropriate			

Chemical Protection





- 40cm Double Leg
- 20cm Double Cuff
- Neck flap for additional protection
- No exposed cotton (except hems)



- All seams welded
- 40cm Double Leg
- No exposed cotton (except hems)

Chemical Suit 2-Piece



- All seams welded
- 40cm Double Leg
- 20cm Double Cuff
- Neck flap for additional protection
- No exposed cotton (except hems)
- Chemical Half Air Suit

🚺 🚺

Chemical

Full Air Suit

All seams welded

- Air Supplied
- 400 Micron clear visor
- Fully ventilated
- Reflective tape

Chemical Wader

Extra PVC sewn into seams for additional seal

- Double weld between upper and boot
- Chemical resistant gumboot

- All seams welded
- Air Supplied
- 400 Micron clear visor
- Fully ventilated
- Reflective tape





Latex Gripper Open Cuff



Black Latex Coated Thermal



Mechanical Gloves Padded Palm



Impact Nitrose Sandy Finish



Mechanical Gloves



Seamless DoubleSide Polka Dot Gardening Glove





MaxiFlex Palm Dipped



MaxiFlex Fully Dipped



Cut Resistent Challenger



Cut Resistent Gripper



Cut Resistent Grey Level 5



Nitrile Coated Nylon Palm Dipped Grey





Chrome Leather with Denim Cuff



Chrome Leather Candy Stripe



Chrome Leather Candy Stripe + Reinforced Palm & Thumb



Chrome Leather with Apron Palm + Fingers



Chrome Leather with Apron Palm



Tig Welding Glove Goat Skin Wool Lined





Chrome Leather Welding Available in Shoulder, Elbow and Wrist Length



Green Line Welding Available in Shoulder, Elbow and Wrist Length



Blue Line Welding Available in Shoulder, Elbow and Wrist Length



Red Heat Resistant Apron Palm Available in Shoulder, Elbow and Wrist Length



Green Nitrile



Yellow Household Flocklined Glove





PVC Smooth Palm Available in Shoulder, Elbow and Wrist Length



PVC Smooth Palm Knit Wrist



PVC Heavy Duty Rough Palm Available in Shoulder, Elbow and Wrist Length



PVC Heavy Duty Rough Palm Knit Wrist



PVC Double Dip Jersey Line Glove Available in Shoulder, Elbow and Wrist Length



Blue Nitrile Knitted Cuff





PVC Green Reinforced Palm Available in Shoulder, Elbow and Wrist Length



PVC Green Reinforced Palm Knit Wrist



Fluorescent Orange Open Cuff Freezer Glove



Fluorescent Orange Knit Wrist Freezer Glove



Smooth Palm Builder Rubber Gloves Available in Shoulder, Elbow and Wrist Length



Builder Gloves Black





Goat Skin Rigger



Heavy Duty Knit Wrist Jersey Lined Latex



Yellow Comarex Full Dip Open Cuff



Yellow Comarex Full Dip Knit Wrist



Seamless Terry Towling Open Cuff Available in Shoulder, Elbow and Wrist Length



Seamless Terry Towling Knit Wrist





White Nylon Traffic Glove



7GG 500gpd Cotton Crochet Gloves



Green Rubber Coated Gripper Heavy Duty



Green Rubber Coated Gripper



Latex Coated Cotton Palm Dipped



Crayfish Gloves





Nitrile Coated Nylon Palm Dipped Black



Nitrile Coated Nylon Fully Dipped Black



PU White Coated Nylon Palm Dipped



Yellow Leather with Fleece Linning



Nitrile Powder Free Gloves



Examination Powdered Gloves