

### **MATERIAL SAFETY DATA SHEET**

DATE REVISED: June 05, 2023

Version: 01 Page 1

### SECTION I - IDENTIFICATION OF THE SUBSTANCE AND MANUFACTURER

**1.1** Name of the chemical: SETINSTONE gloss Sealer Varnish

**1.2** Others identification: <u>Applications recommended:</u> | sealing setinstone, cement, plaster

1.3 Manufacturer's data: Creativations LLC

## 1.4 Phone number in case of emergency:

Telephone: +1 800-222-1222

24 hours a day 365 days a year

### **SECTION II - HAZARDS IDENTIFICATION**

## 2.1 Classification of the chemical:

## Classification according to the globally harmonized system:

Harmful if swallowed - Category 4
Causes eye irritation - Category 2A
Aquatic Environment Hazard - Category 3

# 2.2 Elements of signage:

Symbol:



Signal word: ATTENTION.

## Hazard statements:

H302 - Harmful if swallowed.

H319 - Causes serious eye irritation.

H402 - Harmful to aquatic organisms.

# Precautionary advice:

P270 - Do not eat, drink or smoke while handling this product.

P271 - Use in a well ventilated place.

**MATERIAL SAFETY DATA SHEET** 

F-DYD-004 14-Ene-14

Prepared by: SEENI



P273 - Do not disperse in the environment.

P342 + P311 - In case of respiratory symptoms: Call a poison control center or doctor.

P305 + P351 + P338 - In case of contact with the eyes: Rinse carefully with water for several minutes. Remove contact lenses when present to make washing easier.

P501 - Dispose of Container / Content: Recycle or incinerate waste in EPA-approved facilities or dispose of in accordance with federal, state and local regulations.

#### 2.3 Other hazards:

If the product is exposed to fire conditions, toxic emissions can arise.

#### **SECTION III - PRODUCT COMPOSITION**

Chemical name	OSHA PEL	No. CAS	Weigth %		
Latex / Acrylic	Not established	Confidential	20-30		
2, 2, 4 Trimetrile 1.3	Not established	25265-77-4	5-15		
Pentanediol methylpropanoate					

The listed components are not "dangerous" according to OSHA 29CFR1910.1200 and are considered a trade secret of Blender Group, S.A. de C.V.

## **SECTION IV - FIRST AID MEASURES**

## 4.1 Description of first aid:

Provide immediate medical attention for any case of overexposure.

Inhalation: Not applicable.

<u>Eye contact:</u> Flush with plenty of water for at least 15 minutes while keeping eyelids apart. Get medical attention immediately.

<u>Skin contact</u>: Thoroughly wash the area with soap and water based cleaner. If discomfort continues or new symptoms develop, get medical attention.

<u>Ingestion:</u> Do not induce vomiting unless a doctor requests it. Call or go immediately to the nearest health center.

# **SECTION V - FIRE FIGHTING MEASURES**

**5.1 Suitable extinguishing media:** Any one can be used for the environment since the material is not flammable Water mist (X) Foam (X) CO2 (X) Chemical powder (X)

FLAME POINT (º F): N / A

FLAMMABILITY LIMITS IN% VOLUME: LEL: N / A UEL: N / A

**SPECIAL FIRE FIGHTING PROCEDURES:** Use self-contained breathing apparatus. It should be kept cool with water spray.

## **SECTION VI – ACCIDENTAL RELEASE MEASURES**

**6.1 Personal precautions, protective equipment and emergency procedures:** For spills use your personal protective equipment, such as safety glasses or goggles, neoprene gloves or other non-



porous material, plastic apron, suitable clothing to avoid skin contact and shoes of security.

- **6.2 Environmental precautions**: Contain spill and keep out of water courses.
- **6.3** Methods and materials for containment and clean-up of spills or leaks: For small spills, collect the material with absorbent material such as rag or paper, if it is more product then collect with a clean shovel and place in a clean and dry waste container and cover. Remove container from spill area and place in hazardous waste containment area.

For large spills, construct a dike ahead of the liquid spill to prevent further spillage, scoop the material into the dike with a clean shovel, and place along with the contaminated dam sand in a clean, dry waste container and cover. Remove container from spill area and place in hazardous waste containment area.

The affected area should be washed with water to prevent the polymer from drying out and making it difficult to remove.

Dispose of waste in accordance with federal, state, provincial and / or local regulations where the spill occurred.

### **SECTION VII – HANDLING AND STORAGE**

**7.1 Precautions to be taken to ensure safe handling:** Avoid ingestion, contact with eyes and skin. Keep container closed when not in use. These precautions also apply to empty containers. Keep container closed when not in use.

To handle drums, if possible, use mechanical devices. Avoid sudden movements during the journey.

**7.2 Safe storage conditions:** Its storage can be indoors as long as direct light is avoided and stays within 5 - 40 ° C. Higher temperatures can deteriorate the properties of the emulsion.

### SECTION VIII – EXPOSURE CONTROLS / PERSONAL PROTECTION

# 8.1 Control parameters:

**Exposure limits** 

Chemical name	CAS No.	Regulation	Limit
N/A	N/A	N/A	N/A

- **8.2 Appropriate engineering controls:** Use only in well-ventilated areas. Provide maximum ventilation indoors. Use local exhaust when general ventilation is inadequate.
- 8.3 Individual protection measures, such as personal protective equipment, PPE.

Individual protection measures: Use your professional judgment in the selection,

care and use of the product. Inspect and replace

equipment at regular intervals.

Respiratory protection: Does not apply



Hand protection: Wear impenetrable nitrile or neoprene gloves and

protective clothing to avoid contamination with

clothing.

Eye protection: Wear appropriate safety glasses for protection. Do

not wear contact lenses. Do not touch the eyes with contaminated body parts or materials. Have eye

wash facilities readily available.

## **SECTION IX – PHYSICAL AND CHEMICAL PROPERTIES**

Form: Liquid Color: White

Smell Characteristic

Ph:

Vapor Density: 5.3 (air = 1)
Melting point: Not applicable.

Boiling point: 212 ° F Solubility in water: Soluble

Specific gravity: 1.01 (Water = 1)

Volatile percentage by volume: 70

Bulk density: 8.62 lb / gl

Evaporation rate: 0.4

## **SECTION X – REACTIVITY / STABILITY**

STABILITY: Unstable: Stable: X

INCOMPATIBILITY (materials to avoid): Avoid strong oxidizing agents, strong acids or selected

amines.

**DECOMPOSITION OR HAZARDOUS BY-PRODUCTS:** Carbon Monoxide and Carbon Dioxide if burned

with insufficient air.

HAZARDOUS POLYMERIZATION: May Occur: Will Not Occur: X

**CONDITIONS TO AVOID: N/A** 

# SECTION XI- TOXICOLOGICAL INFORMATION

### 11.1 Numerical measures of toxicity:

LD 50 No information available.
LD 50 No information available

### **SECTION XII – ECOLOGICAL INFORMATION**



The product is not classified as dangerous for the environment. However, this does not exempt the possibility that large or frequent spills could have a harmful or harmful effect on the environment.

#### SECTION XIII - DISPOSAL CONSIDERATIONS

**Disposal method:** Collect, recover or dispose of this product in sealed containers at an official disposal site. Both this material and its containers must be disposed of as hazardous waste. Do not allow this material to pour into drains or water supplies. Do not pollute ponds, rivers, lakes, ponds, etc. with this product or with its used packaging. Dispose of in accordance with state and local regulations. Do not incinerate.

# **SECTION XIV – TRANSPORTATION / SHIPPING DATA**

**CFR / DOT:** It is not regulated as a hazardous material for transportation. **TDG:** It is not regulated as a dangerous material for its transportation. **IMDG:** It is not regulated as a hazardous material for transportation.

**Classification and Packaging Number:** Does not apply

It does not constitute a dangerous merchandise according to the regulations of air and maritime transport

It must be in accordance with the regulations for the land transport of hazardous materials and waste and with the regulations issued for this purpose.

**More Information:** The above shipping description may not be accurate for all container sizes and all modes of transportation. Please refer to the import request.

## **SECTION XV – REGULATORY INFORMATION**

No information available.

#### SECTION XVI – OTHER INFORMATION

Hazardous Material Information System: HMIS (Hazardous Material Information System)

Health risk	1	0 = Minimum
Inflammability	0	1 = Lightweight
Reactivity	0	2 = Moderate
PPE	С	3 = Serious
		4 = Severe

#### More information:

Only for industrial use. Keep out of the reach of children. The information on the hazards in this document is offered only for examination by the user, without prejudice to its own investigation



into compliance with applicable regulations, including the safe use of the product under all foreseeable conditions.

### Legend:

ACGIH - American Conference of Hygienists

CERCLA - Integral Environmental Response, Compensation and Civil Liability

DOT - Department of Transportation

**DSL** - National List of Substances

**EPA - Environmental Protection Agency** 

HMIS - Hazardous Materials Information System

IARC - International Agency for Research on Cancer

MSHA - Mines Health and Safety Administration

NDSL - List of Non-Domestic Substances

NIOSH - National Institute for Occupational Safety and Health

NTP - National Toxicology Program

PEL - Permissible exposure limit

RCRA - Law of Conservation and Recovery of Resources

RTK - Right to Know

SARA - Amendments and Reauthorizations

STEL - Short Term Exposure Limit

TLV - Threshold Limit Value

TSCA - Law of Control of Toxic Substances

TWA - Average Weighted Time

V - Volume

**VOC - Volatile Organic Compounds** 

WHMIS - Workplace Hazardous Materials Information System

OSHA - Occupational Health and Safety Administration