

# COLOR CHART

universal PRODUCTS

# PROFESSIONAL AUTOMOTIVE STRIPING SYSTEMS



066 SANDSTONE

# MATERIAL SPECIFICATIONS



**TFX Premium Grade Opaque -** A high performance cast PVC film with a special low initial tack adhesive to allow repositioning. Designed for superior quality striping & graphics, for the automotive, signage, and commercial industry. **Film:** 2.0-mil premium cast vinyl, plus a permanent, acrylic, pressure-sensitive adhesive. **Liner:** 78# white kraft. **Exterior Durability:** Up to 12 years.



**TFX Premium Grade Metallic -** A high performance cast PVC film with a special low initial tack adhesive to allow repositioning. Designed for superior quality striping & graphics, for the automotive, signage, and commercial industry. **Film:** 2.0-mil premium cast vinyl, plus a permanent, acrylic, pressure-sensitive adhesive. **Liner:** 78# white kraft. **Exterior Durability:** Up to 7 years.

**Ultra Metallic (U/M)** - A high performance brilliant metallic cast vinyl film ideal for flat or simple curve applications on automotive, marine, and recreational vehicles. **Film:** 3.0-mil metallized vinyl plus pressure-sensitive adhesive. **Liner:** 78# white kraft. **Exterior Durability:** Up to 5 years.

**Avery Supreme Wrap** - A premium quality, flexible, opaque vinyl film for use as vehicle graphics where a high quality film finish and full color wrapping is required. **Conformability**: Flat, flat with rivets, corrugations, compound curves, and deep recesses. **Printability**: Not recommended. **Film**: 3.2-mil cast PVC with a long term removable acrylic adhesive. **Liner**: 90# Staflat with EZ-RS technology. **Exterior Durability**: Up to 12 years vertical exposure / Up to 3 years horizontal exposure. See zone chart information in Avery Dennison Instruction Bulletin 1.3.

**Premium Reflective -** A retroreflective engineering grade film which meets or exceeds the applicable requirements for Federal Standards. Designed for high visibility and weatherability (wet application not recommended). **Film:** 5.5-mil retroreflective vinyl, plus pressure-sensitive adhesive. **Liner:** 90# white Staflat. **Exterior Durability:** Up to 7 years.

**Non-Skid** - An anti-slip film in a resilient vinyl. The textured surface provides unusually good anti-slip properties in both wet and dry conditions. **Film**: 17-mil with acrylic, permanent, pressure-sensitive adhesive. **Liner**: 78# white kraft. **Exterior Durability**: Up to 5 years.

**Polyester -** This rich luster is manufactured with a polyester base to retain metallic brilliance. **Film:** 1.0-mil metallized polyester plus a pressure-sensitive adhesive. **Liner:** 78# white kraft. **Exterior Durability:** Up to 2 years.

**UniGard** - An optically clear film specifically designed to provide superior protection to painted surfaces from the damaging effects of stone chips, road debris, bug stains, and weathering. **Film**: 8.0-mil aliphatic polyurethane film, plus permanent clear acrylic pressure-sensitive adhesive. **Liner**: 90# white Staflat. **Exterior Durability**: Up to 5 years.

- · Exterior durability is based on proper application, vertical exposure and moderate climate (except Supreme Wrap).
- · Any horizontal application, such as on a vehicle hood or roof, is considered non-warrantable (except Supreme Wrap).
- · Complete product specification sheets are available upon request.



# SUPPLIES





### TFX® Cleaner

Specially formulated for cleaning surfaces and removing residue in preparation for vinyl graphics applications.

(A) 1 Gallon refill P/N 905

**4-Pack 20 oz. bottles**, 1 spray head P/N 904 **(B) 20 oz. TFX cleaner**, 1 spray head P/N 900, (Spray head for 20 oz. bottle P/N 906 and 20 oz. refill bottle P/N 921 available separately.)

Position Perfect™- Original formula. A decal application fluid. (C) 1 Gallon Refill P/N 928

(D) 20oz. bottle w/spray head P/N 926

Position Perfect™- Eco-Friendly formula. A decal application fluid. 1 Gallon Refill P/N 929 20oz. bottle w/spray head P/N 927

## Adheze Off

An adhesive remover that eliminates residues from decals, tapes, labels, window tinting film, glues, tar, grease, oil, tree sap, bugs and wax. Also removes sealants, surface discoloration, scuff marks, marker and pen ink, crayon, lipstick, and much more.

1 Gallon Refill P/N 952 (E) 32 oz. bottle w/ spray head P/N 943

**(F) 36" Magnetic Ruler** P/N 942 For measuring graphic application placement on metal surfaces. Great for fleet applications, vehicle wraps, & more. (G) Knife & Pick Holder P/N 960

For weeding and cutting purposes, this all aluminum holder will hold picks up to 1/16" size as well as most standard blades. 2 blades & 3 picks included.

(H) Interchangable Blades made to fit standard blade holders (100-pack) P/N 915. (I) Interchangeable picks made to fit standard blade holders (12-pack) P/N 958.

(J) Stainless Steel Cutter P/N 909 A multi-purpose cutter combining quality and durability.

10-pack Blades P/N 910 Stainless steel cutter blade refills (120 snap-off blades per box)

**50-pack Blades** P/N 911 (600 snap-off blades per box)

(K) Lil' Chisler P/N 944

Small, high-impact plastic chisel for removing vinyl.

**(L) Application Squeegee** P/N 907 A standard 3" x 4" double bladed squeegee for even pressure distribution when applying vinyl.

(M) Felt Squeegee P/N 945

A felt squeegee for even pressure distribution and no scratches when applying vinyl, 3"W x 4 1/4"L x 1/2"D.

(N) Rivet Brush P/N 916

À handy sign makers tool for use when applying over rivets and other protrusions.

(0) Sealitpen Vinyl Edge Sealer P/N 957 An easy to use marker type applicator filled with One Shot Acrylic Clear Coat for all your edge sealing needs.

**Clear Textured Application Tape** 

Embossed high density polyethylene with excellent conformability during heat vacuum, die-cutting & lamination.

**Clear Application Tape** 

An ultra clear, medium tack, non-heat application tape with "snap to tear" feature. This tape provides greater adhesion to liner, no tunneling, and no haze.

Paper Application Tape

Non-heat activated, high tack premium grade paper application tape. This tape offers superior adhesion to liner, and excellent layflat for reduction of wrinkling, tunneling and edge lift.

### Release Liner

A 78 lb. white kraft liner, silicone coated on one side for easy transfer and release.

20# Drawing/Pouncing Paper

This 20 lb. paper is a cost effective production material for computerized drawing of proofs, layouts, and creating durable pounce patterns.



Distributed by: