


16674 – 114 Avenue, Edmonton, AB T5M 3R8

Phone: 1 (780) 454-4137 Fax: 1 (780) 454-4139 Email: info@uversatile.ca Website: uversatile.ca





The **Legacy** series is a **color body porcelain tile** that brings the beauty and craftsmanship of Italy simulating the gorgeous look of concrete and stone. **Check out our line of Montolit tools to work with the Legacy series.** 



**Environmentally Friendly:** One important eco-friendly initiative by the manufacturer is the use of solar panels on warehouses to generate electricity used to make the tile products.





#### **Walls and Floors**

Legacy is available in:

❖ 12" x 24" / 30 cm x 60 cm (White, Grey, Taupe, Black) Natural

Apply tile on **Walls** and **Floors** in **Light Commercial** projects; as well as **Residential**.

It simulates concrete, and stone.

### 1. Walls and Floors (Natural) 12" x 24" / 30 cm x 60 cm

Product Code: 1224.LEG.GRE.NAT Construction Code: 1224.LEG.TAU.NAT C	Color: White Color: Grey Color: Taupe Color: Black
Price Sq. Ft.	\$ 3.75
Price Per m <sup>2</sup>	\$40.37
Price Per Piece	\$7.50




### **Technical Specifications (Natural)**

Reference Icon	Description		Reference Icon	Description	
Wall	Walls	Yes	Floor	Floors	Yes
Light Commercial	Light Commercial	Yes	Residential	Residential	Yes
Natural Finish	Finish	Natural	Shape: Rectangle	Shape	Rectangle
Cushioned	Edge	Cushioned	Frost Resistent	Frost Resistant	Yes
Slip Rating	Slip Rating	R9	4 - 5 PEl Rating Abrasion Resistance	Abrasion Resistance (PEI Rating)	4 - 5
V1 Shade Variation	Variation (V Rating)	V1		Abrasion Resistance (MOHS)	
9 mm Thickness	Thickness	9 mm 23"/64"	> 0.60 COF Coefficient of Fraction Traction/Slipperiness	Wet Surfaces (COF)	>0.60
			> 0.42 DCOF Dynamic Coefficient of Friction Traction on Wet Surfaces	Wet Surfaces (DCOF)	>0.42



#### ISO Standards





Classification	Certification Status	
ISO 13006 (Classification)	Yes	
ISO 10545-2 (Dimensions and Surface Quality)	Yes	
ISO 10545-3 (Water Absorption)	Yes	
ISO 10545-4 (Rupture/Breaking Strength)	Yes	
ISO 10545-5 (Impact Resistance)	Yes	
ISO 10545-6 (Deep Abrasion Resistance)	No	
ISO 10545-7 (Surface Abrasion Resistance)	Yes	
ISO 10545-8 (Linear Thermal Expansion)	Yes	
ISO 10545-9 (Thermal Shock Resistance)	Yes	
ISO 10545-10 (Moisture Expansion)	Yes	
ISO 10545-11 (Crazing Resistance)	Yes	
ISO 10545-12 (Frost Resistance)	Yes	
ISO 10545-13 (Chemical Resistance)	Yes	
ISO 10545-14 (Stain Resistance)	Yes	
ISO 13501-1 (Fire Resistance)	Yes	



#### **Packing Information**

1. Walls & Floors (Natural) 12" x 24" / 30 cm x 60 cm

Product Code: 1224.LEG.WHI Product Code: 1224.LEG.GRE Product Code: 1224.LEG.TAU Product Code: 1224.LEG.BLK	.NAT .NAT	Color: White Color: Grey Color: Taupe Color: Black
Sq. Ft. Per Box	14.21	
m² Per Box	1.32	
Lb. Per Box	53.90	
Kg. Per Box	24.5	
Pieces Per Box	7	
Frost Resistant	Yes	

Prices are subject to change. Please contact your Unique Versatile Ltd. sales representative to verify pricing. All sizing is nominal. Shading and variation is inherent in ceramics and natural stone. Please inspect before installing, no claims accepted after installation. If, for any reason, our products are regarded as unsatisfactory, we must be notified before installation, and consequently we will not make any allowances for labour costs for replacing material, or for other charges.