



16674 – 114 Avenue, Edmonton, AB T5M 3R8

Phone: 1 (780) 454-4137

Fax: 1 (780) 454-4139

Email: info@uversatile.ca






Website: uversatile.ca




Nohva

Nohva (Walls & Floors)

The **Nohva** series is a **color body porcelain tile** that brings the beauty and craftsmanship of Italy simulating the gorgeous look of limestone and stone. [Check out our line of Montolit tools to work with the Nohva series.](#)

 LEED: 3 POINTS	 Eco Friendly	
 Wall	 Floor	
<p>Environmentally Friendly: One important eco-friendly initiative by the manufacturer is the use of solar panels on warehouses to generate electricity used to make the tile products.</p>		





Nohva (Walls & Floors)

Walls and Floors

Nohva is available in:

- ❖ 12" x 24" / 30 cm x 60 cm (White, Grey, Black) Natural and Lappato

Apply this tile on **Walls** and **Floors** in **Light Commercial** projects; as well as **Residential**.

It **simulates limestone and stone**.















1. Walls and Floors (Natural)

12" x 24" / 30 cm x 60 cm

Product Code: 1224.NOH.WHI.RET Product Code: 1224.NOH.GRE.RET Product Code: 1224.NOH.BLK.RET		Color: White Color: Grey Color: Black
Price Per Sq. Ft.		\$ 3.95
Price Per m²		\$42.52
Price Per Piece		\$ 7.90

Nohva (Walls & Floors)

Technical Specifications (Natural)

Reference Icon	Description		Reference Icon	Description	
 Wall	Walls	Yes	 Floor	Floors	Yes
 Light Commercial	Light Commercial	Yes	 Residential	Residential	Yes
 Finish	Finish	Natural	 Shape: Rectangle	Shape	Rectangle
 Edge	Edge	Rectified	 Frost Resistant	Frost Resistant	Yes
 Slip Rating	Slip Rating	R9	 PEI Rating Abrasion Resistance	Abrasion Resistance (PEI Rating)	III - V
 Shade Variation	Variation (V Rating)	V3		Abrasion Resistance (MOHS)	
 Thickness	Thickness	9 mm 23"/64"	 Coefficient of Friction Traction/Slipperiness	Wet Surfaces (COF)	>0.60
			 Dynamic Coefficient of Friction Traction on Wet Surfaces	Wet Surfaces (DCOF)	>0.42

















Nohva (Walls & Floors)

2. Walls and Floors (Lappato) 12" x 24" / 30 cm x 60 cm

Product Code: 1224.NOH.WHI.LP		Color: White
Product Code: 1224.NOH.GRE.LP		Color: Grey
Product Code: 1224.NOH.BLK.LP		Color: Black
Price Per Sq. Ft.	\$ 5.25	
Price Per m²	\$56.52	
Price Per Piece	\$10.50	

Nohva (Walls & Floors)

Technical Specifications (Lappato)

Reference Icon	Description		Reference Icon	Description	
 Wall	Walls	Yes	 Floor	Floors	Yes
 Light Commercial	Light Commercial	Yes	 Residential	Residential	Yes
 Lappato Semi-Polished Finish	Finish	Lappato Semi-Polished	 Shape: Rectangle	Shape	Rectangle
 Rectified Edge	Edge	Rectified	 Frost Resistant	Frost Resistant	Yes
 R9 Slip Rating	Slip Rating	R9	 PEI (Abrasion Resistance) Does Not Apply (Walls Only)	Abrasion Resistance (PEI Rating)	Not Applicable
 V3 Shade Variation	Variation (V Rating)	V3		Abrasion Resistance (MOHS)	
 9 mm Thickness	Thickness	9 mm 23"/64"	 > 0.60 COF Coefficient of Friction Traction/Slipperiness	Wet Surfaces (COF)	>0.60
			 > 0.42 DCOF Dynamic Coefficient of Friction Traction on Wet Surfaces	Wet Surfaces (DCOF)	>0.42

Nohva (Walls & Floors)

ISO Standards

Note: Below is a brief summary of the ISO Standard certifications. [Contact us](#) for the complete ISO technical data sheets.



Classification	Certification Status
ISO 13006 (Classification)	Yes
ISO 10545-2 (Dimensions and Surface Quality)	Yes
ISO 10545-3 (Water Absorption)	Yes
ISO 10545-4 (Rupture/Breaking Strength)	Yes
ISO 10545-5 (Impact Resistance)	Yes
ISO 10545-6 (Deep Abrasion Resistance)	No
ISO 10545-7 (Surface Abrasion Resistance)	Yes
ISO 10545-8 (Linear Thermal Expansion)	Yes
ISO 10545-9 (Thermal Shock Resistance)	Yes
ISO 10545-10 (Moisture Expansion)	Yes
ISO 10545-11 (Crazing Resistance)	Yes
ISO 10545-12 (Frost Resistance)	Yes
ISO 10545-13 (Chemical Resistance)	Yes
ISO 10545-14 (Stain Resistance)	Yes
ISO 13501-1 (Fire Resistance)	Yes



Nohva (Walls & Floors)

Packing Information

1. Walls & Floors (Natural)

12" x 24" / 30 cm x 60 cm

Product Code: 1224.NOH.WHI.RET		Color: White
Product Code: 1224.NOH.GRE.RET		Color: Grey
Product Code: 1224.NOH.BLK.RET		Color: Black
Sq. Ft. Per Box	14	
m ² Per Box	1.3	
Lb. Per Box	52.80	
Kg. Per Box	24	
Pieces Per Box	7	
Frost Resistant	Yes	

2. Walls & Floors (Lappato)

12" x 24" / 30 cm x 60 cm

Product Code: 1224.NOH.WHI.LP		Color: White
Product Code: 1224.NOH.GRE.LP		Color: Grey
Product Code: 1224.NOH.BLK.LP		Color: Black
Sq. Ft. Per Box	13.56	
m ² Per Box	1.26	
Lb. Per Box	52.65	
Kg. Per Box	23.93	
Pieces Per Box	7	
Frost Resistant	Yes	

Prices are subject to change. Please contact your Unique Versatile Ltd. sales representative to verify pricing. All sizing is nominal. Shading and variation is inherent in ceramics and natural stone. Please inspect before installing, no claims accepted after installation. If, for any reason, our products are regarded as unsatisfactory, we must be notified before installation, and consequently we will not make any allowances for labour costs for replacing material, or for other charges.