








Unika

Unika (Outdoor Pavers)

The **Unika** series is a **color body porcelain tile** that brings the beauty and craftsmanship of Italy simulating the gorgeous look of slate / quarts. [Check out our line of Montolit tools to work with the Unika series.](#)

 <p>LEED: 3 POINTS</p>	 <p>Eco Friendly</p>	
 <p>Floor</p>	 <p>Outdoor Pavers</p>	
<p>Environmentally Friendly: One important eco-friendly initiative by the manufacturer is the use of solar panels on warehouses to generate electricity used to make the tile products.</p>		





Unika (Outdoor Pavers)

Outdoor Pavers (2 CM)

Unika is available in:

❖ 24" x 48" / 60 cm x 120 cm (Multi)

Apply this tile on **patio decks, swimming pools, walkways, etc.** in **Light** and **Medium Commercial** projects; as well as **Residential**.

It comes in **simulated slate / quartz**.















1. Outdoor Pavers – 2 cm (Natural)

24" x 48" / 60 cm x 120 cm

Product Code: 2448.TH2.UNI.RET		Color: Multi
Price Per Sq. Ft.		\$ 16.95
Price Per m²		\$ 182.47
Price Per Piece		\$ 135.60

Unika (Outdoor Pavers)

Technical Specifications

Reference Icon	Description		Reference Icon	Description	
	Outdoor Pavers	Yes		Light Commercial	Yes
	Medium Commercial	Yes		Residential	Yes
	Finish	Natural		Frost Resistant	Yes
	Edge	Rectified		Abrasion Resistance (PEI Rating)	Not Applicable
	Slip Rating	R11		Abrasion Resistance (MOHS)	
	Variation (V Rating)	V3		Wet Surfaces (COF)	>0.60
	Thickness	2 mm 25"/32"		Wet Surfaces (DCOF)	>0.42
	Shape	Square			

Unika (Outdoor Pavers)

ISO Standards

Note: Below is a brief summary of the ISO Standard certifications. [Contact us](#) for the complete ISO technical data sheets.



Classification	Certification Status
ISO 13006 (Classification)	Yes
ISO 10545-2 (Dimensions and Surface Quality)	Yes
ISO 10545-3 (Water Absorption)	Yes
ISO 10545-4 (Rupture/Breaking Strength)	Yes
ISO 10545-5 (Impact Resistance)	Yes
ISO 10545-6 (Deep Abrasion Resistance)	Yes
ISO 10545-7 (Surface Abrasion Resistance)	No
ISO 10545-8 (Linear Thermal Expansion)	Yes
ISO 10545-9 (Thermal Shock Resistance)	Yes
ISO 10545-10 (Moisture Expansion)	Yes
ISO 10545-11 (Crazing Resistance)	No
ISO 10545-12 (Frost Resistance)	Yes
ISO 10545-13 (Chemical Resistance)	Yes
ISO 10545-14 (Stain Resistance)	Yes
ISO 13501-1 (Fire Resistance)	Yes



Unika (Outdoor Pavers)

Packing Information

24" x 48" / 60 cm x 120 cm

Product Code: 2448.TH2.UNI.RET Color: Multi	
Sq. Ft. Per Box	7.75
m2 Per Box	0.72
Lb. Per Box	71.37
Kg. Per Box	32.44
Pieces Per Box	1
Frost Resistant	Yes

Prices are subject to change. Please contact your Unique Versatile Ltd. sales representative to verify pricing. All sizing is nominal. Shading and variation is inherent in ceramics and natural stone. Please inspect before installing, no claims accepted after installation. If, for any reason, our products are regarded as unsatisfactory, we must be notified before installation, and consequently we will not make any allowances for labour costs for replacing material, or for other charges.
