canova.premium 1140

Model Code F5579

date of issue 14-01-19 revision 00 revision of 18-03-22 (the present replaces any previous versions)

Designer: centro studi interno

Structure: pinewood, multilayer and plywood covered with polyurethane

foam.

Spring system: elastic webbing

Seat Padding: seat cushions in ecological polyurethane foam covered

with 100% polyester layer.

Back Padding: back cushions and headrests in ecological polyurethane foam covered with 100% polyester layer.

Arm Interior: armrest cushions in ecological polyurethane foam covered with 100% polyester layer.

Removability: not available

Sewing: leather coverings feasible with contrast stitching in the colors available; cuts and sewing vary on microfiber (or fabric) coverings.

Mechanisms: the model is equipped with headrests that can be manually lifted. The height of the model with lifted headrests is 95 cm. Electric recliner versions feature electric recliner mechanisms operated by a touch pad positioned on the seat sides. The depth of the sofa with open recliner is 154 cm.

Standard feet: the model is lifted 8 cm off the floor. Shiny metal standard feet [PM2083, PM2092 on meridien terminal sides, PM2093 on rectangular ottoman 635]. Alternatively, it is possible to choose among the standard finishes enclosed in the sample book. The sample book also includes "special" finishes available with a price upcharge, subject to production approval. Some versions may be equipped with hidden feet with a supporting structural function.

Please note: configurations including recliner versions (106,E95,I82) placed next to square corner version (040) are not recommended.





Density of seat and back kg/cbm (±5%) (1)

Markets	Seat	Back	
I	35 Medium	27	
D - NL - CH			
USA - California			
GB	37 fire retardant	27 fire retardant	
Others	35 Medium	27	

Note: when no values/contents are specified in the chart, please refer to 'Others' field/area.

(¹¹)Density: volume mass apparently determined on materials without any kind of covers and according to the UNI EN ISO 845 regulations. Indicated values refer to production averages; the Company reserves the right, if needed, to make changes to the declared technical characteristics. Before use, if its advisable to look at the SAFETY INFORMATION TECHNIQUE for info regarding use and protection of people and of the environment, in compliance with existing EEC regulations.

Coverings

	suggested	not suggested	not possible
thick leathers	✓		
thin elastic leathers	✓		
natural leathers	✓		
fabric*	✓		
microfibre*	✓		
leather + split	✓		
DeLuxe			✓
multi colour**			✓
multi-category**			✓
multi covering**			✓

Please note: for not removable models, only one colour fabric covers are available.

Components / Optional vers.




Feet



Ottoman







^{*} fabrics and microfibers are not available for the U.K. market

canova. premium 1140



L Length - H Height - D Depth - SH Seat Height - SD Seat Depth Dimensions refer to maximum sizes of the version with closed mechanism (where available).














dimensions

Description

L 113 H81 D107 SH46 SD55
100
chair





L 220 H81 D107 SH46 SD55

L 240 H81 D107 SH46 SD55 F82













L 96 H47 D70 SH46 SD55

rectangular



L 89 H81 D107 SH46 SD55

mini chair raf

mini chair laf



1 right arm facing chair



left arm facing



rhf maxi chair













L 110 H81 D107 SH46 SD55

Ihf maxi chair



L 156 H81 D107 SH46 SD55 1left arm facing 2

1/2 str

L 176 H81 D107 SH46 SD55



1/2 str



310 Iright arm facing



320

L 198 H81 D107 SH46 SD55 1left arm facing 3



L 100 H81 D165 SH46 SD113 chaise lon.rhf arm fac



L 100 H81 D165 SH46 SD113 chaise lon.lhf



L 111 H81 D165 SH46 SD113 601 maxi chaise

lon.rgt arm fac



L 111 H81 D165 SH46 SD113

maxi chaise lon.lft arm fac



L 67 H81 D107 SH46 SD55 D62

small chair no

fold following the dotted line



canova. premium 1140




L Length - H Height - D Depth - SH Seat Height - SD Seat Depth Dimensions refer to maximum sizes of the version with closed mechanism (where available).













dimensions
version code
Description





L 114 H81 D107 SH46 SD55 0 4 0 square corner

L 239 H81 D114 SH46 SD55 0 4 3 sq.cor.chr.sq.mer.


L 239 H81 D114 SH46 SD55 0 4 4


q.mer. sq.cor.chr.sq.mer.left . fac.





L -H- D- SH- SD-









L 114 H81 D107 SH46 SD55 161 chair with






L -H- D- SH- SD-Y 0 3 613 + 612

L 89 H81 D107 SH46 SD55 C 3 6 rhf el.rec.mini

L 89
H81 D107 SH46 SD55
C 3 7
Ihf el.rec.mini







L 100 H81 D107 SH46 SD55 174 elec.rec.chair 1arm laf



L 110 H81 D107 SH46 SD55 612 1raf maxi chair rec.el



L 110 H81 D107 SH46 SD55 613 1laf maxi chair rec.el



L 69 H81 D107 SH46 SD55 I 0 6 armless mini chair elec.rec.



L79 H81 D107 SH46 SD55 E95 elec.recl.armless chair



elec.rec.chair

L 90 H81 D107 SH46 SD55 I 8 2 el.rec.arml.maxi

fold following the dotted line

