

SAFETY DATA SHEET

# Pro Supplies Ready To Use Glass & Stainless Steel Cleaner

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

# 1.1. Product identifier

Trade name: Pro Supplies Ready To Use Glass & Stainless

Steel Cleaner

Product no.: 6792

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture: Cleaning product

Restricted to professional users.

Product code (A.I.S.E.): AISE-P312 / Glass cleaner. Manual process.

AISE-P608 / Stainless steel care. Manual

process.

*Use descriptors (REACH):* 

| Sectors of use   | Description  |
|------------------|--|
| LCS "PW"         | Professional uses: Public domain (administration, education, entertainment, services, craftsmen) |
| Product category | Description  |
| PC 35            | Washing and Cleaning Products (including solvent based products)                                 |

Uses advised against: Uses other than those identified are not

recommended

# 1.3. Details of the supplier of the safety data sheet

Company and address: Bidfood

814 Leigh Road SL1 4BD Slough United Kingdom +44 (0) 1494 55 5900

https://www.bidfood.co.uk/

E-mail: advice\_centre@bidfood.co.uk

*Revision:* 20/10/2023

SDS Version: 1.0

Date of previous version: 26/09/2023 (1.0)

#### 1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service).

See section 4 "First aid measures".



# **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

Not classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

#### 2.2. Label elements

Hazard pictogram(s):Not applicable.Signal word:Not applicable.Hazard statement(s):Not applicable.

Precautionary statement(s):

General:

Prevention:

Response:

Storage:

Disposal:

*Hazardous substances:* None known.

Additional labelling: EUH210, Safety data sheet available on

request.

2.3. Other hazards

Additional warnings: This mixture/product does not contain any

substances considered to meet the criteria classifying them as PBT and/or vPvB. This product does not contain any

substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605.

#### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.1. Substances

Not applicable. This product is a mixture.

#### 3.2. Mixtures

| Product/substance                           | Identifiers  | % w/w | Classification  | Note |
|---|--|-------|---|------|
| butoxyethanol; ethylene<br>glycol monobutyl | CAS No.: 111-76-2<br>EC No.: 203-905-0<br>UK-REACH:<br>Index No.: 603-014-00-0 |       | Acute Tox. 4, H302<br>Skin Irrit. 2, H315<br>Eye Irrit. 2, H319<br>Acute Tox. 4, H332 | [1]  |



| 1,2-benzisothiazol-3(2H)- | CAS No.: 2634-33-5      | <0.01% | Acute Tox. 4, H302           |  |
|---------------------------|-------------------------|--------|------------------------------|--|
| one;1,2-benzisothiazolin- | EC No.: 220-120-9       |        | Skin Irrit. 2, H315          |  |
| 3-one                     | UK-REACH:               |        | Skin Sens. 1, H317           |  |
|                           | Index No.: 613-088-00-6 |        | Eye Dam. 1, H318             |  |
|                           |                         |        | Aquatic Acute 1, H400 (M=10) |  |

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

### Other information

[1] European occupational exposure limit.

#### **SECTION 4: FIRST AID MEASURES**

# 4.1. Description of first aid measures

General information: In the case of accident: Contact a doctor or

casualty department – take the label or this

safety data sheet.

Contact a doctor if in doubt about the injured person's condition or if the symptoms persist.

Never give an unconscious person water or

other drink.

Inhalation: Upon breathing difficulties or irritation of the

respiratory tract: Bring the person into fresh

air and stay with him/her.

*Skin contact:* Upon irritation: rinse with water. In the event

of continued irritation, seek medical

assistance.

Eye contact: If in eyes: Flush eyes with water or saline

water (20-30 °C) for at least 5 minutes. Remove contact lenses. Seek medical assistance and continue flushing during

transport.

Ingestion: If the person is conscious, rinse the mouth

with water and stay with the person. Never

give the person anything to drink. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking

on vomited material.

Burns: Not applicable.

# 4.2. Most important symptoms and effects, both acute and delayed



None known.

# **4.3.** Indication of any immediate medical attention and special treatment needed Treat symptomatically.

#### Information to medics

Bring this safety data sheet or the label from this product.

#### **SECTION 5: FIREFIGHTING MEASURES**

#### 5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist. Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

#### 5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters. If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Carbon oxides (CO / CO2)

#### 5.3. Advice for firefighters

Fire fighters should wear appropriate personal protective equipment.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation, especially in confined areas. Contaminated areas may be slippery.

### 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. Keep unauthorized persons away from the spill

#### 6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

#### 6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste. See section 8 "Exposure controls/personal protection" for protective measures.

#### **SECTION 7: HANDLING AND STORAGE**

# 7.1. Precautions for safe handling

Avoid contact during pregnancy and while nursing.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.



# 7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent

leakage.

Recommended storage material: Keep only in original packaging.

Storage temperature: Dry, cool and well ventilated

*Incompatible materials:* Strong acids, strong bases, strong oxidizing

agents, and strong reducing agents.

# 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

2-butoxyethanol;2-butoxyethanol; ethylene glycol monobutyl ether;ethylene glycol monobutyl ether;butyl cellosolve

Long term exposure limit (8 hours) (ppm): 25 Long term exposure limit (8 hours) (mg/m³): 123 Short term exposure limit (15 minutes) (ppm): 50 Short term exposure limit (15 minutes) (mg/m³): 246

**Annotations:** 

BMVG = Biological Monitoring Guidance Value exists

Sk = Can be absorbed through the skin and lead to systemic toxicity.

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002.

EH40/2005 Workplace exposure limits (Fourth Edition 2020).

#### **DNEL**

#### 1,2-benzisothiazol-3(2H)-one;1,2-benzisothiazolin-3-one

| Duration:   | Route of exposure: | DNEL:           |
|---|--------------------|-----------------|
| Long term – Systemic effects - General population | Dermal             | 345 µg/kgbw/day |
| Long term – Systemic effects - Workers            | Dermal             | 966 µg/kgbw/day |
| Long term – Systemic effects - General population | Inhalation         | 1.2 mg/m³       |
| Long term – Systemic effects - Workers            | Inhalation         | 6.81 mg/m³      |

# 2-butoxyethanol;2-butoxyethanol; ethylene glycol monobutyl ether;ethylene glycol monobutyl ether;butyl cellosolve

| Duration:  | Route of exposure: | DNEL:                 |
|--|--------------------|-----------------------|
| Long term – Systemic effects - General population  | Inhalation         | 59 mg/m³              |
| Long term – Systemic effects - Workers             | Inhalation         | 98 mg/m³              |
| Short term – Local effects - General population    | Inhalation         | 147 mg/m³             |
| Short term – Local effects - Workers               | Inhalation         | 246 mg/m³             |
| Short term – Systemic effects - General population | Inhalation         | 426 mg/m <sup>3</sup> |
| Short term – Systemic effects - Workers            | Inhalation         | 1091 mg/m³            |



| Long term – Systemic effects - General population  | Oral | 6.3 mg/kg bw/day     |
|--|------|----------------------|
| Short term – Systemic effects - General population |      | 26.7 mg/kg<br>bw/day |

#### **PNEC**

1,2-benzisothiazol-3(2H)-one;1,2-benzisothiazolin-3-one

| Route of exposure:                  | Duration of Exposure: | PNEC:      |
|-------------------------------------|-----------------------|------------|
| Freshwater                          |                       | 4.03 μg/L  |
| Freshwater sediment                 |                       | 49.9 μg/kg |
| Intermittent release (freshwater)   |                       | 1.1 μg/L   |
| Intermittent release (marine water) |                       | 110 ng/L   |
| Marine water                        |                       | 403 ng/L   |
| Marine water sediment               |                       | 4.99 μg/kg |
| Sewage treatment plant              |                       | 1.03 mg/L  |
| Soil                                |                       | 3 mg/kg    |

2-butoxyethanol;2-butoxyethanol; ethylene glycol monobutyl ether;ethylene glycol monobutyl ether;butyl cellosolve

| Route of exposure:                | Duration of Exposure: | PNEC:      |
|-----------------------------------|-----------------------|------------|
| Freshwater                        |                       | 8.8 mg/L   |
| Freshwater sediment               |                       | 34.6 mg/kg |
| Intermittent release (freshwater) |                       | 26.4 mg/L  |
| Marine water                      |                       | 880 μg/L   |
| Marine water sediment             |                       | 3.46 mg/kg |
| Predators                         |                       | 20 mg/kg   |
| Sewage treatment plant            |                       | 463 mg/L   |
| Soil                              |                       | 2.33 mg/kg |

# 8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations: Smoking, drinking and consumption of food

is not allowed in the work area.

Exposure scenarios: There are no exposure scenarios

implemented for this product.

Exposure limits: Professional users are subjected to the

legally set maximum concentrations for occupational exposure. See occupational

hygiene limit values above.

Appropriate technical measures: The formation of vapours must be kept at a

minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash



| and emergency showers are clearly marked.    |
|--|
| Apply standard precautions during use of the |

product. Avoid inhalation of vapours.

Hygiene measures: In between use of the product and at the end

of the working day all exposed areas of the body must be washed thoroughly. Always

wash hands, forearms and face.

*Measures to avoid environmental exposure:* No specific requirements.

# Individual protection measures, such as personal protective equipment

Generally: Use only UKCA marked protective equipment.

Respiratory Equipment:

| Туре                              | Class | Colour | Standards |  |
|-----------------------------------|-------|--------|-----------|--|
| No special when used as intended. |       |        |           |  |

Skin protection:

| Recommended       | Type/Category | Standards |  |
|-------------------|---------------|-----------|--|
| No special when   | -             | -         |  |
| used as intended. |               |           |  |

Hand protection:

| Material                         |   | Breakthrough time<br>(min.) | Standards |  |
|----------------------------------|---|-----------------------------|-----------|--|
| No special when used as intended | - | -                           | -         |  |

Eye protection:

| Туре           | Standards |  |
|----------------|-----------|--|
| No special who |           |  |

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1. Information on basic physical and chemical properties

Physical state:LiquidColour:BlueOdour / Odour threshold:SolventpH:3.0 - 4.0Density (g/cm³):1.002

Kinematic viscosity: Testing not relevant or not possible due to

the nature of the product.

Particle characteristics: Does not apply to liquids.

**Phase changes** 

Melting point/Freezing point (°C):

Testing not relevant or not possible due to

the nature of the product.



Softening point/range (waxes and pastes) (°C): Does not apply to liquids.

Boiling point (°C): Testing not relevant or not possible due to

the nature of the product.

Vapour pressure: Testing not relevant or not possible due to

the nature of the product.

Relative vapour density: Testing not relevant or not possible due to

the nature of the product.

Decomposition temperature (°C): Testing not relevant or not possible due to

the nature of the product.

Data on fire and explosion hazards

Flash point (°C): Testing not relevant or not possible due to

the nature of the product.

Flammability (°C): Testing not relevant or not possible due to

the nature of the product.

Auto-ignition temperature (°C): Testing not relevant or not possible due to

the nature of the product.

Lower and upper explosion limit (% v/v): Testing not relevant or not possible due to

the nature of the product.

Solubility

Solubility in water: Completely soluble

*n-octanol/water coefficient:* Testing not relevant or not possible due to

the nature of the product.

Solubility in fat (g/L): Testing not relevant or not possible due to

the nature of the product.

9.2. Other information

Other physical and chemical parameters: No data available.

Oxidizing properties: Testing not relevant or not possible due to

the nature of the product.

#### **SECTION 10: STABILITY AND REACTIVITY**

# 10.1. Reactivity

No data available.

#### 10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

#### 10.3. Possibility of hazardous reactions

None known.

# **10.4.** ▼ Conditions to avoid

Extremes of temperature Storage in the open is not recommended. Sunlight

# 10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.



# 10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

#### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

#### Serious eye damage/irritation

Based on available data, the classification criteria are not met.

### **Respiratory sensitisation**

Based on available data, the classification criteria are not met.

#### Skin sensitisation

Based on available data, the classification criteria are not met.

#### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Carcinogenicity

Based on available data, the classification criteria are not met.

#### Reproductive toxicity

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

### **STOT-repeated exposure**

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

#### Long term effects

None known.

#### **▼** Endocrine disrupting properties

This mixture/product does not contain any substances considered to have hormone-disrupting properties in relation to health.

#### Other information

2-butoxyethanol; 2-butoxyethanol; ethylene glycol monobutyl ether; ethylene glycol monobutyl ether; butyl cellosolve has been classified by IARC as a group 3 carcinogen.

#### **SECTION 12: ECOLOGICAL INFORMATION**

#### 12.1. Toxicity

No data available.



#### 12.2. Persistence and degradability

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

#### 12.3. Bioaccumulative potential

No data available.

# 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

#### **12.6.** ▼ Endocrine disrupting properties

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

#### 12.7. Other adverse effects

None known.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1. Waste treatment methods

Product is not covered by regulations on dangerous waste.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

#### **EWC** code

Not applicable.

# Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

#### **SECTION 14: TRANSPORT INFORMATION**

|      |   | 14.2<br>UN proper shipping name | 14.3<br>Hazard class(es) |   |   | Other information: |
|------|---|---------------------------------|--------------------------|---|---|--------------------|
| ADR  | - | -                               | -                        | - | - | -                  |
| IMDG | - | -                               | -                        | - | - | -                  |
| IATA | - | -                               | -                        | - | - | -                  |

<sup>\*</sup> Packing group

### **Additional information**

Not dangerous goods according to ADR, IATA and IMDG.

# 14.6. Special precautions for user

Not applicable.

#### 14.7. Maritime transport in bulk according to IMO instruments

<sup>\*\*</sup> Environmental hazards



No data available.

#### **SECTION 15: REGULATORY INFORMATION**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application: Restricted to professional users.

Pregnant women and women breastfeeding must not be exposed to this product. The risk, and possible technical precautions or design of the workplace needed to eliminate

exposure, must be considered.

*Demands for specific education:* No specific requirements.

SEVESO - Categories / dangerous substances: Not applicable.

**▼** Labelling of contents according to Detergents

Regulation (EC) No 648/2004: < 5%
• Preservation agent

(BENZISOTHIAZOLINONE)

Additional information: Not applicable.

Sources: The Health and Safety at Work etc. Act 1974

Regulations 2013.

Regulation (EC) No 648/2004 on detergents

as retained and amended in UK law. Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and

amended in UK law.

Regulation (EC) No 1272/2008 on

classification, labelling and packaging of substances and mixtures (CLP) as retained

and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained

and amended in UK law.

# 15.2. Chemical safety assessment

No

#### **SECTION 16: OTHER INFORMATION**

#### Full text of H-phrases as mentioned in section 3

H302, Harmful if swallowed.

H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H318, Causes serious eye damage.

H319, Causes serious eye irritation.

H332, Harmful if inhaled.

H400, Very toxic to aquatic life.



#### The full text of identified uses as mentioned in section 1

LCS "PW" = Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

PC 35 = Washing and Cleaning Products (including solvent based products)

#### Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne (European conformity)

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EuPCS = European Product Categorisation System

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as

modified by the Protocol of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

**UN = United Nations** 

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

#### Additional information

Not applicable.

# ▼ The safety data sheet is validated by

**Anglian Chemicals** 



#### Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products. It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification. Country-language: GB-en