### 1. IDENTIFICATION OF THE SUBSTANCE OR PREPARATION AND OF THE COMPANY

**Identification of Preparation:** Aqualite Heavy Duty Detergent.

Date of Safety Data Sheet: April 13, 2017
Use of Preparation: Cleaner

**Company Identification:** Agualite Chemical Inc.

950 Denison Street, Unit 13, Markham Ontario L3R 3K5

OFFICE:

Tel: 905 470 7538 Fax: 905 470 1564

**Company Emergency Telephone** 

Number

Emergency Phone: 905 470 7538

### 2. HAZARD IDENTIFICATION

**Emergency Overview:** 

OSHA / WHMIS 2015 Hazards

Classification of substance or mixture

GHS-US/Canadian classification:

**GHS Hazards** 

Acute Toxicity Category 4 (Oral) H302 Corrosive to Metal Category 1 H290 Skin Corrosive Category 1A H314 Eye Damage Category 1 H318

**Label Elements** 

GHS-US/ Canada Labeling Hazard Pictograms (GHS):





Signal Word (GHS): Danger Hazard Statements (GHS):

H290 – May be corrosive to metals.

H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

H318 – Causes serious eye damage. **Precautionary Statements (GHS)**:

P260: Do not breathe mist, spray, and vapours.

P280: Wear face protection, protective clothing, protective gloves, and eye protection.

**Response Statements (GHS):** 

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated

clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

P315: Get immediate medical advice/attention. P363 Wash contaminated clothing before re-use.

P501: Dispose of contents / container in accordance with local regulations.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Description: Chemical Blend

Ingredient	CAS#	% by Wt	Classification
Alanine, N,N-bis(carboxymethyl)-, trisodium salt	164462-16-2	7-15	Acute Toxicity Category 4 (Oral) - H302
Sodium Hydroxide	1310-73-2	7-15	Corrosive to Metals Category 1 - H290 Acute Toxicity Category 2 (Oral) - H300 Skin Corrosion / Irritation Category 1A – H314 Serious Eye Damage / Eye Irritant Category 1– H318 Aquatic Hazard (Acute) Category 3 – H402

### 4. FIRST AID MEASURES

**Inhalation:** Remove to fresh air. If symptoms persist consult physician.

**Eye Contact:** Remove contacts. Flush with water for at least 20 minutes, occasionally lifting the

upper and lower eyelids. Repeat if required. If irritation persists, get medical

attention.

**Skin Contact:** Thoroughly wash exposed skin with soap and water. Remove any contaminated

clothing and wash before reuse.

**Ingestion:** Wash out mouth with water. Drink plenty of water. Do not induce vomiting unless

directed by medical personal. Never give anything to an unconscious person. Get

medical aid.

**Notes to Physician:** Treatment based on judgment of attending physician.

#### 5. FIRE FIGHTING MEASURES

Suitable extinguishing media: Flood with water for extinguishing agent. CO2, dry chemical, alcohol resistant

foam

Unsuitable extinguishing media: None known.

**Special exposure hazards**Thermal decomposition releases irritating gases.

**Special safety equipment:** Self-contained positive pressure breathing apparatus and protective clothing.

Fire and explosion Not flammable. Not an explosive hazard.

**Further information** Keep containers and surrounding cool with water spray.

### 6. ACCIDENTAL RELEASE MEASURES

# SAFETY DATA SHEET

# **Aqualite Heavy Duty Detergent.**

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Do not get in eyes, on skin, or on clothing. Do not breathe vapour or mist.

For Non-Emergency Personnel

**Protective Equipment:** Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Personnel

**Protective Equipment:** Equip cleanup crew with proper protection.

Emergency Procedures: Ventilate area.

**Environmental Precautions** 

Prevent entry to sewers and public waters.

Methods and Material for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for Cleaning Up: Clear up spills immediately with absorbent and dispose of waste safely.

Reference to Other Sections

See Heading 8. Exposure controls and personal protection.

### 7. HANDLING AND STORAGE

# Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

### Information about fire and explosion protection:

Keep respiratory protective device available.

No special measures required.

# Conditions for safe storage, including any incompatibilities:

**Storage:** Acids, oxidizers, reducing agents.

# Requirements to be met by storerooms and receptacles:

Store in a cool location.

Unsuitable material for receptacle: steel.

Unsuitable material for receptacle: aluminium.

Avoid storage near extreme heat, ignition sources or open flame.

### Information about storage in one common storage facility:

Do not store together with strong acids.

Store away from reducing or oxidizing agents.

Store away from foodstuffs.

#### Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Store receptacle in a well-ventilated area.

Keep container tightly sealed.

**Specific end use(s)** No further relevant information available.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Hand protection:** Chemical resistant gloves.

**Eve protection:** Safety goggles or full face shield.

**Skin protection:** Use body-covering impervious clothing.

Date: April 13, 2017 SDS: Aqualite Heavy Duty Detergent.

**Working hygiene:** Take usual precautions when handling. Workers should wash hands before

eating, drinking or smoking.

**Exposure Guidelines:** 

**Sodium Hydroxide:** ACGIH Ceiling 2 mg/m<sup>3</sup> OSHA

PEL (TWA) 2 mg/m<sup>3</sup>

### 9. PHYSICAL AND CHEMICAL PROPERTIES

### **Physical and Chemical Properties**

Physical State Red Liquid.

**Appearance** Clear. **Odour** Typical

ColourRed.Odour ThresholdNo data available.

<u>Property</u> <u>Values</u> <u>Remarks/Method</u>

13 None known pН **Melting/Freezing Point** No data available None known **Boiling Point/Range** No data available None known Flash Point Not applicable. None known **Evaporation Rate** Similar None known Not flammable Flammability (solid, gas) None known

Flammability Limit in Air:

Upper LimitNo data availableNone knownLower LimitNo data availableNone knownVapour PressureNo data availableNone knownVapour densityNo data availableNone known

Specific Gravity 1.24 g/cm3

Water Solubility Soluble in water. None known Solubility Other Solvents No data available None known

Partition Coefficient:

n-octanol/waterNo data availableNone knownAutoignition temperatureNo data availableNone knownDecompositionNo data availableNone known

Temperature

Kinematic Viscosity

Dynamic Viscosity

No data available

None known

No data available

**Other Properties:** 

Softening PointNo data availableVOC Content %No data availableParticle SizeNo data availableParticle Size DistributionNo data available

# 10. STABILITY AND REACTIVITY

**Reactivity** None known.

Chemical stability

Stable under recommended handling and storage conditions (see

section 7).

Date: April 13, 2017 SDS: Aqualite Heavy Duty Detergent.

Thermal decomposition/conditions to

avoid:

No decomposition if used and stored according to specifications.

**Possibility of hazardous reactions**Hazardous polymerization will not occur.

Conditions to avoid Extremely high or low temperatures. Contact with metallic

substances.

Hazardous decomposition products

Materials to avoid

Hazardous polymerization

Carbon oxides (CO, CO2). Sodium oxides.

Metals such as aluminum. Reducing agents. Strong acids.

Will not occur

### 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects Acute toxicity: Harmful if swallowed.

LD/LC50 values relevant for classification:

No data available.

On the skin: Causes severe skin irritation and eye damage. (PH: 13.0).

On the eye: Causes serious eye damage. (PH: 13.0) Respiratory or Skin Sensitization: Not classified.

Additional toxicological information:

Carcinogenicity: Chemical Name IARC None NTP None

# 12. ECOLOGICAL INFORMATION

Toxicity:Not classifiedPersistence and Degradability:Not availableBioaccumulative Potential:Not availableMobility in Soil:Not available.

**Other Adverse Effects** 

**Other Information:** All of the organic components of this product are readily biodegradable.

### 13. DISPOSAL

Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national,

and international regulations.

**Ecology – Waste Materials:** Avoid release to the environment.

# 14. TRANSPORTATION INFORMATION

Canadian T.D.G.: Regulated Material (quantity under 1 litres can be shipped Limited Quantity)

Proper Shipping Name: Caustic Alkali liquid, N.O.S.

Contains: Sodium Hydroxide

Hazard Class: 8 ID Number: UN 1719 Packing Group: II



# **US DOT: Regulated material**

Proper Shipping Name: Caustic alkali liquid, N.O.S.

Contains: Sodium Hydroxide

Hazard Class: 8 ID Number: UN 1719 Packing Group: II



# Water Transportation (IMDG): Regulated Material

Proper Shipping Name: Caustic alkali liquid, N.O.S.

Contains: Sodium Hydroxide

Hazard Class: 8 ID Number: UN 1719 Packing Group: II



# Air Transportation (IATA): Regulated Material

Proper Shipping Name: Caustic alkali liquid, N.O.S.

Contains: Sodium Hydroxide

Hazard Class: 8 ID Number: UN 1719 Packing Group: II



# 15. REGULATORY INFORMATION

Occupational Health & Safety Regulations:

WHMIS 1988 Classification: Class D - Division 2B, Class E



**OSHA & WHMIS:** MSDS prepared pursuant to the Hazard Communication Standard (CFR29 1910.1200) and Canadian WHMIS regulations (Controlled Products Regulations under the Hazardous Products Act).

#### International Inventories

TSCA Complies
DSL/NDSL Complies
EINECS/ELINCS Complies
ENCS Complies
IECSC Complies

KECL -

PICCS Complies
AICS Complies

#### Legend:

**TSCA** - All components of this product are listed or are exempt or excluded from listing on the United States Toxic Substances Control Act Section 8(b) Inventory.

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

# **U.S. State Regulations**

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

NSRL or no significant risk level.

### **HMIS III Rating**

Health: 3 Hazard

Flammability: 0 Minimal Hazard

Physical: 0 Minimal Hazard

Personal Protection: C

SDS US (GHS HazCom 2012 and WHMIS 2015)

Date: April 13, 2017 SDS: Aqualite Heavy Duty Detergent.

# **16. OTHER INFORMATION**

Prepared By: Lizmar

551 Catchmore Road Campbellford, Ontario

KOL 1L0

Issuing Date: April 13, 2017

# Disclaimer:

The manufacturer warrants that this product conforms to its standard specification when used according to direction. To the best of our knowledge the information contained herein is accurate. However, we do not assume accuracy or completeness of the information contained herein.

Final determination of the suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

**End of Safety Data Sheet**