HOBART SLICER SELECTION GUIDE

BASE FEATURES

											01:dD, 01:dD
MODEL	HS9	HS9N	HS8	HS8N	HS7	HS7N	HS6	HS6N	EDGE12	EDGE13	EDGE13A
USAGE	Continuous Use	4 Hours or Less per Day	4 Hours or Less per Day	4 Hours or Less per Day							
BLADE SIZE	13" Cobalt	12" Carbon Steel	13" Carbon Steel	13" Carbon Steel							
MOTOR	1/2 HP	1/2 HP	1/2 HP								
BASE CONSTRUCTION	Anodized Aluminum	Anodized Aluminum	Anodized Aluminum	Anodized Aluminum	Polished Aluminum	Polished Aluminum	Polished Aluminum	Polished Aluminum	Anodized Aluminum	Anodized Aluminum	Anodized Aluminum
REMOVABLE BLADE	~		~		~		~				
AUTOMATIC SLICING	~	~			~	~					~
MANUAL SLICING	~	~	~	~	~	~	~	~	~	✓	✓
AUTO SHUT OFF (30 seconds)	~	~	~	~							
SLICE THICKNESS	1"	1"	1"	1"	1"	1"	1"	1"	9/16"	9/16"	9/16"
CUTTING CAPACITY (Width / Diameter)	10.75" / 7.5"	10.75" / 7.5"	10.75" / 7.5"	10.75" / 7.5"	10.75" / 7.5"	10.75" / 7.5"	10.75" / 7.5"	10.75" / 7.5"	10" / 8"	9.5" / 8"	9.5" / 8"

ADVANCED FEATURES

MODEL	HS9	HS9N	HS8	HS8N	HS7	HS7N	HS6	HS6N	EDGE12	EDGE13	EDGE13A
NO VOLT RELEASE	~	~	~	~	~	~	~	~	~	~	~
HOME TO START	~	~	~	~	~	~					
CLOSE TO STOP	~	~	~	~							
AUTO OFF	~	~	~	~							
GAUGE PLATE INTERLOCK	~	~	~	~						~	~