CCCOTM | AX5400 Whole Home Mesh Wi-Fi 6 System

AX5400 Whole Home Mesh Wi-Fi 6 System

Superior Mesh Wi-Fi, Everywhere










Highlights

Al-Driven Mesh, Customized Wi-Fi for You

Armed with Al-Driven Mesh technology, Deco X75 automatically learns and improves itself from experience. This provides the ideal mesh Wi-Fi unique to your home and network environment. Walk through your home and enjoy seamless streaming at the fastest possible speeds.



•	Improved	Capacity	for More	Connections



Unrivaled Wi-Fi 6 Speeds up to 5400 Mbps[†]



Wi-Fi Dead-Zone Killer

Eliminate weak signal areas with clearer, stronger whole home Wi-Fi generated from Wi-Fi 6. No more searching around for a stable connection.[^]



Seamless Roaming with One Wi-Fi Name Deco units work together to form a unified network with a single network name. Walk through your home and stay connected with the fastest possible speeds.[‡]



TP-Link HomeShield

TP-Link's premium security services keep your home network safe with cutting-edge features for network and IoT protection.*



Network Protection Detect cyber threats to keep your privacy and connected devices well protected.




Parental Controls

Manage online time and block inappropriate content to keep families healthy online.



Quality of Service (QoS) Prioritize your bandwidth needs to get a faster networking experience.





Comprehensive Reports Gain full statistics and insights to help you know your home network better.

TP-Link AX5400 Whole Home Mesh Wi-Fi 6 System Deco X75

Features



Wi-Fi Speed

Faster Wi-Fi speed with stronger whole home Wi-Fi generated from Wi-Fi 6

- Superior Wireless Speed Combines wireless speeds up to 2402 Mbps both over 5 GHz (1) and 5 GHz (2), and 574 Mbps over 2.4 GHz
- More Devices Connected Connects up to 200 Devices[†]



TP-Link HomeShield

TP-Link's premium security services keep your home network safe with cutting-edge features for network and IoT protection.[§]

- Network Protection Detects cyber threats to keep your privacy
 Auto Connection Test Tests the internet connection of your Decos and helps to identify a suitable location for them
- Parental Controls Manages online time and blocks inappropriate content to keep families healthy online
- Quality of Service (QoS) Prioritizes your bandwidth needs to get a faster networking experience
- Comprehensive Reports– Gains full statistics and insights to help you know your home network better

Note: HomeShield includes the Free Basic Plan. Fees apply for the Pro Plan. Visit https://www.tp-link/homeshield for more information.



Security

Safeguard your home network with a firewall and wireless encryption

- Encryption for Secure Network WPA/WPA2/WPA3 encryptions provide active protection against security threats
- Firewall Protects your network devices from malicious attacks
- Blacklist Add specific devices to blacklist to protect your network from unauthorized users



Two Modes in One

Choose the Wireless Router mode or Access Point mode for your network needs

- Wireless Router Mode Creates an instant private wireless network
- Access Point Mode Creates Wi-Fi access for any existing wired network



Easy Setup by Deco App

Easily set up Decos and find the ideal spot to place each unit

- Remote Management Manages your Deco network from a smartphone or tablet via the app, no matter where you find yourself
- Online Upgrade Keeps informed of the latest firmware updates



Work with All Deco Models

Form a Mesh network with your desired Deco models

- Compatible with All Deco Models All Deco models can work together. Just expand Mesh Wi-Fi coverage anytime by adding more Decos
- Deco Mesh Technology Eliminates dead zones and provides uninterrupted WiFi throughout your home


Specifications

Hardware

- Ethernet Port: 3 Gigabit ports per Deco unit (WAN/LAN auto-sensing)
- Button: 1 RESET button on the underside
- · Antenna: 4 high-gain antennas
- Power Consumption (with power adapter): 30 W max
- Dimensions (W \times D \times H): 4.1 \times 4.1 \times 6.7 in (105 \times 105 \times 169 mm)
- Power Adapter Input: 100-240 V ~ 50/60 Hz 0.8 A
- Power Adapter Output: 12 V == 2 A

Wireless

- · Wireless Standards: IEEE 802.11a/n/ac/ax 5 GHz, IEEE 802.11b/g/n/ax 2.4 GHz
- · Mesh protocol: 802.11k/v/r
- Frequency: 2.4 GHz and 5 GHz
- Signal Rate: 2402 Mbps on 5 GHz (1) + 2402 Mbps on 5 Mbps on 2.4 GHz⁺
- Transmit Power: FCC: <30 dBm(2.4 GHz), <30 dBm(5 GHz
- Wireless Security: WPA/WPA2-PSK/WPA3 encryptions



Software

- Working Mode: Router, Access Point
- WAN Type: Dynamic IP/Static IP/PPPoE/L2TP/PPTP
- DHCP: Server
- Protocols: Supports IPv4 and IPv6
- Guest Network: 2.4 GHz Guest Network×1, 5 GHz Guest N
- Features: TP-Link HomeShield, BSS Color⁴, OFDMA⁴, HE1 MU-MIMO^A, Optional Ethernet Backhaul, Assisted Setup, Reservation, Port Forwarding, TP-Link DDNS, IPTV, IPv6, F LED Control
- · Management: Local Management; Remote Management; Multi-Managers

Attention: This device may only be used indoors in Great Britain.

Attention: This device may only be used indoors in all EU member states, EFTA countries and Northern Ireland.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Specifications are subject to change without notice. All the brands and product names are trademarks or registered trademarks of their respective holders. Copyright ©2021 TP-Link Corporation Limited. All rights reserved. †Maximum wireless signal rates are the physical rates derived from IEEE Standard 802.11 specifications. Actual wireless data throughput, wireless da building materials, obstacles, volume and density of traffic, and client location.

^aUse of Wi-Fi 6 and other features including OFDMA, MU-MIMO, 1024-QAM, HE160, and BSS Color require clients to also support the corresponding features. The 160 MHz bandwidth may be unavailable in the 5 GHz band in some regions/countries due to regulatory restrictions. [‡]Clients need to support 802.11k/v/r and may require additional setup. Performance may vary depending on the client device.

*HomeShield includes the Free Basic Plan. Fees apply for the Pro Plan. Visit tp-link.com/homeshield for more information. ©2023 TP-Link

Others

	Certification: FCC, RoHS
	Environment: Operating Temperature: 0°C~40°C (32 °F~104 °F) Storage Temperature: -40°C~60°C (-40 °F~140 °F
GHz (2) + 574	Operating Humidity: 10%~90% RH Storage Humidity: 5%~90% RH
<u>z</u>)	Package Contents for Deco X75(1-pack): 1 Deco X75 unit 1 RJ45 Ethernet cable 1 Power adapter 1 Quick Installation Guide
	Package Contents for Deco X75(2-pack): 2 Deco X75 units 1 RJ45 Ethernet cable 2 Power adapters 1 Quick Installation Guide
	Package Contents for Deco X75(3-pack): 3 Deco X75 units 1 RJ45 Ethernet cable
letwork×1	3 Power adapters
60^, 1024-QAM^, Address Firewall Rules,	1 Quick Installation Guide

www.tp-link.com TP-Link AX5400 Whole Home Mesh Wi-Fi 6 System Deco X75