



## Certificate of Analysis

**Product:** Trilogia Rested 10 ml

**Mfg. Date:** June 2020

Item	Result	Specification	Units	Method
Material	Medium Viscosity Liquid	Medium Viscosity Liquid	NA	Organoleptic
<b>Heavy Metals</b>				
Arsenic	0.014	< 4	ppm	ICP-MS
Cadmium	0.001	< 4	ppm	ICP-MS
Lead	0.035	< 4	ppm	ICP-MS
Mercury	< 0.001	< 2	ppm	ICP-MS
<b>Complete Microbial</b>				
Total Plate Count	< 10	< 10 <sup>6</sup>	CFU/g	USP <2021>
Coliforms	< 3	< 10 <sup>4</sup>	MPN/g	FDA BAM
E. Coli	< 3	< 10	MPN/g	FDA BAM
Staph A.	Negative	Negative	Per 10 grams	USP <2022>
Salmonella	Negative	Negative	Per 10 grams	USP <2022>
Yeast	< 100	< 10 <sup>4</sup>	CFU/g	USP <2021>
Mold	< 100	< 10 <sup>4</sup>	CFU/g	USP <2021>

QC Approved: \_\_\_\_\_  
Saytchyn Maddux-Creech, Pulpo

Date: 2.18.22