

SAFETY DATA SHEET



Date Prepared: 12/20/2019
Product SKU: KSDB01

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT DESCRIPTION: Kiara Sky Dip Essential Bond

MANUFACTURER

Kiara Sky Professional Nails Inc.
8700 Swigert Ct. Ste. 109-209
Bakersfield, CA 93311

Emergency Contact: CHEMTEL
Emergency Phone: (800)255-3924
Outside of U.S.: (813)248-0585
Company Number: (661)393-4800

Contract: MIS2294037

2. HAZARDS IDENTIFICATION

GHS CLASSIFICATIONS

Health:

Serious Eye Damage/Irritation, Category 2A
Target Organ Toxicity (Single exposure) - Narcotic Effects, Category 3

Physical:

Flammable Liquids, Category 2

GHS LABEL ELEMENTS



Exclamation
mark



Flame

SIGNAL WORD: DANGER

HAZARD STATEMENTS

H225: Highly flammable liquid and vapor.
H319: Causes serious eye irritation.
H336: May cause drowsiness or dizziness.

PRECAUTIONARY STATEMENT(S)

Prevention:

P210: Keep away from heat/sparks/open flames/hot surfaces. – No smoking.
P271: Use only outdoors or in a well-ventilated area.
P280: Wear protective gloves/protective clothing/eye protection/face protection.
P233: Keep container tightly closed.
P243: Take precautionary measures against static discharge.
P261: Avoid breathing dust/fume/gas/mist/vapors/spray.
P264: Wash skin and hands thoroughly after handling.

Response:

P370: In case of fire: Use dry chemical, foam or carbon dioxide to extinguish.

SAFETY DATA SHEET



Date Prepared: 12/20/2019
Product SKU: KSDB01

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P313+ P373: If eye irritation persists: Get medical advice/attention.

P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

P312: Call a POISON CENTER or doctor/physician if you feel unwell.

Storage:

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P403+P235: Store in a well-ventilated place. Keep cool.

P405: Store locked up.

Disposal:

7944L5O1: Dispose of in a manner consistent with federal, state, and local regulations.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Wt.%	CAS
Ethyl Acetate	100	141-78-6

4. FIRST AID MEASURES

EYES: Immediately flush eyes with plenty of water for at least 15 minutes. If easy to do so, remove contact lenses. Get immediate medical attention.

SKIN: Wash with soap and water. Get medical attention if irritation develops or persists.

INGESTION: If swallowed, do not induce vomiting. Keep individual calm. Get medical attention and show container label.

INHALATION: Remove to fresh air. Get medical attention if breathing is difficult.

SIGNS AND SYMPTOMS OF OVEREXPOSURE

EYES: Causes serious eye irritation.

SKIN: May cause skin dryness and cracking.

SKIN ABSORPTION: No data available on this product.

INGESTION: Do not induce vomiting. Get immediate medical attention and show container label.

INHALATION: May cause temporary dizziness, headache and possible nausea if used in poorly ventilated area.

ACUTE TOXICITY: May cause skin dryness and cracking. May irritate and cause redness and pain

CHRONIC EFFECTS: Frequent or prolonged contact may irritate the skin and cause a skin rash (dermatitis).

5. FIRE FIGHTING MEASURES

GENERAL HAZARD: Flammable liquid and vapor.

EXTINGUISHING MEDIA: Use dry chemical, foam or carbon dioxide.

HAZARDOUS COMBUSTION PRODUCTS: Combustible by-products of carbon monoxide and dioxide.

EXPLOSION HAZARDS: Vapors may cause a flash fire or ignite explosively. Vapors may travel considerable distance to a source of ignition and flash back. Prevent buildup of vapors or gases or explosive concentrations.

FIRE FIGHTING PROCEDURES: Avoid using large quantities of water.

FIRE FIGHTING EQUIPMENT: As in any fire, wear self-contained breathing apparatus pressure-demand, (MSHA/NIOSH

SAFETY DATA SHEET



Date Prepared: 12/20/2019
Product SKU: KSDB01

approved or equivalent) and full protective gear.

FIRE EXPLOSION: Containers may rupture violently under fire temperatures. Cool containers with water if exposed to fire conditions.

SENSITIVE TO STATIC DISCHARGE: Electrostatic charges may be generated during pumping. Ground all containers.

SENSITIVITY TO IMPACT: None known.

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon monoxide or carbon dioxide.

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Ventilate area and remove sources of ignition. Confine and remove with inert absorbent then place in appropriate waste container.

LARGE SPILL: Dike area to contain spill. Take precautions as necessary to prevent contamination of ground and surface waters. Recover spilled material on adsorbent, such as sawdust or vermiculite, and sweep into closed containers for disposal. After all visible traces, including ignitable vapors, have been removed thoroughly wet vacuum the area. Do not flush to sewer. If area of spill is porous, remove as much contaminated earth and gravel, etc. as necessary and place in closed containers for disposal.

ENVIRONMENTAL PRECAUTIONS

WATER SPILL: Do not release to the environment.

LAND SPILL: Do not release to the environment.

AIR SPILL: Do not release to the environment.

SPECIAL PROTECTIVE EQUIPMENT: Wear a self-contained breathing apparatus and appropriate personal protective equipment. (See Exposure Controls/Personal Protection Section).

7. HANDLING AND STORAGE

GENERAL PROCEDURES: Avoid breathing of vapors. Use only in well ventilated areas. When handling, do not eat, drink or smoke.

HANDLING: Use with adequate ventilation. Avoid contact with eyes, skin and clothing.

STORAGE: Store in a cool, well-ventilated area of low fire risk. Spray mist and vapors are flammable.

STORAGE TEMPERATURE: Ambient room temperature (70°F/21°C).

LOADING TEMPERATURE: No data available on this product.

LOADING/UNLOADING VISCOSITY: No data available on this product.

STORAGE PRESSURE: No data available on this product.

SPECIAL SENSITIVITY: None known.

ELECTROSTATIC ACCUMULATION HAZARD: Take measures to prevent the build up of electrostatic charge.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

SAFETY DATA SHEET



Date Prepared: 12/20/2019
Product SKU: KSDB01

EXPOSURE GUIDELINES

OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200)										
				EXPOSURE LIMITS						
				OSHA PEL		ACGIH TLV		Supplier OEL		
Chemical Name				ppm	mg/m ³	ppm	mg/m ³	ppm	mg/m ³	
Ethyl Acetate				TWA	400 ppm	1400	400 ppm	1440	NL	NL
				STEL					NL	NL

ENGINEERING CONTROLS:

CHEMICAL	OSHA	ACGIH (TLV)
Ethyl acetate	400 ppm	400 ppm

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: Avoid contact with eyes.

SKIN: Wear chemical resistant gloves (Buna-N or Polyvinyl alcohol) and apron to protect skin and clothing.

RESPIRATORY: If ventilation is not adequate, wear NIOSH approved respiratory protection.

PROTECTIVE CLOTHING: Wear protective clothing. Launder contaminated clothing before reuse.

WORK HYGIENIC PRACTICES: Avoid direct contact and breathing vapor. Use with adequate ventilation. Wash hands with soap and water after use.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Liquid

ODOR: Sweet, ester.

ODOR THRESHOLD: 3.9 ppm

APPEARANCE: Clear, Colorless liquid

COLOR: Clear, transparent.

pH: No data available on this product.

PERCENT VOLATILE: No data available on this product.

FLASHPOINT AND METHOD: -4°C (26°F) TCC

FLAMMABLE LIMITS: No data available on this product.

AUTOIGNITION TEMPERATURE: 427°C (800.6°F)

VAPOR PRESSURE: 99 mmHg at 20°C (68°F)

VAPOR DENSITY: 3 (Air=3)

BOILING POINT: 77°C (170°F) to 78°C (172°F)

FREEZING POINT: -83°C

MELTING POINT: No data available on this product.

POUR POINT: No data available on this product.

THERMAL DECOMPOSITION: No data available on this product.

SAFETY DATA SHEET



Date Prepared: 12/20/2019
Product SKU: KSDB01

SOLUBILITY IN WATER: Moderate
EVAPORATION RATE: 4.1
SPECIFIC GRAVITY: 0.902 at 20°C
VISCOSITY #1: < 5 Centipoise
COEFF. OIL/WATER: No data available on this product.
(VOC): 900 g/L

10. STABILITY AND REACTIVITY

STABLE: Yes
HAZARDOUS POLYMERIZATION: No
STABILITY: Stable.
POLYMERIZATION: Will not occur.
CONDITIONS TO AVOID: Heat, sparks and flame.
POSSIBILITY OF HAZARDOUS REACTIONS: Under normal conditions of storage and use, hazardous reactions will not occur.
HAZARDOUS DECOMPOSITION PRODUCTS: Carbon monoxide, dioxide.
INCOMPATIBLE MATERIALS: Strong oxidizing agents.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY

SERIOUS EYE DAMAGE/IRRITATION: None known.
SKIN CORROSION/IRRITATION: None known.
CHRONIC: Repeated exposure may cause skin dryness or cracking.
SUBCHRONIC: No data available on this product.
GERM CELL MUTAGENICITY: Prevent contamination of soil, drains and water surfaces. Dike and contain material.
 Soak up residue with absorbent (Clay, sand) materials and dispose properly.

CARCINOGENICITY:

IARC: Not listed.
NTP: Not listed.
OSHA: Not listed.
NOTES: This product is not considered to be carcinogenic by IARC, ACGIH, NTP, or OSHA.

IRRITATION: May cause eye irritation, skin irritation and irritation of respiratory tract.

REPRODUCTIVE TOXICITY: None known.

STOT-SINGLE EXPOSURE: Inhalation- vapor: May cause drowsiness or dizziness.

STOT-REPEATED EXPOSURE: None known.

GENETIC EFFECTS: None known.

SAFETY DATA SHEET



Date Prepared: 12/20/2019
Product SKU: KSDB01

ASPIRATION HAZARD: Not applicable.

TARGET ORGANS:

Chemical	Health Effect	Target Organ
Ethyl acetate	Irritant/Dizziness	Skin/Respiratory system

TERATOGENIC EFFECTS: No data available on this product.

MUTAGENICITY: No data available on this product.

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: This product is readily biodegradable. Do not release into surface waters.

ECOTOXICOLOGICAL INFORMATION: This material is a water pollutant and should be prevented from contaminating soil or from entering sewage and drainage systems or bodies of water.

BIOACCUMULATION/ACCUMULATION: Potential to bioaccumulate is low.

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Dispose of following all Local Authority requirements for disposal.

FOR LARGE SPILLS: Prevent contamination of soil, drains and surface waters. Dike and contain material. Soak up residue with absorbent (clay, sand) materials and dispose of properly.

EMPTY CONTAINER: Dispose of following all Local Authority requirements for disposal.

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

PROPER SHIPPING NAME: UN1173, ETHYLACETATE, 3, II (LTD QTY, IP VOL LESS THAN OR EQUAL TO 1.0L)

AIR (ICAO/IATA)

SHIPPING NAME: ID8000, CONSUMER COMMODITY, 9 (IP VOL LESS THAN OR EQUAL TO 0.5L; or UN1173, ETHYL ACETATE, 3, II.

VESSEL (IMO/IMDG)

SHIPPING NAME: UN1173, ETHYL ACETATE, 3, II

15. REGULATORY INFORMATION

UNITED STATES

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

FIRE: Yes **PRESSURE GENERATING:** No **REACTIVITY:** No **ACUTE:** Yes **CHRONIC:** No

CERCLA (COMPREHENSIVE RESPONSE, COMPENSATION, AND LIABILITY ACT)

Chemical Name	Wt. %	CERCLA RQ
Ethyl Acetate	100	5,000 lbs.

TSCA (TOXIC SUBSTANCE CONTROL ACT)

TSCA STATUS: All ingredients in this mixture are in compliance with TSCA.

CALIFORNIA PROPOSITION 65: No California Proposition 65 ingredients are known to be in this product.

SAFETY DATA SHEET



Date Prepared: 12/20/2019
Product SKU: KSDB01

16. OTHER INFORMATION

TITLE: Regulatory Department


PREPARED BY: Product Safety **Date Revised** 12/20/2019

REVISION SUMMARY: This SDS replaces the 06/15/2019 SDS.

HMIS RATING

HEALTH	<input type="checkbox"/>	2
FLAMMABILITY		3
PHYSICAL HAZARD		0
PERSONAL PROTECTION	<input type="checkbox"/>	

NFPA CODES



MANUFACTURER DISCLAIMER:

To the best of our knowledge, the information contained herein is accurate. However, Kiara Sky Professional Nails Inc., does not assume any liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist.