



Seasonal Lawn Program
"Benchmark"

SPRING

Timing	September	October	November
Week 1	Soil Testing ProTurf Granular Fertiliser TriSmart & Blade (tank-mix)	Spring Lawn Renovation TriSmart & Blade (tank-mix)	ProTurf Granular Fertiliser TriSmart & Blade (tank-mix)
Week 2	Grub Control (Acelepryn) Pre-Emergent Herbicide (Spartan)		
Week 3	Stressbuster	Stressbuster	Stressbuster (can be tank mixed with PGR)
Week 4	Post-Emergent Herbicide		

Notes:

- Soil Testing should be carried out to start the season. Any pH issues or nutrient deficiencies can then be rectified during the Spring Lawn Renovation. You can purchase a [DIY Soil Test Kit](#) or you can get a full analysis with recommendations done via LCA. Please email info@lawncareaustralia.com for further details.
- You should aim to irrigate your lawn with 25mm of water each week in growing season. If you undertake a Spring Lawn Renovation, you may need to switch to shallow watering, more often to aid in recovery.
- Timing of the Grub Prevention and Pre-emergent Herbicide can also change to coincide with your Spring Lawn Renovation (after you topdress). You just don't want to leave it until too late in October as you would have missed the window for Summer weed germination.



Seasonal Lawn Program
"Benchmark"

SUMMER

Timing	December	January	February
Week 1	TriSmart & Blade (tank-mix)	ProTurf Granular Fertiliser TriSmart & Blade (tank-mix)	TriSmart & Blade (tank-mix)
Week 2		Grub Control (Acelepryn)	
Week 3	Stressbuster (can be tank mixed with PGR)	Stressbuster (can be tank mixed with PGR)	Stressbuster (can be tank mixed with PGR)
Week 4			

Notes:

- If using Plant Growth Regulator (PGR), this should be applied every 3-4 weeks in season depending on local temperatures. For best results, tank mix with Stressbuster to reduce any yellowing. PGR should only be applied to turf with full coverage.
- You should aim to irrigate your lawn with 25mm of water each week in growing season. If you have particularly hot weather, you can increase the watering. Likewise, if you get some rain, you can back off your watering over those periods.



Seasonal Lawn Program
"Benchmark"

AUTUMN

Timing	March	April	May
Week 1	ProTurf Granular Fertiliser TriSmart & Blade (tank-mix)	TriSmart & Blade (tank-mix)	ProTurf Granular Fertiliser TriSmart & Blade (tank-mix)
Week 2	Pre-emergent Herbicide		
Week 3	Stressbuster (can be tank mixed with PGR)	Stressbuster (can be tank mixed with PGR)	Stressbuster
Week 4			

Notes:

- If using Plant Growth Regulator (PGR), this should be applied every 3-4 weeks in season depending on local temperatures. For best results, tank mix with Stressbuster to reduce any yellowing. PGR should only be applied to turf with full coverage.

Pre-emergent Herbicide may need to be applied earlier if you are in a part of Australia where temperatures drop sooner than other regions.

Pre-emergent Herbicides can also be tank mixed with TriSmart.



Seasonal Lawn Program
"Benchmark"

WINTER

Timing	June	July	August
Week 1	TriSmart & Blade (tank-mix)	ProTurf Granular Fertiliser TriSmart & Blade (tank-mix)	TriSmart & Blade (tank-mix)
Week 2			
Week 3	Stressbuster	Stressbuster	Stressbuster
Week 4			

Notes:

- Winter water requirements are far less than what your lawn required in growing season. You can get away with one watering per fortnight. Be sure to water in the early morning to avoid encouraging fungal disease.