

Koyorad Universal Coolers

Engine Oil · Power Steering · Transmission Gear Box · Differential
Available in Five Sizes

Part #	Rows	Dimensions (excludes brackets)	Volume
XC101103W	10	11.25" x 3" x 2"	0.28 qt. (9 fl.oz.)
XC151405W	15	14" x 4.5" x 2"	0.47 qt. (15 fl.oz.)
XC191106W	19	11.25" x 5.75" x 2"	0.50 qt. (16 fl.oz.)
XC251108W	25	11.25" x 7.5" x 2"	0.63 qt. (20 fl.oz.)
XC351111W	35	11.25" x 11" x 2"	0.97 qt. (31 fl.oz.)

Koyorad universal coolers are highly advanced, drawn-cup style heat exchangers which are efficient, lightweight, and robust in build quality. Each were developed to effectively cool various automotive grade fluids such as: transmission, power steering, engine oil, and differential fluids. Koyorad universal coolers feature versatile -10 AN ORB (O-Ring Boss / O Ring Port) provisions at their inlets and outlets. These provisions easily adapt or reduce via AN to AN, or convert from AN to Push-Lock style barb fittings for any needs. Expect the same level of precision, quality and attention to detail as Koyorad all aluminum racing radiators. When you've invested so much into you engine, function and quality is paramount. Choose our all-new Koyorad universal coolers in combination with a Koyorad Racing Radiator for the best cooling system on the market.





Features:

- *Advanced Drawn Cup Construction*
- *Two -10 AN ORB (O-Ring Boss / O-Ring Port) provisions*
- *Koyorad embossed header plate*
- *Pressure Tested: 10 Bar*
- *Deformation Tested: 35 Bar*
- *Durable Black finish*

Koyorad Universal Coolers do not include hoses, adapter fittings or sandwich adapters. A general reference guide is provided below to assist in sourcing the correct adapter fittings and oil filter sandwich adapters for your application. The information should be used as a general guide only, and must be confirmed with a factory service manual and supplier of the parts below.



Adapter Brand	-10 ORB Koyorad to -10AN Male	-10 ORB Koyorad to -6AN Male	-10 ORB Koyorad to 3/8" barb
	Suggested Use: Engine Oil	Suggested Use: Power Steering	Suggested Use: Power Steering/ Transmission
Aeromotive	15608	15609	NA
Aeroquip	FCM2953	NA	NA
Earls	985010ERL	985061ERL	NA
Hayden	NA	NA	387
Jegs	110167	110165	NA
Magnafuel	MP-3007	MP-3021	NA
Moroso	22605	NA	NA
Pegasus	3604-10-10	3604-06-10	NA
Redhorse	920-10-10	920-06-10	NA
Russell	670710	670650	NA

Vibrant	16836	16828	NA
XRP	980010	980061	NA

Sandwich Plate Oil Filter Adapters

20mm x 1.5 Sandwich adapter applications	3/4 -16 UNF Sandwich adapter applications
<p> Acura (All) Honda (All) Mazda (All) Mitsubishi Turbo 4 Cyl. Cars (All) 03-08 Nissan 350Z 09-15 Nissan 370Z Nissan S14 SR20DET blacktop Nissan S15 SR20DET Subaru EJ20/EJ25 engines (All) </p>	<p> BMW w/ spin on filters (All) Nissan 89-94 240SX Nissan 95-98 240SX Nissan S13 SR20DET blacktop Nissan S13 SR20DET redtop Nissan RB20/25/26DET Toyota (All) Scion (All) </p>