
NOTES:


- 1. THE GLASS AND BASE SHOE COMPONENTS INSTALLED IN THE SHOWN CONFIGURATION MEET THE LOAD REQUIREMENTS SPECIFIED IN SECTION 9.8.8.2 AND 4.1.5.14.1(C) OF THE 2015 NBC AND THE 2012 OBC
- GLASS MUST BE 1/2" OR 12MM THICK AND MUST BE TEMPERED OR LAMINATED SAFETY GLASS INSTALLED ACCORDING TO THE REQUIREMENTS OF CAN/CGSB12.1-M
- 3. THE MATERIAL TO WHICH THE BASE SHOE IS BEING FASTENED MUST BE ABLE TO REASONABLY WITHSTAND THE DESIGN LOAD.
- 4. FASTENING OF THE BASE SHOE TO THE SUPPORT STRUCTURE IS TO BE DONE ON SITE WITH ADEQUATE FASTENERS THAT ARE ABLE TO WITHSTAND THE DESIGN LOAD.
- FOR FULL DIMENSIONS SEE GREY GOAD DRAWING AT GGSHARDWARE.COM



Fastners:

- 1/2" LDT ITW Red Head bolt for Concrete
- 1/2" Screw Bolt for Concrete
- 1/2" Hex Lag Bolt for Wood

FINISH	PART#
BRUSHED ANODIZED ALUMINIUM	ARCH6910TBAA
BRUSHED STAINLESS STEEL CALADDING	ARCH6910TBSS
MATTE BLACK ANODIZED ALUMINIUM CLADDING	ARCH6910TMBL
POLISHED STAINLESS STEEL CLADDING	ARCH6910TPSS



Glass Clamp Spacing: A= Maximum 1 ft




PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS
DRAWING IS THE SOLE PROPERTY OF GREY
GOAT SUPPLY LTD ANY REPRODUCTION IN
PART OR AS A WHOLE WITHOUT THE WRITTEN
PERMISSION OF GREY GOAT SUPPLY LTD IS
PROHIBITED

ARCH-LOC (Top Mount)

ARCH6910T

VISIT OUR WEBSITE FOR MORE INFO www.ggshardware.com






THE INFORMATION CONTAINED IN THIS
DRAWING IS THE SOLE PROPERTY OF GREY
GOAT SUPPLY LTD ANY REPRODUCTION IN
PART OR AS A WHOLE WITHOUT THE WRITTEN
PERMISSION OF GREY GOAT SUPPLY LTD IS
PROHIBITED

ARCH-LOC (Top Mount)

ARCH6910T

VISIT OUR WEBSITE FOR MORE INFO www.ggshardware.com






THE INFORMATION CONTAINED IN THIS
DRAWING IS THE SOLE PROPERTY OF GREY
GOAT SUPPLY LTD ANY REPRODUCTION IN
PART OR AS A WHOLE WITHOUT THE WRITTEN
PERMISSION OF GREY GOAT SUPPLY LTD IS
PROHIBITED

ARCH-LOC (Top Mount)

ARCH6910T

VISIT OUR WEBSITE FOR MORE INFO www.ggshardware.com






THE INFORMATION CONTAINED IN THIS
DRAWING IS THE SOLE PROPERTY OF GREY
GOAT SUPPLY LTD ANY REPRODUCTION IN
PART OR AS A WHOLE WITHOUT THE WRITTEN
PERMISSION OF GREY GOAT SUPPLY LTD IS
PROHIBITED

ARCH-LOC (Top Mount)

ARCH6910T

VISIT OUR WEBSITE FOR MORE INFO www.ggshardware.com






THE INFORMATION CONTAINED IN THIS
DRAWING IS THE SOLE PROPERTY OF GREY
GOAT SUPPLY LTD ANY REPRODUCTION IN
PART OR AS A WHOLE WITHOUT THE WRITTEN
PERMISSION OF GREY GOAT SUPPLY LTD IS
PROHIBITED


ARCH-LOC (Top Mount)


ARCH6910T


VISIT OUR WEBSITE FOR MORE INFO www.ggshardware.com

Corners:











PROPRIETARY AND CONFIDENTIAL


THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF GREY GOAT SUPPLY LTD ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF GREY GOAT SUPPLY LTD IS PROHIBITED


ARCH-LOC (Top Mount)

ARCH6910T

VISIT OUR WEBSITE FOR MORE INFO www.ggshardware.com

Aluminium Cladding









PROPRIETARY AND CONFIDENTIAL


THE INFORMATION CONTAINED IN THIS
DRAWING IS THE SOLE PROPERTY OF GREY
GOAT SUPPLY LTD ANY REPRODUCTION IN
PART OR AS A WHOLE WITHOUT THE WRITTEN
PERMISSION OF GREY GOAT SUPPLY LTD IS
PROHIBITED


ARCH-LOC (Top Mount)

ARCH6910T

VISIT OUR WEBSITE FOR MORE INFO www.ggshardware.com

Stainless Steel Cladding







PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS
DRAWING IS THE SOLE PROPERTY OF GREY
GOAT SUPPLY LTD ANY REPRODUCTION IN
PART OR AS A WHOLE WITHOUT THE WRITTEN
PERMISSION OF GREY GOAT SUPPLY LTD IS
PROHIBITED

ARCH-LOC (Top Mount)

ARCH6910T

VISIT OUR WEBSITE FOR MORE INFO www.ggshardware.com