

BASIC Runner #6



Runner 40" x 14 1/2"

BASIC Runner #6

A Center & Backing
1-3/8 yards

B Top & Bottom
1/4 yard

C Binding
3/8 yard

BASIC Runner #6

Please read all instructions carefully AND identify all fabrics before beginning.

All instructions include a 1/4" seam allowance and strips are cut selvage to selvage, unless stated otherwise.

1. Cut the following:

Fabric A - Referring to the runner image, fussy cut 1 piece 1/4" beyond top and bottom edges of stripe section to approximately 12" to 12-1/2" tall x 40-1/2" (the length of fabric parallel to selvage)

Set aside leftover fabric for backing

Fabric B - Cut (2) 2" strips, subcut (2) 2" x 40-1/2" strips

Fabric C - Cut (4) 2-1/2" strips (binding)

2. Piecing Order:

1. Stitch **Fabric B** 2" x 40-1/2 strips to long edges of the **Fabric A** piece. If desired, trim equal amounts from top and bottom edges so the unfinished runner is 15" tall.

2. The runner measures approximately 15" x 40-1/2" (unfinished). Make backing (**Fabric A**) approximately 6-8" larger than the top.

3. Attach binding (**Fabric C**) and enjoy!!

RUNNER LAYOUT

Arrow indicates orientation of directional print.




Table Runner Top - Make 1

Shading of diagram
may vary depending on fabrics used.