
Lake Escape

Quilt & Pillow Design by Cyndi Hershey





Fabric collection by Jetty Home for P&B Textiles

Quilt & Pillow designed by Cyndi Hershey

Skill level: Confident Beginner • Finished Quilt Size: approximately 58" x 58" • Finished Pillow Size: approximately 24" x 24"

Quilt Yardages:

Fabric A:	LESC 4517 PA	1 panel
Fabric B:	LESC 4520 DB	2/3 yard
Fabric C:	LESC 4521 MU	1 1/2 yards
Fabric D:	SERE 4492 DB	1 1/3 yards
Fabric E:	SERE 4492 LS	3/8 yard
Fabric F:	SERE 4492 LZ	5/8 yard
Fabric G:	SERE 4492 TB	1/2 yard
Backing:	LESC 4519 MU suggeste	ed4 yards
Batting		66" x 66"

Cutting Instructions:

Please read all instructions carefully before beginning. Strips are cut across the width of fabric (perpendicular to selvedges) unless otherwise stated. All seams are sewn with a 1/4" seam unless otherwise stated. Label all pieces.

From Fabric A:

 Cut panel blocks 12 1/2" square centering image within each block. Five blocks are used for quilt; one for pillow.

From Fabric B:

 Cut six 3 1/2" strips. Sew strips together end to end with diagonal seams. Press seams open. From this pieced strip, cut two 3 1/2" x 52 1/2" strips and two 3 1/2" x 58 1/2" strips. (Outer Border)

From Fabric C:

- Cut five 1 1/2" strips. Sew strips together end to end with diagonal seams. Press seams open. From this pieced strip, cut two 1 1/2" x 48 1/2" strips and two 1 1/2" x 50 1/2" strips. (Inner Border)
- From remaining fabric, cut four 9 1/8" strips on the length of the fabric (even with stripes). From each strip, cut two 45-degree triangles with the long sides measuring 18 1/4" tip to tip. Long sides will run parallel with stripes (see below). (Block B)



From Fabric D:

- Cut eight 2" strips. Cut twelve half-trapezoid shapes measuring 12 7/8" from straight edge to tip. Flip-flop cutting across the strip (see below). (Strip Triangles)
- 2. Cut seven 2 1/2" strips. (Binding)
- 3. Cut two 3 1/2" strips; subcut four trapezoids measuring 13 1/4" tip to tip. Flip-flop cutting across the strip (see below). (Block A)



From Fabric E:

 Cut five 2" strips. Cut twelve half-trapezoid shapes measuring 6 7/8" from straight edge to tip. Flip-flop cutting across the strip. Cut twelve half-trapezoid shapes at the opposite angle measuring 5 3/8" from straight edge to tip. (Strip Triangles)

From Fabric F:

- 1. Cut six 1 1/2" strips. Sew strips together end to end with diagonal seams. Press seams open. From this pieced strip, cut two 1 1/2" x 50 1/2" strips and two 1 1/2" x 52 1/2" strips. (Middle Border)
- 2. Cut one 7 1/4" strip; subcut one 7 1/4" square. Cut square diagonally in both directions to yield four quarter-square triangles. (Block A)
- Cut remainder of strip to 5 1/2" wide. Cut three 5 1/2" squares. Cut each square diagonally in both directions to yield twelve quarter-square triangles. (Strip Triangles)

From Fabric G:


Cut six 2" strips. Cut twelve half-trapezoid shapes measuring 9 7/8" from straight edge to tip. Flip-flop cutting across the strip. Cut twelve half-trapezoid shapes at the opposite angle measuring 8 3/8" from straight edge to tip. (Strip Triangles)

Piecing Instructions:


Strip Triangles

Sew one 5 3/8" E half-trapezoid to the top of one 5 1/2"
 F triangle as shown. Press toward E. Sew one 6 7/8" E half-trapezoid to the other side of the F triangle (Figure 1).


 Press toward E.



2. Sew one 8 3/8" G half-trapezoid to the top of the unit from Step 1. Press toward G. Sew one 9 7/8" G half-trapezoid to the other side of the unit (Figure 2). Press toward G.



 Sew one 11 3/8" D half-trapezoid to the side of the unit from Step 2. Press toward G. Sew one 12 7/8" D half-trapezoid to the other side of the unit. Press towards G. Repeat to make twelve Strip Triangles (Figure 3).



Block A

1. Sew one 7 1/4" F triangle to the top of one D trapezoid as shown. Press toward the triangle. Repeat to make four units (Figure 4).



- Sew one unit from Step 1 to opposite sides of one 12 1/2" panel block. Press seams open or toward the triangle. Sew two Step 1 units to the remaining sides of the block. Press.
- 3. Sew one Strip Triangle to opposite sides of the block from Step 2. Press seams open. Sew one Strip Triangle to the remaining sides of the block (Figure 5). Press.



Figure 5
Make one 24 1/2" Block.

Block B

 Sew one Strip Triangle to one C triangle. Press toward C. Repeat to make eight blocks (Figure 6).




Figure 6
Make eight 12 1/2" Blocks.

Quilt Assembly: (Refer to the Quilt Diagram)

- 1. Row 1: Sew two panel blocks with two Block B. Press seams open or to one side.
- Row 2: Sew two Strip Triangles together into a pair. Press seam open or to one side. Repeat. Sew one pair to both sides of Block A. Press seams open or to one side.
- 3. Row 3: Sew two panel blocks with two Block B. Press seams open or to one side.
- 4. Sew rows together and press well.
- Sew one 1 1/2" x 48 1/2" C strip to both sides of the quilt center. Press toward the strips. Sew one 1 1/2" x 50 1/2" C strip to the top and bottom of the quilt. Press toward the strips.
- 6. Sew one 1 1/2" x 50 1/2" F strip to both sides of the quilt. Press toward the strips. Sew one 1 1/2" x 52 1/2" F strip to the top and bottom of the quilt. Press toward the strips.
- 7. Sew one 3 1/2" x 52 1/2" B strip to both sides of the quilt. Press toward the strips. Sew one 3 1/2" x 58 1/2" B strip to the top and bottom of the quilt. Press toward the strips.

Finishing:

- Prepare backing by sewing two widths of fabric together. Do not include selvage. Press seam open. Trim to 66" x 66".
- 2. Layer quilt, batting, and backing. Baste layers together.
- 3. Quilt as desired.
- 4. Trim layers even with quilt top.
- Join seven 2 1/2" D binding strips with diagonal seams.
 Press seams open. Attach binding using your favorite method.
- 6. Make a label and sew to the back of the quilt.



Quilt Diagram

Pillow Yardages:

Fabric A:	LESC 4517 PA	1 block	
Fabric D:	SERE 4492 DB	1/2 yard	
Fabric E:	SERE 4492 LS	1/4 yard	
Fabric F:	SERE 4492 LZ	Fat Eighth	
Fabric G:	SERE 4492 TB	1/4 yard	
Backing:	LESC 4519 MU suggested	1 yard	
Additional supplies: one 24" pillow form			

Cutting Instructions:

Please read all instructions carefully before beginning. Strips are cut across the width of fabric (perpendicular to selvedges) unless otherwise stated. All seams are sewn with a 1/4" seam unless otherwise stated. Label all pieces.

From Fabric D:

- Cut four 2" strips. Cut four half-trapezoid shapes measuring 12 7/8" from straight edge to tip. Flip-flop cutting across the strip (see below). (Strip Triangles)
- 2. Cut four half-trapezoid shapes <u>at the opposite angle</u> measuring 11 3/8" from straight edge to tip in the same way (see below). (Strip Triangles)
- 3. Cut two 3 1/2" strips; subcut four trapezoids measuring 13 1/4" tip to tip. Flip-flop cutting across the strip (see below). (Block A)

From Fabric E:

Cut two 2" strips. Cut four half-trapezoid shapes measuring 6 7/8" from straight edge to tip. Flip-flop cutting across the strip. Cut four half-trapezoid shapes <u>at the opposite angle</u> measuring 5 3/8" from straight edge to tip. (Strip Triangles)

From Fabric F:

 Cut one 7 1/4" strip; subcut one 7 1/4" square. Cut square diagonally in both directions to yield four quarter-square triangles. (Block A)



2. Cut remainder of strip to 5 1/2" wide. Cut one 5 1/2" square. Cut square diagonally in both directions to yield four quarter-square triangles. (Strip Triangles)

From Fabric G:

Cut two 2" strips. Cut four half-trapezoid shapes measuring 9 7/8" from straight edge to tip. Flip-flop cutting across the strip. Cut four half-trapezoid shapes <u>at the opposite angle</u> measuring 8 3/8" from straight edge to tip. (Strip Triangles)

Backing:

1. Cut two 16 1/2" strips; subcut two 16 1/2" x 24 1/2" rectangles.

Piecing Instructions:

1. Refer to guilt instructions to construct one Block A.

Finishing:

- 1. Sew a double 1/4" hem on one long side of each backing rectangle.
- 2. With right sides together, place backing rectangles with pillow front matching raw edges. The hemmed edges of the rectangles will overlap.
- Sew around all sides and trim corners at an angle, if preferred, to reduce bulk. Turn pillow right side out and press well. Insert pillow form through opening on back.

Lake Escape

Fabric Collection by Jetty Home for P&B Textiles

Welcore to the lake













LESC 4517 PA*











LESC 4519 MU[†]







LESC 4520 DB*








SERE 4492 DB*



SERE 4492 TB*



LESC 4521 MU*

SERE 4492 LZ*