

3046

Time for Hot Cocoa

by Conrad Knutsen



Banner / Small Quilt: 29" x 54 1/2"



Time for Hot Cocoa

Please read all instructions carefully AND identify all fabrics before beginning.

All instructions include a 1/4" seam allowance and strips are cut selvage to selvage, unless stated otherwise.


1. Cut the following:

If using FAT CUTS, you may need to cut additional width-of-fabric strips.

Fabric A - PLEASE NOTE: Panels do not always print the size intended. For this pattern, panels have a coping border added then trimmed so they will fit the quilt correctly.


Fussy cut 1/4" beyond outside edges of 3 panels to approximately 7-1/2" x 15-1/2" and 3 panels to approximately 7-1/2" square

Fabric B - Referring to the quilt image, fussy cut strips, the length of fabric parallel to selvage: (2) 9-1/4" x 27" multi-stripe borders, 1 with word stripe on bottom and 1 with word stripe on top

Fabric C - Cut (1) 9-1/4" strip, subcut (2) 9-1/4" squares then cut in half diagonally twice  for 8 triangles

Fabric D - Cut (1) 2-1/2" strip, subcut (12) 2-1/2" squares

Fabric E - Cut (5) 2-1/2" strips (binding)
Cut (4) 1-3/4" strips, subcut (2) 1-3/4" x 32-1/2" and (2) 1-3/4" x 27" borders

Fabric F - Cut (1) 2-7/8" strip, subcut (12) 2-7/8" squares then cut in half diagonally  only as shown for 24 triangles


Fabric G - Cut (7) 1-1/4" strips, subcut (6) 1-1/4" x 16", (12) 1-1/4" x 10", and (6) 1-1/4" x 8" strips

Fabric H - Cut (4) 1-3/4" strips. Sew 2 strips together end to end and cut into (1) 1-3/4" x 52-1/2" and (1) 1-3/4" x 29-1/2" borders. Repeat for a total of 2 each length border.

NOTE: Not all Fabric C 9-1/4" triangles are used.


2. Piecing Order:

1. Stitch **Fabric G** 1-1/4" x 16" strips to sides of a **Fabric A** 7-1/2" x 15-1/2" panel. Trim strip ends even. Add 1-1/4" x 10" **Fabric G** strips to top and bottom of panel. **Trim bordered panel to 8-1/2" x 16-1/2" (unfinished)**. Make a total of 3 **Block 1**.




Arrows and stripes indicate orientation of directional prints.

2. Stitch **Fabric G** 1-1/4" x 8" strips to sides of a **Fabric A** 7-1/2" square panel. Trim strip ends even. Add 1-1/4" x 10" **Fabric G** strips to top and bottom of panel. **Trim bordered panel to 8-1/2" square (unfinished)**. Make a total of 3 Unit 1.



3. Sew 2 **Fabric F** 2-7/8" triangles short edges to adjoining edges of a **Fabric D** 2-1/2" square as shown. Make a total of 12 Unit 2 (4-7/8" x 4-7/8" x 6-7/8" unfinished).



4. Sew 2 Unit 2 long edges to short edges of a **Fabric C** 9-1/4" triangle as shown. Make a total of 6 Unit 3 (4-1/2" x 8-1/2" unfinished).



5. Stitch a Unit 3 to top and bottom of a Unit 1 as shown. Make a total of 3 **Block 2** (8-1/2" x 16-1/2" unfinished).



6. Refer to Quilt Layout (Page 2) for arrangement and placement of blocks and borders.

Time for Hot Cocoa

7. Arrange blocks in 2 rows. Stitch into rows. Sew rows together completing quilt center (24-1/2" x 32-1/2" unfinished).

8. Sew **Fabric E** 1-3/4" x 32-1/2" borders to right and left sides of quilt center. Add **Fabric E** 1-3/4" x 27" borders to top and bottom of quilt center.

9. Sew **Fabric B** 9-1/4" x 27" borders to top and bottom of quilt.

10. Sew **Fabric H** 1-3/4" x 52-1/2" borders to right and left sides of quilt. Add **Fabric H** 1-3/4" x 29-1/2" borders to top and bottom of quilt.


11. The quilt measures approximately 29-1/2" x 55" (unfinished). Make backing (**Fabric I**) approximately 8" larger than the top.

12. Layer and baste top, batting, and backing together. Quilt as desired. Attach binding (**Fabric E**) and enjoy!!

QUILT LAYOUT

Border measurements are the cut size.

Arrows and stripes indicate orientation of directional prints.



3046



A 3046-30521-932
2/3 yard (1 Panel)



B 3046-30522-923
7/8 yard

Time for Hot Cocoa

by Conrad Knutsen



C 3046-30524-232
3/8 yard
(Or Fat Quarter)



D 3046-30525-223
1/8 yard
(Or Fat Eighth)



E 3046-30527-993
3/4 yard
(Includes Binding)



F 3046-30528-939
1/8 yard
(Or Fat Eighth)



G 3046-30529-220
3/8 yard



H 3046-30529-333
1/3 yard



I 3046-30523-392
1 7/8 yards
(Suggested Backing)

