

# Warm Winter Wishes

• A Free Project Sheet •  
• NOT FOR RESALE •

QUILT 1



Featuring fabrics from the **Warm Winter Wishes** collection by **Lucie Crovatto** for **STUDIO e fabrics**

## Fabric Requirements

(A) 5879P-89 ..... 1 panel  
 (B) 1351-Iron\*\* ..... 1/3 yard  
 (C) 5869-8 ..... 1/4 yard  
 (D) 5870-88 ..... 1/4 yard  
 (E) 5875-33 ..... 1/4 yard  
 (F) 5871-99 ..... 1/4 yard  
 (G) 5874-89 ..... 1 1/3 yards  
 (H) 5876-89 ..... 1 1/2 yards

(I) 5877-33 ..... 1/2 yard  
 (J) 5878-89 ..... 2 1/8 yards  
 (K) 5873-89 ..... 5/8 yard\*  
 Backing  
 5872-88 ..... 3 1/2 yards

\* Includes Binding  
 \*\* Just Color! Collection

## Additional Supplies Needed

Batting 63" x 76" (Recommended:  
 Air Lite® Colour Me 100% Cotton)  
 Piecing and sewing thread  
 Quilting and sewing supplies

Quilt designed by Heidi Pridemore  
 Finished Quilt Size 55" x 68"  
 Skill Level: Beginner

Please check our website for pattern updates before starting this project.

## Fabrics in the Collection



6 inch Blocks of Rustic Winter Motifs - Multi - 5868-89



Tossed Plaid Animals White/Red - 5869-8



Wood Grain with Tossed Stars Red - 5870-88



Tiny Tossed Bears Black- 5871-99



Tossed Circles with Rustic Motifs - Red - 5872-88



Buffalo Check Red/Black - 5873-89



Deer Head Allover Multi - 5874-89



Wood Grain with Snowflakes & Stars - Light Brown - 5875-33



Buffalo Check with White Animals - Red/Black - 5876-89



Wood Grain Brown - 5877-33



Wood Grain Red - 5877-88



Novelty Stripe Rustic Motifs Multi - 5878-89




24 inch Deer Centered on Wood Grain Multi - 5879P-89

Select Fabrics from  
Just Color!



Iron  
1351-Iron



Pigment White  
1351-Pigment White

## Cutting

### Cutting Instructions

*Please note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.*

WOF= Width of Fabric • LOF = Length of Fabric

#### **Fabric A (5879P-89 Deer Centered on Wood Grain – Multi):**

- Fussy cut (1) 19 ½" x 33 ½" rectangle, centered the panel.

#### **Fabric B (1351-Iron Just Color! – Iron), cut:**

- (2) 2" x 23 ½" WOF strips.
- (2) 2 ½" x 33 ½" WOF strips.

#### **Fabric C (5869-8 Tossed Plaid Animals – White/Red), cut:**

- (1) 2 ½" x 35 ½" WOF strip.
- (1) 2 ½" x 24 ½" WOF strip.

#### **Fabric D (5870-88 Wood Grain with Tossed Stars – Red), fussy cut:**

- (1) 2 ½" x 37 ½" WOF strip.
- (1) 2 ½" x 26 ½" WOF strip.

#### **Fabric E (5875-33 Wood Grain with Snowflakes & Stars – Light Brown), cut:**

- (1) 3 ½" x 39 ½" WOF strip.
- (1) 3 ½" x 29 ½" WOF strip.

#### **Fabric F (5871-99 Tiny Tossed Bears – Black) cut:**

- (1) 3 ½" x 42 ½" WOF strip, piece as needed.
- (1) 3 ½" x 32 ½" WOF strip.

#### **Fabric G (5874-89 Deer Head Allover – Multi), cut:**

- (1) 4 ½" x 45 ½" LOF strip.
- From the remaining fabric, cut (1) 4 ½" x 36 ½" WOF strip, piece as needed.

#### **Fabric H (5876-89 Buffalo Check with White Animals – Red/Black), cut:**

- (1) 4 ½" x 49 ½" LOF strip.
- From the remaining fabric, cut (1) 4 ½" x 40 ½" strip, piece as needed.

#### **Fabric I (5877-33 Wood Grain – Brown), cut:**

- (3) 2" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 2" x 53 ½" strips.
- (3) 2" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 2" x 43 ½" strips.

#### **Fabric J (5878-89 Novelty Stripe Rustic Motifs – Multi), cut:**

- (2) 6 ½" x 72 LOF strips.
- (2) 6 ½" x 59 LOF strips.

#### **Fabric K (5873-89 Buffalo Check – Red/Black), cut:**

- (7) 2 ½" x WOF strips for the binding.

#### **Backing (5872-88 Tossed Circles with Rustic Motifs – Red), cut:**

- (2) 63" x WOF strips. Sew the strips together and trim to 63" x 76" to make the back.

## Sewing

Sew using a  $\frac{1}{4}$ " seam allowance with right sides together (RST) unless otherwise indicated. Always press towards the darker fabric while assembling, unless otherwise noted by the arrows.

### Block Assembly

1. Sew (1)  $2\frac{1}{2}$ " x  $33\frac{1}{2}$ " Fabric B strip to each side of the  $19\frac{1}{2}$ " x  $33\frac{1}{2}$ " Fabric A panel. Sew (1)  $2$ " x  $23\frac{1}{2}$ " Fabric B strip to the top and to the bottom of the Fabric A panel to make the Center Block (Fig. 1). **Trim the block to measure  $22\frac{1}{2}$ " x  $35\frac{1}{2}$ "**.




Fig. 1 B

### Quilt Top Assembly

*(Follow the Quilt Layout while assembling the quilt top.)*

2. Sew (1)  $2\frac{1}{2}$ " x  $35\frac{1}{2}$ " Fabric C strip to the left side of the Center Block. Sew (1)  $2\frac{1}{2}$ " x  $24\frac{1}{2}$ " Fabric C strip to the bottom of the Center Block.
3. Sew (1)  $2\frac{1}{2}$ " x  $37\frac{1}{2}$ " Fabric D strip to the right side of the Center Block. Sew (1)  $2\frac{1}{2}$ " x  $26\frac{1}{2}$ " Fabric D strip to the top of the Center Block.
4. Sew (1)  $3\frac{1}{2}$ " x  $39\frac{1}{2}$ " Fabric E strip to the left side of the Center Block. Sew (1)  $3\frac{1}{2}$ " x  $29\frac{1}{2}$ " Fabric E strip to the bottom of the Center Block.
5. Sew (1)  $3\frac{1}{2}$ " x  $42\frac{1}{2}$ " Fabric F strip to the right side of the Center Block. Sew (1)  $3\frac{1}{2}$ " x  $32\frac{1}{2}$ " Fabric F strip to the top of the Center Block.
6. Sew (1)  $4\frac{1}{2}$ " x  $45\frac{1}{2}$ " Fabric G strip to the left side of the Center Block. Sew (1)  $4\frac{1}{2}$ " x  $36\frac{1}{2}$ " Fabric G strip to the bottom of the Center Block.
7. Sew (1)  $4\frac{1}{2}$ " x  $49\frac{1}{2}$ " Fabric H strip to the right side of the Center Block. Sew (1)  $4\frac{1}{2}$ " x  $40\frac{1}{2}$ " Fabric H strip to the top of the Center Block.
8. Sew (1)  $2$ " x  $53\frac{1}{2}$ " Fabric I strip to each side of the Center Block. Sew (1)  $2$ " x  $43\frac{1}{2}$ " Fabric I strip to the top and to the bottom of the Center Block.
9. Center (1)  $6\frac{1}{2}$ " x  $72$ " Fabric J strip on (1) side of the Center Block and pin in place. Start sewing the strip a  $\frac{1}{4}$ " from the top edge of the block and stop a  $\frac{1}{4}$ " from the bottom edge. **DO NOT TRIM THE EXCESS.** Repeat with the opposite side.

10. Repeat Step 9 to sew (1) 6 ½" x 59" Fabric J strip to the top and to the bottom of the Center Block, making sure to stop and start ¼" away from each end of the block. To miter each corner, fold the Center Block on a diagonal, wrong side together. This should line up the strips from adjacent sides (Fig. 2).

11. Starting at the sewn seam (represented by the arrow in Figure 2), draw a 45-degree line to the edge of the fabric. Sew on the drawn line. Trim the excess fabric leaving a ¼" seam. Repeat this step with the remaining corners to make the quilt top.




Fig. 2


### Layering, Quilting and Finishing

12. Press the quilt top and 63" x 76" backing well. Layer backing (wrong side up), batting, pressed quilt top (right side up) and baste. Quilt as desired and trim excess batting and backing when quilting is complete.

### Binding

13. Cut the ends of the (7) Fabric K binding strips at a 45-degree angle and sew end to end to make (1) continuous piece of binding. Fold in half lengthwise and press wrong sides together.

14. Sew the binding to the front of the quilt, raw edges together. Turn the folded edge to the back, and hand stitch in place.



Quilt Layout