

Certificate of Analysis

State of FL OMMU License Number: CMTL-006 **ISO/IEC 17025 ACCREDITATION # 109150**



Treadwell Farms

190 Mary Street Umatilla, FL 32784 (352) 771-2318 DC-1

COMPLIANCE FOR RETAIL

Sample Name: DC-1

Lab Sample ID: F311037-01 Retail Batch Total Wt/Vol: N/A Retail Batch Date: N/A

Matrix: Inhalable Flower Retail Batch Total Units: N/A Total Wt, Vol or Unit Sampled: 1 Date Sampled: Date Received: Date Reported: 11/07/2023 11/07/2023 11/14/2023



















Not Tested

Heavy Metals Pass

Foreign Materials Pass

Pass

Pass

Not Tested

Pass

Not Tested

Water Activity **Not Tested**



Total Cannabinoids
12.4%
Major Connahinaida

Major Cannabinoids

Total CBD Total THC 0.318% 59.3 mg/g 3.18 mg/g

Minor Cannabinoids * **CBG**

CBGA 3.94% 0.842% 39.4 mg/g 8.42 mg/g

Cannabinoids

Date Prepared: 11/08/23 09:40 Date Analyzed: 11/08/23 12:55 Lab Batch: B23J028	Prep ID: KC Analyst ID: SP	Specimen Prep: 0.2836 g / 10 mL Instrument: HPLC Prep/Analysis Method: ACCU LAB SOP15		C
Analyte	Dilution	LOQ	Results	Results
		9/	%	mg/g
CBC	10	0.0353	0.106	1.06
CBCA	10	0.0353	0.414	4.14
CBD	10	0.0353	0.0945	0.945
CBDA	50	0.176	6.65	66.5
CBDV	10	0.0353	ND	ND
CBDVA	10	0.0353	ND	ND
CBG	10	0.0353	0.842	8.42
CBGA	50	0.176	3.94	39.4
CBN	10	0.0353	ND	ND
delta-8-THC	10	0.0353	ND	ND
delta-9-THC	10	0.0353	0.0483	0.483
THCA	10	0.0353	0.307	3.07
THCV	10	0.0353	ND	ND
THCVA	10	0.0353	ND	ND

Test results confirmed within 10% stanciard for testing founding 200 SIGNATURES **REQUIRED**

QC #1: Jams of Jame (Manufacturing)

<u>madwell</u>, owner

Definitions and Abbreviations used in this report:

Total CBD = CBD + (CBD-A*0.877), Total THC = THCA-A*0.877 + Delta 9 THC

LOQ = Limit of Quantitation, LOD = Limit of Detection, DIL = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (μg/g) = Microgram per Gram, (ppm) = Parts per Million, (N/A) Not Analyzed, (ND) Non-Detect. Total Contaminant Load (TCL) - The sum of all Heavy Metals and Agricultural Agents present above the LOQ, but below the Acceptable Limit.

This report shall not be reproduced except in its entirety without the written approval of Accuscience Laboratories. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with International Standard ISO/IEC 17025.



Palsice

Dr. Harry Bezhadi, PhD. President, CEO



^{*} Most abundant