

P & S Sales, Inc.

Page 1 Revision Date: 2/9/2017

Safety Data Sheet C50 Paint Gloss

Section 1. Product and Company Identification

Product Identifier C50 Paint Gloss

Product Use Description:

Violet, turbid liquid with sweet odor for use as a gloss enhancer for automobile surfaces

Manufacturer or suppliers' details

P & S Sales, IncEmergency Number:800-255-392420943 Cabot Blvd.Customer Service:510-732-2628Hayward CA 94545Business Fax:510-732-2632

Section 2. Hazards Identification

GHS Classification

GHS Label Elements

Hazard Pictograms

Hazard Word No Hazardous ingredients at concentration requiring notification

Hazard Statements

none

Precautionary Statements

P337+313: If eye irritation persists: Get medical advice/attention

P332+313: If skin irritation occurs: Get medical advice/attention

3. Composition Information on Ingredients

CAS Number	Wt %	Component Name
84133-50-6	<2.5%	alcohols, C1-15-secondary, ethoxylated Eye Irritant 2, H319
119-36-8	<1%	Methyl Salicylate
5989-27-5	<1%	Acute Tox. 4, Eye Irrit. 2A, H319 (R)-p-mentha-1,8-diene Skin Irrit 2, Skin Sens. 1 H317
7732-18-5	>94%	Water

Amounts specified are typical and do not represent a specification. Remaining components are proprietary, non-hazardous, and/or present at amounts below reportable limits.



4. First Aid Measures

Eye: Immediately flush with water. If any irritation or discomfort occurs, consult physician

C50 Paint Gloss

Skin: No first aid should be needed. Thoroughly wash the affected area as a precaution.

Inhalation: Inhallation of any liquid should be considered potentially dangerous, consult a physician.

Oral: No first aid should be needed for oral contact. If product is swallowed, consult physician.

Comments: Treat symptomatically.

5. Fire Fighting Measures

Extinguishing Media: On large fires use dry chemical, foam or water spray. On small fires use carbon dioxide (CO2), dry chemical or water spray. Water can be used to cool fire exposed containers.

Fire Fighting Measures: Self-contained breathing apparatus and protective clothing should be worn in fighting large fires involving chemicals. Determine the need to evacuate or isolate the area according to your local emergency plan. Use water spray to keep fire exposed containers cool.

Unusual Fire Hazards: None. Hazardous Decomposition Products

Thermal breakdown of this product during fire or very high heat conditions may evolve the following hazardous decomposition products: Carbon oxides and traces of incompletely burned carbon compounds. Silicon dioxide. Formaldehyde. Metal oxides.

6. Accidental Release Measures

Observe all personal protection equipment recommendations described in Sections 5 and 8. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.

Clean up remaining materials from spill with suitable absorbant. Clean area as appropriate since spilled materials, even in small quantities, may present a slip hazard.

Local, state and federal laws and regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which federal, state and local laws and regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain federal and state requirements.



Page 3 Revision Date: 2/9/2017

7. Handling and Storage

Use with adequate ventilation. Avoid eye contact.

Use reasonable care and store away from oxidizing materials.

C50 Paint Gloss

8. Exposure Controls and Personal Protection

84133-50-6	alcohols, C1-15-secondary, ethoxylated
	Eye Irritant 2, H319
119-36-8	Methyl Salicylate
	Acute Tox. 4, Eye Irrit. 2A, H319
<u>5989-27-5</u>	(R)-p-mentha-1,8-diene
	Skin Irrit 2, Skin Sens. 1 H317
7732-18-5	Water

Engineering Controls

Local Ventilation: None should be needed. General Ventilation: Recommended.

Personal Protective Equipment for Routine Handling

Eyes: Use proper protection - safety glasses as a minimum. Skin: Washing at mealtime and end of shift is adequate. Suitable Gloves: No special protection needed. Inhalation: No respiratory protection should be needed. Suitable Respirator: None should be needed.

Precautionary Measures: Avoid eye contact. Use reasonable care.

Comments: When heated to temperatures above 150 degrees C in the presence of air, product can form formaldehyde vapors. Formaldehyde is a potential cancer hazard, a known skin and respiratory sensitizer, and an irritant to the eyes, nose, throat, skin, and digestive system. Safe handling conditions may be maintained by keeping vapor OSHA Permissible Exposure Limit for formaldehyde.

9. Physical and Chemical Properties

Flash Point Nor	ne	Upper Flamability	Limit	Not Determined	
Auto Ignition Not	Determined	Lower Flamability	Limit	Not Determined	
Physical State Li	iquid	Color Violet	Vapo	r Press Not Determined	
pH 6.8	Specific Gravity 0.9	98	Viscos	ity 2 cSt	
Vapor Density (Air=1) Not Determined Melting Point °F 28°F Odor Sweet					
Water Solubility	Dispersable	VOC Conten	t <1%		



P & S Sales, Inc.

Safety Data Sheet

C50 Paint Gloss

Page Revision Date: 2/9/2017

4

10. Stability and Reactivity

Hazardous Polymerization Not Expected to Occur Stability Stable **Conditions to Avoid** Oxidizing materials can cause a reaction When heated to temperatures above 150 degrees C in the presence of air, Hazardous product can form formaldehyde vapors. **Decomposition Products** Safe handling conditions may be maintained by keeping vapor OSHA Permissible Exposure Limit for formaldehyde.

11. Toxicological Information

No known applicable information

12. Ecological Information

Complete information is not yet available

13. Disposal Considerations

RCRA Hazard Class (40 CFR 261)

When a decision is made to discard this material, as received, is it classified as a hazardous waste? No

State or local laws may impose additional regulatory requirements regarding disposal.

14. Transportation Information

Not subject to DOT. Not regulated

Not subject to IMDG code.

Not subject to IATA regulations

15. Regulatory Information

TSCA Status: All chemical substances in this material are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

EPA SARA Title III Chemical Listings Section 302 Extremely Hazardous Substances (40 CFR 355): None. Section 304 CERCLA Hazardous Substances (40 CFR 302): None. Section 311/312 Hazard Class (40 CFR 370): Acute: No Chronic: No Fire: No Pressure: No Reactive: No Section 313 Toxic Chemicals (40 CFR 372): None present or none present in regulated quantities.



P & S Sales, Inc.

Safety Data Sheet

C50 Paint Gloss

Page 5

Revision Date: 2/9/2017

The information and recommendations are offered for the user's consideration and examination, and it is the user's responsibility to satisfy itself that they are suitable and complete for its particular use. If buyer repackages this product, legal counsel should be consulted to insure proper health, safety and other necessary information is included on the container.

Key or legend to abbreviations and acronyms used in the safety data sheet ACGIH American Conference of Government Industrial Hygienists LD50 Lethal Dose 50% AICS Australia, Inventory of Chemical Substances LOAEL Lowest Observed Adverse Effect Level DSL Canada, Domestic Sub- stances List NFPA National Fire Protection Agency NDSL Canada, Non-Domestic Sub- stances List NIOSH National Institute for Occupational Safety & Health **CNS** Central Nervous System NTP National Toxicology Program CAS Chemical Abstract Service NZIoC New Zealand Inventory of Chemicals EC50 Effective Concentration NOAEL No Observable Adverse Effect Level EC50 Effective Concentration 50% NOEC No Observed Effect Concentration EGEST EOSCA Generic Exposure Scenario Tool OSHA Occupational Safety & Health Administration EOSCA European Oilfield Specialty Chemicals Association PEL Permissible Exposure Limit EINECS European Inventory of Exist- ing Chemical Substances PICCS Philipines Inventory of Commercial Chemical Substances MAK Germany Maximum Concentration Values PRNT Presumed Not Toxic GHS Globally Harmonized System RCRA Resource Conservation Recovery Act >= Greater Than or Equal To STEL Short-term Exposure Limit IC50 Inhibition Concentration 50% SARA Superfund Amendments and Reauthorization Act. IARC International Agency for Re- search on Cancer TLV Threshold Limit Value IECSC Inventory of Existing Chemical Substances in China TWA Time Weighted Average ENCS Japan, Inventory of Existing and New Chemical Sub- stances TSCA Toxic Substance Control Act KECI Korea, Existing Chemical Inventory UVCB Unknown or Variable Composition, Complex Reaction Products, and Biological Materials <= Less Than or Equal To WHMIS Workplace Hazardous Materials In- formation System LC50 Lethal Concentration 50%



C50 Paint Gloss



C50 Paint Gloss

Revision Date: 2/9/2017