



**Section 1. Product and Company Identification**

**Product Identifier** C51 - Silicone Free Paint Gloss

**Product Use Description:** Violet, turbid liquid with sweet odor for use as a gloss enhancer for automobile surfaces

**Manufacturer or suppliers' details**

P & S Sales, Inc  
20943 Cabot Blvd.  
Hayward CA 94545

Emergency Number: 800-255-3924  
Customer Service: 510-732-2628  
Business Fax: 510-732-2632

**Section 2. Hazards Identification**

**GHS Classification**

**GHS Label Elements**

**Hazard pictograms**

**Hazard Word** No Hazardous ingredients at concentration requiring notification

**Hazard Statements**

none

**Precautionary Statements**

If eye irritation occurs get medical advice/attention  
**IF SKIN IRRITATION OCCURS:**  
Get medical advice/attention



### 3. Composition Information on Ingredients

CAS Number	Wt %	Component Name
		None above reportable percentage

Amounts specified are typical and do not represent a specification. Remaining components are proprietary, non-hazardous, and/or present at amounts below reportable limits.

### 4. First Aid Measures

Eye: Immediately flush with water. If any irritation or discomfort occurs, consult physician

Skin: No first aid should be needed. Thoroughly wash the affected area as a precaution.

Inhalation: Inhalation of any liquid should be considered potentially dangerous, consult a physician.

Oral: No first aid should be needed for oral contact. If product is swallowed, consult physician.

Comments: Treat symptomatically.

### 5. Fire Fighting Measures

Extinguishing Media:

On large fires use dry chemical, foam or water spray. On small fires use carbon dioxide (CO<sub>2</sub>), dry chemical or water spray. Water can be used to cool fire exposed containers.

Fire Fighting Measures:

Self-contained breathing apparatus and protective clothing should be worn in fighting large fires involving chemicals. Determine the need to evacuate or isolate the area according to your local emergency plan. Use water spray to keep fire exposed containers cool.

Unusual Fire Hazards:

None.

Hazardous Decomposition Products

Thermal breakdown of this product during fire or very high heat conditions may evolve the following hazardous decomposition products: Carbon oxides and traces of incompletely burned carbon compounds. Silicon dioxide. Formaldehyde. Metal oxides.

### 6. Accidental Release Measures

Observe all personal protection equipment recommendations described in Sections 5 and 8. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.



Clean up remaining materials from spill with suitable absorbant. Clean area as appropriate since spilled materials, even in small quantities, may present a slip hazard.

Local, state and federal laws and regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which federal, state and local laws and regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain federal and state requirements.

## 7. Handling and Storage

Use with adequate ventilation. Avoid eye contact.

Use reasonable care and store away from oxidizing materials.

## 8. Exposure Controls and Personal Protection

None above reportable percentage

### Engineering Controls

Local Ventilation: None should be needed.

General Ventilation: Recommended.

### Personal Protective Equipment for Routine Handling

Eyes: Use proper protection - safety glasses as a minimum.

Skin: Washing at mealtime and end of shift is adequate.

Suitable Gloves: No special protection needed.

Inhalation: No respiratory protection should be needed.

Suitable Respirator: None should be needed.

Precautionary Measures: Avoid eye contact. Use reasonable care.

Comments: When heated to temperatures above 150 degrees C in the presence of air, product can form formaldehyde vapors. Formaldehyde is a potential cancer hazard, a known skin and respiratory sensitizer, and an irritant to the eyes, nose, throat, skin, and digestive system.

Safe handling conditions may be maintained by keeping vapor OSHA Permissible Exposure Limit for formaldehyde.



## 9. Physical and Chemical Properties

<b>Flash Point</b> None	<b>Upper Flamability Limit</b> Not Determined	
<b>Auto Ignition</b> Not Determined	<b>Lower Flamability Limit</b> Not Determined	
<b>Physical State</b> Liquid	<b>Color</b> Violet	<b>Vapor Press</b> Not Determined
<b>pH</b> 6.8	<b>Specific Gravity</b> 0.98	<b>Viscosity</b> 2 cSt
<b>Vapor Density (Air=1)</b> Not Determined	<b>Melting Point °F</b> 28°F	<b>Odor</b> Sweet
<b>Water Solubility</b> Dispersable	<b>VOC Content</b> <1%	

## 10. Stability and Reactivity

**Stability** Stable **Hazardous Polymerization** Not Expected to Occur

**Conditions to Avoid** Oxidizing materials can cause a reaction

**Hazardous Decomposition Products** When heated to temperatures above 150 degrees C in the presence of air, product can form formaldehyde vapors.  
Safe handling conditions may be maintained by keeping vapor OSHA Permissible Exposure Limit for formaldehyde.

## 11. Toxicological Information

Acute Toxicity - mixture

LD50 (oral) Rat > 5000 mg/Kg (based on component data)

Inhalation: May be harmful if inhaled. Avoid breathing vapors.

Skin: Irritation not expected

Eyes: Causes eye irritation. Avoid contact.

Ingestion: May be harmful if swallowed. Do not ingest.

## 12. Ecological Information

Acute Ecotoxicity - mixture

LC50 (96 hr) Fish > 5000 mg/l Calculated value

Considered readily biodegradable

Not expected to bio-accumulate

This product may be harmful to the environment and aquatic organisms if released in large quantities. Avoid release into sewers, drains, and waterways. Inform the relevant authorities if the product has caused environmental pollution. Collect spillage.

## 13. Disposal Considerations

RCRA Hazard Class (40 CFR 261)

When a decision is made to discard this material, as received, is it classified as a hazardous waste? No

State or local laws may impose additional regulatory requirements regarding disposal.



#### 14. Transportation Information

Not subject to DOT. Not regulated

Not subject to IMDG code.

Not subject to IATA regulations

#### 15. Regulatory Information

**OSHA Hazards** : None

**EPCRA - Emergency Planning and Community Right-to-Know**

**CERCLA Reportable Quantity** - This material does not contain any components with a CERCLA RQ.

**SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 311/412.

**SARA 302:** No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313:** This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**California Prop. 65** : This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List -**

Not Regulated

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) -**

Not Regulated

**Safe Drinking Water Act -**

Not Regulated

**CARB VOC info:** 1.0 % VOC as regulated by CARB Consumer Products requirements

**ARB VOC Info:** .083 lb/gal VOC; 10 g/L

#### 16. Other Information

**Revision Date** 6/10/2015



the user's responsibility to satisfy itself that they are suitable and complete for its particular use. If buyer repackages this product, legal counsel should be consulted to insure proper health, safety and other necessary information is included on the container.

**Key or legend to abbreviations and acronyms used in the safety data sheet**

ACGIH American Conference of Government Industrial Hygienists

LD50 Lethal Dose 50%

AICS Australia, Inventory of Chemical Substances

LOAEL Lowest Observed Adverse Effect Level

DSL Canada, Domestic Substances List

NFPA National Fire Protection Agency

NDSL Canada, Non-Domestic Substances List

NIOSH National Institute for Occupational Safety & Health

CNS Central Nervous System

NTP National Toxicology Program

CAS Chemical Abstract Service

NZIoC New Zealand Inventory of Chemicals

EC50 Effective Concentration

NOAEL No Observable Adverse Effect Level

EC50 Effective Concentration 50%

NOEC No Observed Effect Concentration

EGEST EOSCA Generic Exposure Scenario Tool

OSHA Occupational Safety & Health Administration

EOSCA European Oilfield Specialty Chemicals Association

PEL Permissible Exposure Limit

EINECS European Inventory of Existing Chemical Substances

PICCS Philippines Inventory of Commercial Chemical Substances

MAK Germany Maximum Concentration Values

PRNT Presumed Not Toxic

GHS Globally Harmonized System

RCRA Resource Conservation Recovery Act

>= Greater Than or Equal To

STEL Short-term Exposure Limit

IC50 Inhibition Concentration 50%

SARA Superfund Amendments and Reauthorization Act.

IARC International Agency for Research on Cancer

TLV Threshold Limit Value

IECSC Inventory of Existing Chemical Substances in China

TWA Time Weighted Average

ENCS Japan, Inventory of Existing and New Chemical Substances

TSCA Toxic Substance Control Act

KECI Korea, Existing Chemical Inventory

UVCB Unknown or Variable Composition, Complex Reaction Products, and Biological Materials

<= Less Than or Equal To

WHMIS Workplace Hazardous Materials Information System

LC50 Lethal Concentration 50%



**P & S Sales, Inc.**

**Safety Data Sheet**

**C51 - Silicone Free Paint Gloss**

Page 7

Revision Date: 6/10/2015

---