
# 

# **LOON**Floor lamp S

Design by Sebastian Herkner | Item code: 10101000 (230V) / 101040000 (120V) | Weight 3,2 kg/8 lbs | Volume 0,12 m³/5 cu ft



#### Measurements



**Collection:** A balloon-like reservoir of light, suspended on a pedestal of premium teak, LOON by Sebastian Herkner brings indoor sophistication and personality to outdoor lighting. A natural companion to Herkner's award-winning MBRACE collection, LOON has been designed to complement the entire DEDON range. It casts a warm, ambient light that's ideal for creating atmosphere in the garden.

Floor lamp S: Fully suited for outdoor use, this small rechargeable LED floor lamp, which consists of a teak base and a bulbous body in matte white plastic, casts a warm, ambient light.

Frame: LOON consists of rotomolded polyethylene and a premium teak base.

Finishing: Natural-finish teak maintenance → Wash the teak using warm water and a soft sponge.

#### Energy efficiency

Energy efficiency eec A+. These luminaires contain built-in LED lamps. The lamps cannot be changed in the luminaires.

#### Certificates

CE, FCC, PSE, SAA, ETL

#### IP64

This lighting object is a decorative element for outdoor and indoor use and features a warm white correlated color temperature (2700 Kelvin). It has an ingress protection marking for LED Module by IP64, which means it is dustproof, splash proof and therefore fully suitable for outdoor use.




### LOON Floor lamp L

Design by Sebastian Herkner | Item code: 10103000 (230V) / 101050000 (120V) | Weight 6,3 kg/14 lbs | Volume 0,27 m³/10 cu ft



#### Measurements



**Collection:** A balloon-like reservoir of light, suspended on a pedestal of premium teak, LOON by Sebastian Herkner brings indoor sophistication and personality to outdoor lighting. A natural companion to Herkner's award-winning MBRACE collection, LOON has been designed to complement the entire DEDON range. It casts a warm, ambient light that's ideal for creating atmosphere in the garden.

Floor lamp L: Fully suited for outdoor use, this large rechargeable LED floor lamp, which consists of a teak base and a bulbous body in matte white plastic, casts a warm, ambient light.

Frame: LOON consists of rotomolded polyethylene and a premium teak base.

Finishing: Natural-finish teak maintenance → Wash the teak using warm water and a soft sponge.

#### Energy efficiency

Energy efficiency eec A+. These luminaires contain built-in LED lamps. The lamps cannot be changed in the luminaires.

#### Certificates

CE, FCC, PSE, SAA, ETL

#### IP64

This lighting object is a decorative element for outdoor and indoor use and features a warm white correlated color temperature (2700 Kelvin). It has an ingress protection marking for LED Module by IP64, which means it is dustproof, splash proof and therefore fully suitable for outdoor use.



## LOON

Design by Sebastian Herkner

#### **DEDON ILLUMINATES THE OUTDOORS**

DEDON brings lighting outdoors with three new lighting accessory collections, each featuring a fully outdoor-certified rechargeable LED system. With warm white color temperature, an eight-step dimmer and handy remote controls, all three collections offer perfect, long-lasting ambient lighting hours. And whether it's the sophisticated material mix of Sebastian Herkner's LOON, the alluring figurative character of Stephen Burks' THE OTHERS (which come with solar panels) or the asymmetric sculptural quality of Harry-Paul's BABYLON, each collection reflects DEDON's passion for bringing people together outdoors.

	THE OTHERS Lantern & hanging lantern	THE OTHERS TEBU, LIKA, JAMA, KAFA, BUKA, TOBO	LOON BABYLON
Lighting Technology	LED module incl. solar panel	LED module incl. solar panel	LED module
Battery run-time at maximum brightness after 9 hours of solar charging	up to 8 hours (Run-time is longer when lights are dimmed)	up to 4 hours (Run-time is longer when lights are dimmed)	-
Battery run-time at maximum brightness after 6 hours of charging by power adapter	up to 10 hours (Run-time is longer when lights are dimmed)	up to 6 hours (Run-time is longer when lights are dimmed)	up to 10 hours (Run-time is longer when lights are dimmed)
Remote control	yes	yes	yes
Dimmer	8 steps	8 steps	8 steps
Correlated color temperature	2700 Kelvin (warm white)	2700 Kelvin (warm white)	2700 Kelvin (warm white)
Ingress Protection Marking LED Module	IP64 (dustproof and splashproof)	IP64 (dustproof and splashproof)	IP64 (dustproof and splashproof)
Energy efficiency These luminaires contain built-in LED lamps. The lamps cannot be changed in the luminaires.	eec A+	eec A+	eec A+

