

Dahua Network Speed Dome & PTZ Camera Web 3.0

User's Manual



ZHEJIANG DAHUA VISION TECHNOLOGY CO., LTD.

Foreword

General

This manual introduces the functions and operations of the network speed dome and PTZ camera (hereinafter referred to as "the Device").

Safety Instructions

The following signal words might appear in the manual.

Signal Words	Meaning
	Indicates a high potential hazard which, if not avoided, will result in death or serious injury.
	Indicates a medium or low potential hazard which, if not avoided, could result in slight or moderate injury.
	Indicates a potential risk which, if not avoided, could result in property damage, data loss, reductions in performance, or unpredictable results.
ESD ESD	Electrostatic Sensitive Devices. Indicates a device that is sensitive to electrostatic discharge.
© <u>∽∿</u> TIPS	Provides methods to help you solve a problem or save time.
	Provides additional information as a supplement to the text.

Revision History

Revision Content	Release Time	Revision Content
V3.0.3	Added sleep mode function.	January 2022
V3.0.2	Updated illuminator function.Added legal information function.	September 2021
V3.0.1	Added Configuring User Group function.	July 2021
V3.0.0	 Modified overlay, audio, network settings, and destination sections. Added Bluetooth settings, construction monitoring, battery exception, screen off settings, emergency maintenance, life statistics, and battery status sections. 	March 2021
V2.0.2	Added the note to provide international calling codes for 4G models.	June 2020



Revision Content	Release Time	Revision Content	
V2.0.1	Updated OSD info, TCP/IP and smart plan, and delete life statistics.	April 2020	
V2.0.0	Added some functions of the Baseline, and refine the whole manual.	January 2020	
V1.1.1	Updated some functions of the Security Baseline.	September 2019	
V1.0.0	First release.	May 2018	

Privacy Protection Notice

As the device user or data controller, you might collect the personal data of others such as their face, fingerprints, and license plate number. You need to be in compliance with your local privacy protection laws and regulations to protect the legitimate rights and interests of other people by implementing measures which include but are not limited: Providing clear and visible identification to inform people of the existence of the surveillance area and provide required contact information.

Interface Declaration

This manual mainly introduces the relevant functions of the device. The interfaces used in its manufacture, the procedures for returning the device to the factory for inspection and for locating its faults are not described in this manual. Please contact technical support if you need information on these interfaces.

About the Manual

- The manual is for reference only. Slight differences might be found between the manual and the product.
- We are not liable for losses incurred due to operating the product in ways that are not in compliance with the manual.
- The manual will be updated according to the latest laws and regulations of related jurisdictions. For detailed information, see the paper user's manual, use our CD-ROM, scan the QR code or visit our official website. The manual is for reference only. Slight differences might be found between the electronic version and the paper version.
- All designs and software are subject to change without prior written notice. Product updates might result in some differences appearing between the actual product and the manual. Please contact customer service for the latest program and supplementary documentation.
- There might be errors in the print or deviations in the description of the functions, operations and technical data. If there is any doubt or dispute, we reserve the right of final explanation.
- Upgrade the reader software or try other mainstream reader software if the manual (in PDF format) cannot be opened.
- All trademarks, registered trademarks and company names in the manual are properties of their respective owners.
- Please visit our website, contact the supplier or customer service if any problems occur while using the device.
- If there is any uncertainty or controversy, we reserve the right of final explanation.



Important Safeguards and Warnings

This section introduces content covering the proper handling of the Device, hazard prevention, and prevention of property damage. Read carefully before using the Device, comply with the guidelines when using it, and keep the manual safe for future reference.

Operation Requirements



- Make sure that the power supply of the device works properly before use.
- Do not pull out the power cable of the device while it is powered on.
- Only use the device within the rated power range.
- Transport, use and store the device under allowed humidity and temperature conditions.
- Prevent liquids from splashing or dripping on the device. Make sure that there are no objects filled with liquid on top of the device to avoid liquids flowing into it.
- Do not disassemble the device.

Installation Requirements

- Connect the device to the adapter before power on.
- Strictly abide by local electrical safety standards, and make sure that the voltage in the area is steady and conforms to the power requirements of the device.
- Do not connect the device to more than one power supply. Otherwise, the device might become damaged.



- Observe all safety procedures and wear required protective equipment provided for your use while working at heights.
- Do not expose the device to direct sunlight or heat sources.
- Do not install the device in humid, dusty or smoky places.
- Install the device in a well-ventilated place, and do not block the ventilator of the device.
- Use the power adapter or case power supply provided by the device manufacturer.
- The power supply must conform to the requirements of ES1 in IEC 62368-1 standard and be no higher than PS2. Note that the power supply requirements are subject to the device label.
- Connect class I electrical appliances to a power socket with protective earthing.



Table of Contents

Foreword	
Important Safeguards and Warnings	III
1 Network Configuration	1
1.1 Network Connection	1
1.2 Log in to the Web Page	1
1.2.1 Device Initialization	1
1.2.2 First-time Login	6
1.2.3 Device Login	7
1.2.4 Resetting Password	8
2 Live	12
2.1 Encoding Setting	12
2.2 Video Window Adjustment	13
2.3 System Menu	17
2.4 Video Window Functions	17
2.5 PTZ Configuration	20
2.6 PTZ Status	24
3 Al Live	25
3.1 AI Live Page	25
3.1.1 Information Display Area of Detected Targets	25
3.1.2 Snapshot Display Area	26
3.1.3 Statistics Area of the Detected Targets	26
3.2 AI Live Settings	27
4 Playback	29
4.1 Video Playback	
4.1.1 Video Play Function Bar	
4.1.2 Recording Type	
4.1.3 Auxiliary Functions	
4.1.4 Video Playback File Search and Display Area	
4.1.4.1 Downloading Files in Batches	
4.1.4.2 Displaying File List	
4.1.5 Video Clipping Area	
4.1.6 Progress Bar Time Formats	25
-	
4.2 Image Playback	
4.2 Image Playback 4.2.1 Image Playing Functions	35



4.2.3 Snapshot Types	
5 Setting	
5.1 Camera	
5.1.1 Conditions Settings	
5.1.1.1 Conditions	
5.1.1.1.1 Picture	
5.1.1.1.2 Exposure	41
5.1.1.1.3 Backlight	45
5.1.1.1.4 WB	45
5.1.1.1.5 Day & Night	46
5.1.1.1.6 Focus & Zoom	
5.1.1.1.7 Illuminator	
5.1.1.1.8 Defog	53
5.1.1.2 Profile Management	55
5.1.2 Video	56
5.1.2.1 Video Stream	56
5.1.2.2 Snapshot	
5.1.2.3 Overlay	
5.1.2.3.1 Privacy Masking	
5.1.2.3.2 Channel Title	59
5.1.2.3.3 Time Title	60
5.1.2.3.4 OSD Info	61
5.1.2.3.5 Font Attribute	62
5.1.2.3.6 Picture Overlay	62
5.1.2.3.7 Mobile State	63
5.1.2.3.8 Custom Overlay	64
5.1.2.3.9 Abnormal	64
5.1.2.3.10 Latitude and Longitude	65
5.1.2.4 ROI	65
5.1.2.5 Path	
5.1.3 Audio	67
5.1.3.1 Configuring Audio Parameters	67
5.1.3.2 Configuring Alarm Audio	69
5.2 Network Settings	70
5.2.1 TCP/IP	70
5.2.2 Port	73
5.2.3 PPPoE	75



5.2.4 DDNS	
5.2.5 SMTP (Email)	77
5.2.6 UPnP	80
5.2.7 Bonjour	81
5.2.8 SNMP	82
5.2.9 Multicast	85
5.2.9.1 RTP	85
5.2.9.2 TS	85
5.2.10 Auto Register	86
5.2.11 Wi-Fi	86
5.2.11.1 Wi-Fi Settings	86
5.2.11.2 WPS Settings	
5.2.11.3 AP Settings	
5.2.12 802.1x	
5.2.13 QoS	90
5.2.14 4G/5G	
5.2.14.1 Dialing Setting	91
5.2.14.2 Mobile Setting	
5.2.15 Access Platform	
5.2.15.1 P2P	94
5.2.15.2 ONVIF	
5.2.15.3 RTMP	
5.3 Bluetooth Settings	
5.4 PTZ Settings	
5.4.1 Protocol	
5.4.1.1 Network PTZ Settings	
5.4.1.2 Analog PTZ Settings	
5.4.2 Function	
5.4.2.1 Preset	
5.4.2.1.1 Preset Settings	
5.4.2.1.2 Special Preset Settings	
5.4.2.2 Tour	
5.4.2.3 Scan	
5.4.2.4 Pattern	
5.4.2.5 Pan	
5.4.2.6 PTZ Speed	
5.4.2.7 Idle Motion	



5.4.2.8 PowerUp	
5.4.2.9 PTZ Limit	
5.4.2.10 Time Task	
5.4.2.11 PTZ Restart	
5.4.2.12 Default	
5.5 Event Management	
5.5.1 Video Detection	
5.5.1.1 Motion Detection	
5.5.1.2 Video Tamper	
5.5.1.3 Scene Changing	
5.5.2 Smart Motion Detection	
5.5.3 Audio Detection	
5.5.4 Smart Plan	
5.5.5 IVS	
5.5.5.1 Tripwire	
5.5.5.2 Intrusion	
5.5.5.3 Abandoned Object	
5.5.5.4 Missing Object	
5.5.6 Construction Monitoring	
5.5.7 Face Recognition	
5.5.7.1 Face Detection	
5.5.7.2 Face Database Config	
5.5.7.2.1 Adding Face Database	
5.5.7.2.2 Adding Face Images	
5.5.7.2.3 Managing Face Images	
5.5.7.2.4 Face Modeling	
5.5.7.3 Alarm Linkage	
5.5.8 People Counting	
5.5.8.1 People Counting Settings	
5.5.8.2 Report	
5.5.9 Heat Map	
5.5.9.1 Heat Map Settings	
5.5.9.2 Report	
5.5.10 Video Metadata	
5.5.10.1 Scene Setting	
5.5.10.2 Picture Overlay	
5.5.10.3 Report	



5.5.11 Alarm	
5.5.12 Abnormality	
5.5.12.1 SD Card	
5.5.12.2 Network Exception	
5.5.12.3 Illegal Access	
5.5.12.4 Security Exception	
5.5.12.5 Battery Exception	
5.6 Storage	
5.6.1 Schedule	
5.6.1.1 Record	
5.6.1.2 Snapshot	
5.6.1.3 Holiday Schedule	
5.6.2 Snapshot by Location	
5.6.3 Destination	
5.6.3.1 Path	
5.6.3.2 FTP	
5.6.3.3 Local	
5.6.3.4 NAS	
5.6.4 Record Control	
5.7 System Management	
5.7.1 Device Settings	
5.7.1.1 General	
5.7.1.2 Date & Time	
5.7.1.3 Screen Off Settings	
5.7.1.4 Sleep Mode	
5.7.2 Account Settings	
5.7.2.1 Account	
5.7.2.1.1 Username	
5.7.2.1.2 Group Name	
5.7.2.2 ONVIF User	
5.7.3 Safety	
5.7.3.1 RTSP Authentication	
5.7.3.2 System Service	
5.7.3.3 HTTPS	
5.7.3.4 Firewall	
5.7.4 Peripheral	
5.7.5 Default	



1 Cybersecurity Recommendations 195
.6 Legal Information
.5 Battery Status
.4 Life Statistics
.3 Online User
5.8.2.2 Remote Log
5.8.2.1 Log
.2 Log Information
.1 Version
ormation
.8 Upgrade
5.7.7.2 Emergency Maintenance
5.7.7.1 Auto Maintain
.7 System Maintenance
.6 Import/Export



1 Network Configuration

1.1 Network Connection

To view the web page on your PC, connect the Device to the PC first. There are mainly two connection modes between the Device and PC.

The models presented in the figures are for reference only, and the actual product shall prevail.




Figure 1-1 Direct connection by using a network cable

All devices have the same IP address (192.168.1.108 by default) when they are delivered out of factory. To make the Device get access to network smoothly, plan available IP segment reasonably according to practical network environment.

1.2 Log in to the Web Page

1.2.1 Device Initialization

For first-time use or after you have restored the Device to defaults, you need to initialize the Device by performing the following steps.

<u>Step 1</u> Open the browser, enter the IP address of the Device in the address bar, and then press the Enter key.



<u>Step 2</u> Set the **Country/Region**, **Language** and **Video Standard**, and then click **Save**.

Figure 1-3 Country/region setting

Country/Region Setting			
Ocurte (Denie	Australia		
Country/Region	Australia	•	
Language	English	•	
Video Standard	PAL	•	
		Save	

<u>Step 3</u> Configure time parameters, and then click **Next**.

Figure 1-4 Time zone setting

	······································
Time Zone Setting	
Date Format	YYYY-MM-DD
Time Zone	(UTC+04:30) Kabul
Current Time	2019-02-27 I3 : 51 : 36 Sync PC
It will be modified as	2019-02-27 10:21:36
	Next

<u>Step 4</u> Set the password for admin account, and then click **Save**.



Figure 1-5 Device initialization

Device Initialization	
Username	admin
Password	•••••
	Strong
Confirm Password	
	Use a password that has 8 to 32 characters, it can be a combination of letter(s),
	number(s) and symbol(s) with at least two kinds of them.(please do not use special
	symbols like ' " ; : &)
Email Address	To reset password, please input properly or update in time.
	Save

Table 1-1 Device initialization parameter description

Parameter	Description
Username	It is admin by default.
Password	The password should consist of 8 to 32 non-blank characters and contain at least two types of characters among upper case, lower case, number, and special characters (excluding ' "; : &). Set a high security password according to the prompt of password strength. Make sure that the new password is the same as the confirming password.
Confirm Password	Enter the confirming password that shall be the same as the password you entered.
Email Address	Set the email address which is used to reset password. Email address is enabled by default. You can disable the function as needed.

<u>Step 5</u> Select I have read and agree to all terms checkbox, and then click Next.



Figure 1-6 End-user license agreement

End-User License Agreement	
DAHUA SOFTWARE LICENSE AGREEMENT	^
 PREAMBLE INPORTANT NOTICE, PLEASE READ CAREFULLY: 1.1 This Agreement is a Software License Agreement between you and Zhejiang Dahua Technology Co.,Ltd. (hereinafter referred to as "Dahua"). Please read this software license agreement (Agreement) carefully before using the Software. By using Dahua Software, you are deemed to agree to be bound by the terms of this Agreement. If you do not agree to the terms of this Agreement, please do not install or use the Software, and click the "disagree" button(If there is any provision for "agree" or "disagree"). If the Software you get is purchased as part of Dahua device, and you do not agree to the terms of this Agreement, you may return this device/Software within the return period to Dahua or authorized distributor where you purchased from for a refund, but it should be subject to the Dahua's return policy. 1.2 Consent to use of data Certain functions like pushing update information may require information from your. Device to provide corresponding services. When you I have read and agree to all terms	•
Next	

<u>Step 6</u> Select **P2P** checkbox, and then click **Next**.

	Figure 1-7 P2P page		
P2P			
	P2P		
	To assist you in remotely managing your device, the P2P will be enabled. After enabling P2P and connecting to Internet, we need to collect IP address, MAC address, device name, device SN, etc. All collected info is used only for the purpose of remote access. If you don't agree to enable P2P function, please deselect the check box.		
	Scan the QR code on the actual interface.		
	Scan and Download APP Next		

<u>Step 7</u> Select **P2P** checkbox, and then click **Next**.



Figure 1-8 P2P page

✓ P2P

P2P

To assist you in remotely managing your device, the P2P will be enabled. After enabling P2P and connecting to Internet, we need to collect IP address, MAC address, device name, device SN, etc. All collected info is used only for the purpose of remote access. If you don't agree to enable P2P function, please deselect the check box.



Step 8Scan the QR code on the page, download the app, and then finish configurations
according to the instructions on your mobile device. After that, click Next.
The Online Upgrade page is displayed.

Figure 1-9 Online upgrade

Online L	Jpgrade
🕑 Au	to-check for updates
Au	tomatically notify me when updates are available. The system checks for updates daily.
	inform you of the latest firmware upgrades for your device, we need to collect device info such as IP address, device name, firmware rsion, device SN, etc. All collected info is used only for the purposes of verifying device validity and pushing upgrade notifications.
	Next
tep 9	Select Auto-check for updates checkbox.

- After the function is enabled, the Device will check for updates once a day automatically. There will be system notice if any update is available.
- <u>Step 10</u> Click **Next**, and the login page is displayed.



Figure 1-10 Login page

alhua	2	
Username:		
Password:		Forgot password?
	Login Cance	el

1.2.2 First-time Login

You need to download and install the plug-in for the first-time login.

- <u>Step 1</u> Open the browser, enter the IP address of the Device in the address bar, and then press Enter.
- <u>Step 2</u> Enter the username and password, and then click **Login**.

- If you enter the wrong password for 5 times, the account will be locked for 5 minutes. After the locked time, you can log in to the web page again.
- You can set the number of allowed password attempts and locked time in "5.5.12.3 Illegal Access".
- <u>Step 3</u> Download and install the plug-in according to the on-screen instruction after logging in to the web page.




Figure 1-11 Install the plug-in

alhua	Live Playback Setting Alarm Logout
Main Stream Sub Stream 1 Sub Stream 2 Protocol TCP V	<>
	PTZ Control Joystick
	000
	•••
	Speed(1-8): 5 🗸
Please click here to download and install the plug-li	
	- Focus +
	PTZ Function
	1 1≁5 ▶ Start Stop
	► start ■ stop
🖆 🚥 🔀 🎟 🖾 🕂 🛛 🖸	

<u>Step 4</u> After the plug-in is installed, the web page will be refreshed automatically, and the video is displayed on the **Live** page.

Figure 1-12 Live page



The **Live** page shown in the manual is for reference only, and functions might be different depending on the model.

1.2.3 Device Login

<u>Step 1</u> Open the browser, enter the IP address of the Device in the address bar, and then press Enter.



Figure 1-13 Device login

alhu	a		
Userna	ime:		
Passw	ord:		Forgot password?
	Login	Cancel	

<u>Step 2</u> Enter the username and password, and then click **Login**. The video is displayed on the **Live** page.

Г	Υ	h	
L .	Т	11	
1	-	1	

- If you enter the wrong password for 5 times, the account will be locked for 5 minutes. After the locked time, you can log in to the web page again.
- You can set the number of allowed password attempts and locked time. For details, see "5.5.12.3 Illegal Access".

1.2.4 Resetting Password

If you forget the password of the admin user, you can set the password through the provided email address.

 \square

Before resetting the password, you need to provide the email address in advance. For details, see "1.2.1 Device Initialization" or "5.7.3.2 System Service".

<u>Step 1</u> Open the browser, enter the IP address of the Device in the address bar, and then press Enter.

The **Login** page is displayed.





Figure 1-14 Login

alhua		
Username:		
Password:		Forgot password?
	Login Cancel	

<u>Step 2</u> Click **Forgot password?**, and the **Prompt** page is displayed.

Figure 1-15 Prompt

Prompt	
In order to provide a secure password reset environment, we need to collect your e-mail address, device MAC address, device SN, etc. All collected info is used only for the purposes of verifying device validity and sending a security code to you. Do you agree and want to continue the operation?	
OK Cancel	

<u>Step 3</u> Click **OK** to reset the password.

The **Reset the password (1/2)** page is displayed.

\wedge

If you click **OK**, your email address, MAC address, device serial number, and other information might be collected.



Figure 1-16 Reset the password (1)

Reset the pas		Note(For admin only): Option 1. Please download DMSS and then from More-Reset Device Password, scan the left QR code. Option 2. Please use an APP to scan the left QR code to get encryption strings. And then send the strings to support_rpwd@global.dahuatech.com.
Security code:		-
	Cancel	Next

- <u>Step 4</u> Scan the QR code on the actual page according to the instructions, and then enter the security code received in the mailbox.
 - Reset the password with the security code you received within 24 hours, otherwise the code will be invalid.

<u>Step 5</u> Click **Next**.

The **Reset the password (2/2)** page is displayed.

Figure 1-17 Reset the password (2)

Reset the password	(212)	
Username	admin	
Password		
	The minimum pass phrase length is 8 characters Weak Middle Strong	
	weak middle Strong	
	Use a password that has 8 to 32 characters, it	
	can be a combination of letter(s), number(s) and	
	symbol(s) with at least two kinds of them.(please	
	do not use special symbols like ' " ; : &)	
Confirm Password		
	Cancel	Save

<u>Step 6</u> Set the password of the admin user again.



The password should consist of 8 to 32 non-blank characters and contain at least two types of characters among upper case, lower case, number, and special characters (excluding ' " ; : &). Set a high security password according to the prompt of password strength.

Step 7 Click Save.



2 Live

Click the Live tab, and the Live page is displayed.

Figure 2-1 Live page



Table 2-1 Function bars description

No.	Description
1	Encoding setting
2	Video window adjustment
3	System menu
4	Video window functions
5	PTZ configuration
6	PTZ status

2.1 Encoding Setting

Click v, and then select the stream as needed.

 \square

Some devices do not support two sub streams.

Figure 2-2 Encoding setting

	Main Stream	Sub Stream 1	Sub Stream 2	Protocol TCP	~
--	-------------	--------------	--------------	--------------	---

Table 2-2 Description of encoding setting parameter


Parameter	Description	
Main Stream	It has large bit stream value and image with high resolution, but requires large bandwidth. This option can be used for storage and monitoring.	
Sub Stream 1	It has small bit stream value and smooth image, and requires little	




Parameter	Description
Sub Stream 2	bandwidth. This option is normally used to replace main stream when bandwidth is not enough.
Protocol	Select a protocol for video monitoring. The supported protocols include TCP (Transmission Control Protocol), UDP (User Datagram Protocol), and Multicast .

2.2 Video Window Adjustment

This section introduces the adjustment of video window.





No.	Parameter	Description
1	Image Adjustment	Click this button, and the Image Adjustment interface is displayed on the right side of the Live interface. You can adjust parameters such as brightness, contrast, hue, and saturation on the interface.
2	Original Size	Adjust the video image to original size.
3	Full Screen	Click this button, and the video is displayed in full screen. To exit full screen, double-click the screen or press the Esc key.
4	W:H	Adjust the video image to original ratio or a proper window.
5	Fluency	Click this button, and you can select Realtime , General , or Fluent . General is selected by default.
6	Rules Info	Click this button, and smart rules are displayed on the Live interface after the function is enabled. The function is enabled by default.
7	PTZ	Click this button, and PTZ configurations are displayed on the Live interface after the function is enabled.
8	Face	Click this button, and images are displayed on the screen. See Figure 2-8.
9	Video Metadata	Click this button, and information about motor vehicles, non-motor vehicles, and people is displayed on the screen in real time. See Figure 2-11.
10	Anti-aliasing	Click this button to enable anti-aliasing, and then aliasing can be avoided when video windows are small.


Table 2-3 Description of Video window adjustment parameter



No.	Parameter	Description
11	Panorama	Click this button, and a panorama window is displayed on the Live interface. You can perform operations such as positioning, calling presets, and setting tours.

Image Adjustment

This section introduces the adjustment of image.






Table 2-4 Image adjustment parameter description

Parameter	Description
×;	Adjust the image brightness.
\bullet	Adjust the image contrast.
9	Adjust the image hue.
1	Adjust the image saturation.
Reset	Restore brightness, contrast, saturation and hue to default values.
Ě	

 \square

Only brightness, contrast, hue, and saturation of live view image on the web interface can be adjusted with this function. To adjust the brightness, contrast, hue, and saturation of the Device, you can go to **Setting** > **Camera** > **Conditions**.



Panorama

Figure 2-5 Panorama interface




- You can perform positioning in this window by drawing a box with the left mouse button. The located area is displayed on the **Live** interface and enlarged.
- After you click **Refresh**, the Device rotates from 0 to 360 degrees horizontally and from 6 to 65 degrees vertically to obtain a new panoramic image.
- You can adjust the size of the panoramic image by dragging the screen ratio bar
- You can click Preset to call a corresponding preset on the right side of the window. For how to set a preset, see "5.4.2.1 Preset".

Figure 2-6 Preset



• You can click **Tour** to call a corresponding tour on the right side of the window. For how to set a tour, see "5.4.2.2 Tour".






Face

Face recognition result is displayed on the left side, and the captured face image and attributes are displayed on the right side.



Figure 2-8 Face



• Face recognition result display area: Displays the captured small face images, the corresponding face images in the database, and the similarities between them. After you click the image the attributes and details are displayed.

Figure 2-9 Face recognition result display

MoreInfo			1
Alarm Info	Face Database: Mini- Similarity: 93 Time: 2019-10-17 12:04:20		
Attribute			
-	Age: Young	Gender: Male	
	Expression: Normal	Glasses: No	
	Mouth Mask: No	Beard: No	
Moreinto			
	Name:		
	Date of Birth: Unknown	Gender: Unknown	
	Type: Unknown	ID No.: Unknown	

• Face and attributes display area: Displays the captured small face pictures and information such as gender, age, and expression. After you click the picture, the details are displayed.




Figure 2-10 Face and attributes display

Moreinfo			X
Alarm Into	Time: 2019-10-17 12:05:26		
Attribute	Age: Young	Gender Female	
	Expression: Normal	Glasses: General	
-	Mouth Mask No	Beard No	

Video Metadata

Motor vehicle information is displayed on the right side, and the information about human and non-motor vehicles is at the bottom of the interface. For details, see "5.5.10 Video Metadata".

Figure 2-11 Video metadata



2.3 System Menu

To access a page, click the corresponding tab on the system menu.

Figure 2-12 System menu


Live	Playback	Setting	Alarm	Logout
	r lay buok	ootting	71001111	nogour

2.4 Video Window Functions

This section introduces the function of video window.



Figure 2-13 Video window function buttons



No.	Parameter	Description
1	Wiper Control	 Click this button to select wiper operation. Start: Click this button, and the wiper starts and waves continuously. Stop: Click this button, and the wiper is turned off and stops waving. Once: Click this button, and the wiper starts and waves from left to right for one time.
2	Mark	 Click this button, right-click on the Live interface, and the function menu is displayed. See Figure 2-14. You can add information on the Live interface, and also manage added comments. Add info: Select Add Info from the pop-up menu, and enter the comment. For the interface, see Figure 2-15. Manage comments: Select Info Management from the pop-up menu to display, hide, or delete added comments. For the interface, see Figure 2-16.
3	Regional Focus	Click the button, draw a box with the mouse on the live view, and then the Device will automatically focus on the area in the box.
4	Relay-out	Click the button, and an alarm will be triggered. When an alarm is triggered, the icon turns red; and when an alarm is canceled, the icon turns grey.
5	Gesture Control	Click the button, and you can drag the live view by pressing and holding the left mouse button to control PTZ; and you can also zoom in or out through the mouse wheel.
6	Digital Zoom	 Click the button, and then select an area in the live view to zoom in; right-click on the image to restore to the original status. In enlarged status, drag the image to check other area. Click the button, and then scroll the mouse wheel in the live view to zoom in or out.
7	Snapshot	Click the button to capture one image of the current image, and it will be saved to the live snapshot storage path set in "5.1.2.5 Path."



No.	Parameter	Description
8	Triple Snapshot	Click the button, and three images of the current image are captured with one snapshot per second. These snapshots will be saved to the live snapshot storage path set in "5.1.2.5 Path."
9	Record	Click the button to record videos. The recording will be saved to the live recording storage path set in "5.1.2.5 Path."
10	Manual Track	Click the button and select any area by dragging the left mouse button in the video window; the Device tracks objects in this area intelligently.
11	Audio	Click the button to enable or disable audio output of the monitoring stream. Before using the function, you need to enable the audio of the corresponding stream in Setting > Camera > Audio first.
12	Talk	Click the button to enable or disable the two-way audio.

Figure 2-14 Mark—menu




Figure 2-15 Mark—add comments

		2019-11-29 17:20:09
P:278.4 T:6.5 Z:32	IIIII K	Cancel



Figure 2-16 Mark—manage comments



2.5 PTZ Configuration

You can control PTZ by using the **PTZ Control** panel or joystick. You can also set preset, scanning, and other functions in the **PTZ Function** area.

PTZ Control

 \square

Before using the **PTZ Control** panel, you need to set the PTZ protocol by selecting **Setting** > **PTZ** > **Protocol**.



Figure 2-17 PTZ control




Table 2-6 Description of PTZ control parameter

No.	Parameter	Description
1	Direction Buttons	There are 8 directions: Up, down, left, right, upper left, upper right, lower left, and lower right.
2	Position	Provides quick positioning function. Draw a box in the live view with the mouse, and then the PTZ rotates to and focuses on the selected area rapidly.
3	Speed	The changing speed of PTZ direction. The higher the value, the faster the speed.
4	Zoom/Focus/Iris	Click \bigcirc to increase the value, and click \bigcirc to decrease the value.

Joystick

You can drag the middle button to simulate joystick operations to control device rotation. Speed, zoom, focus, and iris configurations are the same as that of **PTZ Control** panel.



Figure 2-18 Joystick



PTZ Functions

The PTZ supports multiple functions. Select a function, click start or a go to start using the function, and then click to stop using the function.

Figure 2-19 PTZ functions



Table 2-7 Description of PTZ function

Parameter	Description
Scan	Select Scan from the list, enter a scan number, and then click Start . The PTZ starts scanning, and the default number is 1.
Preset	Select Preset from the list, enter a preset number, and then click Go to . The PTZ will rotate to the preset position.
Tour	Select Tour from the list, enter a tour number, and then click Start . The PTZ starts to tour.
Pattern	Select Pattern from the list, enter a pattern number, and then click Start . The PTZ starts to pattern.



Parameter	Description	
	Reserved for special requirements.	
Assistant		
	If necessary, enable this function under the guidance of professionals.	
Pan	Select Pan from the list, and then click Start . The PTZ starts to pan.	
	• Select Go to from the list, enter horizontal angle value, vertical angle value	
	and zoom, and then click Go to . The Device will turn to the position you	
Go to	want.	
	 One unit of the horizontal angle value or vertical angle value you enter equals 0.1 degree. 	

Menu

Figure 2-20 Menu page



Table 2-8 Description of menu parameter

Parameter	Description
Direction Buttons	Click the up and down buttons to select parameters, and click the left and right buttons to select parameter values.
ОК	Confirmation button.
Open	Open the OSD menu.
Close	Close the OSD menu.

Click **Open** to open the OSD menu. The OSD menu is displayed on the live view.




Figure 2-21 OSD menu

You can finish the following settings through the menu.



- Camera settings: For details, see "5.1 Camera".
- PTZ settings: For details, see "5.4 PTZ Settings".
- System management: For details, see "5.7 System Management".

2.6 PTZ Status

On the Live page, the PTZ status is displayed at the lower right corner.

 \square

The function is available on select models.



When the PTZ lifespan is close to the threshold, a warning will be displayed on the Live page.



Figure 2-24 Warning (2)





3 Al Live

You can check the information of the detected human faces, human bodies, motor vehicles, and non-motor vehicles.

This function is available on select models.

3.1 Al Live Page

Log in and click the **AI Live** tab. Page might vary with different models.




Table 3-1 Description of AI live page

No.	Function	
1	Live view	
2	Snapshot display area	
3	Information display area of detected targets	
4	Statistics area of the detected targets	

3.1.1 Information Display Area of Detected Targets

This area displays the information of the captured targets in real time.






Figure 3-2 Information display of the detected targets

3.1.2 Snapshot Display Area

This area displays the snapshots of the detected targets. Click any snapshot to view the information of the detected target in information display area.

Figure 3-3 Snapshot display area



3.1.3 Statistics Area of the Detected Targets

This area displays the number of the captured target in real time.



Figure 3-4 Statistics area of the detected targets



Table 3-2 Statistics area description of the detected targets

lcon	Detected Target	Description
2	Face	Available detection items: Gender, age, expression, glasses, mouth mask, and beard.
ŤŤ	Human	Available detection items: Top, bottom, top color, bottom color, bag, hat, and umbrella.
56	Non-motor vehicle	Available detection items: Vehicle type, vehicle body color, top, top color, occupancy, and hat.
æ	Motor vehicle	Available detection items: License plate, vehicle body color, vehicle type, vehicle logo, vehicle series, sunshield, seatbelt, smoking, calling, ornament, and annual inspection mark. Up Up to 7 items can be selected at the same time for motor vehicle detection.
\$	Settings	Click the button to select the detection items.

3.2 Al Live Settings

Prerequisites

Select Setting > Event > Smart Plan, and then enable Face Detection, Face Recognition or Video Metadata.

For the method to enable the function, see "5.5.4 Smart Plan". For the operations, see "5.5.7 Face Recognition" or "5.5.10 Video Metadata".

Procedure

Step 1 Click the **AI Live** tab.

The information display area of detected targets is on the right side; the snapshot display



area is on the bottom; the statistics area of the detected targets is on the lower right corner.





Step 2 Click

 \odot

to set the detection items of the targets.

Face Detection (Select max 7 items.)
Gender Age Express Glasses
Mouth Beard
Human Detection (Select max 7 items.)
Gender Top Type Bottom Top Color
Bottom Bag Hat Umbrella
Non-motor Vehicle Detection (Select max 7 item
Vehicle Vehicle Top Type Top Color
Cycling Hat
Motor Vehicle Detection (Select max 7 items.)
Vehicle Vehicle License Sunshield
Seatbelt Smoke Calling Ornament
Inspecti

Figure 3-6 Detection items selection page

Step 3 Click

 \odot

to complete the configuration.



4 Playback


You can view the saved images and videos on the Playback page

 \square

Before using the function, you need to set the period, storage method, and record control of recording and snapshot first. For details, see "5.6 Storage".

Click the **Playback** tab, and the **Playback** page is displayed.






4.1 Video Playback

Select **dav** from the **File Type** list, and the video playback interface is displayed.

Figure 4-2 Video playback



No.	Description	
1	Video playing function bar	
2	Progress bar	



No.	Description
3	Recording types
4	Auxiliary functions
5	Video playback file search and display area
6	Video clipping area
7	Progress bar time formats

4.1.1 Video Play Function Bar

This section introduces the function of video play function bar.






Table 4-2 Description of video play function bar

No.	Parameter	Description	
1	Play	Play the video.	
2	Stop Stop playing the video.		
3	Next Frame	Play the next frame. You need to pause the playback before playing the next frame.	
4	Slow	Slow down video playing.	
5	Fast	Speed up video playing.	
6	Sound	Mute or unmute the sound.	
7	Volume	Adjust the volume.	
8	Rules Info	Click this button, and smart rules will be displayed on the video playback interface if the smart rules are enabled.	

4.1.2 Recording Type

Select a recording type, and then only files of the selected types will be displayed in the progress bar and file list.





4.1.3 Auxiliary Functions

This section introduces auxiliary function.






Table 4-3 Description of auxiliary functions parameter

No.	Parameter	Description		
1	Digital Zoom	 Click the button, and then select an area in the live view to zoom in; right-click on the image to restore to the original status. In zoomed-in status, drag the image to check other areas. Click the button, and then scroll the mouse wheel in the live view to zoom in or out. 		
2	Snapshot	Click the button, and then you can take snapshots of the video in playback, and save them in the playback snapshot path set in "5.1.2.5 Path".		

4.1.4 Video Playback File Search and Display Area

This section introduces the operation of searching video playback file. There are videos and snapshots on days with blue shading.



Figure 4-6 Playback file (1)




Table 4-4 Description of playback file parameter (1)

Parameter	Description	
File Type	 To play back a recording, select dav. To play back a image, select jpg. 	
Data Src	The SD Card is used by default.	
2	Click this button, and recordings or images of a certain type on specific dates can be downloaded in batches.	
	File list. Click this button, and the recording files on the selected day will be displayed in the list.	

4.1.4.1 Downloading Files in Batches

Click

<u>Step 1</u>

1

The **Batch Download** interface is displayed.



Figure 4-7 Batch download

Batch Downlo	ad									×
Туре	All Videos	•								
Start Time	2018-07-18		00 : 00	0 : 00	End Time	2018-07-18		23 : 59 :	59	Search
Nu Nu	ımber Fil	le Size(Kb)		Be	gin Time	[End Time		File Type	Download Progress
File Size: OKb										
Туре	dav		•							
Path	C:\Users	s\41590\W	ebDownlo	ad\Playba	ackRecord		Browse			Download

<u>Step 2</u> Configure batch download parameters.

Table 4-5 Description of batch download parameter

Parameter	Description
Туре	Select the event type that triggers video recording. All Videos , General , Event , Alarm , Manual , and Snapshot are selectable. It is All Videos by default.
Start Time/End Time	Select the start time and end time for video searching.
File Type	Select the video type. dav and mp4 are selectable. It is dav by default.
Path	Click Browse , and set the saving path for video files. The default path is C:\Users\admin\WebDownload\PlaybackRecord.
Step 3 Click Searc	h to search for the video files that meets the requirements.

<u>Step 3</u> Click **Search** to search for the video files that meets the requirements.

<u>Step 4</u> Select the video, and then click **Download**.

The video files are downloaded and saved in the saving path.

\sim	\sim	~	
n	1	n	
н.		- 11	
	_		
	~		

You can select multiple files to download them.

4.1.4.2 Displaying File List

- <u>Step 1</u> Click a day with blue shading, and recording file progress bar with different colors is displayed on the time axis.
 - Green: Represents general videos.
 - Yellow: Represents motion detection videos.
 - Red: Represents alarm videos.
 - Blue: Represents manually recorded videos.
- <u>Step 2</u> Click anywhere on the progress bar, and the video will be played from that time.




00:00 0	02:00 04:00 06	Figure 4-8 Progress bar			
		nd videos recorded on the selected day will be displayed in a list.			
<u>Step 3</u>		in videos recorded on the selected day will be displayed in a list.			
	To play back a fi	le in the list, double-click the file.			
		Figure 4-9 Playback file (2)			
		00 : 00 : 00 - 23 : 59 : 59 🔍			
		DownLoad Format @ dav @ mp4			
		Start Time File Type			
		1 18:09:20 🗖 💽			
		2 13:04:22 📮 🕒			
		3 13:04:58			
		4 13:12:08 - • 5 13:21:22 - •			
		6 13:22:44 O			
		7 13:24:12 -			
		8 13:24:32 🗕 💽			
		9 13:38:22 🕒 🕒			
		11 14:40:14 🕒 💽			
		Begin Time: 2013-12-18 13:03:20			
		End Time: 2013-12-18 13:03:55			
		File Size: 16868(KB)			
		←			
	Tabl	le 4-6 Description of playback file parameter (2)			
Param		Description			
٩		Search all the recorded files from the start time to the end time on the selected date.			
Down	oad Format	There are two options: dav and mp4 .			
		Click the download button, and the files will be saved to the storage			
0		path set in "5.1.2.5 Path".			
~		Lui Devening and playing sides at the same time is not surgery to the			
		Downloading and playing video at the same time is not supported.			
+		Click the button to go back to the calendar interface.			



4.1.5 Video Clipping Area

You can clip the videos in this area.



4.1.6 Progress Bar Time Formats

This section introduces the time format of progress bar.

Figure 4-11 Progress bar time formats

O24hr O2hr	🕒 1hr	©30min
------------	-------	--------

Table 4-7 Description of progress bar time format

Parameter	Description
O24hr	Click the button, and then the progress bar displays the recordings in 24-hour mode.
🕒 2hr	Click the button, and then the video within the selected 2-hour period is displayed.
O 1hr	Click the button, and then the video within the selected 1-hour period is displayed.
(C) 30min	Click the button, and then the video within the selected 30-minute period is displayed.

4.2 Image Playback

This section introduces the operations of image playback. Select **jpg** from the **File Type** list.



Figure 4-12 Image playback




Table 4-8 Description of image playback parameter

No.	Description
1	Image playing functions
2	Snapshot types
3	Image playback file search and display area

4.2.1 Image Playing Functions

This section introduces the function of image playing.

Figure 4-13 Image playing buttons



4.2.2 Image Playback File Search and Display Area

This section introduces the operation of searching video playback file. There are videos and snapshots on days with blue shading.



Figure 4-14 Playback file (1)



Table 4-9 Description of playback file parameter

Parameter	Description	
File Type	Select jpg from the File Type list, and the image will be played in jpg	
Data Src	The SD Card is selected by default.	
	File list. Click this button, and the recording files on the selected day will be displayed in the list.	





		_	_	_
00	: 00 : 00 -	23 :	59 : 5	9 Q
	Start Time	File 1	Гуре	
1	13:03:40		•	
2	13:03:41		•	
3	13:03:42		•	
4	13:03:43		•	
5	13:03:44		•	
6	13:03:45		•	
7	13:04:42	-	•	
8	13:04:43	-	•	
9	13:04:44		•	
10	13:04:45		•	
11	13:04:46		•	
12	13:04:47		•	
13	13:04:48		•	
ŀ	┫ ◀ 1/8 🕽	▶ ▶	1	
		€-		
		4-		

<u>Step 1</u> Click **____**, and the snapshots on a selected day will be displayed in a list.


<u>Step 2</u> To play back a snapshot, double-click the corresponding file.

Table 4-10 Description of playback file parameter

Parameter	Description
٩	Search all the snapshots from the start time to the end time on the selected date.
•	Click the button to download the snapshot to local storage.
←	Click the button to go back to the calendar page.

4.2.3 Snapshot Types

After you select a snapshot type, only the files of the selected type are displayed in the file list.





5 Setting

5.1 Camera

5.1.1 Conditions Settings

This section describes how to set camera attributes and manage profiles.

5.1.1.1 Conditions

5.1.1.1.1 Picture

You can set camera attributes and picture parameters to achieve the best display effect.



Figure 5-1 Picture interface

Parameter	Description
Profile	There are three options: General , Day , and Night . You can view the configurations and the effect of the selected mode. Day is selected by default.
Style	Set the image display style. There are three options: Soft , Standard , and Vivid . Standard is selected by default.



Parameter	Description
Brightness	Set the overall image brightness. The larger the value is, the brighter the image will be. The value ranges from 0 to 100.
Contrast	Set the image contrast. The larger the value is, the greater the contrast will be. The value ranges from 0 to 100.
Saturation	Set the intensity of colors. The larger the value is, the brighter the colors will be. The value ranges from 0 to 100.
	The larger the value, the higher suppression on image colors. The value ranges from 0 to 100.
Chroma CNT	
	This parameter takes effect only when the Device is in the environment with low luminance.
	Set the sharpness of picture edges. The larger the value is, the more obvious the edge will be. The value ranges from 0 to 100.
Sharpness	
	If the value is too large, there might be image noise. Set the value according to the actual condition.
	The larger the value is, the stronger the sharpness CNT will be. The value ranges from 0 to 100.
Sharpness CNT	
	This parameter takes effect only when the Device is in the environment with low luminance.
Gamma	Change image brightness through non-linear tuning to expand the dynamic display range of images. The larger the value is, the brighter the image will be. The value ranges from 0 to 100.
	Monitoring videos can be flipped over. There are two options.
Flip	• 0 °: The monitoring video is normally displayed. It is 0 ° by default.
	• 180° : The monitoring video is flipped over.
	Electronic image stabilization (EIS) is used to effectively solve the problem of image shaking during use, thus presenting clearer images. It is Off by default.
EIS	 This function is available on select models.
	 This parameter takes effect only when the Device is in the environment
	with low luminance.
	 Optical image stabilization and electronic image stabilization cannot be enabled at the same time.
Picture Freeze	After you select On , the image at the called preset is displayed directly if you call a preset or tour, and no images during the rotation of the Device are displayed.
Step 3 Click Sav	

Step 3 Click Save.



5.1.1.1.2 Exposure

You can control the amount of light per unit area reaching the electronic image sensor by adjusting parameters on the **Exposure** interface.

<u>Step 1</u> Select Setting > Camera > Conditions > Conditions > Exposure.





Figure 5-2 Exposure—auto mode



Conditions Profile Management		
		Profile Day
$\begin{array}{c} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\$	 Picture Exposure Backlight WB Day & Night Focus & Zoom IR Light Defog 	Anti-flicker Outdoor Mode Aperture Priority Iris 10 ~ 50 (0-100) Exposure Comp — 50 AE Recovery 15Min. 2D NR • On Off Grade — 50 3D NR • On Off Grade — 50 Advanced NR On • Off






Figure 5-4 Exposure—shutter priority mode

Figure 5-5 Exposure—gain priority mode

Conditions	Profile Management				
			Profile	Day	~
and a		 Picture Exposure Backlight WB Day & Night Focus & Zoom IR Light Defog 	Gain Exposure Comp AE Recovery 2D NR Grade 3D NR Grade	Gain Priority 0 ~ 50 15Min. • On Off • On Off	 ✓ (0~100) + 50 ✓ + 50 + 50
X					
Default	Refresh Save				
Speed 5	 Zoom (+) Focus (+) Iris (+) 				



The second se	Picture	Profile Anti-flicker		~
	Exposure Backlight WB Day & Night Focus & Zoom IR Light Defog	Mode Shutter Gain Iris AE Recovery 2D NR Grade 3D NR Grade	Manual 1/25 0 ~ 50 10 ~ 50 15Min. • On Off • On Off	 (0~100) (0~100)

Figure 5-6 Exposure—manual mode




Table 5-2 Description of exposure setting parameter

Parameter	Description
Anti-flicker	 You can select 50Hz, 60Hz, or Outdoor from the list. 50Hz: When the alternating current is 50Hz, the exposure is automatically adjusted to make sure that there are no stripes on images. 60Hz: When the alternating current is 60Hz, the exposure is automatically adjusted to make sure that there are no stripes on images. Outdoor: You can switch the modes to achieve the effect you want.



Parameter	Description		
Mode	 Set the exposure modes. You can select Auto, Manual, Aperture Priority, Shutter Priority, or Gain Priority. The Auto mode is selected by default. Auto: Exposure is automatically adjusted according to scene brightness if the overall brightness of images is in the normal exposure range. Manual: You can adjust the Gain, Shutter, and Iris value manuall Aperture Priority: You can set the iris to a fixed value, and the Device adjusts shutter value then. If the image brightness is not enough and the shutter value has reached upper or lower limit, the system adjusts gain value automatically to ensure the image is at ideal brightness. Shutter Priority: You can customize the shutter range. The Device 		
	 automatically adjusts the aperture and gain according to the scene brightness. Gain Priority: Gain value and exposure compensation value can be 		
	adjusted manually.		
Gain	You can set the exposure gain. The value ranges from 0 to 100.		
Shutter	You can adjust the exposure time of the Device. The larger the shutter value, the brighter the image.		
lris	You can set the Device luminous flux. The larger the iris value, the brighter the image.		
Exposure Comp	You can set the exposure compensation value. The value ranges from 0 to 100.		
AE Recovery	Automatic exposure is an automated digital camera system that adjusts the aperture and shutter speed, based on the external lighting conditions for images and videos. If you have selected an AE Recovery time, the exposure mode will be restored to the previous mode after you adjust the iris value. There are five options: Off , 5Min , 15Min , 1Hour , and 2Hour .		
2D NR	2D noise reduction is the process of removing noise from a signal. The higher the grade is, the less the noise will be, and images appear to be blurrier.		
3D NR	3D noise reduction is the process of removing noise from a signal. The higher the grade is, the less the noise will be, and images appear to be blurrier.		
Grade	Noise reduction grade. The value ranges from 0 to 100. The larger the value is, the less the noise will be.		
Advanced NR	Realize noise suppression effect through 3D and 2D video filtering method.		

Step 3 Click Save.



5.1.1.1.3 Backlight


\square

The backlight function cannot be configured if defog function is enabled. There will be a prompt on the interface.

You can use this function to adjust the backlight compensation mode of the monitoring screen.

<u>Step 1</u> Select Setting > Camera > Conditions > Conditions > Backlight.

Figure 5-7 Backlight settings



<u>Step 2</u> Select a backlight mode from the list.

There are 4 options: **Off**, **BLC**, **HLC**, and **WDR**.


- Off: Backlight is disabled.
- **BLC**: Backlight compensation corrects regions with extremely high or low levels of light to maintain a normal and usable level of light for the object in focus.
- **HLC**: Highlight compensation dims strong light, so that the Device can capture details of faces and license plates in extreme light conditions. It is applicable to the entrance and exit of toll stations or parking lots.
- **WDR**: When in WDR (Wide Dynamic Range) mode, the Device constrains over bright areas and compensates dark areas to improve the image clarity.
- Step 3 Click Save.


If you select **Off**, other backlight mode configurations will not be effective.

5.1.1.1.4 WB

In this mode, you can make a white object displaying itself clearly on the video image in all environments.







<u>Step 2</u> Select WB mode from the list.

You can select from Auto, Indoor, Outdoor, ATW, Manual, Sodium Lamp, Natural, and Street Lamp. Auto is selected by default.

Step 3 Click Save.

5.1.1.1.5 Day & Night

This function allows you to switch between the color mode and the black & white mode, ensuring clear monitoring screen in a dim environment.


 \square

Defog function cannot be configured if **Day & Night** function is enabled. There will be a prompt on the interface.

<u>Step 1</u> Select Setting > Camera > Conditions > Conditions > Day & Night.



Figure 5-9 Day & night settings



<u>Step 2</u>	Configure da	v & night	narameter
<u> 31CP 2</u>	configure du	y a mgne	puruncter

Table 5-3 Description of day & night parameter

Parameter	Description	
	There are two options: Electrical and ICR . ICR is selected by default.	
Туре	• Electrical Image processing method is used for day & night switch.	
	• ICR : IR filter is used for day & night switch.	
	Select a mode from the list (Your selection is independent from the profile). Auto is selected by default.	
	• Color : The Device only outputs color images.	
Mode	Auto: The Device outputs color images or black-and-white images	
	according to ambient conditions.	
	• B/W : The Device only outputs black-and-white images.	
Sensitivity	Adjust the sensitivity to switch between different modes. There are three options: Low , Middle , and High .	
	You can set sensitivity only when Day & Night mode is set to Auto.	
	Adjust the delay time to switch between different modes. The value ranges from 2 s to 10 s.	
Delay		
	You can set Delay only when Day & Night mode is set to Auto .	
ton 3 Click Sa		

Step 3 Click Save.



5.1.1.1.6 Focus & Zoom

Digital zoom refers to capturing a part of the image to magnify it. The higher the magnification is, the blurrier the images will become.

<u>Step 1</u> Select Setting > Camera > Conditions > Conditions > Focus & Zoom.




Figure 5-10 Focus & zoom settings

Ctore C	
Sten 7	Contiduire focus & zoom parameter
<u>Step 2</u>	Configure focus & zoom parameter.

Table 5-4 Description of focus & zoom parameter

Parameter	Description	
Digital Zoom	Select On or Off to enable or disable digital zoom. Off is selected by default.	
Zoom Speed	The larger the value is, the faster the Device zooms.	
	Select the focus triggering mode. There are three options: Semi Auto , Auto , and Manual . Semi Auto is selected by default.	
	• Semi Auto: The Device focuses automatically when zoom or ICR	
	switch is detected.	
Mode	Auto: The Device focuses automatically when scene changes, zoom,	
	or ICR switch are detected.	
	Manual: The Device cannot focus automatically. You need to adjust	
	the focus manually.	
Focus LimitYou can select the shortest focus distance, which means the D focus on objects farther than the shortest focus distance. If you Auto, the Device will select an appropriate shortest distance a to the zoom value.		



Parameter	Description		
Sensitivity	Sensitivity is the capacity of resisting interference of the Device when focusing. The smaller the value is, the more capable the Device can resist interference when focusing.		
PFA	If you enable this function, the image is relatively clear during zoom. If you disable this function, the speed is relatively high during zoom.		
Lens Initialization	Click this button, and the lens will be initialized automatically. The lens will be extended to calibrate the zoom and focus.		

Step 3 Click Save.

5.1.1.1.7 Illuminator

This configuration is available only when the device is equipped with illuminators. Common illuminators are classified into IR lights, white lights, laser lights, and full-spectrum lights. Different device models support different types of illuminators.

 \square

This section is for reference only, and might differ from the actual interface.

IR Light/White Light

These are the conditions for using IR light and white light.

- When the day & night mode is set to **B/W**, the monitoring screen is black and white. In this case, IR light is used.
- When the day & night mode is set to **Color**, the monitoring screen is colored. In this case, white light is used.
- When the day & night mode is set to **Auto**, the monitoring screen color changes with the ambient light condition, and the illuminator varies with the monitoring screen. In **B/W** mode, the IR light is turned on; in **Color** mode, the white light is turned on.
- Full-spectrum IR light supports the infrared IR light and white-light IR light at the same time.


 \square

Some models are equipped with photoresistor that can turn on different types of illuminators based on the ambient brightness.

<u>Step 1</u> Select Setting > Camera > Conditions > Conditions > Illuminator.



Figure 5-11 Illuminator settings



<u>Step 2</u> Configure illuminator parameters.

Table 5-5 Description of illuminator parameters

Parameter		Description	
Cill Links	IR Mode	When the device is equipped with illuminators, you can	
Fill Light	White Mode	configure the fill light mode, including IR mode, white	



Parameter		Description
	Smart Illumination	 light and smart illumination. IR Mode: Enable the IR light, and then the white light is disabled. You can only capture black and white images after enabling this function. The IR light is turned off for cameras with low power consumption by default. Turn on the IR light if necessary. White Mode: Enable the white light, and the IR light is disabled. You can capture clear scene image after enabling this function. Smart Illumination: This function is mainly used at night. Smart illumination applies IR mode in most situations. When an event occurs (for example, motion detection and human detection), the camera automatically switches to white light mode to link image capturing and video recording under the full color mode. The white light turns off when the event stops, and then the mode switches to IR mode according to the ambient brightness. The status of the illuminator mainly depends on time and environment. If the smart illumination is triggered at night and the event continues during the day, the illuminator configured for the daytime will be turned off.
Manual		Adjust the brightness of illuminator manually, and then the system will supply illumination to the image accordingly.
Mode	Timing	Enable different light types in different time periods according to actual condition. You can set four periods with different light types. This function is available on select models.



Parameter		Description
	Auto	 The system adjusts the illuminator intensity according to the ambient lighting condition. Some devices support setting the brightness upper limit and sensitivity of the illuminator. Sensitivity: The higher the sensitivity setting, the higher the brightness can turn on the illuminator when the actual scene darkens. When the actual scene becomes bright, a higher brightness is required to turn off the illuminator. Brightness upper limit: If the filling light is too bright, the center of the image might be overexposed, and the actual image cannot be seen clearly. It is suggested to adjust the brightness upper limit according to the actual scene. The value range is 0-100, and the default is 100.
	Smart IR	The system adjusts the illuminator intensity according to the ambient lighting condition.
	Zoom Priority	 The system adjusts the illuminator intensity automatically according to the change of the ambient light. You can configure light compensation manually to fine-tune the brightness of the illuminator. When the ambient light turns darker, the system turns on the near light first, if the brightness is still not enough, then it turns on the far light. When the ambient light turns brighter, the system dims far light until they are off, and then the near light. When the focus reaches certain wide angle, the system will not turn on far light in order to avoid over-exposure in short distance. In ZoomPrio mode, IR light and white light are supported, and IR light is selected by default.
	Off	Illuminator is off.
Light Type		You can select IR Light or White Light.
Correction		Compensate for the brightness of the IR light. The value ranges from 0 to 100.
Near Light		Set the brightness of the short-range light. The value ranges from 0 to 100.
Far Light		Set the brightness of the long-range light. The value ranges from 0 to 100.

Step 3 Click Save.



Laser Light

Laser light makes compensation for the ambient environment when it is used for long-distance monitoring.

<u>Step 1</u> Select Setting > Camera > Conditions > Conditions > IR Light.

Conditions Profile Management				
		Profile	Day	•
217-09-06 fifet 54% Tue IP PT2 Dome Z10 Default Refresh Save	 Picture Exposure Backlight WB Day & Night Focus & Zoom IR Light Defog 	Mode Laser Intensity Laser Angle		▼ () + 56 () + 100
Speed 5 V				

Figure 5-12 Laser light settings

<u>Step 2</u> Configure laser light setting parameter.

Table 5-6 Description of laser light setting parameter

Description			
Select the laser light mode from ZoomPrio and Manual . It is ZoomPrio by default.			
• ZoomPrio: The Device can automatically adjust laser light brightness			
according to the zoom times.			
Manual: Manually set laser light brightness and angle value.			
Set the intensity of the laser light. The value ranges from 0 to 100.			
Set the angle value from 0 to 100.			

Step 3 Click Save.

5.1.1.1.8 Defog

\square

The defog function cannot be configured if backlight function is enabled. There will be a prompt on the interface.

Image quality drops if the Device is installed in foggy or hazy environment. You can enable defog to improve image quality.



Default


Refresh

Zoom (+

~

 \checkmark


 \checkmark



WBDay & Night

Focus & Zoom
IR Light
Defog

<u>Step 1</u> Select Setting > Camera > Conditions > Conditions > Defog.



Save

P27b01583.jp	 Picture Mode Auto Exposure Backlight WB Day & Night Focus & Zoom IR Light Defog 	
Default Refresh Save		

<u>Step 2</u> Configure defog parameter.



Parameter	Description
	Select the defog mode of the Device. You can select Auto , Manual , or Off . It is Off by default.
Mode	
	For the Device that supports optical defog, in Auto mode, optical defog and electronic defog switch automatically according to the algorithm. And in Off mode, electronic defog is enabled by default.
Intensity	Set the defog intensity of the Device. You can select from Low , Medium , or High .
Defog Enhancement	In Manual mode, if you enable this function, both optical defog and electronic defog are enabled. (You need to enable Auto mode for Day & Night to use the function.)
	Only the Device that supports optical defog has this parameter.

Table 5-7 Description of defog parameter

Step 3 Click Save.

5.1.1.2 Profile Management

- <u>Step 1</u> Select Setting > Camera > Conditions > Profile Management.
- <u>Step 2</u> Select the profile management mode.

There are three options: General, Full Time and Schedule.

• If you select **General**, monitoring is based on the general configuration of the Device.

Figure 5-15 Profile management—general

Conditions Pro	file Management	
Profile Management	General O Full Time O Schedule	
	Default Refresh Save	

• If you select **Full Time**, **Day** and **Night** are selectable, and the corresponding camera property profile is day or night.

Figure 5-16 Profile management—full time
--

Conditions Pro	ofile Management
Profile Management	○ General ● Full Time ○ Schedule
Always Enable	Day 🗸
	Default Refresh Save

• If you select **Schedule**, you can select one period for day configuration and another



period for night configuration. For example, you can set the day-time configuration from 6:00 to 18:00, and set the night-time configuration from 18:00 to 6:00 on the next day.

Figure 5-17 Profile management—schedule	
---	--

Conditions Pro	ofile Manage	ment					
Profile Management	O General () Full Time 🖲	Schedule				
Period setting							
	0:00	4:00	8:00	12:00	16:00	20:00	24:00
	📒 Day 📕	Night					
	Default	Refre	esh 🤅	Save			

Step 3 Click Save.

5.1.2 Video

You can set the video stream, snapshot stream, video overlay, ROI, and storage path of the Device.

5.1.2.1 Video Stream

This section describes how to set the video stream for the monitoring screen.

```
<u>Step 1</u> Select Setting > Camera > Video > Video.
```

Figure 5-18	Video stream	settings
-------------	--------------	----------

Aain Stream					Sub Stream			
					I Enable	Sub Stream 1	~	
Encode Mode	H.264H	×			Encode Mode	H 264H	~	
Smart Codec	Off	v			Resolution	704*576(D1)	¥	
Resolution	1920*1080(1080P)	~			Frame Rate(FPS)	25	~	
Frame Rate(FPS)	25	¥			Bit Rate Type	CBR	~	
Bit Rate Type	CBR	~			Reference Bit Rate	256-2304Kb/S		
Reference Bit Rate	1792-8192Kb/S				Bit Rate	1024	~	(Kb/S)
Bit Rate	4096	Y	(Kb/S)		I Frame Interval	50		(25~150)
I Frame Interval	50		(25~150)		SVC	1(off)	Ŷ	
SVC	1(off)	¥						
Watermark Settings								
Watermark Characte	DigitalCCTV	1						

 \square

- The stream configuration interfaces might vary depending on devices, and the actual interface shall prevail.
- The default bit rate of different devices might vary, and the actual product shall prevail.

<u>Step 2</u> Configure video stream parameter.

Table 5-8 Description of video stream parameters	Table 5-8	Description of	ⁱ video strea	n parameters
--	-----------	----------------	--------------------------	--------------

Parameter	Description
Enable	You can select the checkbox to enable sub stream. The sub stream is enabled by default.



Parameter	Description	
Encode Mode	You can select H.264 , H.264H , H.264B , H.265 , MJPEG , MPEG4 , or SVAC .	
Smart Codec	Enable Smart Codec to improve video compressibility and save storage space.	
Resolution	ROI, smart event, and other functions. Multiple resolution types are available for you to choose, and each type	
	corresponds to a unique recommended stream value.	
Frame Rate (FPS)	PAL: 1–25 frames/s or 1–50 frames/s. The frame rate changes with the resolution.	
Bit Rate Type	 There are two options: CBR (constant bit rate) and VBR (variable bit rate). Image quality can be set only in VBR mode, and cannot be set in CBR mode. In MJPEG encode mode, CBR is the only option for Bit Rate Type. 	
Reference Bit Rate	The recommended bit rate range is based on the resolution and frame rate.	
Bit Rate	It is the upper limit of stream in VBR. In CBR, the value is fixed.	
l Frame Interval	The number of P frames between two I frames. The range varies with the frame rate, and the maximum value is 150. It is recommended to set the interval twice the frame rate.	
SVC	Layered encoding can be done for FPS. SVC is a scalable encoding method on time domain. It is 1 by default, which means no layered coding. You can set 2, 3 or 4 layered encoding.	
Watermark Settings	You can verify the watermark to check if the video has been tampered.	
Watermark Character	You can verify the watermark to check if the video has been tampered. Select Watermark Settings checkbox to enable Watermark Character. The watermark character is DigitalCCTV by default, and you can modify it. Watermark character consists of up to 128 characters from letters, standard	
	symbols, spaces, and special characters.	

Step 3 Click Save.

5.1.2.2 Snapshot

This section describes how to set streams for snapshots.

<u>Step 1</u> Select Setting > Camera > Video > Snapshot.



	Figure 5-19 Shap	snot stream se	ttings		
Video	Snapshot	Overlay	ROI	Path	
Snapshot Type	General	~			
Image Size	1080P (1920*1080)				
Quality	5	~			
Interval	1S	~			
	Default	Refresh	Save		

Figure 5-19 Snapshot stream settings

<u>Step 2</u> Configure snapshot stream parameter.

Table 5-9 Description	on of snansho	t stream naramet	ers
Tuble 5 5 Description	Shi or shapsho	r su cam paramet	CIS

Parameter	Description
Snapshot Type	 You can select General or Event. General refers to capturing images within the time range set in the schedule. For details, see "5.6.1 Schedule". Event means capturing images when motion detection, video tampering, or local alarms are triggered. For how to enable snapshots for motion detection, video tampering, or local alarms, see "5.5 Event Management".
Image Size	It is the same as the resolution of the selected snapshot main stream, and cannot be modified on this page.
Quality	You can set the snapshot quality from 1 to 6 levels. Level 1 is the lowest level, and level 6 is the highest level.
Interval	Set the snapshot frequency. You can select from 1 s through 7 s or Customized .

Step 3 Click Save.

5.1.2.3 Overlay

Configure overlay information, and it will be displayed on the **Live** page.

5.1.2.3.1 Privacy Masking

You can enable this function when you need to protect privacy of some areas on the video image.

Procedure

<u>Step 1</u> Select Setting > Camera > Video > Overlay > Privacy Masking.



Figure 5-20 Privacy masking

 Privacy Maskro Channel Title The Title OSD Info Font Attribute Picture Overlay Mobile State Custom Overlay Abnormal Latitude and L Privacy Maskro Inter Title Speed S Inter Title Inter T

Step 2 Select Enable.

<u>Step 3</u> Click **Add**, select the masking type and color, set the shielding ratio, and then draw blocks on the image.

 \square

You can select the masking type from Color Lump and Mosaic.

- When selecting **Color Lump** only, you can draw triangles and convex quadrilaterals as blocks. You can drag 8 blocks at most.
- When selecting **Mosaic**, you can draw rectangles as blocks with mosaic. You can draw 4 blocks at most.
- When selecting both Color Lump and Mosaic, you can draw 8 blocks at most.

Related Operations

• View and edit the block.

Select the privacy masking rule to be edited in the list, then the rule is highlighted, and the block frame is displayed in the image. You can edit the selected block as needed, including moving the position, and adjusting the size.

• Edit the block name.

Double-click the block name to edit it.

- Delete the block.
 - Click to delete blocks one by one.
 - Click Clear to delete all blocks.


5.1.2.3.2 Channel Title


You can enable this function when you need to display channel title in the video image.

<u>Step 1</u> Select Setting > Camera > Video > Overlay > Channel Title.



Figure 5-21 Channel title






- Click 🕂 to expand the channel title, and you can expand 1 line at most.
- <u>Step 3</u> Move the title box to the position that you want in the image.
- Step 4 Click Save.

5.1.2.3.3 Time Title

You can enable this function when you need to display time in the video image.

<u>Step 1</u> Select Setting > Camera > Video > Overlay > Time Title.




- <u>Step 2</u> Select the **Enable** checkbox.
- <u>Step 3</u> Select the **Week Display** checkbox.
- <u>Step 4</u> Move the time box to the position that you want in the image.
- Step 5 Click Save.



5.1.2.3.4 OSD Info

You can enable this function if you want to display preset title, temperature, PTZ life warning, coordinates, zoom, north direction, pattern, RS-485, battery information, and other information on the video image.



<u>Step 1</u> Select Setting > Camera > Video > Overlay > OSD Info.

<u>Step 2</u>	Configure OSD information.
<u> </u>	configure obb information

Table 5-10 Description of OSD information

Parameter	Description
Preset	Select Enable , and the preset name is displayed on the image when the camera turns to the preset, and it will disappear 3 s later.
	For some devices, you can set the duration of the preset title displaying on the screen. You can select from Disable , 5s , 15s , Display Permanently , and Custom .
Temperature	Select Enable , and the internal temperature of the current device is displayed.
PTZ Life Warning	When the PTZ lifespan is close to the threshold, a warning will be displayed on the video image. This OSD info is enabled by default.
Coordinates	Select Enable , and the PTZ coordinates information is displayed on the image.
Zoom	Select Enable , and the zoom information is displayed on the image. For example, ENALLY SERVICE means 12x zoom rate.
North	Select Enable , and the north direction is displayed on the image.
Pattern	Select Enable , and the pattern information is displayed on the image.

Description	
Select Enable , and the RS-485 communication information is displayed on the image.	
Select Enable , and the battery level is displayed on the image.	
Select Enable and enter text, and the text is displayed on the image.	

<u>Step 3</u> Move the OSD box to the position that you want on the image.

Step 4 Click Save.

5.1.2.3.5 Font Attribute

You can enable this function if you need to adjust the font size and color on the video image. <u>Step 1</u> Select **Setting** > **Camera** > **Video** > **Overlay** > **Font Attribute**.




Figure 5-24 Font attribute

Step 2Select the font color and size.Click More Color to customize the font color.

Step 3 Click Save.

5.1.2.3.6 Picture Overlay


You can enable this function if you need to display image on the video image.

 \square

Text overlay and picture overlay cannot be enabled at the same time. <u>Step 1</u> Select **Setting > Camera > Video > Overlay > Picture Overlay**.



Figure 5-25 Picture overlay



<u>Step 2</u> Select the **Enable** checkbox, click **Upload Picture**, and then select the image to be overlaid.

The image is displayed on the video image.

- <u>Step 3</u> Move the overlaid image to the position that you want on the image.
- Step 4 Click Save.

5.1.2.3.7 Mobile State

You can enable this function if you want to display mobile state on the image. <u>Step 1</u> Select **Setting > Camera > Video > Overlay > Mobile State**.






- <u>Step 3</u> Drag the mobile state box to the position that you want on the image.
- Step 4 Click Save.

The mobile state information is displayed on the image.



5.1.2.3.8 Custom Overlay

You can enable this function if you need to display custom information on the video image. <u>Step 1</u> Select **Setting > Camera > Video > Overlay > Custom Overlay**.



<u>Step 2</u> Select the **Enable** checkbox, and then select the text alignment.

Click 🕂 to expand the custom overlay, and you can expand 1 line at most.
Drag the custom overlay box to the position that you want on the image.
Click Save.

5.1.2.3.9 Abnormal

<u>Step 3</u> Step 4

You can enable this function if you want to display exception information on the image. <u>Step 1</u> Select **Setting > Camera > Video > Overlay > Abnormal**.



<u>Step 2</u> Select the **Enable** checkbox.



<u>Step 3</u> Drag the box to the position that you want on the image.

Step 4 Click Save.

The exception information is displayed on the image.

5.1.2.3.10 Latitude and Longitude

You can enable this function if you need to display latitude and longitude on the video image.

<u>Step 1</u> Select Setting > Camera > Video > Overlay > Latitude and Longitude.



- <u>Step 2</u> Select the **Enable** checkbox.
- <u>Step 3</u> Drag the box to the position that you want on the image.
- Step 4 Click Save.

5.1.2.4 ROI


You can set a key monitoring region as a ROI (region of interest), and configure the image quality of this region.

 \square

ROI is available on select models.

<u>Step 1</u> Select **Setting** > **Camera** > **Video** > **ROI**.





<u>Step 2</u> Select **Enable** to enable this function.

<u>Step 3</u> Press and hold the left mouse button to draw boxes on the monitoring screen. You can draw up to 4 boxes.

 \square

- Click **Delete** or right click to delete the drawn boxes.
- Click **Remove All** to clear all boxes.
- <u>Step 4</u> Set the image quality of the ROI.
- Step 5 Click Save.

5.1.2.5 Path

The storage path is associated with the snapshot and recording on the **Live** page. You can set the path of **Live Snapshot** and **Live Record** respectively.

The storage path is associated with the snapshot, downloaded and clipped files on the **Playback** page. You can set the path of **Playback Snapshot**, **Playback Download**, and **Video Clips** respectively.

<u>Step 1</u> Select Setting > Camera > Video > Path.



Figure 5-31 Path settings

Video	Snapshot	Overlay	ROI	Path	
Live Snapshot	C:\Users\	\WebDownload\LiveSr	apshot	Browse	
Live Record	C:\Users\	\WebDownload\LiveRe	ecord	Browse	
Playback Snapshot	C:\Users\	WebDownload\Playba	ickSnapshot	Browse]
Playback Download	C:\Users\	\WebDownload\Playba	ickRecord	Browse	
Video Clips	C:\Users\	WebDownload\Video	Clips	Browse	1
	Default	Save			_

<u>Step 2</u> Set each storage path.

- Default storage path for snapshots: C:\Users\admin\WebDownload\LiveSnapshot.
- Default storage path for recording: C:\Users\admin\WebDownload\LiveRecord.
- Default storage path for playback snapshot:
 C:\Users\admin\WebDownload\PlaybackSnapshot.
- Default storage path for playback download:
 C:\Users\admin\WebDownload\PlaybackRecord.
- Default storage path for video clips: C:\Users\admin\WebDownload\VideoClips.

Step 3 Click Save.

5.1.3 Audio

You can configure audio parameters and alarm audio.

 \square

The function is available on select models.

5.1.3.1 Configuring Audio Parameters

You can set the audio input type, volume and more. After you enable main stream or sub stream, the network stream contains both audio and video; otherwise it is only video stream.

 \square

Before enabling sub stream audio, go to **Setting** > **Camera** > **Video** > **Video** to enable video in sub stream.

<u>Step 1</u> Select **Setting > Camera > Audio > Audio**.



Fig	uire	5-32	Audio
114	iuie	J-JZ	Audio

- Encode	
Main Stream	
Enable	
Encode Mode	G.711A 🗸
Sampling Frequency	8000 🗸
Sub Stream	
Enable	Sub Stream 1 🗸
Encode Mode	G.711A 🗸
Sampling Frequency	8000 🗸
- Attribute	
AudioIn Type	Lineln V
Audio Output Type	LineOut 🗸
Noise Filter	Disable 🗸
Microphone Volume	
Speaker Volume	

- <u>Step 2</u> Enable audio in main stream or sub stream.
- Step 3 Configure audio parameters.

Table 5-11 Description of aud	lio parameter
-------------------------------	---------------

Parameter	Description
Enable	Enable audio in main stream or sub stream. Audio can be enabled only when video has been enabled.
Encode Mode	The audio encoding mode selected here applies to both audio streams and voice talks. We recommend you to keep the default value.
Sampling Frequency	The number of audio signals sampled per second. The higher the sampling frequency, the more samples obtained per unit time, and the more accurate the restored audio signals.
Audioln Type	 Set the audio input type. Lineln: The Camera collects audio signals through an external audio device. Mic: The Camera collects audio signals through the built-in microphone. Bluetooth: The Camera collects audio signals through a Bluetooth device. Bluetooth is available on select models.



Parameter	Description
Audio Output Type	 Set the audio output type. LineOut: The Camera outputs audio signals through an external audio device. Speaker: The Camera outputs audio signals through the built-in speaker. Bluetooth: The Camera outputs audio signals through a Bluetooth device.
	Bluetooth is available on select models.
Noise Filter	After the function is enabled, noise in the environment will be filtered.
NR (Noise Reduction) Level	Adjust the noise reduction level.
Microphone Volume	Adjust the microphone volume.
Speaker Volume	Adjust the speaker volume.

<u>Step 4</u> Click **Save**.

5.1.3.2 Configuring Alarm Audio

You can set the alarm audio to be played when an alarm is triggered. For some devices, you can record or upload alarm audios.

Procedure

```
Select Setting > Camera > Audio > Alarm Audio.
<u>Step 1</u>
```

alam, ww D +	Choose	Name	Play	Download	Modity	Celuter
		alam, wav	0		1	0



Figure 5-34 Add audio file

Add Audio File		×
Record	O Upload	
Audio File	Record	.pcm





- Select **Record**, enter the audio file name, and then click **Record**. Click **Stop** to complete recording.
- Select **Upload**, click 📄, select the audio file to be uploaded, and then click **Upload**.

 \square

- The format of recorded audio is .pcm. Audio recording is only supported by some devices.
- Audio file in the format of .wav can be uploaded.
- You can edit and delete recorded or uploaded audio.
 - ◊ Click to *⊘* edit audio file.
 - Click 😑 to delete audio file.

<u>Step 4</u> Select the audio file that you need.

Related Operations

- Play audio: Click 🚺 to play the alarm audio.
- Download audio: Click 👽 to download the alarm audio to local storage. The audio is saved to the default download path of the browser.

5.2 Network Settings

5.2.1 TCP/IP

You can configure the IP address and DNS server of the Device to connect it to other devices in the network.

Prerequisites

Before configuring network parameters, make sure that the Device is connected to the network properly.

- If there is no router in the network, assign an IP address in the same network segment.
- If there is a router in the network, set the corresponding gateway and subnet mask.

Procedure

<u>Step 1</u> Select **Setting > Network > TCP/IP**.



Figure	5-35	TCP/IP	settings
inguic	5 55	1 C1 / 11	Jettings

lost Name	SD		
Ethernet Card	Wire(Default)	~	Set as Default C
Node	● Static ○ DHCP		
MAC Address		68	
P Version	IPv4	~	
P Address	173 20 14	102	
Subnet Mask	200 00 0		
Default Gateway	12		
Preferred DNS	22		
Alternate DNS			
UTU	1500		(600~1500)

<u>Step 2</u> Set TCP/IP parameters.

Table 5-12 Description of TCP/IP parameter

Parameter	Description
Host Name	Set the name of the current device. The host name can be English or Chinese within 63 bytes.
Ethernet Card	Select the Ethernet card to be configured. Wire is selected by default.
Set as Default Card	Click to set the current Ethernet card as the default card.
Mode	 Static and DHCP modes are available. If DHCP is selected, the IP address is obtained automatically. In this case, the IP address, subnet mask, and gateway cannot be set. If Static is selected, you need to set the IP address, subnet mask, and gateway manually.



Parameter	Description		
MAC Address	Display the MAC address of the Device.		
IP Version	You can select IPv4 or IPv6 . Both versions are supported and can be accessed.		
IP Address	Enter correct digits to change the IF	² address.	
Subnet Mask	Set the subnet mask according to actual conditions. The subnet prefix is a number in the range of 1 to 255. The subnet prefix identifies a specific network link, and usually contains a hierarchical structure. The Device checks the validity of all IPv6 addresses. The IP address and the default gateway must be in the same network segment. Make sure that a certain part of the subnet prefix in the IP address and default gateway are the same.		
Default Gateway	Configure as needed. The default gateway must be in the same network segment as the IP address.	For IPv6 version, in the IP Address, Default Gateway, Preferred DNS, and	
Preferred DNS	IP address of the DNS server.	Alternate DNS fields, enter	
Alternate DNS	Alternate IP address of the DNS server.	128 bits, and these fields cannot be blank.	
MTU	 You can set the MTU value to ensure good data transmission according to the network. The value is 1500 by default. Modifying MTU value causes Ethernet card restarting and network disconnection. Here are some suggested values for your reference. 1500: It is the maximum and default value of Ethernet packet, typical setting of the network connection without PPPOE or VPN, and is the default setting of some routers, network adapters, and switches. 1492: The optimal value for PPPOE. 1468: The optimal value for DHCP. 1450: The optimal value for VPN. 		
Enable ARP/Ping to set IP address service	 Select the checkbox, and then you can modify and set the device IP address through ARP/Ping command if the MAC address is known. The function is enabled by default. During reboot, you will have no more than 2 minutes to configure the Device IP address by a ping packet with certain length. The server will be turned off in 2 minutes, or it will be turned off immediately after the IP address is successfully configured. If the function is not enabled, the IP address cannot be configured with ping packet. 		

Step 3 Click Save.



Related Operations

An Example of Configuring IP Address with ARP/Ping

- 1. To obtain a usable IP address, make sure that the Device and your PC are in the same LAN.
- 2. Get the MAC address from the Device label.
- 3. Open command editor on the PC and enter the following command.

System	Command
	arp -s <ip address=""> <mac></mac></ip>
	ping -I 480 -t < IP Address >
Windows syntax	Example:
	arp -s 192.168.1.125 11-40-8c-18-10-11
	ping -l 480 -t 192.168.0.125
	arp -s <ip address=""> <mac></mac></ip>
	ping -s 480 < IP Address >
UNIX/Linux/Mac syntax	Example:
	arp -s 192.168.1.125 11-40-8c-18-10-11
	ping -s 480 192.168.0.125
	netsh i i show in
	netsh -c"i i" add neighbors ldx <ip address=""> <mac></mac></ip>
	ping -I 480 -t < IP Address >
Win7 syntax	Example:
	netsh i i show in
	netsh -c"i i" add neighbors 12 192.168.1.125 11-40-8c-18-10-11
	ping -l 480 -t 192.168.1.125

Table 5-13 Command list

4. Power off the Device and then restart it, or restart the Device over the network.

5. Check the PC command line. If there is information such as "Reply from 192.168.1.125...", it means the configuration succeeds. In this case, you can close the command editor.

6. Enter *http://<IP address>* in the browser address bar to log in.

5.2.2 Port

You can configure the maximum port numbers and values on this page.

<u>Step 1</u> Select **Setting > Network > Port**.



Figure 5-36 Port page

Max Connection	10		(1~20)	
TCP Port	37777		(1025~65534)	
UDP Port	37778		(1025~65534)	
HTTP Port	80			
RTSP Port	554			
HTTPS Port	443			
5000 Port	Enable	O Off		

<u>Step 2</u> Configure each port value of the Device.

- Except Max Connection, modifications of other parameters will take effect after restart.
- 0-1024, 1900, 3800, 5000, 5050, 9999, 37776, 37780-37880, 39999, and 42323 are occupied for specific uses.
- It is not recommended to use the default values of other ports during port configuration.

Table 5-14 Description	of port parameter
------------------------	-------------------

Parameter	Description
Max Connection	The maximum number of users that can log in to the web page of the Device simultaneously. The value ranges from 1 to 10, and it is 10 by default.
TCP Port	TCP service port. The value is 37777 by default. You can set this parameter as needed.
UDP Port	User Datagram Protocol port. The value is 37778 by default. You can set this parameter as needed.
HTTP Port	HTTP communication port. The value is 80 by default. You can set this parameter as needed.





Parameter	Description	
	Real Time Streaming Protocol port. Keep the default value 554 if it is displayed. If you play live view through Apple's QuickTime or VLC, the following format is available. This function is also supported by Blackberry mobile phone.	
	When the URL format requiring RTSP, you need to specify channel number and bit stream type in the URL, and also username and password if needed.	
	When playing live view with Blackberry mobile phone, you need to disable the audio, and then set the stream encoding mode to H.264B and resolution to CIF.	
	URL format example:	
	rtsp://username:password@ip:port/cam/realmonitor?channel=1&subtype =0	
	Username: Your username. For example, admin.	
RTSP Port	Password: Your password. For example, admin.	
	IP: Your device IP. For example, 192.168.1.122.	
	 Port: Leave it if the value is 554 by default. 	
	Channel: Channel number starting from 1. For example, if it is channel	
	2, then enter channel=2.	
	• Subtype: stream type. The main stream is 0 (subtype=0); the sub	
	stream is 1 (subtype=1).	
	For example, if you require the sub stream of channel 2 from a certain device, then the URL shall be:	
	rtsp://admin:admin@192.168.1.123:554/cam/realmonitor?channel=2&subt ype=1	
	If certification is not required, you do not need to specify the username and password. Use the following format:	
	rtsp://ip:port/cam/realmonitor?channel=1&subtype=0	
	A network protocol for real-time data communication. The value is 1935 by default. You can enter the value as needed.	
RTMP		
	Enable RTMP to push audio and video data to the third-party server. Make sure that the address is trusted; otherwise it might cause data leakage.	
HTTPS Port	HTTPS communication port. The value is 443 by default. You can set this parameter as needed.	
	The port is disabled by default. If you need to connect the Camera to intelligent transportation box through 5000 port, enable this port.	
5000 Port		
	There might be network risk if the port is enabled. Be cautious.	
Step 3 Click Save		

Step 3 Click Save.

5.2.3 PPPoE

You can enable PPPoE (Point-to-Point Protocol over Ethernet) to establish network connection. In this case, the Device obtains a dynamic IP address. To use this function, you need to obtain the



PPPoE username and password from the Internet Service Provider (ISP).

<u>Step 1</u> Select **Setting > Network > PPPoE**.

	Figure 5-37 PPPoE page (1)
PPPoE	
Enable	
Username	none
Password	
	Default Refresh Save

- <u>Step 2</u> Select **Enable**, and then enter PPPoE username and password.
- Step 3 Click Save.

Save Succeeded! is displayed, and the obtained IP address of public network is displayed in real time. You can access the Device through the IP address.

Figure	5-38	PPPoE	page	(2)
--------	------	-------	------	-----

PPPoE	
Enable	
Username	public
Password	•••••
	Default Refresh Save

5.2.4 DDNS

Properly configure DDNS, and then the domain name on the DNS server matches your IP address and refresh the matching relation in real time. You can always access your device with the same domain name no matter how much your device IP address changes. Before making any changes, check whether your device supports the DNS server.

 \square

- The third party servers might collect your device information if DDNS is enabled.
- Register and log in to the DDNS website, and then you can view the information of all the connected cameras in your account.

<u>Step 1</u> Select **Setting > Network > DDNS**.



Figure 5-39 DDNS

DDNS	
🖌 Туре	NO-IP DDNS After enabling DDNS function, third-party server may collect your device info.
Address	dynupdate.no-ip.com
Domain Nam	e none test
Username	none
Password	••••
Interval	1440 Min.(1440~2880)
	Default Refresh Save

Step 2	Select Type,	and then	configure	DDNS	parameter.
<u> 510 p 2</u>	Jereer Type,	und then	configure		purumeter.

Table 5-15 Description of DDNS parameter

Parameter	Description	
Туре	The name and website of the DDNS service provider. Here is the matching relationship.	
Server Address	CN99 DDNS	
	Server address: www.3322.org	
	NO-IP DDNS	
	Server address: dynupdate.no-ip.com	
	Dyndns DDNS	
	Server address: members.dyndns.org	
Domain Name	The domain name you registered on the DDNS website.	
Username	Enter the username and password obtained from DDNS service provider. You need to register an account (including username and password) on the website of DDNS service provider.	
Password		
Interval	The update cycle of the connection between your device and the server, and the time is 10 minutes by default.	

Step 3 Click Save.

Open the browser, enter the domain name in the address bar, and then press the Enter key. The login page is displayed.

5.2.5 SMTP (Email)

 \square

After this function is enabled, the device data will be sent to the given server. There is data leakage risk. Think twice before enabling the function.

After you configure **SMTP (Email)**, when alarms, video detection and abnormal events are triggered, an email will be sent to the recipient server through SMTP server. The recipient can log in to the incoming mail server to receive emails.

<u>Step 1</u> Select Setting > Network > SMTP (Email).

	Figure 5-40 SMTP (Email)
SMTP(Email)	
SMTP Server	none
Port	25
Anonymity	
Username	anonymity
Password	••••
Sender	none
Authentication	TLS
Title	Message Attachment
Mail Receiver	+
	_
Health Mail	Update Period 60 s(1~3600)
	Test
	Default Refresh Save

<u>Step 2</u> Configure SMTP (Email) parameter.

alhua

Table 5-16 Description of SMTP (Email) parameter

Parameter	Description	
SMTP Server	IP address of the outgoing mail server complying with SMTP protocol.	
Port	Port number of the outgoing mail server complying with SMTP protocol. It is 25 by default.	For the detailed configuration, see Table 5-17.
Username	Username of sender mailbox.	
Password	Password of sender mailbox.	
Anonymity	entering username, password, and sender information.	
Sender		



Parameter	Description
Authenticati on	 Select authentication type from None, SSL and TLS. TLS is selected by default. For the detailed configuration, see Table 5-17. There might be risks if you select the authentication type other than TLS. TLS is recommended.
Title	You can enter no more than 63 characters in Chinese, English, and Arabic numerals.
Mail Receiver	Email address of the receiver. Support 3 addresses at most.
Attachment	Select the checkbox to support attachment in the email.
Health Mail	The system sends test mail to check if the connection is successfully configured. Select the Health Mail checkbox and configure the Update Period , and then the system sends test mails according to the defined period.
Test	Test whether the email function is normal. If the configuration is correct, the email address of the receiver will receive the test email. Save the email configuration before running rest.

Туре	SMTP Server	Authentication	Port	Description
QQ	smtp.qq.com	SSL	465	 The authentication type cannot be None. You need to enable SMTP service in your mailbox. The authentication code is required; either the QQ password or email password or email password is not applicable. Authentication code is the code you receive when enabling SMTP service.
163	smtp.163.com	SSL	465/994	• You need to enable
105	51110-105.0011	TLS	25	SMTP service in your

Table 5-17 Description of common email configuration



Туре	SMTP Server	Authentication	Port	Description
				 mailbox. The authentication code is required; the email password is not applicable. Authentication code is the code you receive when enabling SMTP service.
Sina	smtp.sina.com	SSL	465	You need to enable SMTP service in your mailbox.
126	smtp.126.com	_	25 25	You need to enable SMTP service in your mailbox.

Step 3 Click Save.

5.2.6 UPnP

 \square

After UPnP is enabled, Intranet service and port of the Device will be mapped to Extranet. Think twice before enabling it.

UPnP (Universal Plug and Play) allows you to establish the mapping relationship between Intranet and Extranet. Extranet users can access Intranet device by visiting Extranet IP address. Intranet port is device port and Extranet port is router port. Users can access the Device by accessing Extranet port. When you are not using routers for UPnP, disable UPnP to avoid affecting other functions. Once UPnP is enabled, the Device supports UPnP protocol. In Windows XP or Windows Vista, after UPnP is enabled, the Device can be automatically searched by Windows network.

Adding UPnP Network Service in Windows System

- 1. Open Control Panel, and then select Add or Remove Programs.
- 2. Click Add/Remove Windows Components.
- 3. Select Network Service from the Windows Components Wizard and click Details button.
- 4. Select Internet Gateway Device Discovery and Control Client, and UPnP User Interface, and then click OK to start installation.



Configuring UPnP

1. Select **Setting** > **Network** > **UPnP**.

tart Device Discover						
ort Mapping List	Service Name	Protocol	Internal Port	External Port	Status	Modify
¥.	HTTP	WebService TCP	80	8080	Mapping Failed	1
×.	TCP	PrivService TCP	37777	37777	Mapping Failed	1
2	UDP	PrivService:UDP	37778	37778	Mapping Failed	1
×	RTSP	RTSPService TCP	554	554	Mapping Failed	1

- 2. Select Enable.
- 3. Select a mode from the drop-down list.

There are 2 mapping modes: **Custom** and **Default**.

- In **Custom** mode, users can modify the external port.
- Select **Default**, and then the system finishes mapping with unoccupied port automatically. In this case, you do not need to modify mapping relation.
- 4. Select Start Device Discover.
- 5. Click Save.

5.2.7 Bonjour

Introduction

Bonjour is also called zero-configuration networking, which can automatically discover computers, devices and services on IP networks. Bonjour is a protocol of industry standard which allows devices to search and find each other. IP address or DNS server is not required during the process. Enable this function, and the network camera will be automatically detected by the OS and client with Bonjour function. When the network camera is automatically detected by Bonjour, server name you have set will be displayed.

Configuring Bonjour

1. Select **Setting > Network > Bonjour**.



	Figure 5-42 Bonjour page
Bonjour	
Enable	
Server Name	- MORPHONY AND A MILLION AND A MI
	Default Refresh Save

- 2. Select **Enable**, and then set **Server Name**.
- 3. Click Save.

Visiting Web Page with Safari Browser

In the OS and clients that support Bonjour, perform the following steps to visit the web page of the Device with Safari browser.

- 1. Click Show all bookmarks in Safari.
- 2. The OS or client automatically detects the network cameras with Bonjour enabled in the LAN.
- 3. Click to visit the corresponding web page.

5.2.8 SNMP

After setting SNMP (Simple Network Management Protocol) and connecting to the Device through certain software (such as MIB Builder and MG-SOFT MIB Browser), you can manage and monitor the Device with the software.

Prerequisites

- Install SNMP monitoring and management tool such as MIB Builder and MG-SOFT MIB Browser.
- Get the MIB file of the matched version from technical support.

Procedure

<u>Step 1</u> Select **Setting** > **Network** > **SNMP**.



	Figure 5-43 SNMP (1)
SNMP	
Version	□ v1 □ v2 □ v3 (Recommen
SNMP Port	161 (1~65535)
Read Community	
Write Community	
Trap Address	
Trap Port	162
Keep Alive	
	Default Refresh Save
	Figure 5-44 SNMP (2)
SNMP	
Version	v1 v2 v3 (Recommen
SNMP Port	161 (1~65535)
Read Community	
Write Community	
Trap Address	
Trap Port	162
Keep Alive	
Read-only Username	public
Authentication Type	MD5 O SHA
Authentication Pass	••••••
Encryption Type	CBC-DES
Encryption Password	••••••
Read&write Userna	private
Authentication Type	MD5 O SHA
Authentication Pass	•••••
Encryption Type	CBC-DES
Encryption Password	••••••
	Default Refresh Save

<u>Step 2</u> Select SNMP version to enable SNMP.

- Select **V1**, and the system can only process information of V1 version.
- Select **V2**, and the system can only process information of V2 version.
- Select **V3**, and then **V1** and **V2** become unavailable. You can configure username, password and authentication type. It requires corresponding username, password and



authentication type to access your device from the server.

Using **V1** and **V2** might cause data leakage, and **V3** is recommended.

In **Trap Address**, enter the IP address of the PC that has MIB Builder and MG-SOFT MIB Browser installed, and leave other parameters to the default.

Parameter	Description
SNMP Port	The listening port of the software agent on the Device.
Read Community, Write Community	The read and write community string that the software agent supports. The name must consist of numbers, letters, underlines and strikethroughs.
Trap Address	The target address of the Trap information sent by the software agent on the Device.
Trap Port	The target port of the Trap information sent by the software agent on the Device.
Keep Alive	After you select the checkbox, the Device can send data packet to ensure continuous network connection.
Read-only Username	Set the read-only username used to access the Device, and it is public by default.
Read/Write Username	Set the read/write username used to access the Device, and it is public by default.
Authentication Type	You can select MD5 or SHA . The default type is MD5 .
Authentication Password	It cannot be less than 8 digits.
Encryption Type	It is CBC-DES by default.
Encryption Password	It cannot be less than 8 digits.

Step 3 Click Save.

Result

View device configuration through MIB Builder or MG-SOFT MIB Browser.

- 1. Run MIB Builder and MG-SOFT MIB Browser.
- 2. Compile the two MIB files with MIB Builder.
- 3. Load the generated modules with MG-SOFT MIB Browser.
- 4. Enter the IP address of the Device you need to manage in the MG-SOFT MIB Browser, and then select version to search.
- 5. Unfold all the tree lists displayed in the MG-SOFT MIB Browser, and then you can view the configuration information, video channel amount, audio channel amount, and software version.



\square

Use PC with Windows OS and disable SNMP Trap service. The MG-SOFT MIB Browser will display prompt when an alarm is triggered.

5.2.9 Multicast

You can access the Device by network to see live view. If the access times exceed its upper limit, preview might fail. You can set multicast IP to access by multicast protocol to solve the problem. The Device supports two multicast protocols: **RTP** and **TS**. RTP is enabled by default when main stream and sub stream are used. TS is disabled by default.

5.2.9.1 RTP

<u>Step 1</u> Select **Setting > Network > Multicast > RTP**.

	RTP T	-S		
Multicast Address Multicast Address Multicast Address (224.0.0.0~239.255.255.255) (224.0.0.0~239.255.255.255) Port 40000 (1025~65500) Port 40016 (1025~65500)	Main Stream		Sub Stream	
(224.0.0.0~239.255.255) (224.0.0.0~239.255.255.255) Port 40000 (1025~65500) Port Port 40016	Enable		Enable	Sub Stream 1
	Multicast Address		Multicast Address	
Default Refresh Save	Port	40000 (1025~65500)	Port	40016 (1025~65500)
	Роп			40016 (1025~6550)

Figure 5-45 RTP page

- <u>Step 2</u> Enable main stream or sub stream.
- <u>Step 3</u> Enter multicast address and port number.
- Step 4 Click Save.

5.2.9.2 TS

<u>Step 1</u> Select Setting > Network > Multicast > TS.

Figure 5-46 TS page

	RTP	TS				?
	Main Stream		Sub Stream			
	Enable		Enable	Sub Stream 1		
	Multicast Address	100 - 1 - R - R	Multicast Address	28. 1. 2. 1		
		(224.0.0.0~239.255.255.255)		(224.0.0.0~239.255.255.255)		
	Port	20000 (1025~655	00) Port	20016 ((1025~65500)	
		Default Refresh	Save			
Step	<u>2</u> Enable m	nain stream or sub stream.				
<u>Step</u>	<u>3</u> Enter mu	Ilticast address and port n	umber.			
Step	4 Click Sav	7e.				



5.2.10 Auto Register

After you enable this function, when the Device is connected to Internet, it will report the current location to the specified server which acts as the transit to make it easier for the client software to access the Device.

<u>Step 1</u> Select **Setting > Network > Auto Register**.

Figure 5-47 Auto register

Auto Register	
Enable	
IP Address	0.0.0.0
Port	7000
Sub-Device ID	none
	Default Refresh Save

<u>Step 2</u> Select the **Enable** checkbox to enable **Auto Register**.

Step 3 Enter IP Address, Port and Sub-Device ID.

Table 5-19 Description of auto register parameter

as registered to
pe registered to.

Step 4 Click Save.

5.2.11 Wi-Fi

Devices with Wi-Fi function can access network through Wi-Fi.

 \square

- Wi-Fi and WPS are available on select models.
- All devices with WPS button support WPS function.

5.2.11.1 Wi-Fi Settings

The name, status and IP information of current hotspot are displayed in the Wi-Fi information bar.
Click **Refresh** after reconnection to make sure that the operating status is displayed in real time.
Connecting Wi-Fi hotspot takes some time depending on network signal strength.
<u>Step 1</u> Select the **Enable** checkbox.



Figure 5-48 Wi-Fi settings (1)

Enable				Add SSID Search SSI
ID List				
	SSID	Connect mode	Authorize Mode	Signal Quality
fi Info				
fi Info				
D				

<u>Step 2</u> Click **Search SSID**, and Wi-Fi hotspots in the environment of current network camera are displayed.

ID List				
12	5510	Connect mode	Authorize Mode	Signal Quality
	Annual State of Concession	Auto	WPA/WPA2-PSK-AES	-
	Marchine & Marchine and	Auto	WPA/WPA2.PSK-AES	
	ALCOLUMN 1	Auto	WPA2-PSK-AES	
		Auto	WPA/WPA2-PSK-AES	-
	Sector And	Auto	WPA2-PSK-AES	
0	41.418.	Aula	WPA/WPA2-P3K-AE5	4
Info				
	Connected			
dress mermannin				

Figure 5-49 Wi-Fi settings (2)

<u>Step 3</u> To manually add Wi-Fi, click **Add SSID**.

Figure 5-50 Add Wi-Fi

Add WIFI		X
SSID		
	OK Cancel	

<u>Step 4</u> Enter a network name in the dialog box.

It is recommended to set a secure encryption method for the Device to connect routers.

- <u>Step 5</u> Double-click one hotspot to display the **Signal Quality** and the **Authentication Manner**.
 - If the password is required, enter the password. When entering the password, its index number shall be consistent with that on the router.
 - Click **Connection** if password is not required.



5.2.11.2 WPS Settings

	Figure 5-51 WPS settings	
WIFI	WPS	
 Enter PIN 		
PIN		
SSID		
⊖ Button		
Status	Connected	
	Connection	Refresh

PIN and SSID can be obtained from the router. Enter PIN and SSID, and then click **Refresh** to display operating status in real time.

5.2.11.3 AP Settings

You can use the Camera as wireless AP (Access Point), and other devices such as mobile phones can connect to the Camera by searching for the network name. You can then log in to the Camera through the browser on your device. At most 5 accounts can log in to the Camera at the same time. AP and Wi-Fi cannot be both enabled at the same time, and AP is disabled by default.

Procedure

- <u>Step 1</u> Select **Setting > Network > WIFI > AP**.
- <u>Step 2</u> Select **Enable**, and then set AP information.

Figure 5-52 AP settings

nstie SID requency Band	Z.4G ¥	
reflication Type	WPAJ PSK V	
	bit	
iost IP	18.808.0	
		MAC Address

Table 5-20 AP parameter description

Parameter	Description
SSID	The default name is "device serial number_SD".
Frequency Band	Both 2.4G and 5G are available.
Verification Type	It is WPA2 PSK by default, and cannot be changed.
Connection Password	Set the connection password which is required when other devices connect to the Camera. It is 12345678 by default.



Parameter	Description
Host IP	Displays the IP address of AP.

Step 3 Click Save.

Result

1. Open your device such as mobile phone, search for the network name of the AP in the wireless signal list, and then connect to the network.

After it is successfully connected, the IP address and MAC address of the device is displayed on the **AP** interface.

- 2. Open a browser on your device, enter the host IP on the **AP** interface or IP address on the **TCP/IP** interface, and then you can go to the login interface of the Camera.
- 3. Enter the username and password, and then log in to the Camera.

 \square

Live view is available on select devices.

5.2.12 802.1x

802.1x is a port-based network access control protocol. It allows users to manually select authentication mode to control device access to LAN, and meet authentication, billing, safety and management requirements of the network.

<u>Step 1</u> Select **Setting > Network > 802.1x**.

	rigule 5-55 002.1x ipa	age	
802.1x			
Enable			
Authentication	n PEAP	\checkmark	
Username	none		
Password	••••		
	Default	Refresh	Save

Figure 5-53 802.1x ipage

<u>Step 2</u> Select the **Enable** checkbox to enable **802.1x**.

<u>Step 3</u> Select an authentication mode, and then enter username and password.

Table 5-21 Description of 802.1x setting parameter

Parameter	Description
Authentication	PEAP (protected EAP protocol).
Username	The username that was authenticated on the server.
Password	Corresponding password.

Step 4 Click Save.



5.2.13 QoS

QoS (Quality of Service) is a network security mechanism, and is also a technology to solve network delay, congestion, and other problems.

For network business, QoS includes transmission bandwidth, time delay in transmission, and packet loss of data. In network, QoS can be improved by ensuring transmission bandwidth, and reducing time delay in transmission, packet loss rate, and delay jitter.

For DSCP (Differentiated Services Code Point), there are 64 priority degrees (0–63) of data packets. 0 represents the lowest priority, and 63 the highest priority. Based on the priority, the packets are classified into different groups. Each group occupies different bandwidth and has different discard percentage when there is congestion so as to improve service quality.

<u>Step 1</u> Select **Setting > Network > QoS**.

	Figure 5-54 QoS pag	e	
QoS			
Realtime Monitor	0	(0~63)	
Command	0	(0~63)	
Open the WMM			
	Default	Refresh	Save

<u>Step 2</u> Configure QoS setting parameters.

Table 5-22 Description of QoS setting parameter

Parameter	Description
Realtime Monitor	Data packet of network video monitoring. The value ranges from 0 to 63.
Command	Data packet of device configuration and query. The value ranges from 0 to 63.
Open the WMM	Select the checkbox to enable wireless QoS.
Stop 2 Click Save	

Step 3 Click Save.

5.2.14 4G/5G

After installing SIM card, you can connect the Device to 4G/5G network through dialing or mobile setting.

- Dialing setting: Connect the Device to 4G/5G network in specified period.
- Mobile setting: Receive alarm linkage messages on your mobile phone. When receiving alarm messages, you can activate the Device to connect to 4G/5G network through SMS or phone calls.



 \square

- The function is available on devices with 4G/5G module. This section uses 4G as an example.
- Dual 4G is supported by select models, but only one 4G network adapter can be enabled simultaneously.

5.2.14.1 Dialing Setting

Log in to web page, select **Setting > Network > 4G > Dialing Setting**.

		.9 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
► Camera	Dialing Setting Mobi	ile Settings
Network	-	
> TCP/IP	Wireless Net Type	Auto Enable
> Port	APN	
> PPPoE	Authorize Mode	T
> DDNS	Dial-up Number	
> SMTP(Email)	Username	
> UPnP	Password	
> SNMP	Interval	30 s
> Bonjour	Time Range	Setup
> Multicast		
> 802.1x	SIM State	
> QoS	Network Support	
> 4G	Wireless Network St	ata
> Access Platform	IP Address	ale
▶ PTZ		
▶ Event	Wireless Signal	
Storage		Default Refresh Save
System		
Information		
\sim		

Figure 5-55 Dialing setting page

~	~		~
n –	- 1		
u-	_	-	а.

Some devices only support certain mobile carriers, and only the supported carriers are displayed in **Network Support**.

<u>Step 1</u> Select the **Enable** checkbox.

<u>Step 2</u> Enter **APN**, **Authorize Mode**, **Dial-up Number**, **Username**, and **Password** according to the SIM card inserted.

 \square

These parameters might vary by countries. Contact local carrier or customer service for details.

<u>Step 3</u> Set the period to use 4G.



\square

- If the current time is in the period you set, 4G network connection will be enabled. The IP address of the SIM card will be displayed in IP Address. And you can access the device through 4G after finishing the rest steps.
- If the current time is not in the period you set, 4G network connection will not be enabled. Only the corresponding **Wireless Signal** is displayed on the page. And you cannot access the device through 4G.




Figure 5-56 Period setting

<u>Step 4</u> Set the interval to enable 4G through message or phone call if you want to use 4G outside the period set in <u>Step3</u>.

1		Γ	h
F	-		5

The value range is 0–7200 s and it is 30 s by default. If the interval is 30 s, after activating 4G, you can use it for 30 s. After 30 s, you need to activate 4G again. If you set the interval to 0 s, you can use 4G without disconnection and you do not need to activate it again. For the method to activate 4G through message or phone call, see "5.2.14.2 Mobile Setting". Click **Save**.

5.2.14.2 Mobile Setting

Step 5

Log in to web page, select **Setting > Network > 4G > Mobile Settings**.

You can add the phone number to receive alarms. You also can add phone number used to activate 4G through message or phone call if you want to use 4G outside the period set in <u>Step3</u> of "5.2.14.1 Dialing Setting".



Make sure that you add international calling codes before the phone number to avoid unnecessary charges caused by phone calls or messages to other countries or regions.

▶ Camera	Dialing Setting	Mobile Settings							
Network									
> TCP/IP	Message :	Send		Message A	ctivation		Phone Act	ivation	
> Port	Receiver		+	Sender		+	Caller		+
> PPPoE		1.000000000	-		CONTRACTOR .			110000	
> DDNS									
> SMTP(Email)		The phone number used to			The phone number used to			The phone number used to	
> UPnP		receive alarm			send activation message			make activation	
> SNMP		message			message			call	
> Bonjour									
> Multicast	Title	Event Message							
> 802.1x									
> QoS									
> 4G									
> Access Platform		Defa		Refresh	Save				
▶ PTZ		Dela		Reliesh	Save				
▶ Event									
Storage									
System									
▶ Information									

Figure 5-57 Mobile setting page

- **Message Send**: When alarms are triggered, the phone number added will receive message.
- **Message Activation**: You can enable 4G through message outside the period you set to use 4G. You need to send "ON" or "OFF" to phone number of the SIM card in the Device. "ON" indicates enabling, and "OFF" indicates disabling.
- **Phone Activation**: You can enable 4G through phone calls outside the period you set to use 4G. You need to call the phone number of the SIM card in the Device. If the call gets through, it means 4G has been enabled.

 \square

- Make sure that your SIM card supports making phone calls and sending messages, and it can be used normally.
- Make sure that you use activation function outside the time range you set; otherwise it does not work.
- <u>Step 1</u> Select the checkbox of the service you need to enable. You can select one or more services.
- <u>Step 2</u> Enter the phone number and click 🕂 to add it.
- Step 3 Click Save.
- <u>Step 4</u> Select the **Message Link** checkbox on the page of the event for which you want to receive message.

Take Face Detection for example. Click **Setting** > **Event** > **Face Detection**, and then select the **Message Link** checkbox.



Figure 5-58 Message link

	Camera	Face Detection	
	Network		Enable
	PTZ		
	Event	40018-08-1511.88-40	OSD Clear
	> Video Detection		Period Setting
	> Smart Motion Detection	9	Setting
	> Audio Detection	*	Face Enhancement
	> Smart Plan	6	
	> Deep IVS		Record
	> Face Detection		Record Delay 10 s (10~300)
_	> Video Structuralization		Relay-out
	> Alarm		Alarm Delay 10 s (10~300)
	> Abnormality	IPHIZZAN des //	Send Email
	Storage		D PTZ
	System		Message Link
	Information	Detect Region Draw Clear	Snapshot
		Exclude Re Draw Modify Clear	Snap Face Image One-inch photo •
		Target filter Max Size 8191 * 8191 Draw Target	Snap Mode Optimized Snap ▼
		Min Size 0 * 0 Clear	 Attribute
			Default Default Dera
		Pixel Counter 0 * 0 Draw Target	Default Refresh Save

<u>Step 5</u> Click **Save** on the page of the corresponding event. You will receive message if the alarm is triggered.

5.2.15 Access Platform

5.2.15.1 P2P

P2P is a private network traversal technology which enables users to manage devices easily without requiring DDNS, port mapping or transit server. Scan the QR code with your smart phone, and then you can add and manage more devices on your mobile client.

<u>Step 1</u> Select **Setting > Network > Access Platform > P2P**.



		Figure 5-59	9 P2P p	age					
P2P		ONVIF							
🖌 Enab	le								
After	enabling the fu	nction and conne	cting Ir	nternet,	we will co	llect de	vice inform	ation	
such	as IP address,	MAC address, na	ame an	d seria	I number.	The coll	lected		
infor	mation is only us	sed for remote a	cess o	of the de	evice. If yo	u do no	t agree to		
enat	le the function,	please cancel the	e select	tion of (check box.				
Stati	IS	Offline							
S/N		procession of	100						
QR	Code								
		Scan the QR code on the interface							
		ELSM-T.H.							
		Default		F	Refresh		Save		
• F	2P is enabled b	y default. You ca	an man	age th	e devices i	remotel	ly.		

- When P2P is enabled and the device is connected to network, the status is displayed as **Online**. We might collect the information including IP address, MAC address, device name, and serial number. The information collected is for remote access only. If you do not agree with this, you can clear the **Enable** checkbox.
- <u>Step 2</u> Log in to mobile phone client, and then tap **Device Management**.
- <u>Step 3</u> Tap **Add +** at the upper-right corner.
- <u>Step 4</u> Scan the QR code on the P2P page.
- <u>Step 5</u> Follow the onscreen instructions to finish settings.

5.2.15.2 ONVIF

The ONVIF authentication is **On** by default, which allows the network video products (including video recording device and other recording devices) from other manufacturers to connect to the service.

<u>Step 1</u> Select Setting > Network > Access Platform > ONVIF.



	Figure 5-60 ONVIF pa	age	
P2P	ONVIF		
Authentication	● On 〇 Off		
	Default	Refresh	Save

<u>Step 2</u> Select **On** for **Authentication**.

Step 3 Click Save.

5.2.15.3 RTMP

You can connect the third party platforms (such as YouTube) to play live video through RTMP protocol.

 \square

- Only admin user can configure RTMP.
- RTMP only supports H.264, H.264B and H.264H video formats, and Advanced Audio Coding (AAC) audio format.
- <u>Step 1</u> Select Setting > Network > Access Platform > RTMP.

		Figure 5-61 RT	MP page	
	P2P	ONVIF	RTMP	
	 Enable Stream Type Address Type IP Address Port 	 Main Stream Non-custom 	 Sub Stream 1 Custom (0~6553) 	 Sub Stream 2 5)
	Custom Address	Default	Refresh	Save
<u>Step 2</u>		checkbox to enable MP, make sure that 1	RTMP. the address can be tr	rusted.

Step 3 Set RTMP parameters.



Parameter	Description
Stream Type	Select live video stream type. Make sure that the video format of the stream is H.264, H.264B or H.264H, and the audio format is AAC.
Adduces Trues	There are two options: Non-custom and Custom .
Address Type	 Non-custom: You need to fill in the IP address or domain name. Custom: You need to fill in the address allocated by the server.
IP Address	If you have selected Non-custom , IP address and port need to be filled in.
Port	 IP Address: IPv4 or domain name is supported. Port: It is recommended to use the default value.
Custom Address	If you have selected Custom , the address allocated by the server needs to be filled in.

Table 5-23 Description of RTMP parameter configuration

Step 4 Click Save.

5.3 Bluetooth Settings

You can connect the Camera to Bluetooth devices such as Bluetooth headset for voice broadcast of alarms and voice intercom with the platform.

 \square

The function is available on select models.

Procedure

<u>Step 1</u> Select **Setting > Connection Settings > Bluetooth**.

Step 2 Select Enable.

The searched Bluetooth devices are displayed in the **Bluetooth List**. Click **Refresh** at the lower-right corner of the list to search for **Bluetooth** devices again.

Name	MAC Address	Actress Type	Signal Quality
in the second seco	NAME OF TAXABLE PARTY.	0	
And an and a second second second	COMPAREMENT OF THE OWNER OWNER OF THE OWNER	0	
	755.075.78	0	
	Concernance Report	0	
	And and a second se	0	
	THE PARTY OF THE P	0	
	ANALASIAN		
Natio	MAC Address	Address Type	Link State
			Deter Par Anna I
			Dated Pair Again
edocth Madela Indo :			Dates Par Apan

Figure 5-62 Bluetooth list

<u>Step 3</u> Double-click the name of Bluetooth device, and then set PIN on the **Setup** interface.



For the PIN of the Bluetooth device, see the corresponding user's manu	ıal
of the rink of the bluetooth device, see the corresponding user's many	iai.

Figure 5-63 Connect to Bluetooth device

Setup		×
Name		
MAC Address		
Address Type	0	
PIN		
	Save Cancel	

Step 4 Click Save.

The connected Bluetooth device is displayed in the list below.

<u>Step 5</u> Select **Setting** > **Camera** > **Audio** > **Audio**, and then set audio input and audio output types to **Bluetooth**.

	ncode	
	Main Stream	
✓	Enable	
	Encode Mode	G.711A 🗸
	Sampling Frequency	8000 🗸
4	Sub Stream	
~	Enable	Sub Stream 1 🗸
	Encode Mode	G.711A 🗸
	Sampling Frequency	8000 🗸
— At	tribute	
	AudioIn Type	Bluetooth V
	Audio Output Type	Bluetooth V
	Noise Filter	Disable 🗸
	Microphone Volume	=)+ 0
	Speaker Volume	=()+ 0

Figure 5-64 Set audio

Related Operations

• Click **Refresh** at the lower-right corner of the list to get information of paired Bluetooth devices again.



- Click Pair Again to quickly connect to Bluetooth devices paired before.
- Click **Delete** to delete the Bluetooth device.

5.4 PTZ Settings

5.4.1 Protocol

 \square

Network PTZ setting and analog PTZ setting are available on select models.

5.4.1.1 Network PTZ Settings

<u>Step 1</u> Select Setting > PTZ > Protocol > Network PTZ.

	Figure 5-65 Network PTZ setting						
Ne	twork PTZ	Analog PTZ					
F	Protocol	PELCOD	~				
		Default	Refresh	Save			
<u>Step 2</u>	Select a protocol. You can select DH		OD. or PELCOP D	DH-SD1 is selected by default			

You can select DH-SD1, DH-SD3, PELCOD, or PELCOP. DH-SD1 is selected by default.

 \square

DH-SD1 protocol supports up to 80 presets, and DH-SD3 protocol supports up to 300 presets.

Click Save. Step 3

5.4.1.2 Analog PTZ Settings

<u>Step 1</u> Select Setting > PTZ > Protocol > Analog PTZ.



Figure 5-66 Analog PTZ setting						
Network PTZ	Analog PTZ					
Address	1					
Baud Rate	9600	~				
Data Bit	8	\checkmark				
Stop Bit	1	\checkmark				
Parity	NONE	\checkmark				
	Default	Refresh Save				

<u>Step 2</u> Configure analog PTZ parameter.

Table 5-24 Description of analog PTZ parameter

Parameter	Description
	Enter the address of the Device.
Address	
	Make sure that the address is the same as the device address; otherwise you cannot control the device.
Baud Rate	Select the baud rate of the Device.
Data Bit	It is 8 by default.
Stop Bit	It is 1 by default.
Parity	It is NONE by default.

Step 3 Click Save.

5.4.2 Function

5.4.2.1 Preset

Select **Setting** > **PTZ** > **Function** > **Preset**. The **Preset** page is displayed.

 \square

If you click Remove All, all presets and special presets will be cleared.



Figure 5-67 Preset

		▶ Preset	Number	Preset Title	Save	÷
	2019-11-07 15 11 26	▶ Tour	1	Preset1		•
	2019-11-07-13 11:20	▶ PTZ Speed	2	Preset2		•
		▶ Idle Motion				
Preset1 1 43 C P.0.0 T.45.0 Z:1.0		▶ PowerUp				
		PTZ Limit				
		 Time Task 				
	A	a company of the second s				
and		▶ PTZ Restart	Number 0	natial Decost Function	Saura Ca	
P PTZ Camera	1/ 1/40	 Default 	Number S	pecial Preset Function	Save Ca	4
3						
	om (+)					
	cus (+)					
Speed 5 V						

5.4.2.1.1 Preset Settings

Preset means a certain position to which the Device rotates. Users can adjust the PTZ and camera to the location quickly through calling presets.

Step 1 On the lower left corner of the **Preset** interface, click the direction buttons, Speed 5 ,

—, and (+) to adjust the PTZ direction, speed, zoom, and focus of the Device.

The current position is set to a preset and is displayed in the list.

Figure 5-68 Add presets

Number	Preset Title	Save	÷
1	Preset1		•
2	Preset2	-	•

Step 3 Click 🔚 to save the preset.

<u>Step 4</u> Perform operations on presets.

- Double-click the preset title to edit the title displayed on the monitoring screen.
- Click 😅 to delete the preset.



5.4.2.1.2 Special Preset Settings


Special presets serve as the shortcut for some special functions switch or calling, and they no longer represent the location of the PTZ camera.

Step 1 Click 🛟 to add a special preset. The added special preset will be displayed in the list.

-	-	-	~	
n		r	h	
ш			- 11	
ш			- 11	
u.	-	_	-64	

The number of special presets starts from 51 by default, and 100 is the largest number.

Figure 5-69 Special presets



- <u>Step 2</u> Click 🔚 to save the added special preset.
- <u>Step 3</u> Perform operations on special presets.

Ш

If the PTZ is restored to default settings, all preset configurations will be cleared, but the called function will remain.

Related Operations

- Click Day/Night B&V V to modify the special preset function.
- Click 😑 to delete the special preset.
- Click **b** to quickly call the function configured for the special preset.

5.4.2.2 Tour

Tour means a series of movements that the Device makes along several presets.

 \square

You need to set several presets in advance.

<u>Step 1</u> Select **Setting** > **PTZ** > **Function** > **Tour**.



Figure 5-70 Tour settings

<u>Step 2</u> Select the **Tour Mode** from **Original Path** and **Shortest Path**. **Original Path** is selected by default.

- Original Path: Tour in the order of adding presets.
- Shortest Path: Starting from the preset with largest horizontal zoom value and vertical zoom value, pass all presets in the tour to ensure the shortest path. The Device reaches the corresponding preset and ensure the minimum number of rotation.
- Step 3 Click **Add** at the bottom of the list on the upper right corner of the page to add a tour path.
- <u>Step 4</u> Click **Add** at the bottom of the list on the lower right corner of the page to add several presets.
- <u>Step 5</u> Perform tour operations.
 - Double-click tour name to edit the name of the corresponding tour.
 - Double-click duration to set the time that the Device stays at the corresponding preset.
 - Double-click speed to modify the tour speed. The default value is 7, and the value range is 1–10. The larger the value, the faster the speed.
- <u>Step 6</u> Click **Start** to start the tour.



The ongoing tour stops if any operation is made to the PTZ.


5.4.2.3 Scan

Scan means the Device moves horizontally at a certain speed between the defined left and right limits.

<u>Step 1</u> Select **Setting** > **PTZ** > **Function** > **Scan**.



Figure 5-71 Scan settings



- Step 2 Select the Scan No.
- <u>Step 3</u> Drag the slider to adjust the scan speed.
- <u>Step 4</u> Click **Setup** to adjust the Device to an ideal position.
- <u>Step 5</u> Click **Set Left Limit** and **Set Right Limit** to set the left and right boundaries of the Device.
- <u>Step 6</u> Click **Start**, and then the Device starts scanning.
- <u>Step 7</u> Click **Stop**, and then the scanning stops.

5.4.2.4 Pattern

Pattern means a record of a series of operations that users make to the Device. The operations include horizontal and vertical movements, zoom and preset calling. Record and save the operations, and then you can call the pattern path directly.

<u>Step 1</u> Select **Setting > PTZ > Function > Pattern**.



Figure 5-72 Pattern settings



Step 2 Select the Pattern No..

- <u>Step 3</u> Click **Setup** and **Start Rec**, and then operate the PTZ.
- <u>Step 4</u> Click **Stop Rec** to stop recording.
- <u>Step 5</u> Click **Start**, and then the Device starts patterning.
- <u>Step 6</u> Click **Stop**, and then the patterning stops.

5.4.2.5 Pan

Pan refers to the continuous 360° rotation of the Device at a certain speed.

<u>Step 1</u> Select **Setting** > **PTZ** > **Function** > **Pan**.



Figure 5-73 Pan settings



<u>Step 2</u> Drag the slider to set the **Pan Speed**.


<u>Step 3</u> Click **Start**, and the Device starts to rotate horizontally at this speed.

5.4.2.6 PTZ Speed

You can adjust the manual control speed of the PTZ by setting PTZ speed. This speed does not apply to tour, pattern, or auto tracking.

```
<u>Step 1</u> Select Setting > PTZ > Function > PTZ Speed.
```

Figure 5-74 PTZ speed settings



Step 2 Select Low, Middle or High.



5.4.2.7 Idle Motion

Idle motion refers to a set motion when the Device does not receive any valid command within a certain period.

 \square

Set **Preset, Tour, Scan** or **Pattern** in advance.

<u>Step 1</u> Select **Setting > PTZ > Function > Idle Motion**.

Figure 5-75 Idle motion settings Function Preset Enable 1 2017 36 **1**5-10:56 12 Tue ► Tour Idle Motion Preset O Tour Scan 🔘 Scan 🛛 🔘 Pattern Pattern 1 : Preset1 Number . ▶ Pan Idle Time 10 minute(s) (1~60) PTZ Speed Save Refresh Idle Motion PowerUp ▶ PTZ Limit Time Task \otimes ▶ PTZ Restart Default Zoom (+Focus Iris (+Speed 5

- <u>Step 2</u> Select the **Enable** checkbox to enable the idle motion.
- <u>Step 3</u> Select idle motion from **Preset**, **Tour**, **Scan** and **Pattern**.
- <u>Step 4</u> Select the action number of the selected motion.
- <u>Step 5</u> Set **Idle Time** for the selected motion.
- Step 6 Click Save.

5.4.2.8 PowerUp

PowerUp means the automatic operation of the Device after it is powered on.

 \square

Set Preset, Tour, Scan or Pattern in advance.

<u>Step 1</u> Select **Setting** > **PTZ** > **Function** > **PowerUp**.



Figure 5-76 PowerUp settings

	► Preset	Enable	
2017/35/18-10:09:48	Tue Four	PowerUp	O Preset O Tour
	> Scan		🔿 Scan 🔿 Patterr
AVY-	► Pattern		 Auto
in the second	▶ Pan		Save Refresh
	PTZ Speed		
TANK	► Idle Motion		
Kara And	► PowerUp	1	
IF PTZ Done	► PTZ Limit	1	
	▶ Time Task		
X	PTZ Restart		
Zoom (+)	▶ Default		
(◀▓►)			
(-) Iris (+)			

<u>Step 2</u> Select the **Enable** checkbox to enable power up motion.

<u>Step 3</u> Select power up motion from **Preset**, **Tour**, **Scan**, **Pattern** or **Auto**.

\square

Select **Auto** and the last motion before you shut down the Device last time will be performed.

- <u>Step 4</u> Select the action number of the selected motion.
- Step 5 Click Save.

5.4.2.9 PTZ Limit

After you set the PTZ limit, the Device can only move in the defined area.

<u>Step 1</u> Select **Setting** > **PTZ** > **Function** > **PTZ Limit**.



Figure 5-77 PTZ limit settings

Function		
DOTAL REMOVEMENT THE	 Preset Tour Scan Pattern Pan PTZ Speed Idle Motion PowerUp PTZ Limit Time Task 	Enable Up Line Setting Live Down Line Setting Live Pease enable Coordinates at Overlay function to see PTZ Coordinates on video.
8	 PTZ Restart 	
$ \begin{array}{c} \hline \\ \hline $	▶ Default	

- <u>Step 2</u> Adjust the PTZ direction, and then click **Setting** to set the **Up Line**.
- <u>Step 3</u> Adjust the PTZ direction, and then click **Setting** to set the **Down Line**.
- <u>Step 4</u> Click **Live** to preview the already-set up line and down line.
- <u>Step 5</u> Select the **Enable** checkbox to enable the PTZ limit function.


5.4.2.10 Time Task

After you set time task, the Device performs the selected motions during the defined period.

\square

Set Preset, Tour, Scan or Pattern in advance.

<u>Step 1</u> Select **Setting > PTZ > Function > Time Task**.



Time Task num 1 Task Set Time Task action Scan Pattern action number 1: Preset1 AutoHome 30 Sec. (5-3600) Period setting Copy To Task No. 1 Copy Save Refresh

<u>Step 2</u> Select the **Enable** checkbox to enable time task function.

<u>Step 3</u> Set the time task number.



<u>0-vr</u>

Click Clear All to delete all set time tasks.

- <u>Step 4</u> Select **Time Task** action such as **Preset**, **Tour**, **Scan** or **Pattern**.
- <u>Step 5</u> Select the action number of the selected motion.
- <u>Step 6</u> Set the time for **AutoHome**.

\square

AutoHome refers to the time needed to automatically recover the time task in case of manually calling the PTZ to stop the time task.

- <u>Step 7</u> Click **Period setting** to set the period to perform time tasks.
- <u>Step 8</u> Select the task number to copy settings to the selected task, and then click **Copy**.
- Step 9 Click Save.

5.4.2.11 PTZ Restart

<u>Step 1</u> Select Setting > PTZ > Function > PTZ Restart.

Figure 5-79 PTZ restart



The PTZ is restarted.

5.4.2.12 Default

With the function, you can restore the PTZ to factory defaults.



\wedge

This function will restore the Device to defaults. Think twice before performing the operation.Step 1Select Setting > PTZ > Function > Default.





The PTZ will be restored to factory defaults.

5.5 Event Management

5.5.1 Video Detection

Video detection includes three event types: Motion Detection, Video Tamper and Scene Changing.

5.5.1.1 Motion Detection

When the moving object appears and moves fast enough to reach the preset sensitivity value, alarms will be triggered.

<u>Step 1</u> Select Setting > Event > Video Detection > Motion Detection.



Figure 5-81 Motion detection settings						
Motior	Detection	Video Tamper	Scene Changing			
	Enable					
	Period	Setting				
	Anti-Dither	5	s (0~100)			
	Area	Setting				
\checkmark	Enable Manual (Con				
	Record					
	Record Delay	10	s (10~300)			
\checkmark	Relay-out	1 2				
	Alarm Delay	10	s (10~300)			
	Send Email					
	PTZ					
\checkmark	Snapshot					
		Default	Refresh	Save		

<u>Step 2</u> Select the **Enable** checkbox, and then configure motion detection parameters.

- Set arming and disarming period.
 - 1. Click **Setting**, and then set the arming period on the page.







Figure 5-82 Arming period settings

- 2. Set the alarm period to enable alarm events in the period you set.
 - There are 6 time periods for each day. Select the check box for the time period to enable it.
 - Select the day of week (Sunday is selected by default; If All is selected, the setting is applied to the whole week. You can also select the check box next to the day to set it separately).
- 3. After completing the settings, click **Save**. You will return to the **Motion Detection** page.
- Set the area.

Click **Setting**, and the **Area** page is displayed. Refer to Table 5-25 and Table 5-26 for parameters description. Each color represents a certain region, and you can set different motion detection regions for each area. The detection region can be irregular and discontinuous.



Figure 5-83 Area setting



Parameter	Description
Name	The default names are Region1, Region2, Region3 and Region4, and the names can be customized.
Soncitivity	Sensitivity to brightness change. The higher the sensitivity is, the easier the motion detection event will occur.
Sensitivity	You can set different sensitivities for each region, with values ranging from 0 to 100, and 30 to 70 is recommended.
	Detect the relation between the object and the region. The smaller the threshold is, the easier the motion detection will occur.
Threshold	Set different thresholds for each region, with values ranging from 0 to 100, and 1 to 10 is recommended.
Waveform graph	The red line indicates that motion detection is triggered, and the green line indicates that it is not triggered.
Remove All	Remove all detection regions.
Delete	Delete the detection region of the selected color block.

• Other parameters

Table 5-26 Description of video detection parameter

Parameter	Description
Anti-Dither	The system records only one motion detection event within the defined period. The value range is 0–100 s.
Enable Manual Control Trigger	After you enable the function, the motion detection events that occur when you control the PTZ manually will be excluded. In this way, you can reduce the false alarm rate of such events.



Parameter	Description
Record	After you enable the function, when an alarm is triggered, the system will start recording automatically. Before using the function, you need to set the recording period of the alarm in Storage > Schedule , and select Auto for Record Mode on the Record Control page.
Record Delay	When the alarm is over, the alarm recording will continue for an extended period of time. The time unit is second, and the value range is 10–300.
Relay-out	Select the checkbox, and you can enable the alarm linkage output port, and link corresponding relay-out devices after an alarm is triggered.
Alarm Delay	When the alarm is over, the alarm will continue for an extended period of time. The time unit is second, and the value range is 10–300.
Send Email	After you select the checkbox, when an alarm is triggered, the system sends email to the specified email address. You can configure the email address in "5.2.5 SMTP (Email)."
PTZ	Select PTZ , and then configure the linkage action. When an alarm is triggered, the system links PTZ to rotate to the preset. The Activation options include None , Preset , Tour and Pattern .
Snapshot	Select the Snapshot check box, and then the system takes snapshot automatically when an alarm is triggered. You need to set the alarm snapshot period as described in "5.5.1.2 Snapshot."

Step 3 Click Save.

5.5.1.2 Video Tamper

Alarms will be triggered if there is video tampering.

<u>Step 1</u> Select Setting > Event > Video Detection > Video Tamper.



		Figure 5-84 Vid	eo tamper settings		
Motion	Detection	Video Tamper	Scene Changing		
	Enable				
	Period	Setting			
	Record				
	Record Delay	10	s (10~300)		
\checkmark	Relay-out	1 2			
	Alarm Delay	10	s (10~300)		
	Send Email				
	PTZ				
	Snapshot				
		Default	Refresh	Save	
<u>Step 2</u>	Select the Ena	able checkbox, and t	hen configure video ta	amper parameters.	
	\square				

For parameters configuration, see "5.5.1.1 Motion Detection". <u>Step 3</u> Click **Save**.

5.5.1.3 Scene Changing

Alarms will be triggered if there is scene changing.

<u>Step 1</u> Select Setting > Event > Video Detection > Scene Changing.



		Figure 5-85 Scene ch	anging settings	
Motior	Detection	Video Tamper	Scene Changing	
	Enable			
	Period	Setting		
	Record			
	Record Delay	10	s (10~300)	
\checkmark	Relay-out	1 2		
	Alarm Delay	10	s (10~300)	
	Send Email			
	PTZ			
\checkmark	Snapshot			
		Default	Refresh	Save
<u>Step 2</u>	Select the Enabl	e checkbox, and then	configure scene changi	ng parameters.
	For parameters of	onfiguration see "5.5	1.1 Motion Detection"	

Step 3 Click Save.

5.5.2 Smart Motion Detection

After you set smart motion detection, when the human, non-motor vehicles and motor vehicles appear and move fast enough to reach the preset sensitivity value, the alarm linkage actions will be performed. The function can help you to avoid the alarms triggered by natural environment change.

 \square

- The function depends on the result of motion detection, and all other parameters (except sensitivity) of motion detection function are used, including arming period, area settings, and linkage configurations. If no motion detection is triggered, smart motion detection will not be triggered.
- If motion detection is not enabled, when smart motion detection is enabled, motion detection will also be enabled. If both functions are enabled, when motion detection is disabled, smart motion detection will also be disabled.
- When smart motion detection is triggered and recording is linked, back-end devices can filter recording with human or vehicles through smart search function. For details, see the corresponding user's manual.



Prerequisites

- Select **Setting** > **Event** > **Video Detection** > **Motion Detection**, and then enable the motion detection function.
- Set the arming period and detection area. The sensitivity of each region is larger than 0, and the threshold is not equal to 100.

Procedure

1. Select Setting > Event > Smart Motion Detection.

Figu	re 5-86 Smart motion det	ection	
Smart Motion Detection			
✓ Enable Effective object Sensitivity	✓ Human Medium Default	Motor Vehicle Refresh	Save

- 2. Select the **Enable** checkbox to enable **Smart Motion Detection**.
- 3. Select the effective object and sensitivity.
 - Effective object: Select Human or Motor Vehicle. When Human is selected, both people and non-motor vehicles will be detected.
 - **Sensitivity**: Select **High**, **Medium**, or **Low**. The higher the sensitivity, the easier the alarm is triggered.
- 4. Click Save.

5.5.3 Audio Detection

<u>Step 1</u> Select Setting > Event > Audio Detection > Audio Detection.



	Figure 5-87	Audio dete	ction sett	ings	
Audio	Detection				
	Input Abnormal				
	Intensity Change				
	Sensitivity		0	+ 50	
	Threshold		-0		
			0		
	Period	Setting]		
	Anti-Dither	5	s (0~	100)	
✓	Record				
	Record Delay	10	s (10	~300)	
\checkmark	Relay-out	1 2			
	Alarm Delay	10	s (10	~300)	
	Send Email				
	PTZ				
\checkmark	Snapshot				
	Default	Refresh		Save	

<u>Step 2</u> Configure audio detection parameter.

Table 5-27 Description of audio detection paramete	r
--	---

Parameter	Description
Input Abnormal	Select Input Abnormal , and then an alarm is triggered when there is abnormal audio input.
Intensity Change	Select Intensity Change , and then an alarm is triggered when the change in sound intensity exceeds the defined threshold.
Sensitivity	The value ranges from 1 to 100. The smaller this value is, the larger the input sound volume changes are needed for it to be judged as an audio anomaly. You need to adjust it according to the actual condition.
Threshold	The value ranges from 1 to 100. Configure the ambient sound intensity you need to filter. The louder the ambient noise is, the larger this value shall be. You need to adjust it according to the actual condition.



For other parameters, see "5.5.1.1 Motion Detection".

Step 3 Click Save.

5.5.4 Smart Plan

Smart plans include IVS, face recognition, heat map, people counting, video metadata, construction monitoring and so on. Only after smart plans have been enabled, can the corresponding smart function come into effect.

 \square

Before configuring the smart plan, you need to set presets in advance. For setting methods, see "5.4.2.1 Preset".

<u>Step 1</u> Select Setting > Event > Smart Pl	an.
---	-----

	Figu	ıre 5-88 Smart plar	า (1)	
Smart Plan				
Add Plan I:Preset 1				×
	- ¥-			~
Refresh	Save			

Step 2 (Optional) Click

to enable Auto Tracking.

When enabling auto tracking, you do not need to configure smart plans, and the Device performs auto tracking based on internal mechanism. If auto tracking and alarm track of the smart plan (such as IVS) are both enabled, the Device perform tracking in the order of triggering time.

It is recommended to disable auto tracking when alarm track is enabled to avoid disordered tracking.


<u>Step 3</u> Click Add Plan • to select the presets to be configured.

<u>Step 4</u> Select smart plans.



The selected function will be highlighted. Click it again to cancel the selection.

Figure	5 00	Cmart	nlan	(2)
FIGULE	2-02	Sillari	plan	(2)



5.5.5 IVS

Basic Requirements for the Scene

- The target size shall not exceed 10% of the image.
- The pixel of the target shall be no less than 10×10; the pixel of abandoned object shall be no less than 15×15 (CIF image); the width and height of the target shall be no more than 1/3 of the image. It is recommended that the height of the target is 10% of the image.
- The brightness difference between the target and the background is no less than 10 gray values.
- The target shall be present in the image for no less than 2 consecutive seconds, and the moving distance shall be larger than its width and no less than 15 pixels (CIF image).
- Try to reduce the complexity of monitoring scenes. It is not recommended to enable IVS in scenes with dense targets and frequent light changes.
- Try to avoid the following scenes: scenes with reflective surfaces such as glass, bright ground or water; scenes that disturbed by tree branches, shadows or winged insects; scenes that against light or under direct light exposure.

 \square

Before using the function, you need to set presets in advance. For setting methods, see "5.3.2.1 Preset."



Rule Config

1. Select Setting > Event > IVS > Rule Config.

Figure 5-90 Add smart	rules	
Rule Config		
	Preset 3:Preset3	
2019-12-03 19:28:04 24: P.85 T. 13.7.22 4 4 4 4 4 4 4 4 4 4 4 4 4	No. Name Rule Type	¢ ~ ~

- 2. Select the presets to be configured with smart rules.
- 3. Click 🕂 to add smart rules.



Double-click rule type to modify the type of rules.

4. Click Save.

5.5.5.1 Tripwire

Alarms are triggered when the target crosses the warning line in the defined direction. It requires certain stay time and moving space for the target to be confirmed, so you need to leave some space at both sides of the warning line during configuration and do not draw it near obstacles. Applicable scenes: Scenes with sparse targets and no occlusion between targets, such as perimeter protection of unattended areas.

Procedure

<u>Step 1</u> Select **Tripwire** from the **Rule Type** list.



Figure 5-91 Tripwire rule settings

P					Preset3				
	2015	9-12-03 19:39:30	 ✓ 	No.	Name Rule1		Rule Type Tripwire	~	-
24% P85T-137Z2			Par	ameter	Setup -				
TZ Samera		2. A		Period Directic Alarm 1 Track 1	Frack	Setting A<->B 30	► s (15~3)	00)	
aw Rule	1	Clear Draw Target	1	Object Effectiv		Human		Motor Veh	icle
Min Size 0 * 0		Clear Draw Target			Delay	30	s (10~3	00)	
racking Target Siz 🕞 👘 🌔	+ 25			Relay-o Alarm [Send E Snapsh	Delay Imail	1 2 10	s (10~3	00)	

<u>Step 2</u> Click **Draw Rule**, and you can draw rules on the monitoring screen.

 \square

Click Clear to the right of Draw Rule to clear all drawn rules.

Parameter	Description
Max Size	Set the size range of detection targets to be filtered, and select the maximum or minimum size.
	• Max Size: Set the maximum size of targets to be filtered. When the
Min Size	target is larger than this size, the system will ignore it. The unit is pixel.
	 Min Size: Set the minimum size of targets to be filtered. When the target is smaller than this size, the system will ignore it. The unit is pixel.
	Help to accurately draw the target area.
Pixel Counter	Enter the length and width of the target area in Pixel Counter , and click
	Draw Target to generate the target area in the monitoring screen. The unit is pixel.

Table 5-28 Description of rule drawing parameter





Parameter	Description
Lock/Unlock	Enter the rule configuration page, and the locking function will be automatically enabled, and the locking time is 180 s. During this period, the device cannot track the target. Click Unlock to release the control.
	The locking function only takes effect in the rule configuration page. After switching to the Live page, the Device can track the target normally.

<u>Step 3</u> Configure tripwire parameter.

Table 5-29 Description	of tripwire parameter
Table J-Zy Description	or inpune parameter

Perioddirectly on the setting interface. There are six periods for each day. Select the checkbox next to the period for it to take effect.3. Select the day of week (Sunday is selected by default; If All is selected, the setting is applied to the whole week. You can also select the checkbox next to the day to set it separately).4. After completing the setting, click Save to go back to the rule configuration interface.DirectionConfigure the tripwire direction. You can select A->B, B->A or A<->B.Alarm TrackSelect the checkbox, and there will be alarm tracking when a smart rule is triggered.Track TimeSet the alarm tracking time.RecordSelect the checkbox, and when an alarm is triggered, the system will start recording automatically. Before using the function, you need to set the recording period of the alarm in Storage > Schedule, and select Auto for Record Mode on the Record Control interface.Relay-outSelect the checkbox, and you can enable the alarm linkage output port, and link corresponding relay-out devices when an alarm is triggered.Alarm DelayWhen the alarm is over, the alarm will continue for an extended period of time. The value range is 10–300 s.Send EmailSelect the Send Email checkbox, and when an alarm is triggered, the system sends an email to the specified mailbox. You can configure the mailbox in Setting > Network > SMTP (Email).Send EmailSelect the checkbox, and the system will automatically take snapshots in	Parameter	Description
Alarm TrackSelect the checkbox, and there will be alarm tracking when a smart rule is triggered.Track TimeSet the alarm tracking time.RecordSelect the checkbox, and when an alarm is triggered, the system will start recording automatically. Before using the function, you need to set the recording period of the alarm in Storage > Schedule, and select Auto for Record Mode on the Record Control interface.Record DelayWhen the alarm is over, the recording will continue for an extended period of time. The value range is 10–300 s.Relay-outSelect the checkbox, and you can enable the alarm linkage output port, and link corresponding relay-out devices when an alarm is triggered.Alarm DelayWhen the alarm is over, the alarm will continue for an extended period of time. The value range is 10–300 s.Send EmailSelect the Send Email checkbox, and when an alarm is triggered, the system sends an email to the specified mailbox. You can configure the mailbox in Setting > Network > SMTP (Email).Send EmailSelect the checkbox, and the system will automatically take snapshots in	Period	 Click Setting, and then the Period interface is displayed. Enter the time value or press and hold the left mouse button, and drag directly on the setting interface. There are six periods for each day. Select the checkbox next to the period for it to take effect. Select the day of week (Sunday is selected by default; If All is selected, the setting is applied to the whole week. You can also select the checkbox next to the day to set it separately). After completing the setting, click Save to go back to the rule
Alarm Track triggered. Track Time Set the alarm tracking time. Record Select the checkbox, and when an alarm is triggered, the system will start recording automatically. Before using the function, you need to set the recording period of the alarm in Storage > Schedule, and select Auto for Record Mode on the Record Control interface. Record Delay When the alarm is over, the recording will continue for an extended period of time. The value range is 10–300 s. Relay-out Select the checkbox, and you can enable the alarm linkage output port, and link corresponding relay-out devices when an alarm is triggered. Alarm Delay When the alarm is over, the alarm will continue for an extended period of time. The value range is 10–300 s. Send Email Select the Send Email checkbox, and when an alarm is triggered, the system sends an email to the specified mailbox. You can configure the mailbox in Setting > Network > SMTP (Email). Select the checkbox, and the system will automatically take snapshots in	Direction	Configure the tripwire direction. You can select A->B , B->A or A<->B .
RecordSelect the checkbox, and when an alarm is triggered, the system will start recording automatically. Before using the function, you need to set the recording period of the alarm in Storage > Schedule , and select Auto for Record Mode on the Record Control interface.Record DelayWhen the alarm is over, the recording will continue for an extended period of time. The value range is 10–300 s.Relay-outSelect the checkbox, and you can enable the alarm linkage output port, and link corresponding relay-out devices when an alarm is triggered.Alarm DelayWhen the alarm is over, the alarm will continue for an extended period of time. The value range is 10–300 s.Send EmailSelect the Send Email checkbox, and when an alarm is triggered, the system sends an email to the specified mailbox. You can configure the mailbox in Setting > Network > SMTP (Email) .SnarchotSelect the checkbox, and the system will automatically take snapshots in	Alarm Track	
Recordrecording automatically. Before using the function, you need to set the recording period of the alarm in Storage > Schedule , and select Auto for Record Mode on the Record Control interface.Record DelayWhen the alarm is over, the recording will continue for an extended period of time. The value range is 10–300 s.Relay-outSelect the checkbox, and you can enable the alarm linkage output port, and link corresponding relay-out devices when an alarm is triggered.Alarm DelayWhen the alarm is over, the alarm will continue for an extended period of time. The value range is 10–300 s.Send EmailSelect the Send Email checkbox, and when an alarm is triggered, the system sends an email to the specified mailbox. You can configure the mailbox in Setting > Network > SMTP (Email) .SnapphotSelect the checkbox, and the system will automatically take snapshots in	Track Time	Set the alarm tracking time.
Record Delayof time. The value range is 10–300 s.Relay-outSelect the checkbox, and you can enable the alarm linkage output port, and link corresponding relay-out devices when an alarm is triggered.Alarm DelayWhen the alarm is over, the alarm will continue for an extended period of time. The value range is 10–300 s.Send EmailSelect the Send Email checkbox, and when an alarm is triggered, the system sends an email to the specified mailbox. You can configure the mailbox in Setting > Network > SMTP (Email).SpanshotSelect the checkbox, and the system will automatically take snapshots in	Record	recording automatically. Before using the function, you need to set the recording period of the alarm in Storage > Schedule , and select Auto for
Relay-outand link corresponding relay-out devices when an alarm is triggered.Alarm DelayWhen the alarm is over, the alarm will continue for an extended period of time. The value range is 10–300 s.Send EmailSelect the Send Email checkbox, and when an alarm is triggered, the system sends an email to the specified mailbox. You can configure the mailbox in Setting > Network > SMTP (Email).SpanshotSelect the checkbox, and the system will automatically take snapshots in	Record Delay	When the alarm is over, the recording will continue for an extended period of time. The value range is 10–300 s.
Alarm Delay time. The value range is 10–300 s. Send Email Select the Send Email checkbox, and when an alarm is triggered, the system sends an email to the specified mailbox. You can configure the mailbox in Setting > Network > SMTP (Email). Spanshot Select the checkbox, and the system will automatically take snapshots in	Relay-out	
Send Emailsystem sends an email to the specified mailbox. You can configure the mailbox in Setting > Network > SMTP (Email).SpanshotSelect the checkbox, and the system will automatically take snapshots in	Alarm Delay	
	Send Email	system sends an email to the specified mailbox. You can configure the
Step 4 Click Save.		Select the checkbox, and the system will automatically take snapshots in case of alarms. You need to set snapshot period in Storage > Schedule .

Step 4 Click Save.

5.5.5.2 Intrusion

Intrusion includes crossing areas and in-area functions.



- Crossing area means an alarm will be triggered when a target enters or leaves the area.
- In-area function means an alarm will be triggered when a specified number of targets appear in a set alarming area at a given time. In-area function only counts the number of targets in the detection area, regardless of whether they are the same targets.
- For the reporting time interval of the in-area functions, the system will trigger the first alarm and then detect whether the same event occurs in the interval period. If no same event occurs in this period, the alarm counter will be cleared.

Similar to the warning line, to detect an entry/exit event, a certain movement space should be reserved at the periphery of the area line.

Figure 5-92 Intrusion settings

Applicable scenes: Scenes with sparse targets and no occlusion between targets, such as perimeter protection of unattended areas.

Rule Config	Preset 3:Preset3
2013-12-03 19:40:23	✓ No. Name Rule Type ♣ ✓ 1 Rule1 Tripwire ✔ ♀
* 243: P&65T 137Z 2	2 Rule2 Intrusion V
	Parameter Setup Period Setting
12 Camera	Action 🗹 Appears 🗌 Cross
w Rule Clear	Track Time 30 s (15~300) ✓ Object filter
arget filter Max Size 8191 * 8191 Draw Target	Effective object 🗹 Human 🗹 Motor Vehicle
Min Size 0 * 0 Clear xel Counter 0 * 0 Draw Target	Record
acking Target Siz + 25	Record Delay 30 s (10~300) ✓ Relay-out 1 2
ack(180s)	Alarm Delay 10 s (10~300)
	✓ Snapshot
	Refresh Save

<u>Step 1</u> Select **Intrusion** from the **Rule Type** list.

<u>Step 2</u> Click **Draw Rule**, and you can draw rules on the monitoring screen. For parameter description, see Table 5-28.



Click Clear to the right of Draw Rule to clear all drawn rules.

<u>Step 3</u> Configure intrusion parameter.

Parameter	Description
Action	Configure intrusion action, and you can select Appear or Cross .



Parameter	Description
Direction	Select the crossing direction from Enters, Exits, and Enter & Exit.
~	

Ш

For other parameters, see "5.5.5.1 Tripwire".

Step 4 Click Save.

5.5.5.3 Abandoned Object

Dula Caufin

An alarm will be triggered when the selected target in the monitoring scene stays in the screen for more than the defined time.

Pedestrians or vehicles that stay for too long would be regarded as abandoned objects. To filter out such alarms, you can use **Target filter**. In addition, the duration can be properly extended to avoid false alarm due to a short stay of people.

Applicable scenes: Scenes with sparse targets, no obvious and frequent light changes. For scenes with intensive targets or too many obstacles, missed alarms would increase; for scenes in which too many people stay, false alarms would increase. Select detection areas with simple texture, because this function is not applicable to scenes with complex texture.

<u>Step 1</u> Select **Abandoned Object** from the **Rule Type** list.

Figure 5-93 Abandoned object settings

		2019-12-03 19:42:31	V N	. Name		Rule Type	÷
2			1	Rule1		Tripwire V	•
1 24°C P:20.5 T:12.5 Z:6	Marian	The File	2	Rule2		Intrusion V	•
d	Contraction Para	a state of the state	⊻ 3	Rule3		Abandoned Ot V	•
d kule3	freed		Parame	ter Setup – od	Setting]	
PTZ Camera		Class	Dura V Alar Trac		10 30	s (6~3600) s (15~300)	
FTZ Gamera raw Rule		Clear	✓ Alar	m Track k Time			
	8191 * 8191	Clear Draw Target	 ✓ Alar Trac ✓ Rec 	m Track k Time			
raw Rule	8191 * 8191 0 * 0		 ✓ Alar Trac ✓ Rec 	m Track k Time ord ord Delay	30	s (15~300)	
raw Rule		Draw Target	 Alar Trac Rec Rec Relation 	m Track k Time ord ord Delay	30	s (15~300)	

<u>Step 2</u> Click **Draw Rule**, and you can draw rules on the monitoring screen. For parameter description, see Table 5-28.



Click Clear to the right of Draw Rule, and you can clear all drawn rules.

<u>Step 3</u> Configure abandoned object parameter.

Parameter	Description
Duration	For abandoned object, the duration is the shortest time to trigger an alarm after an object is abandoned.
~~~	

For other parameters, see "5.5.5.1 Tripwire".

Step 4 Click Save.

### 5.5.5.4 Missing Object

An alarm will be triggered when the selected target in the scene is taken away for the time longer than the set duration.

The system analyzes static areas from the foreground, and determines whether it is missing object or abandoned object from the similarity of its foreground and background. When the time exceeds the set period, an alarm is triggered.

Applicable scenes: Scenes with sparse targets, no obvious and frequent light changes. For scenes with intensive targets or too many obstacles, the missed alarm would increase; for scenes in which too many people stay, the false alarm would increase. Keep the detection area texture as possible simple as possible, because this function is not applicable to scenes with complex texture.

<u>Step 1</u> Select **Missing Object** from the **Rule Type** list.



Figure 5-94 Missing object setting

			Pre	set 3	Preset3	~		
		2019-12-03 19:44	<b>14:23</b> ✓	No.	Name		Rule Type	÷
	(allow)			1	Rule1		Tripwire V	•
1 24% P-8.5 T:13.7 Z:2				2	Rule2		Intrusion V	•
d south a second s		Nordalina -		3	Rule3		Abandoned Ot 🗸	•
1				4	Rule4		Missing Object 🗸	0
TT .	and the second			Period		Setting		
TZ Comera	and the second	Clea	ar ]	Duratic Alarm Track ⁻	Track Fime	Setting 10 30	s (6~3600)	
w Rule	a Ber			Duratio Alarm Track Record	Track Fime	10	s (15~300)	
w Rule rget filter • Max Size	8191 * 8191	Draw Ta	ar V arget	Duratic Alarm Track Record Record	Track Fime I I Delay	10 30 30		
w Rule	8191 * 8191 0 * 0		ar V ar V	Duratio Alarm Track ⁻ Record Record Relay-	Track Fime I I Delay put	10 30 30 1 2	s (15~300) s (10~300)	
w Rule rget filter • Max Size		Draw Ta	ar ✓ arget ✓	Duratic Alarm Track Record Record	Track Fime I I Delay put	10 30 30	s (15~300)	

- <u>Step 2</u> Click **Draw Rule**, and you can draw rules on the monitoring screen. For parameter description, see Table 5-28.
  - $\square$

#### Click Clear to the right of Draw Rule to clear all drawn rules.

<u>Step 3</u> Configure missing object parameter.

Table 5-32 Description of missing object parameter

Parameter	Description
Duration	Configure the shortest time from the object disappearing to the alarm being triggered.

For other parameters, see "5.5.5.1 Tripwire".

Step 4 Click Save.

## **5.5.6 Construction Monitoring**

The Device can be used for construction monitoring which include helmet detection, workwear detection, lone working detection and absence detection.

#### Prerequisites

Select Setting > Event > Smart Plan to enable Construction Monitoring.



### Procedure

#### Step 1 Select Setting > Event > Construction Monitoring.

<u>Step 2</u> Select **Global** or a preset from the **Preset** list.

- If global plan is selected, detection area and rule are set by default, and the detection area cannot be changed.
- If a preset is selected, you need to set detection area and rule manually. The following section uses selecting Preset 1 as an example.



### Figure 5-95 Global plan

#### Figure 5-96 Plan by preset

alifektus Referitio	Preset	Preset1	~			
A DESCRIPTION OF A DESC	Area	Config —				
	Numt	er	Name	Draw	Delete	÷
	1		CM-1_1	ø	曲	
IP#T2 Comes	Rule C	Number	Event Type		Advanced Param	
and the second state of the second	✓ ▼	Number 1	Helmet Detection	_	Auvanceu Paran	leter
		2	Workwear Detection		@	
A C - Zoom (+ Save Preset		3	Lone Working Detectio	n	0	
$( \checkmark \bigcirc \blacktriangleright )$ $( - )$ Focus $( + )$		4	Absence Detection		0	
Speed 5 V						
			0.000			
	R	efresh	Save			
			nfia section.			

#### Step 3

## $\square$

Double click the rule name to modify it.

Click 🧭 to draw rule box on the video image, and then right-click to complete drawing. Step 4



## 

- After drawing is complete, drag the corners of the drawn area to adjust the detection area.
- If you select preset plan, 8 detection areas can be drawn at most.

<u>Step 5</u> Select the checkbox before the event type to enable the corresponding detection rule.

#### Table 5-33 Rule description

Rule	Description
Helmet Detection	When the Device detects person not wearing helmet or not wearing helmet in the specified color, alarm linkage actions will be performed.
Workwear Detection	When the Device detects person not wearing workwear in accordance with the rule, alarm linkage actions will be performed. The rule for workwear is long-sleeved tops and trousers in the same color. If short-sleeved shirts, shorts or different colors are detected, it means the rule is not followed.
Lone Working Detection	When the Device detects a single person working in the detection area, alarm linkage actions will be performed.
Absence Detection	When the Device detects nobody working in the detection area, alarm linkage actions will be performed.

<u>Step 6</u> Click (a) next to the detection rule, configure parameters on the **Advanced Parameter** interface, and then click **Save**.



### Figure 5-97 Helmet detection

Advanced Parameter	X
Rule Parameter	
Allowed Color	
White Yellow Red Blue	
Duration 1 s (1~3600)	
Repeat Alarm Time 10 s (10~3600)	
Record	
Record Delay 10 s (10~300)	
Relay-out	
Alarm Delay 10 s (10~300)	
Send Email	
✓ Audio Linkage	
Play Count 1 (1~3)	
File alarm.wav 🗸	
Message Link	
Snapshot	
Period Setup	
Save Cancel	

Figure 5-98 Workwear detection

Duration	1	s (1~3600)	
Repeat Alarm Time	10	s (10~3600)	
Record			
Record Delay	10	s (10~300)	
Relay-out			
Alarm Delay	10	s (10~300)	
Send Email			
🗹 Audio Linkage			
Play Count	1	(1~3)	
File	alarm.wav 🗸	]	
Message Link			
Snapshot			
Period	Setup		



### Figure 5-99 Lone working detection

dvanced Parameter		Þ
─ Rule Parameter —		
Duration	180 s (1~3600)	
Repeat Alarm Time	30 s (10~3600)	
Record		
Record Delay	10 s (10~300)	
Relay-out		
Alarm Delay	10 s (10~300)	
Send Email		
🗹 Audio Linkage		
Play Count	1 (1~3)	
File	alarm.wav 🗸	
Message Link		
Snapshot		
Period	Setup	
	Save Cancel	
Figure 5-1	00 Absence detection	
Ivanced Parameter		Þ
Rule Parameter		
Duration	180 s (1~3600)	
Repeat Alarm Time	30 s (10~3600)	

Duration	180	s (1~3600)	
Repeat Alarm Time	30	s (10~3600)	
Record			
Record Delay	10	s (10~300)	
Relay-out			
Alarm Delay	10	s (10~300)	
Send Email			
🖌 Audio Linkage			
Play Count	1	(1~3)	
File [	alarm.wav 🗸		
Message Link			
🗹 Snapshot			
Period	Setup		

Table 5-34 Parameter description

Parameter	Description
Allowed Color	When configuring helmet detection, you can set allowed colors. When the helmet detected is not in the selected colors, alarms will be triggered.



Parameter	Description			
Duration	When events not following the rule are detected and the duration exceeds the defined value, alarms will be triggered. For example, when the duration of helmet detection is 5 seconds, if the Device detects a person not wearing helmet or the helmet color is not allowed for more than 5 seconds, an alarm will be triggered.			
Repeat Alarm Time	After an alarm is triggered, when the event lasts for the time reaching repeated alarm time, an alarm will be triggered again.			
Record	After you enable the function, when an alarm is triggered, the system will start recording automatically. Before using the function, you need to set the recording period of the alarm in <b>Storage</b> > <b>Schedule</b> , and select <b>Auto</b> for <b>Record Mode</b> on the <b>Record Control</b> interface.			
Record Delay	When an alarm is over, the alarm recording will continue for an extended period of time.			
Relay-out	Select the checkbox, and you can enable the alarm linkage output port, and link corresponding relay-out devices after an alarm is triggered.			
Alarm Delay	When an alarm is over, the alarm will continue for an extended period of time.			
Send Email	After you select the checkbox, when an alarm is triggered, the system sends email to the specified email address. You can configure the email address in "5.2.8 SNMP".			
Audio Linkage	Select the checkbox to play alarm audio when alarms are triggered. You can set the play count and select the audio file. For how to set the audio file, see "5.1.3.2 Configuring Alarm Audio".			
Message Link	Select the checkbox to receive message when alarms are triggered.			
Snapshot	Select the checkbox, and the system will automatically take snapshots in case of alarms. You need to set snapshot period in <b>Storage</b> > <b>Schedule</b> .			
Period	<ul> <li>Set the alarm period to enable alarm events in the defined period.</li> <li>1. Click Setup, and the Period interface is displayed.</li> <li>2. Enter the time value or press and hold the left mouse button, a drag directly on the setting interface. There are six periods for e day. Select the checkbox next to the period for it to take effect.</li> <li>3. Select the day of week (Sunday is selected by default; If All is selected, the setting is applied to the whole week. You can also select the checkbox next to the day to set it separately).</li> <li>4. After completing the setting, click Save to go back to the rule configuration interface.</li> </ul>			

<u>Step 7</u> Click **Save** on the **Construction Monitoring** interface.

If you want to see the alarm information on the **Alarm** tab, you need to subscribe the corresponding alarm type. For details, see "6 Alarm".

### Result

Click the AI Live tab to view construction monitoring results. For details, see "3.2 AI Live Settings".



## 5.5.7 Face Recognition

The function can detect faces and compare them with those in the configured face database.

 $\square$ 

- Select **Setting** > **Event** > **Smart Plan** to enable face recognition.
- This function is available on select models.

### 5.5.7.1 Face Detection

When human face is detected in the monitoring screen, an alarm is triggered and the linked action is performed.

#### <u>Step 1</u> Select Setting > Event > Face Recognition > Face Detection.



Figure 5-101 Face detection page

<u>Step 2</u> Select **Enable** to enable the face detection function.

<u>Step 3</u> Configure face detection parameters.

Parameter	Description
Period	Alarm event will be triggered only within the defined period. For details, see "5.5.1.1 Motion Detection".
Face Enhancement	Select <b>Face Enhancement</b> to preferably guarantee clear faces with low stream.



Parameter	Description
Record	<ul> <li>Select Record, and the system records video when alarms are triggered.</li> <li>To enable video recording, you need to make sure that:</li> <li>The motion detection recording is enabled. For details, see "5.6.1.1 Record".</li> <li>The auto recording is enabled. For details, see "5.6.4 Record Control".</li> </ul>
Record Delay	The video recording will not stop until the record delay time you set has passed.
Send EmailSelect Send Email, and when alarms are triggered, the system sends email to the specified mailbox. For the email settings, see "5.2.5 SMTP (Email)".	
Snapshot	<ul> <li>Select Snapshot, and the system takes snapshot when alarms are triggered.</li> <li>Enable the motion detection snapshot first. For details, see "5.6.1.1 Record".</li> <li>For searching and setting snapshot storage path, see "5.1.2.5 Path".</li> </ul>
Snap Face Image	Set the snapshot scope, including <b>Face</b> and <b>One-inch photo</b> .
Attribute	Select the <b>Attribute</b> checkbox, click 🧔 , and then you can set the human attributes during face detection.

Step 4 Click Save.

## 5.5.7.2 Face Database Config

After you successfully configure the face database, the detected faces can be compared with the information in the face database. Configuring a face database includes creating a face database, adding face images, and face modeling.

### 5.5.7.2.1 Adding Face Database

Create a face database, and then register face images to add face images to the newly created face database.

<u>Step 1</u> Select Setting > Event > Face Recognition > Face Database Config.

Figure 5-102 Face database config

			Deploy 💼				
1	1	93		82		0	•
2	đh	4670	20	82	100	6	•


Step 2 Click Add Face Database.



Figure 5-103 Add face database

ld Face Dat	abase	
Name		
Γ	ок	Cancel

- <u>Step 3</u> Set face database name.
- <u>Step 4</u> Click **OK** to complete the addition.



acc Detection Face Database Config Alarm							
No.	Face Database	Register No	Deploy	Similarity Threshold	Moreinfo	Am/Doam	Delete
1	1	93	Ū.	82		0	•
2	đi	4670	2	82		0	•
Refresh Si	me						

<u>Step 5</u> Configure face database configuration parameters.

Parameter	Description
Deploy Select <b>Deploy</b> and the face database takes effect.	
Similarity Threshold	The comparison is successful only when the similarity between the detected face and the face feature in face database reaches the set similarity threshold. After this, the comparison result is displayed on the <b>Live</b> page.
More Info	Click <b>More Info</b> to manage face database. You can set search conditions, register people, and modify people information.
Arm/Disarm	Alarm event will be triggered only within the defined time period. For details, see "5.5.1.1 Motion Detection".
Delete	Delete the selected face database.

#### Table 5-36 Description of face database config parameter

#### 5.5.7.2.2 Adding Face Images

You can add face images to the created face database. Manual addition and batch import are supported.

### **Manual Addition**

Add a single face image. Use this method when registering a small number of face images.

- <u>Step 1</u> Select Setting > Event > Face Recognition > Face Database Config.
- <u>Step 2</u> Click **More Info** for the face database to be configured.



#### Figure 5-105 More info

Face Detection Face Database Config	Alam	
Back   Face Database: 1		Task List
Name Gender Credentials Ty Unlimited V ID No.	Unlimited V Date of Betty yyyy emmed Tri yyyy emmed Tri Moosleng Status (Unlimited V) Region Unlimited V Search	
Registration Batch Registration Modelin	AR Modeling	Add to the delate list

<u>0-vr</u>

### Set filtering conditions, and then click Search. The search result is displayed.

#### Step 3 Click **Registration**.

### Figure 5-106 Registration interface

Registration	×
Upload Picture *	
Name*	Upload Picture
Gender Male 🗸	
Date of Birth yyyy-mm-dd	
Region Unlimited V	
City Customized V	
Credentials IC V	
ID No.	
Address	
Memo	
	Add to task list Cancel

<u>Step 4</u> Click **Upload Picture**, and then import the face pictures to be uploaded.

## $\square$

You can manually select a face area. After uploading the picture, select a face area and click **OK**. If there are multiple faces in an image, select the target face and click **OK** to save the face image.




#### Figure 5-107 Addition completed

Registration	n			×
Upload Pictur * Name* Gender Date of Birth Region City	Male yyyy-mm-dd Unlimited Customized		OK Cancel	
Credentials ID No. Address Memo		~		
			Add to task list Cancel	

- <u>Step 5</u> Fill in face image information.
- Step 6 Click Add to task list.

Step 7 Click 📄 Task List 1.



Т	ask List		×
[	Add	Status	· ·
	1	Stored successfully., Modeling failed.:4(Picture Decoding Error)	
	Modify	Status	
	Delete	Status	
		OK Remove All	
	Orr		

**Batch Registration** 

You can import multiple face images in batches. Use this method when registering a large number of face images.

Before importing images in batches, name the face images in the format of "Name#SGender#BDate of Birth#NRegion#TCredentials Type#MID No. jpg" (for example,

"John#S1#B1990-01-01#NCN#T1#M330501199001016222").

Click Remove All to remove all the tasks.

 $\square$ 

Name is required and the rest are optional.



#### Table 5-37 Naming rules for batch import

Description			
Enter the corresponding name.			
Gender Enter a number. 1: Male; 2: Female.			
Date of Birth Enter numbers in the format of yyyy-mm-dd. For example, 2017-11-23			
Enter the region name.			
Enter a number. 1: ID card; 2: passport.			
Enter ID No.			

<u>Step 1</u> Select Setting > Event > Face Recognition > Face Database Config.

The Face Database Config interface is displayed.

- <u>Step 2</u> Click **More Info** for the face database to be configured.
- The Face Database interface is displayed.
- Step 3 Click Batch Registration.

### Figure 5-109 Batch registration

Task List		×
	+ Supported Picture Format(.jpg)	
	ender#BDate of Birth#NRegion#TCredentials Type#MID No. -01-01#NCN#T1#M330501199001016222 ssport 3. 4.Other	
	Browse Cancel	
Step 4 Click 📻 to sele	ect the file path.	
	Figure 5-110 Batch registration	
Task List		×
Path: D:\ File Size: 28		
	Browse Cancel	

Step 5 Click Browse.



Figure 5-111 Registering

Task List		×
-	Registering faces in batch, please wait12%	
	Check Details Cancel	

<u>Step 6</u> After the registration is completed, click **Next** to view the registration result.

### 5.5.7.2.3 Managing Face Images

You can add face images to face database; manage and maintain face images to ensure correct information.

### Modifying Face Information

On the Face Database Config page, move the mouse pointer to the face image or person

information line, and then click *or* information, click **Add** to task list.

Registration	×
Upload Picture	
Name* 101118	Upload Picture
Gender 🗸	
Date of Birth yyyy-mm-dd	
Region Unlimited V	
City Customized V	
Credentials Other	
ID No.	
Address	
Memo	
	Add to task list Cancel

Figure 5-112 Registration page

## **Deleting Face Images**

Enter face database, and then delete the created face image.



- Single deletion: Move the mouse pointer to the face image or people information line, and then click in or in to delete the face image.
- Batch deletion: Move the mouse pointer to the face image or people information line, and then click at the upper right corner of the face images, or click on person information line. After selecting multiple items, click Add to the delete list, click and then click OK to delete the selected face images.
- Delete all: When viewing face images in a list, click in on people information line (or select **All** when viewing face images in images), click **Add to the delete list**, click if **Task List 1**, and then click **OK** to delete all face images.

### 5.5.7.2.4 Face Modeling

You can extract and import the relevant information of face images into the database through face modeling, and create a face feature mode for smart detection such as face comparison.

 $\square$ 

- The more face images you choose, the longer the modeling time is.
- During the modeling process, some smart detection functions (such as face comparison) are temporarily unavailable and can be resumed after the modeling is complete.
- <u>Step 1</u> Select Setting > Event > Face Recognition > Face Database Config.
- <u>Step 2</u> Click **More Info** for the face database to be configured.

#### Figure 5-113 Face database page



Step 3 Select the face images for modeling

Click 🔳 to view the face image in a list. Click 🖪 to view the face image as a
thumbnail.

• Modeling All

Click **Modeling All**, and all face images in the face database will be modeled.

Selective Modeling

If there are many face images in the face database, set filtering conditions and then click **Search** to select face images for modeling.



Figure 5-114 Modeling completed

		×
	Modeling completed.	
Success:0		
G Failure:0 Se	earch	

## 5.5.7.3 Alarm Linkage

Set the alarm linkage mode for face comparison.

### <u>Step 1</u> Select **Setting > Event > Face Recognition > Alarm**.

	Figure 5-115 Alarm linkage
Face Detection	Face Database Config Alarm
Face Database	1 ~
Relay-out	Alarm Channel1
Alarm Rule	Face Recognition Succeeded Face Recognition Failed
Alarm Delay	1 Sec. (1~300)
	Refresh Save

<u>Step 2</u> Configure alarm linkage parameter.

Table 5-38 Description of alarm linkage parameter

Parameter	Description
Face Database	Select the face database to be configured with alarm linkage.
Alarm Rule	Select the alarm rule as needed.
Relay-out	Select the <b>Relay-out</b> checkbox, and when an alarm is triggered, the system interacts with the linked alarm devices.
Alarm Delay	The alarm will continue for an extended period of time. The value range is 1–300 s.

Step 3 Click Save.

# **5.5.8 People Counting**

You can use this function to count the number of people in the area and generate reports.



 $\square$ 

- Before using this function, you need to enable **People Counting** in **Smart Plan**.
- The people counting data will be overwritten if the disk is full. Back up the data in time as needed.
- This function is available on select models.

## 5.5.8.1 People Counting Settings

With the function, the system can count the number of people appearing in the monitoring screen within a certain period.

### <u>Step 1</u> Select Setting > Event > People Counting > People Counting.

Preset       Preset1         ✓       No.       Name       Rule Type         ✓       1       Rule3       People Counting       ○         ✓       0       Clear       Period       Setting         Flowrate Alarm       Enter No.       0       Leave No.       0	People Counting	Report								
I       Rule3       People Counting       ●         I       Rule3       Rule3       Interviewer       Interviewer         I       Rule3       Rule3       Interviewer       Interviewer				Prese	et Preset1	~				
Parameter Setup       OSD     Clear       Period     Setting       Flowrate Alarm       Enter No.     0				🔽 No	o. Nar	ne	Rule Type		÷	
Parameter Setup OSD Clear Period Setting Flowrate Alarm Enter No. 0	E Can		2119-11-25/20:35:06	✓ 1	Rul	e3 [	People Counting	~	•	
Parameter Setup OSD Clear Period Setting Flowrate Alarm Enter No. 0										
Parameter Setup OSD Clear Period Setting Flowrate Alarm Enter No. 0	45°C P:213 217 50 Z									
OSD     Clear       Period     Setting       Flowrate Alarm     Enter No.       One     One										
OSD     Clear       Period     Setting       Flowrate Alarm     Enter No.       One     One		0 - 0	- 13.414 J	- Parar	neter Setun-					
Flowrate Alarm Enter No. 0						C	lear			
Flowrate Alarm Enter No. 0	als X			Pe	eriod	Se	etting			
Enter No. 0	-		A LOW THE CONTRACT OF A							
	There is a comparison									
Draw Rule Clear Leave No. 0								_		
	Draw Rule		Clear					_		
Draw Line Clear 0	Draw Line		Clear	St	randed No.	0				
					ecord					
Record Delay 10 s (10~300)				R	ecord Delay	10	s (10~3	300)		
Send Email				Se	end Email					
PTZ				🗌 Pī	ΓZ					
Snapshot				🖌 Sr	napshot					
Global Setup				Globa	al Setup					
Sensitivity								7		
Default Refresh Save				De	efault	Refresh	Save			

Figure 5-116 People counting settings

- <u>Step 2</u> Select the presets to be configured.
- <u>Step 3</u> Click **Draw Rule**, and you can draw rules on the monitoring screen. For parameter description, see Table 5-28.

<u>0-vr</u>

### Click Clear to the right of Draw Rule, and you can clear all drawn rules.

<u>Step 4</u> Configure people counting parameter.



Parameter	Description
OSD	Display the number of people displayed in the area in real time. Click <b>Clear</b> , and the current number will be zero.
Enter No.	Set the <b>Enter No.</b> , and when the number of people entering reaches the set value, an alarm will be triggered.
Leave No.	Set the <b>Leave No.</b> , and when the number of people leaving reaches the set value, an alarm will be triggered.
Stranded No.	Set the <b>Stranded No.</b> , and when the number of people staying reaches the set value, an alarm will be triggered.

Table 5-39 Description of people counting parameter

	-	_		
_ n		F	n –	
- 11			н.	
- 11				

For other parameters, see "5.5.5.1 Tripwire".

Step 5 Click Save.

## 5.5.8.2 Report

You can view the statistics results of people in the scene during the selected period.

### <u>Step 1</u> Select Setting > Event > People Counting > Report.

Figure 5-117 People counting report

019-11-25 TO 00 00 End Time 2019-11-25 C Entre & Estin & Display No. Chart Type      Bar Chart      Line Chart      Search Export	20 00 00 -Catly report max range is 24 hours	
	2019-11-25 00:00:00 ~ 2019-11-25 20:00:00 Rule3 People Counting	
		Enters0 Exter1
		.1.
1100 1100 1100 1100 1100 1100 1100 110		

- <u>Step 2</u> Select a preset.
- <u>Step 3</u> Select the **Rule**, **Statistics Type**, and **Time Range**.
- <u>Step 4</u> Select the start time and end time for searching reports.
- <u>Step 5</u> Select **Flow Direction** and **Chart Type**.
- <u>Step 6</u> Click **Search** to generate reports, and then click **Export** to export the report to local storage.



# 5.5.9 Heat Map

 $\square$ 

- Before enabling Heat Map, you need to set presets in PTZ section, and select the function in the • Smart Plan.
- The data will be overwritten if the disk is full. Back up the data in time.
- This function is available on select models.

## 5.5.9.1 Heat Map Settings

The function can be used to detect the activity level of moving objects in the scene during a certain period.

<u>Step 1</u>	Select Setting > Event > Heat Map > Heat Map.
---------------	-----------------------------------------------

Heat Map	Report				
Heat Map	Preset1 1 45.0 2 1.0	2019-11-07 16:02:40	Preset Enable Period	1:Preset1 Setting	~
IP PTZ Camera			Refresh	Save	
ton 2 Salact	the procets to be c	onfigurad			

Figure 5-118 Heat map

- Select the presets to be configured. <u>Step 2</u>
- Select the **Enable** checkbox to enable heat map function. <u>Step 3</u>
- Click Setting to set the arming period. For details, see "5.5.1.1 Motion Detection". Step 4
- Step 5 Click Save.

## 5.5.9.2 Report

You can view the heat map report for the scene in the selected period.

- Select Setting > Event > Heat Map > Report. Step 1
- Step 2 Set the start time and end time to search for the heat map report.
- Step 3 Select a preset.
- Click Search, and the search results will be displayed on the page. Step 4





# 5.5.10 Video Metadata

With the function, the system can count the number of motor vehicles, non-motor vehicles and people in the monitoring screen, identify the features of the vehicles and people in the scene, and take snapshots.

 $\square$ 

- Before using video metadata, you need to enable the function in the Smart Plan.
- This function is available on select models.

# 5.5.10.1 Scene Setting

Set the parameters of snapshot, analysis and alarm in the scene.

<u>Step 1</u> Select Setting > Event > Video Metadata.



		Figure 5-	120 Scene se	tting				
Scene Set	Picture	Report						
				Preset	Preset3	~		
				~	No.	Name	Rule Type	÷
		2	019-12-03 20:20:12		1	Rule2	People V	•
			No.		2	Rule3	Non-motor V	•
+ 24℃ P-8.6 T:13.7		<b>4</b>			3	Rule4	Motor Vehic 🗸	0
S. C.	A Parts		EE A					
	raw Modify		Clear	Traff OSD Peric Snap	od o Mode ure Compl	t Clear Setting Optimize ete Vehicle	3	
Target filter    M	lax Size 8191 *	8191	Draw Target	Alarr	n Delay	10	s (10~300)	
	lin Size 0 *	0	Clear Draw Target	Defa	ult	Refresh	Save	
Speed 5	- Focus (	+) Sar +) +) +)	ve Preset					

<u>Step 2</u> Click the **Preset** list to select the preset to configure video metadata.

Step 3 Click 🖶 to add a rule type.

<u>Step 4</u> Modify the parameters.

- Double-click the name to modify the rule name.
- Select the rule type from **People**, **Non-motor Vehicle** and **Motor Vehicle**.
- Click the corresponding 😑 to delete detection items.

<u>Step 5</u> Configure scene setting parameters.

#### Table 5-40 Description of scene setting parameter

Parameter	Description	
People Flow Statistics		
Non-motor Vehicle Flow Statistics	After selection, traffic flow statistics will be displayed on the screen.	
Traffic Flow Statistics		
OSD	Select the checkbox to enable the OSD overlay. The statistics will be displayed on the <b>Live</b> page in the form of OSD information.	
Clear	Click it to clear the statistics of motor vehicles, non-motor vehicles and people.	



 $\square$ 

For other parameters, see "5.5.5.1 Tripwire".

Step 6 Click Save.

## 5.5.10.2 Picture Overlay

Set the overlay information on the snapshot.

- <u>Step 1</u> Select Setting > Event > Video Metadata > Overlay.
- <u>Step 2</u> Select **Picture Overlay Type** from **People**, **Non-motor Vehicle** and **Motor Vehicle**.

Figure 5-121 Picture overlay-motor vehicle

Scene Set	Picture	Report				
Time	DN		4	Picture Overlay Type	Motor Vehicle	<b>v</b>
	( Same)	2019-12	-03 20:24:45	<ul><li>✓ Time</li><li>✓ Location</li></ul>		
1 2310 P.8.5T.13.7 - d 	22	the second second		Upload Picture License Plate	Vehicle Body Pic.	
La -	Manual Provide And			Default	Refresh Sa	ive
PTZ Camera			A.			
			8			

Figure 5-122 Picture overlay–non-motor vehicle

Scene Set	Picture	Report					
Time Location	1			Picture Overlay -	Non-motor	Vehicle 🗸	
		2019	-12-03 20:25:10	<ul><li>✓ Time</li><li>✓ Location</li></ul>			
* 231: P.86T 13.7.2: d		- Sa h		Upload Picture	Vehicle B	ody Pic	
	annaimmet.			Default	Refresh	Save	
PTZ Camera	-	1	1				



Figure 5-123 Picture overlay-p	people

Scene Set	Picture	Report					
Time Loca	ation			Picture Overlay Type	People	~	
		201	9-12-03 20:25:25	Time Location			
1 23% P.8.5T.13	722	NOS A COMPANY		Upload Picture	Vehicle Body	/ Pic	
	14 International		A	Default	Refresh	Save	
PETZ Camera	A proved		ton				

<u>Step 3</u> Select overlay information.

 $\square$ 


If you select Location, you need to manually enter the location of the Device.


Step 4 Click Save.

### 5.5.10.3 Report

You can view the number of vehicles, non-vehicles and people in the scene during the selected period.

- <u>Step 1</u> Select Setting > Event > Video Metadata > Report.
- <u>Step 2</u> Select the **Report Type**.
- <u>Step 3</u> Select the start time and end time for searching reports.
- <u>Step 4</u> Select **Traffic Flow Statistics Type**.
- <u>Step 5</u> Click **Search** to generate reports.







## 5.5.11 Alarm

	Figure 5-125 Alarm
Alarm	
Enable	
Relay-in	Alarm1 V
Period	Setting
Anti-Dither	0 s (0~100) Sensor Type NO V
Record	
Record Delay	10 s (10~300)
Relay-out	1 2
Alarm Delay	10 s (10~300)
Send Email	
PTZ	
Snapshot	
	Default Refresh Save

<u>Step 1</u> Select **Setting** > **Event** > **Alarm**.

<u>Step 2</u> Configure alarm setting parameters.

#### Table 5-41 Description of alarm setting parameter

Parameter	Description
Enable	Select the <b>Enable</b> checkbox, and then the alarm linkage is enabled.
Relay-in	Select alarm input, and 7 alarm inputs are available.
Sensor Type	There are two types: <b>NO</b> (normally open) and <b>NC</b> (normally closed). Switch from <b>NO</b> to <b>NC</b> , and alarm event will be enabled. Switch from <b>NC</b> to <b>NO</b> , and alarm event will be disabled.

 $\square$ 

For other parameters, see "5.5.1.1 Motion Detection".

Step 3 Click Save.

# 5.5.12 Abnormality

Abnormality includes 7 alarm events: No SD Card, Capacity Warning, SD Card Error, Disconnection, IP Conflict, Illegal Access, and Security Exception.



## 5.5.12.1 SD Card

In case of an SD card exception, an alarm will be triggered.

<u>Step 1</u> Select Setting > Event > Abnormality > SD Card.

	Figure 5-126 No SD card
SD Card	Network Illegal Access Security Exception
Event Type	No SD Card
Enable	
Relay-out	1 2
Alarm Delay	10 s (10~300)
Send Email	
	Default Refresh Save
	Figure 5-127 SD card error
SD Card	Network Illegal Access Security Exception
-	
Event Type	SD Card Error
Enable	
Relay-out	1 2
Alarm Delay	10 s (10~300)
Send Email	
	Default Refresh Save
	Figure 5-128 Capacity warning
SD Card	Network Illegal Access Security Exception
Event Type	Capacity Warning
Enable	
Capacity Limit	10 %(0~99)
Relay-out	1 2
Alarm Delay	10 s (10~300)
Send Email	
	Default Refresh Save



<u>Step 2</u> Configure SD card exception parameters.

Table 5-42 Descript	tion of SD card e	exception parameter
		Acception parameter

Parameter	Description
Enable	Select the checkbox to enable this function.
Capacity Limit	Configure the free space percentage, and if the free space in the SD card is less than the defined percentage, an alarm is triggered.

For other parameters, see "5.5.1.1 Motion Detection".

Step 3 Click Save.

## 5.5.12.2 Network Exception

In case of a network exception, an alarm will be triggered.

### <u>Step 1</u> Select Setting > Event > Abnormality > Network.

	Figure 5-129	Disconnection	
SD Card	Network	Illegal Access	Security Exception
Event Type	Disconnection	on 🗸	
Enable			
Record			
Record Delay	10	s (10~300)	
Relay-out	1 2		
Alarm Delay	10	s (10~300)	
	Default	Refresh	Save
	Figure 5-1	30 IP conflict	
SD Card	Network	Illegal Access	Security Exception
Event Type Enable	IP Conflict	~	
Record			
Record Delay	10	s (10~300)	
Relay-out	1 2		
Alarm Delay	10	s (10~300)	

Figure 5-129 Disconnection



<u>Step 2</u> Configure network exception parameters.

Table 5-43 Description of network exception parameter

Parameter	Description	
Enable	Select the checkbox to enable this function.	
For other param	neters, see "5.5.1.1 Motion Detection".	

Step 3 Click Save.

## 5.5.12.3 Illegal Access

Illegal access alarm is triggered when the login password has been wrongly entered for more than the times you set.

### <u>Step 1</u> Select Setting > Event > Abnormality > Illegal Access.

Figure 5-131 Illegal access						
SD Card	Network	Illegal Access	Security Exception			
Enable						
Login Error	5	time (3~10)				
Relay-out	1 2					
Alarm Delay	10	s (10~300)				
Send Email						
	Default	Refresh	Save			

<u>Step 2</u> Configure illegal access parameters.

Parameter	Description			
Enable	Select the checkbox to set the illegal access alarm.			
Login Error	After entering a wrong password for the set times, the alarm for illegal access will be triggered, and the account will be locked.			

## $\square$

For other parameters, see "5.5.1.1 Motion Detection".

Step 3 Click Save.

## 5.5.12.4 Security Exception

When an event affecting the Device safety occurs, an alarm for safety exception will be triggered.

<u>Step 1</u> Select Setting > Event > Abnormality > Security Exception.



OD Oracle Nickards III and Assess Oracuity Exception	
SD Card Network Illegal Access Security Exception	
Enable	
Relay-out 1 2	
Alarm Delay 10 s (10~300)	
Send Email	
Default Refresh Save	

Step 2Configure security exception parameter.For details, see "5.5.1.1 Motion Detection".

Step 3 Click Save.

## 5.5.12.5 Battery Exception

When overtemperature of the battery is detected, alarm linkage actions are performed.

<u>Step 1</u>	Select Setting > Event > Abnormality > Battery Exception.
---------------	-----------------------------------------------------------

	Figure 5-1	33 Battery excep	tion
SD Card	Network	Illegal Access	Security Exception Battery Exception
Event Type	Overtempera	iture Detec 🗸	
Record Record Delay	10	s (10~300)	
Alarm Delay	10	s (10~300)	
Audio Linkage Play Count	1	(1~3)	
File	alarm.wav 🔪		
Message Link	Default	Refresh	Save

- <u>Step 2</u> Select the **Enable** checkbox to enable battery exception detection.
- Step 3 Set alarm linkage actions.
- Step 4 Click Save.



# 5.6 Storage

# 5.6.1 Schedule

Before setting the schedule, make sure that the **Record Mode** is **Auto** in **Record Control**.

 $\square$ 

If the Record Mode is Off, the Device will not record or take snapshots according to the schedule.

## 5.6.1.1 Record






Figure 5-134 Record

<u>Step 2</u> Select the day for recording from Monday to Sunday, and then click **Setting** on the right.

- Set the recording period. You can set up to six periods for one day.
- You can select 3 types of recording: General, Motion and Alarm.

### $\square$

To set the time period, you can also press and hold the left mouse button and drag directly on the **Record** page.



Figure 5-135 Record schedule setting


etting		Þ
	🗹 Sun 🗌 Mon 🗌 Tue 🗌 Wed 🗌 Thu 📄 Fri 🗌 Sat 🗌 Holiday	
Period1	00 : 00 : 00 - 23 : 59 : 59 General 🗹 Motion 🖌 Alarm	
Period2	00 : 00 : 00 - 23 : 59 : 59 General Motion Alarm	
Period3	00 : 00 : 00 - 23 : 59 : 59 General Motion Alarm	
Period4	00 : 00 : 00 - 23 : 59 : 59 General Motion Alarm	
Period5	00 : 00 : 00 - 23 : 59 : 59 General Motion Alarm	
Period6	00 : 00 : 00 - 23 : 59 : 59 General Motion Alarm	
	Save Cancel	

<u>Step 3</u> Click **Save** to return to the **Record** page.

At this time, the colored chart visually displays the defined period.

- 📒 : Represents general recording.
- 🛛 🦰 : Represents motion detection recording.
- Represents alarm recording.

### Figure 5-136 Recording schedule setting completed



<u>Step 4</u> On the **Record** page, click **Save**, and the **Save Succeeded!** prompt will be displayed, which means the recording schedule has been set.

## 5.6.1.2 Snapshot

<u>Step 1</u> Select Setting > Storage > Schedule > Snapshot.



Figure 5-137 Snapshot							
Record	Snapshot	Holiday S	chedule				
				🖌 General 🗖	_		
	0 2 4	6 8	10 12	14 16	18 20	22 24	
Sun							Setting
Mon							Setting
Tue							Setting
Wed							Setting
Thu							Setting
Fri							Setting
Sat							Setting
Holiday							Setting
	Default	Refresh	Sa	ave			

<u>Step 2</u> Set snapshot schedule.

For details, refer to <u>Step2</u> and <u>Step3</u> in "5.6.1.1 Record".

<u>Step 3</u> Click **Save**, and the **Save Succeeded!** prompt will be displayed, which means the snapshot schedule has been set.

# 5.6.1.3 Holiday Schedule

You can set specific dates as holidays.

### <u>Step 1</u> Select Setting > Storage > Schedule > Holiday Schedule.

Figure	5-138	Holiday	y schedule
riguie	2-120	Tionua	y schedule

	- ingu			iy scriet	Juie		
Record		Snapshot			Holida	ay Schedi	ule
Record	🗌 Sr	napshot					
Calenda	r				Dec	~	
Sun	Mon	Tue	Wen	Thu	Fri	Sat	
1	2	3	4	5	6	7	
8	9	10	11	12	13	14	
15	16	17	18	19	20	21	
22	23	24	25	26	27	28	
29	30	31					
							1
Refre	sh		Save				



<u>Step 2</u>	Select a date.
	The selected date will be a holiday and displayed in yellow.
<u>Step 3</u>	Select <b>Record</b> or <b>Snapshot</b> , and then click <b>Save</b> .
	The Save Succeeded! prompt will be displayed.
<u>Step 4</u>	On the <b>Record</b> or <b>Snapshot</b> page, click <b>Setting</b> to the right of <b>Holiday</b> .

The setting method is the same as that of Monday to Sunday.Step 5Set the period of one day for the Holiday, and the recording or snapshot will be taken

# 5.6.2 Snapshot by Location

The system can take snapshots when the Device rotates to certain presets.

n.	- I	_ n
100	~	1

You need to set presets in advance.

### <u>Step 1</u> Select **Setting > Storage > Snapshot by Location**.

according to the holiday time period.

Figure 5-139 Snapshot by location

Preset	Preset Title	Snapshot 🗸
1	Preset1	
2	Preset2	

<u>Step 2</u> Select presets.

- Enable snapshot by location.
  - Click to enable the function for the corresponding preset.
  - Click Snapshot , and then select All Enabled to enable the function for all presets.
- Disable snapshot by location.
  - ◊ Click to disable the function for the corresponding preset.
  - ◇ Click Snapshot ▼, and then select All Disabled to disable the function for all presets.



Step 3 Click Save.

# 5.6.3 Destination

## 5.6.3.1 Path

Configure the storage path of recordings and snapshots of the Device, and select local SD card, FTP and NAS for storage. Store recordings and snapshots according to the event type, respectively corresponding to **General**, **Motion** and **Alarm** in the schedule, and then select the corresponding type of recordings or snapshots for storage.

### <u>Step 1</u> Select Setting > Storage > Destination > Path.

Path	Local	FTP	NAS				
cord				Snapshot			
Event Type	Scheduled	Motion Detection	Alarm	Event Type	Scheduled	Motion Detection	Alarm
Local	2			Local			$\checkmark$
FTP				FTP			
NAS				NAS			

<u>Step 2</u> Select the corresponding event type and storage method.

Table 5-45 Description of path paramete	r
-----------------------------------------	---

Parameter	Description
Event Type	Select Scheduled, Motion Detection or Alarm.
Local	Save recordings or snapshots to the SD card.
FTP	Save recordings or snapshots to the FTP server.
NAS	Save recordings or snapshots to the NAS server.

Step 3 Click Save.

## 5.6.3.2 FTP

FTP function can be enabled only when it is selected as a destination path. When the network is disconnected or does not work, you can save recordings and snapshots to the SD card by using **Emergency (Local)** function.

<u>Step 1</u> Select Setting > Storage > Destination > FTP.



	Figure 5-141 FT	P settings			
Path	Local	FTP	N	AS	
Enable	SFTP(Recommended) V	]			
Server Address	0.0.0.0	]			
Port	22	(0~65535)			
Username	anonymity	]			
Password	•••••	-			
Remote Directory	share	]			
Emergency (Local)					
	test				
	Default	fresh	ave		

<u>Step 2</u> Select the **Enable** checkbox to enable FTP function.

- $\square$
- There might be risks if the FTP function is enabled. Think twice before enabling the function.
- SFTP is recommended to ensure network security.
- <u>Step 3</u> Configure FTP parameters.

### Table 5-46 FTP parameter description

Parameter	Description
Server Address	The IP address of the FTP server.
Port	The port number of the FTP server.
Username	The username to log in to the FTP server.
Password	The password to log in to the FTP server.
Remote Directory	The destination path on the FTP server.
Emergency (Local)	If you enable the function, in case of FTP storage exception, the recordings and snapshots will be stored on the local SD card.

<u>Step 4</u> Click **test** to verify the username and password, and test whether FTP is connected to the Device.

Step 5 Click Save.

## 5.6.3.3 Local

SD card information is displayed in the local storage list. You can set it as read only or read & write. You can also hot swap or refresh it.



### $\square$

Dual SD cards are supported by some devices. For such devices, the SD card first inserted is called Local Disk 1, and the SD card inserted later is called Local Disk 2.

- If no recordings in both cards, the recording will be saved to Local Disk 1, and then saved to Local Disk 2 when Disk 1 is full.
- If there are recordings in both cards, the recording will be saved to the card with the latest recordings, and then saved to the other card when this card is full.
- Select Setting > Storage > Destination > Local. Step 1

Figure 5-142 Local storage

		2.00 M		
	Status	Attribute	Used Capacity/Total Capacity	
neral	General	Read & Wrke	6.9M/7578.1M	
neral	General	Read & Wite	69.4M/15076.3M	
Mar P.	Read & Write Hot Swap	Refresh		- to

/!\

- <u>Step 2</u> Select the SD card to be set, and then perform the following operations as needed.
  - Click Read Only to set the SD card to be read only.
  - Click Read & Write to set the SD card to be read and write.
  - Click Hot Swap to remove or insert the SD card when the Camera is running.
  - Click Format to format the SD card.

After formatting the SD card, all data on it will be cleared. Be cautious.

## 5.6.3.4 NAS

This function can be enabled only when NAS is selected as a destination path. Select NAS to store files on the NAS server.

```
Select Setting > Storage > Destination > NAS.
Step 1
```

	Figure 5-143 N/	AS settings		
Path	Local	FTP	NAS	
Enable	NFS	~		
Server Address	0.0.0.0			
Remote Directory				
	Default	Refresh	ave	

Configure NAS setting parameters. Step 2



Parameter	Description
Enable	Select the checkbox to enable NAS function. Select <b>NFS</b> or <b>SMB</b> function. There might be risks if <b>NFS</b> or <b>SMB</b> is enabled. Think twice before enabling the function.
Server Address	The IP address of the NAS server.
Remote Directory	The destination path on the NAS server.
Step 3 Click Save.	

CIICK Save.

# **5.6.4 Record Control**

#### Select Setting > Storage > Record Control. <u>Step 1</u>

### Figure 5-144 Record control

Record Control		
Pack Duration	30 Min. (1~120)	
Pre-event Record	5 s (0~5)	
Disk Full	Overwrite 🗸	
Record Mode	● Auto 〇 Manual 〇 Off	
Record Stream	Main Stream	
	Default Refresh Save	

<u>Step 2</u> Configure record control parameters.

Table 5-48 Record control parameter description

Parameter	Description
Pack Duration	Set the pack duration of each recording file. It is 30 minutes by default.
Pre-event Record	Set the pre-recording time. For example, if you enter 5, when an alarm is triggered, the system reads the recording of the first 5 seconds in memory, and then records it into a file.
	If alarm recording or motion detection recording occurs, if there is no recording before, the video data within N seconds before the recording is started will also be recorded into the video file.



Parameter	Description				
Disk Full	<ul> <li>You can select Stop or Overwrite.</li> <li>Stop: The system stops recording when the disk is full.</li> <li>Overwrite: The system overwrites the oldest files and keeps recording when the disk is full.</li> <li>The data will be overwritten if the disk is full. Back up the file in time as needed.</li> </ul>				
Record Mode	You can select <b>Auto</b> , <b>Manual</b> or <b>Off</b> . Select <b>Manual</b> mode to start recording immediately, and select <b>Auto</b> mode to record within the schedule.				
Record Stream	Select Main Stream or Sub Stream.				
Step 3 Click Save.					

-

# 5.7 System Management

# 5.7.1 Device Settings

## 5.7.1.1 General

<u>Step 1</u> Select Setting > System > General > General.

	Figure 5-145 General settings
General	Date&Time
-	
Name	5C07BA7YAJ51BEB
Language	English V
Video Standard	PAL V
	Default Refresh Save

<u>Step 2</u> Configure general setting parameters.

Parameter	Description			
	Set the device name.			
Name				
	Different devices have different names.			
Language	Select the language to be displayed.			
Video Standard	Select video standard from <b>PAL</b> and <b>NTSC</b> .			
Stop 3 Click Sava				

Step 3 Click Save.



## 5.7.1.2 Date & Time

Figure 5-146 Date & time				
General	Date& Time			
Date Format	YYYY-MM-DD 🗸			
Time Format	24-Hour V			
Time Zone	(UTC+06:00) Astana			
Current Time	2020-02-27 09 : 15 : 10 Sync PC			
DST				
DST Type	Date O Week			
Start Time	Jan 🗸 1 🗸 00 : 00 : 00			
End Time	Jan 💙 2 💙 00 : 00 : 00			
□ NTP				
Server	clock.isc.org			
Port	123			
Interval	10 Min. (0~30)			
	Default Refresh Save			

<u>Step 1</u> Select Setting > System > General > Date&Time.

<u>Step 2</u> Configure date &time parameters.

Table 5-50 Description of date & time parameter

Parameter	Description					
Date Format	Select the date format. Three formats are available: <b>YYYY-MM-DD</b> , <b>MM-DD-YYYY</b> and <b>DD-MM-YYYY</b> .					
Time Format	Select the time format. Two formats are available: <b>24-Hour</b> and <b>12-Hour</b> .					
Time Zone	Set the local time zone.					
Current Time	The current time of the Device.					
DST	Set the <b>Start Time</b> and <b>End Time</b> of DST in the <b>Date</b> format or <b>Week</b> format.					
NTP	Select the <b>NTP</b> checkbox to enable the network time sync function.					
Set the address of the time server. Server Set the network timing function of NTP server, and the Device to be synchronized with the server time.						
Port	Set the port number of the time server.					



Parameter	Description
Interval	Set the synchronization interval of the Device and the time server.

Step 3 Click Save.

## 5.7.1.3 Screen Off Settings

## $\square$

The function is available on select models.

You can set the screen-off time of the device display.

### <u>Step 1</u> Select Setting > System > General > Screen Off Settings.

Figu	ire 5-147 Scre	en off settings	
General	Date&Time	Screen Off Settings	
Screen Off Tim	le Never	~	
	Defau	It Refresh	Save

<u>Step 2</u> Set screen-off time.

- **Never**: The screen is never turned off.
- **Custom**: Customize the screen-off time.

Step 3 Click Save.

## 5.7.1.4 Sleep Mode

You can configure the sleep mode and time period of the Device.

 $\square$ 

This function is available on select devices.

- <u>Step 1</u> Select Setting > System > General > Sleep Mode.
- <u>Step 2</u> Select **Enable** to enable sleep mode function.
- <u>Step 3</u> Select sleep mode type, and then configure parameters. It supports **Movement Control**, **Interval** and **SMS** mode.
  - Movement Control
  - 1) Select Movement Control as sleep mode.



		rigui		overnerie	control					
General	Date&Time	Sleep Mode								
Enable										
Sender		+								
		-								
Sleep SMS	sleep									
Wakeup SMS	wakeup									
Sleep Mode	Movement C	ontrol 🗸								
	4:00 8:0	12:00	16:00	20:00	24:00					
📒 Day 🔳 Nigh										
	e Interval 60	<ul> <li>minute(s)</li> </ul>	Linkage Action	NONE 🗸		~	Times	1	~	
Wakeup Time	e Interval 60	<ul> <li>minute(s)</li> </ul>	Linkage Action	NONE 🗸	NONE	~	Times	1	~	
AutoHome	60	s(10~90)								
	Default	Refresh	Save							

2) Drag the slider to set the day and night time periods.

You can set different sleep mode configurations for day and night. For example, you can set the day configuration as 6:00 to 18:00, and set the night configuration as 18:00 to 6:00 the next day.

3) Configure Wakeup Time Interval and Linkage Action according to actual needs.

Parameter	Description			
Wakeup Time Interval	The duration after the device enters sleep mode is not related to the motion time after waking up. The <b>Wakeup Time Interval</b> ranges from 30 to 120 minutes, with a default of 60 minutes.			
Linkage Action	The actions performed after the device wakes up. You can select from <b>None</b> or <b>Tour</b> .			
Times	The number of actions performed after the device wakes up. The value ranges from 1 to 5 and the default value is 1.			
AutoHome	During the tour, the PTZ is manually controlled to rotate. After the autohome time, the PTZ will automatically restores to the original tour group. The value of <b>AutoHome</b> ranges from 10 to 90 seconds, and the default value is 60 seconds.			

Interval: Select interval as sleep mode, and then click **Setup** to configure the time period for the sleep function to take effect.



#### Figure 5-149 Interval

General	Date&Time	Sleep Mode		
Enable				
Sender		+		
Sleep SMS	sleep			
Wakeup SMS	wakeup			
Sleep Mode	Interval	~		
Period	Setup			
	Default	Refresh	Save	

1) Click **Setting**, and then set the arming period on the page.

### Figure 5-150 Arming period settings

Period														X
(	0 2	4	6	8	10	12	14	16	18	20	22	24		
Sun													Setting	
Mon													Setting	
Tue													Setting	
Wed													Setting	
Thu													Setting	
Fri													Setting	
Sat													Setting	
	Sun	Mor	) [	] Tue		ed	Thu		Fri	□ Sa	at			
						_					at .			
Period1	00 :	00 : 00		23 : 5	59 : 59	_								
Period2	00 :	00 : 00	- 2	23 : 5	59 : 59									
Period3	00 :	00 : 00	- 2	23 : 5	59 : <b>5</b> 9									
Period4	00 :	00 : 00	- 2	23 : 5	59 : 59									
Period5	00 :	00 : 00	- 2	23 : 5	59 : <b>5</b> 9									
Period6	00 :	00 : 00	- 2	23 : 5	59 : 59									
					Save		Ca	ancel						

- 2) Set the alarm period to enable alarm events in the period you set.
  - There are 6 time periods for each day. Select the checkbox for the time period to enable it.
  - Select the day of week (**Sunday** is selected by default; If **All** is selected, the setting is applied to the whole week. You can also select the checkbox next to the day to set it separately).
- 3) After completing the settings, click **Save**.

You will return to the Motion Detection page.



SMS: Click + to add the mobile phone number to the allow list, and then set the contents of sleep SMS and wakeup SMS.

Send a message to the SIM card on the device using the telephone number in the allow list, and then set the message content as **Sleep SMS** or **Wakeup SMS**. The device enters **Sleep State** or **Waking Up State**.

### 

Select an added telephone number, and then click 😑 to delete this number.

Step 4 Click Save.

•

# 5.7.2 Account Settings

## 5.7.2.1 Account

User management is only available for admin users.

- For **Username** and **Group Name**, the maximum length is 15 characters. Username can only consist of numbers, letters, underlines, dots and @; group name can only consist of numbers, letters and underlines.
- The password should consist of 8 to 32 non-blank characters and contain at least two types of characters among upper case, lower case, number, and special characters (excluding ' ";: &). The confirming password shall be the same as the new password. Set a high security password according to the prompt of password strength.
- The number of users and groups is 19 and 8 respectively by default.
- User management adopts a two-level method of group and user. Neither group names nor user names can be duplicated, and a user can only belong to one group.
- Users currently logged in cannot modify their own permissions.
- The user is admin by default. The **admin** account is defined as high privileged user.

### 5.7.2.1.1 Username

Select **Setting** > **System** > **Account** > **Account** > **Username** to enable anonymous login, add users, delete users, modify user passwords or perform other operations.



Figure 5-151 Account interface

							1002-0010	
No	Username				Restricted Login	Modify	Delete	
1	admin	ad	min	admin 's accoun	<b>1</b>	1	1	0
uthority				System Info	Manual Control	File Backup Maintenance	Storage	
uthority iser vent	Live Network	Playback Peripheral	System AV Parameter	PTZ	Security			

 $\square$ 

No permission is available for version information and other buttons except **Relay-out**, **Mark**, and **Wiper Control** on the **Live** interface for the time being.

## Anonymous Login

Select the **Anonymous Login** checkbox, and you can log in to the Device anonymously without username and password after entering IP. Anonymous users only have preview permission in the permission list. In the anonymous login, click **Logout** to log in to the Device by using other usernames.

 $\square$ 

After **Anonymous Login** is enabled, the user can view audio and video data without authentication. Think twice before enabling the function.

# Adding Users

Add users in the group and set permissions.

 $\square$ 

As the default user with the highest authority, admin cannot be deleted.

Step 1 Click Add User.



#### Figure 5-152 Add users

User		
Jsername	Must	
Password		
	The minimum pass phrase length is 8 characters	
	Weak Medium Strong	
Confirm Password		
Group Name	admin V	
viemo		
Operation Permission	Restricted Login	
All		
✔ User		
✓ Live		
Playback		
✓ System		
System Info		
Manual Control		
🖌 File Backup		
✓ Storage		
V Event		
<ul> <li>Network</li> </ul>		
<ul> <li>Peripheral</li> </ul>		
AV Parameter		
PTZ		
Security		
Maintenance		
	Save Cancel	

- <u>Step 2</u> Enter **Username** and **Password**, confirm password, select **Group Name**, and then add **Memo**.
- <u>Step 3</u> Set **Operation Permission** and **Restricted Login**.
  - Operation Permission: Click **Operation Permission**, and then select the operation permission of the user as needed.
  - Restricted Login: **Click Restricted Login**, and the interface shown in Figure 5-153 is displayed. You can control login to the Device by setting the **IP Address**, **Validity Period** and **Time Range**.

### $\square$

- Once the group is selected as needed, the user permission can only be a subset of the group, and cannot exceed its permission attributes.
- It is recommended to give less permissions to general users than advanced users.



Figure 5-153 Restricted login

d User									
Username			Must						
Password									
	The minimum	i pass phras	e length is 8	3 characters					
	Weak M	edium Str	ong						
Confirm Password									
Group Name	admin		~						
Memo									
Operation Permission	Restric	ted Login							
_									
IP Addres						_			
IPv4		IP Address	~	1.0.	0.1				
Validity P Begin Tim		0.04		08 : 0	D : 00				
End Time	2019-12				D : 00				
Time Ran		-05		00.0	0.00				
0	ge 2 4	6	8	10 12	14 16	18	20 22	2 24	
0 Sun		6	8	10 12	14 16	18	20 22	2 24	Setting
		6	8	10 12	14 16	18	20 22	2 24	Setting Setting
Sun		6	8	10 12	14 16	18	20 22	2 24	
Sun		6	8	10 12	14 16	18	20 22	2 24	Setting
Sun Mon Tue		6	8	10 12	14 16	18	20 22	2 24	Setting Setting
Sun Mon Tue Wed		6	8	10 12	14 16	18	20 22	2 24	Setting Setting Setting
Sun Mon Tue Wed Thu		6	8	10 12	14 16	18	20 22	2 24	Setting Setting Setting Setting
Sun Mon Tue Wed Thu Fri		6	8		14 16	18	20 22	2 24	Setting Setting Setting Setting Setting
Sun Mon Tue Wed Thu Fri		6	8		14 16	18	20 22	2 24	Setting Setting Setting Setting Setting
Sun Mon Tue Wed Thu Fri			8			18	20 22	2 24	Setting Setting Setting Setting Setting

## Modifying Users

Step 1 Click 🛃 corresponding to the user you want to modify.



Figure 5-154 Modify us
------------------------

	rigares is rinearly		
Modify User			×
Username	admin 🗸	]	
Modify Password			
Group Name	admin 🗸		
Memo	admin 's account		
Authority	🖌 All		
	✓ User	^	
	✓ Live		
	Playback		
	✓ System	*	
	Save	Cancel	]

- <u>Step 2</u> Modify user information.
- Step 3 Click Save.

### **Modifying Password**

- <u>Step 1</u> Select the **Modify Password** checkbox.
- <u>Step 2</u> Enter old password and new password, and then confirm password.
- Step 3 Click Save.

### **Deleting Users**

Click 🤤 corresponding to the user to be deleted, and the user can be deleted.

 $\square$ 

Users/user groups cannot be recovered after deletion. Think twice before performing the operation.

#### 5.7.2.1.2 Group Name

Select **Setting** > **System** > **Account** > **Account** > **Group Name** to add groups, delete groups, modify group passwords or perform other operations.

			Mena	Mudly	Delete
No.	Group N		administrator group		
					0 0
- Z -	1946	1	utter group	1	
athority					
uthority later	Ure Playback	System	Synteen lads Manual Control File Backup Storage Event	Network Peripheral	

Figure 5-155 User group settings



### Configuring User Group

The default authorities of Admin group include live, playback, storage, file backup, user, system, system info, manual control, maintenance, peripheral, PTZ, security, network, event and AV parameters; the default authorities of User group include live and playback.

Group Authority	Admin	User	Functions
User	YES	NA	Add, delete and check user/user group.
Live	YES	YES	Real-time stream view.
Playback	YES	YES	Playback view.
System	YES	NA	System time setting and more.
System Info	YES	NA	Version information, system logs and more.
Manual Control	YES	NA	PTZ settings.
File Backup	YES	NA	File backup.
Storage	YES	NA	Storage point configuration, snapshot recording time configuration, SFTP configuration and more.
Event	YES	NA	Video detection settings, audio detection settings, alarm settings and more.
Network	YES	NA	IP settings, SMTP settings, SNMP settings, AP Hotspot settings and more.
Peripheral	YES	NA	External light, wiper and serial port settings.
AV Parameter	YES	NA	Camera property settings, audio and video settings and more.
PTZ	YES	NA	Preset settings, tour settings and more.
Security	YES	NA	HTTPS settings, RTSP over TLS settings and more.



Group Authority	Admin	User	Functions
Maintenance	YES	NA	Automatic maintenance settings and more.

 $\square$ 

- Any user in the **Admin** group has **User** authority to modify group authority. The **User** group does not have this authority.
- The functions of the device correspond to the authority control respectively. Only user with specified authority can use corresponding function; the **Admin** group has all the authorities.

### Adding Groups

For specific operations, refer to "5.7.2.1.1 Username".

### Modifying Groups

For specific operations, refer to "5.7.2.1.1 Username".

### **Deleting Groups**

For specific operations, refer to "5.7.2.1.1 Username".

### 5.7.2.2 ONVIF User

On the web page, you can add ONVIF users, or modify existing users.

### Procedure

<u>Step 1</u> Select Setting > System > Account > Onvif User.

Figure 5-156 Onvif user



Step 2 Click Add User.



Figure 5-157 Add users

Add User		×
Username Password		Must
		ase length is 8 characters
Confirm Password	Weak Medium S	itrong
Group Name	admin	~
	Save C	ancel

Step 3 Set the username and password, confirm password, and then select the group name.

<u>Step 4</u> Click Save.

### **Related Operations**

- Click 🛃 to modify user information.
- Click  $\bigcirc$  to delete users.

### 5.7.3 Safety

### 5.7.3.1 RTSP Authentication

Set the authentication method for media stream.

#### <u>Step 1</u> Select Setting > System > Safety > RTSP Authentication.

Figu	ure 5-158 RTSP au	thentication	
RTSP Authentication	System Service	HTTPS	Firewall
Authorize Mode	Digest	~	
Default	Refresh	Save	

#### Select the Authorize Mode. <u>Step 2</u>

You can select from Digest, Basic and None. It is Digest by default.

 $\square$ 

- Click **Default**, and **Digest** is selected automatically.
- Select None, and "Non-authentication mode may have risk. Are you sure to enable it" prompt will be displayed. Think twice before selecting the mode.
- Select **Basic** mode, and "Basic authentication mode may have risk. Are you sure to enable it?" prompt will be displayed. Think twice before selecting the mode.



### 5.7.3.2 System Service

You can configure system service to ensure system security.

<u>Step 1</u>	Select Setting > System > Safety > System Service
---------------	---------------------------------------------------

Figure 5-159 System service

RTSP	Authentication	System Service	HTTPS	Firewall	
	SSH	Enable			
	Multicast/Broadca	st 🗹 Enable			
	Password Reset	Enable	Email Address		
	CGI Service	Enable			
	Onvif Service	Enable			
	Genetec Service	Enable			
	Audio and Video T	r 📃 Enable	*Please make sur	e matched device or softw	ware supports video decryption function.
	Mobile Push	Enable			
	Private Protocol A	ut Security Mode (	Recom 🗸		
	Default	Refresh	Save		

<u>Step 2</u> Configure system service parameters.

Table 5-53 Descript	tion of system	service narameter
Table 3-33 Descript	lion of system	service parameter

Function	Description
	You can enable SSH authentication to perform safety management. The function is disabled by default.
SSH	
	It is recommended to disable SSH. If this function is enabled, there might be security risks.
Multicast/Broadcast	Enable this function, and when multiple users are viewing the monitoring screen simultaneously through network, they can find the Device through multicast/broadcast protocol.
Search	
	It is recommended to disable the multicast/broadcast search function. If this function is enabled, there might be security risks.
	You can enable <b>Password Reset</b> to perform security management. The function is enabled by default.
Password Reset	
	If the function is disabled, you can only reset the password after restoring the Device to factory defaults through pressing the Reset button on the device.



Function	Description
	You can access the Device through this protocol. The function is enabled by default.
CGI Service	
	It is recommended to disable the function. If this function is enabled, there might be security risks.
	You can access the Device through this protocol. The function is enabled by default.
Onvif Service	
	It is recommended to disable the function. If this function is enabled, there might be security risks.
	Enable this function to encrypt the stream transmitted through the private protocol.
Audio and Video	
Transmission	Make sure that the matched devices or software support video
Encryption	<ul> <li>decryption function.</li> <li>It is recommended to enable the function. If the function is</li> </ul>
	<ul> <li>It is recommended to enable the function. If the function is disabled, there might be risk of data leakage.</li> </ul>
	Push the alarm snapshot triggered by the Device to the mobile phone. The function is enabled by default.
Mobile Push	
	It is recommended to disable the function. If this function is enabled, there might be security risks.
Private Protocol Authentication Mode	You can select <b>Security Mode</b> and <b>Compatible Mode</b> . Security mode is recommended. If you select compatibility mode, there might be security risks.

Step 3 Click Save.

### 5.7.3.3 HTTPS

### $\square$

It is recommended to enable HTTPS service. If the service is disabled, there might be risk of data leakage.

Create certificate or upload signed certificate, and then you can log in through HTTPS with your PC. HTTPS can ensure data security, and protect user information and device security with reliable and stable technology.

<u>Step 1</u> Create certificate or upload the signed certificate.

- If you select **Create Certificate**, refer to the following steps.
- 1) Select Setting > System > Safety > HTTPS.



	I	Figure 5-160	HTTPS (1)			
TSP Authentication System	n Service	HTTPS	Firewall			
Enable HTTPS						
Protocol Version						
Enable TLSv1.0						
Create Certificate						
Create						
Request Created						
Request Created				Delete	Install	Download
Install Signed Certificate						
Certificate Path				Browse		
Certificate Key Path				Browse	Upload	]
Certificate Installed						
Certificate Installed				Delete		
Attribute						
	Refresh	Save				

2) Click **Create**.

Figure 5-161 HTTPS (2)

HTTPS		×
Region		*e.g. CN
IP or Domain name		*
Validity Period	365	Day*Range :1-5000
Province	none	]
Location	none	]
Organization	none	
Organization Unit	none	
Email		
		-
	Create Car	ncel
3) Enter the required	l information, and then click <b>Cre</b>	eate.



R

### 

# The entered IP or domain name must be the same as the IP or domain name of the Device.

4) Click **Install** to install the certificate on the Device.

	Figure	5-162 Certifica	ate installat	ion		
TSP Authentication Sys	stem Service	HTTPS	Firewall			
Enable HTTPS						
Protocol Version						
Enable TLSv1.0						
Create Certificate						
Create						
Request Created						
Request Created		101-017-09	• (******)	Delete	Install	Download
Install Signed Certific	ate					
Certificate Path				Browse		
Certificate Key Path				Browse	Upload	
Certificate Installed						
Certificate Installed	PROPERTY OF A REAL	1977-00.81-64	ell mene D	Delete		
Attribute	fanne in 1667-666 (fr Longe Commercial Terms Collins	Constraint press of	<b>^</b>			
	Refresh	Save				

5) Click **Download** to download root certificate.



🥖 Save As	×
🚱 🔍 🗢 🔚 🕨 Libraries 🕨	- 4- Search Libraries
Organize 🔻	u= ▼ ()
Desktop  Downloads Recent Places	Libraries Open a library to see your files and arrange them by folder,
▲ ☐ Libraries	Library
<ul> <li>▷ Documents</li> <li>▷ Music</li> <li>▷ Pictures</li> <li>▷ Videos</li> <li>✓ Computer</li> <li>▷ Local Disk (C;)</li> </ul>	Music Library Pictures Library Videos
<ul> <li>▷ □ DISK1_VOL2 (D:)</li> <li>▷ □ DISK1_VOL3 (E:)</li> </ul>	Library
File name: RootCert.cer	۲. ۲.
Save as type: (*.cer)	•
Hide Folders	Save Cancel
6) Select storage path, and then c	lick <b>Save</b> .

7) Double-click the **RootCert.cer** icon.



Figure 5-164 Certificate information	
--------------------------------------	--

Certif	ficate Information
	t certificate is not trusted. To enable trust, ertificate in the Trusted Root Certification store.
Issued	to: test
Issued	by: test
Valid fro	om 2016/ 7/ 8 to 2020/ 7/ 7

8) Click Install Certificate.



#### Figure 5-165 Certificate import wizard



#### 9) Click Next, and then select Trusted Root Certification Authorities.



Certificate stores are system areas	where certificates are k	ant	
Certificate stores are system areas	where ceruncates are k	ept.	
Windows can automatically select a the certificate.	certificate store, or you	ı can spe <mark>c</mark> ify	a location for
O Automatically select the certif	ficate store based on the	e type of ce	rtificate
Place all certificates in the foll	lowing store		
Certificate store:			
Trusted Root Certification A	uthorities		Browse
earn more about <u>certificate stores</u>			

#### 10) Click Next.



	Completing the Certing Wizard The certificate will be imported af	ter you dick Finish.
-	Certificate Store Selected by Us Content	
	< [	•

#### . c: .... ...

11) Click **Finish**.

### Figure 5-168 Security warning

	claiming to represent:
	test
-	Windows cannot validate that the certificate is actually from "test". You should confirm its origin by contacting "test". The following number will assist you in this process:
1	Thumbprint (sha1): 6D811FD2 E82313A8 663514ED 2CA36E6B 7D425FA6
1	Warning: If you install this root certificate, Windows will automatically trust any certificate issued by this CA. Installing a certificate with an unconfirmed thumbprint is a security risk. If you click "Yes" you acknowledge this risk.
I	Do you want to install this certificate?

12) Click **Yes**, and then click **OK** to complete the certificate installation.



Figure 5-169 Import success

Certificate I	Import Wizard
i	The import was successful.
	ОК

- If you select Install Signed Certificate, refer to the following steps.
- 1) Select Setting > System > Safety > HTTPS.
  - Figure 5-170 Install signed certificate

RTSP Authentication Syste	em Service	HTTPS	Firewall			
Enable HTTPS						
Protocol Version						
Enable TLSv1.0						
Create Certificate						
Create						
Request Created						
Request Created				Delete	Install	Download
Install Signed Certificate	9					
Certificate Path	Distant			Browse		
Certificate Key Path	dence.			Browse	Upload	
Certificate Installed						
Certificate Installed				Delete		
Attribute						
			1			
	Refresh	Save	J			

- 2) Click Browse to upload the signed certificate and certificate key, and then click Upload.
- 3) Install the root certificate. For details, see <u>5)</u> to <u>12)</u> in <u>Step1</u>.

Step 2Select Enable HTTPS, and then click Save.The configuration takes effect after reboot.

Figure 5-171 Reboot



Enter *https://xx.xx.xx* in the browser to open the login interface. If no certificate is installed, a certificate error prompt will be displayed.



### 

- If HTTPS is enabled, you cannot access the Device through HTTP. The system will switch to HTTPS if you access the Device through HTTP.
- The deletion of created and installed certificates cannot be restored. Think twice before deleting them.

### 5.7.3.4 Firewall

Set a firewall for the Device to prevent network attacks after the Device is connected to the network. <u>Step 1</u> Select **Setting** > **System** > **Safety** > **Firewall**.

	Figure 5-172 Fi	rewall	
RTSP Authentication	System Service	HTTPS	Firewall
- Rule Type Enable	Network Acces	s 🗸	
Default	Refresh	Save	

- <u>Step 2</u> Select the type of network attack that the firewall resists. You can select **Network Access**, **PING Prohibited**, or **Prevent Semijoin**.
- <u>Step 3</u> Select **Enable** to enable **Firewall** ifunction.
- Step 4 Click Save.

### 5.7.4 Peripheral

	ght vary with different models. <b>ystem &gt; Peripheral &gt; Wiper</b> .
	Figure 5-173 Wiper settings
Wiper	
Mode Interval Time Working Duration	Manual       10     s (0~255)       10     Min. (10~1440)       Default     Refresh     Save
Stop 2 Copfigure wines a	aramatara
Step 2 Configure wiper pa	arameters.



Parameter	Description	
Mode	Set the wiper mode. It is <b>Manual</b> by default. In <b>Manual</b> mode, you need to manually start the wiper.	
Interval Time The time between wiper starting to wiper ending.		
Working Duration	Set the maximum duration of the wiper operating once in <b>Manual</b> mode. The value ranges from 10 minutes to 1440 minutes.	

Table 5-54 Description of wiper setting parameter

Step 3 Click Save.

### 5.7.5 Default

## $\wedge$

All information except IP address and user management will be restored to defaults. Think twice before performing the operation.

Select **Setting** > **System** > **Default**, and click **Default** to restore the Device.

#### Figure 5-174 Default page

Default	
Default	Other configurations will be recovered to default except network IP address, user management and so on.
Factory Default	Completely recover device parameters to factory default.

Select the recovery mode.

- Default: All information except IP address and user management will be restored to defaults.
- Factory Default: The function is equivalent to the Reset button of the Device. All configuration information of the Device can be restored to the factory defaults, and the IP address can also be restored to the original IP address. After clicking **Factory Default**, you need to enter the password of admin user on the page displayed. The Device can be restored to factory defaults only after the system confirms that the password is correct.

 $\square$ 

- Only admin user can use this function.
- When the Device is restored to factory defaults, all information except the data in the external storage media will be erased. Delete data in external storage media by formatting and other methods.

### 5.7.6 Import/Export

When multiple devices share the same configuration methods, they can be quickly configured by importing and exporting configuration files.

<u>Step 1</u> On the web page of one device, select **Setting** > **System** > **Import/Export**.



#### Figure 5-175 Import/Export

Import/Export	
Backup Path	
Import	Export

- <u>Step 2</u> Click **Export** to export the configuration file (.backup file) to the local storage path.
- <u>Step 3</u> Click **Import** on the **Import/Export** page of the Device to be configured to import the configuration file, and the Device will complete the configurations.

### 5.7.7 System Maintenance

### 5.7.7.1 Auto Maintain

You can select Auto Reboot or Auto Delete Old Files.

- If you select **Auto Reboot**, the frequency and time need to be set.
- If you select **Auto Delete Old Files**, you need to set the time period for the files to be deleted.
- <u>Step 1</u> Select **Setting** > **System** > **Auto Maintain**.

Auto Maintain	
Auto Reboot	
Auto Reboor	)ld Files
_	_
Manual Reboo	t
Refresh	Save

<u>Step 2</u> Configure parameters of auto maintain.

Parameter	Description
Auto Reboot	Select the checkbox to set the Device reboot time.
Auto Delete Old Files	Select the checkbox to customize the time period for the files to be deleted. The value ranges from 1 day to 31 days.           M           When you enable the function, The deleted files cannot be recovered. Are you sure to enable this function now? prompt will be displayed. Think twice before enabling the function.

Table 5-55 Description of auto maintain parameter



Step 3 Click Save.

### 5.7.7.2 Emergency Maintenance

By enabling emergency maintenance, you can fix most issues caused by upgrade and configuration. <u>Step 1</u> Select **Setting** > **System** > **Auto Maintain** > **Emergency Maintenance**.

Figure 5-177 Auto maintain

Auto Maintain	Emergency Mainten	ance
Enable		
Default	Refresh	Save




### 5.7.8 Upgrade

Upgrade the system to improve device function and stability.

```
\square
```

If wrong upgrade file has been used, restart the Device; otherwise some functions might not work properly.

Select Setting > System > Upgrade.



e Upgrade			
Select Firmware File		Browse	Upgrade
line Upgrade			
Auto-check for updates	Save		
System Version	1.00.000001.000000.000000.0000.0000		Manual Check
PTZ Version	2140 BERRINA RANG MINT DOM		



- File Upgrade: Click Browse, select the upgrade file, and then click Upgrade to upgrade the firmware. The upgrade file is in the format of *.bin.
- Online Upgrade
  - 1. Select the Auto-check for updates checkbox.

This will enable the system to check for upgrade once a day automatically, and there will be system notice if any upgrade is available.

 $\square$ 

We need to collect the data such as IP address, device name, firmware version, and device serial number to perform auto-check. The collected information is only used to verify the legitimacy of the Device, and push the upgrade notification.

2. Click Save.

 $\square$ 

Click Manual Check, and you can check for upgrade manually.

## 5.8 Information

You can view information such as version, online users, log, and life statistics.

### 5.8.1 Version

You can view information such as system hardware features, software version and release date. Select Setting > Information > Version > Version to view the version information of current web interface.

	Figure 5-179 version
Version	
Device Type	THE REPORT OF THE AVE.
System Version	WHERE REPORT A REPORT OF THE ADDRESS AND ADDRESS AND ADDRESS AD
WEB Version	102102000
ONVIF Version	1010000A3390270
PTZ Version	12-43 345456 (0.000) (0.01) (0.00)
S/N	10070071049000
Security Baseline V	10.8
Copyright 2019, all righ	its reserved.

Figure F 170 Version



## 5.8.2 Log Information

### 5.8.2.1 Log

Select **Setting** > **Information** > **Log** > **Log** to view the operation information of the Device and system information.

Figure 5-180 Log

Log	Remote Log							
Start Time	2019-12-03	109 41 19	End Time	2019-12-04	09 : 41 : 19			
Type	All	✓ Search	]					
No.			Log Time			Username	Log Type	
Detailed Inform	stion							
Time: Usemame:								
Type: Content.								
10000000								
								H 41/1 > H 1 4
Backup	1							Cloar
particular								Const.

Table 5-56 Log parameter description

Parameter	Description		
Start Time	The start time of the log to be searched (January 1, 2000 is the earliest time).		
End Time	The end time of the log to be searched (December 31, 2037 is the latest time).		
Туре	The log type includes All, System, Setting, Data, Event, Record, Account, Clear Log, and Safety.		
Search	Set the start time and end time of the log to be searched, select the log type, and then click <b>Search</b> . The searched log number and time period will be displayed.		
Detailed Information	Click a log to display the details.		
Clear	Clear all logs of the Device, and classified clearing is not supported.		
Backup	Back up the searched system logs to the PC currently used by the user. The data will be overwritten if the disk is full. Back up the data in time as needed.		

Here are the meanings of different log types.

- **System**: Includes program launch, force exit, exit, program reboot, device shutdown/restart, system reboot, and system upgrade.
- Setting: Includes saving configurations, and deleting configuration files.
- **Data**: Includes disk type configurations, data erasing, hot swap, FTP state, and recording mode.
- **Event** (records events such as video detection, smart plan, alarm, and abnormality): Includes starting events, and ending events.
- **Record**: Includes file access, file access error, and file search.
- Account (records modification of user management, login, and logout): Includes login, logout,



adding user, deleting user, modifying user, adding group, deleting group, and modifying group.

- **Safety**: Includes security-related information.
- Clear Log: Clearing logs.

### 5.8.2.2 Remote Log

Upload the Device operations to the log server.

<u>Step 1</u> Select **Setting > Information > Log > Remote Log**.

		Figure 5-181 Remote log	
	Log	emote Log	
	Enable IP Address	192 . 163 0 . 108	
	Port	514 (1~65534)	
	Device Number	2 (0~23)	
		Default Refresh Save	
<u>Step 2</u>	Select <b>Enable</b> to e	nable remote log function.	

<u>Step 3</u> Set the **IP Address**, **Port** and **Device Number** of the log server.

Click **Default** to restore the Device to the default settings.

### 5.8.3 Online User

 $\square$ 

Select **Setting** > **Information** > **Online User** to view online users.

Figure	5-182	Online	users
119010		0111110	49619

	Usemane.	User Local Group	IP Address	User Login Time
10	admin	admin	10.00.N/100	200105-004209-00-00105
sh				

### 5.8.4 Life Statistics

Select **Setting** > **Information** > **Life Statistics** to view the life statistics of the Device.



### $\square$

The function is available on select models.

Figure 5-183 Online users						
Life Statistics						
Total Working Tir	ne	62 day(s) 1 hour(s) 0 minute(s)				
Upgrade Times		20 time				
Last Upgrade Da	te	2021-02-23 11:53:22				

### 5.8.5 Battery Status

Select **Setting** > **Information** > **Battery Status** to view battery usage of the Device.

 $\square$ 

The function is available on select models.

Figure 5-184 On	line users	
Battery Status		
Capacity Limit	100 %	
Voltage	8.303 V	
Charging or Not	No	
Refresh		

### 5.8.6 Legal Information

Select Setting > Information > Legal Info to view legal information of the Device. Click Software License Agreement, Privacy Policy and Open Source Software Notice to respectively view the corresponding content.



The function is available on select models.

Figure 5-185 Legal information

Software License Agreement		Privacy Policy	Open Source Software Notice
SOFTWARE LICEN	ISE AGREEMENT		
Last modified:	Jun 15, 2020		

# 6 Alarm

You can select alarm types on the page. When the selected alarms are triggered, detailed alarm information will be displayed on the right side of the page. You can also select **Prompt** or **Play Alarm Tone**. When an alarm occurs, the alarm prompt or tone will be triggered.

Figure 6-1 Alarm setting page

Alarm Type		Nis	Time	Alarm Type	Source P	Alarm Channel
Motion Detection     Disk Enter     External Atarn     Audie Detection     Scene Changing Operation	Disk Ful     Video Tamper     Megal Access     IVS     Security Ecospton					
Prompt						
Alarm Tone						
Tone Path	Bround					

Category	Parameter	Description		
	Motion Detection	Record alarm information in case of motion detection.		
	Disk Full	Record alarm information in case of full disk.		
	Disk Error	Record alarm information in case of disk error.		
	Video Tamper	Record alarm information in case of video tampering.		
	External Alarm	Record alarm information in case of an external alarm.		
Alarm Type	Illegal Access	Record alarm information in case of illegal access.		
	Audio Detection	Record alarm information in case of audio detection.		
	IVS	Record alarm information in case of smart events.		
	Scene Changing	Record alarm information in case of scene changing.		
	Security Exception	Record alarm information in case of security exception.		

Table 6-1 Description of alarm setting parameter



Category	Parameter	Description
Operation	Prompt	Select the <b>Prompt</b> checkbox. When you are not on the <b>Alarm</b> page, and the selected alarm event is triggered, the <b>Relay-out</b> button on the main menu will change to, and the alarm information will be automatically recorded. After you click the <b>Alarm</b> menu bar, the button disappears. If you are on the <b>Alarm</b> page, there will be no image prompt when the selected alarm event is triggered, but the corresponding alarm information will be recorded in the alarm list on the right.
Alarm Tone	Play Alarm Tone	Select the checkbox, and then select the tone file path. When the selected alarm event is triggered, the selected tone file will be played to prompt you that an alarm event is triggered.
	Tone Path	Customize the storage path for alarm tones.



# 7 Logout

Click **Logout** to log out, and the login page is displayed. Enter the username and password to log in again.

Figure	7-1	Login	page

a)hua			
Username:		-	
Password:		Forgot	password?
	Login	Cancel	



# **Appendix 1 Cybersecurity Recommendations**

Cybersecurity is more than just a buzzword: it's something that pertains to every device that is connected to the internet. IP video surveillance is not immune to cyber risks, but taking basic steps toward protecting and strengthening networks and networked appliances will make them less susceptible to attacks. Below are some tips and recommendations from Dahua on how to create a more secured security system.

### Mandatory actions to be taken for basic equipment network security:

### 1. Use Strong Passwords

Please refer to the following suggestions to set passwords:

- The length should not be less than 8 characters.
- Include at least two types of characters; character types include upper and lower case letters, numbers and symbols.
- Do not contain the account name or the account name in reverse order.
- Do not use continuous characters, such as 123, abc, etc.
- Do not use overlapped characters, such as 111, aaa, etc.

#### 2. Update Firmware and Client Software in Time

- According to the standard procedure in Tech-industry, we recommend to keep your equipment (such as NVR, DVR, IP camera, etc.) firmware up-to-date to ensure the system is equipped with the latest security patches and fixes. When the equipment is connected to the public network, it is recommended to enable the "auto-check for updates" function to obtain timely information of firmware updates released by the manufacturer.
- We suggest that you download and use the latest version of client software.

### "Nice to have" recommendations to improve your equipment network security:

### 1. Physical Protection

We suggest that you perform physical protection to equipment, especially storage devices. For example, place the equipment in a special computer room and cabinet, and implement well-done access control permission and key management to prevent unauthorized personnel from carrying out physical contacts such as damaging hardware, unauthorized connection of removable equipment (such as USB flash disk, serial port), etc.

### 2. Change Passwords Regularly

We suggest that you change passwords regularly to reduce the risk of being guessed or cracked.

### 3. Set and Update Passwords Reset Information Timely

The equipment supports password reset function. Please set up related information for password reset in time, including the end user's mailbox and password protection questions. If the information changes, please modify it in time. When setting password protection questions, it is suggested not to use those that can be easily guessed.

#### 4. Enable Account Lock

The account lock feature is enabled by default, and we recommend you to keep it on to guarantee the account security. If an attacker attempts to log in with the wrong password several times, the corresponding account and the source IP address will be locked.



#### 5. Change Default HTTP and Other Service Ports

We suggest you to change default HTTP and other service ports into any set of numbers between 1024–65535, reducing the risk of outsiders being able to guess which ports you are using.

#### 6. Enable HTTPS

We suggest you to enable HTTPS, so that you visit Web service through a secure communication channel.

#### 7. MAC Address Binding

We recommend you to bind the IP and MAC address of the gateway to the equipment, thus reducing the risk of ARP spoofing.

#### 8. Assign Accounts and Privileges Reasonably

According to business and management requirements, reasonably add users and assign a minimum set of permissions to them.

#### 9. Disable Unnecessary Services and Choose Secure Modes

If not needed, it is recommended to turn off some services such as SNMP, SMTP, UPnP, etc., to reduce risks.

If necessary, it is highly recommended that you use safe modes, including but not limited to the following services:

- SNMP: Choose SNMP v3, and set up strong encryption passwords and authentication passwords.
- SMTP: Choose TLS to access mailbox server.
- FTP: Choose SFTP, and set up strong passwords.
- AP hotspot: Choose WPA2-PSK encryption mode, and set up strong passwords.

#### 10. Audio and Video Encrypted Transmission

If your audio and video data contents are very important or sensitive, we recommend that you use encrypted transmission function, to reduce the risk of audio and video data being stolen during transmission.

Reminder: encrypted transmission will cause some loss in transmission efficiency.

#### 11. Secure Auditing

- Check online users: we suggest that you check online users regularly to see if the device is logged in without authorization.
- Check equipment log: By viewing the logs, you can know the IP addresses that were used to log in to your devices and their key operations.

#### 12. Network Log

Due to the limited storage capacity of the equipment, the stored log is limited. If you need to save the log for a long time, it is recommended that you enable the network log function to ensure that the critical logs are synchronized to the network log server for tracing.

#### 13. Construct a Safe Network Environment

In order to better ensure the safety of equipment and reduce potential cyber risks, we recommend:

- Disable the port mapping function of the router to avoid direct access to the intranet devices from external network.
- The network should be partitioned and isolated according to the actual network needs. If there are no communication requirements between two sub networks, it is suggested to use VLAN, network GAP and other technologies to partition the network, so as to achieve the network isolation effect.



- Establish the 802.1x access authentication system to reduce the risk of unauthorized access to private networks.
- Enable IP/MAC address filtering function to limit the range of hosts allowed to access the device.

### More information

Please visit Dahua official website security emergency response center for security announcements and the latest security recommendations.

ENABLING A SAFER SOCIETY AND SMARTER LIVING