







Authorized Distributor

5.5 Cylinder Technology minimizes weight and profile, helping to reduce user fatigue, improve productivity, and decrease injuries

Proudly **"Made in the USA"** with attention to quality and workmanship

Meets the latest NFPA 1981/1982, 2018 Edition standards

"Buddy" Lights enable a 360° view of the firefighter's air pressure and PASS status

Snap-Change cylinder connection provides rapid cylinder replacement and improves cylinder charging efficiencies

UEBSS

3M[™] Scott[™] Air-Pak[™] X3 Pro SCBA

As Long As You Own It Warranty

provides peace of mind knowing that your most important investment is backed for your lifetime ownership of the SCBA

Easy-to-Remove Harness allows for cleaning and decontamination to help with exposure reduction

Central Power Source improves battery management to minimize cost of ownership

> Universal EBSS provides compatibility between SCBA for "Buddy Breathing"

Redundant Safety Features afford firefighters peace of mind knowing that the SCBA will perform in the toughest environments

RFID-Enabled Bumper tracks cylinder fill history and monitors DOT compliance (i.e. hydrostatic testing)

3M[™] Scott[™] Universal Emergency Breathing Safety System (UEBSS)

• New standardized fittings (Rectus type) for all manufacturers





Integrated Drag Rescue Loop provides a horizontal pull strength of 1000 lbs to assist with rescuing a downed firefighter

500

New Harness Materials offer greater resistance to chemical exposure and less water absorption to help minimize contamination

Electronic PAR (ePAR)

provides wireless communication between the firefighter and incident command (using Monitor Pro telemetry software) to improve fireground accountability and communications

"Buddy" Lights enable a 360° view of the firefighter's air pressure and PASS status



Aluminum Alloy Backframe offers a lightweight, durable design to withstand the rigors of the fireground.

Proven Regulator Design offers low breathing resistance to help reduce user burden and improve operational efficiencies

New Buckle Design provides firm hold to prevent inadvertent loosening of shoulder and waist straps to help provide a secure fit of SCBA on the firefighter.

3M[™] Scotchlite[™] Reflective Material enhances visibility of the SCBA when operating in low light conditions, improving safety and accountability on the fireground

Naturally Articulating Waist Pad promotes greater range of motion to the firefighter, while transferring weight to the hips for a more balanced load.

3M[™] Scott[™] EZ-Scape Pro Integrated Self-Rescue Belt

The EZ-Scape Pro is lighter, quicker-to-deploy, and is offered as a one-size-fits-most solution seamlessly integrated with the 3M Scott Air-Pak X3 Pro, Air-Pak X3, or Air-Pak 75 SCBA.

1-800-327-5312

ser ach

s Long As





Authorized Distributor

PPE Interface

Face seal provides wider landing area with ridges to help improve interface with protective hood

Wider Field of View

Helps to improve situational awareness

Single Reflex Face Seal Designed for enhanced comfort and easier donning

Removable Head Harness

Helps provide secure fit while minimizing adjustment during donning and is easily removable for cleaning

Modular Design

Enables future upgradeability, improves serviceability and provides a platform for use across mulitple respiratory applications

Dual Voicemitters

Enhanced voice transmission exceeds STI requirements for NFPA 1981

3M[™] Scott[™] Vision C5 Facepiece with E-Z Flo C5 Regulator

Designed using a platform approach, incorporates the latest technology to enhance situational intelligence while providing a customizable solution to meet the changing needs of today's firefighter.

3M[™] Scott[™] E-Z Flo C5 Regulator

Quarter-Turn Design provides secure connection to the facepiece. Vibralert End-of-Service Time Indicator (EOSTI) - Audible and tactile low air warning for immediate recognition on the fireground. Air Spray Bar - Provides separate inhalation air path and helps to reduce fogging during use. New features include: Enhanced Breathability, Enhanced Communications, Auto Air Saver, External Buddy Lights, Recessed Heads-Up Display and Expanded Heads-Up Display.





3M[™] Scott[™] Vision C5 Facepiece with Radio Direct Interface

- Radio Direct Interface
- In-Mask Communications
- Bone Conduction Headphone
- Automated Voice Prompts
- Integrated Volume Switch
- Single-Button Operation
- Rechargeable Battery

Bone Conduction Headphone





Authorized Distributor

4.5 Carbon Cylinder -45 Minute



5.5 Carbon Cylinder -45 Minute



Options:

Cylinder End Caps

Protective end caps are offered for 4500 psi carbon cylinders and will accommodate 30' and 45' rated durations

Custom Logo I.D. Bands

Scott Safety offers its customers the ability to customize their new carbon cylinders by adding a personalized logo. This custom logo

is printed on white paper, and protected by the fiberglass wrap and epoxy resin.

Cylinder Sleeves

Protective sleeves are offered for 2216 psi, 4500 psi, and 5500 psi carbon cylinders and will accommodate multiple cylinder sizes, to include 30', 45', and 60' rated durations.

30-Year Life Cylinders

30-Year Life Cylinders are available and built to DOT specifications with a 4500 psig working pressure. Lightweight, composite cylinder consisting of an aluminum alloy inner shell with a total overwrap of carbon fiber, fiberglass and an epoxy resin.

3M[™] Scott[™] RIT-Pak Fast Attack Emergency Air Supply System

Scott's RIT-Pak Fast Attack offers a small, lightweight, and compact solution for rapid entry and air replenishment to a firefighter in distress. Developed with input from firefighters and RIT instructors across the country, the RIT-Pak Fast Attack provides an intuitive design enabling RIT teams to focus on locating and assessing the downed firefighter.





Respiratory Protection for First Responders of COVID-19

AIR-PURIFYING RESPIRATORS

P100 PROTECTION



3M™ Scott™ AV-3000 HT Facepiece



3M[™] Scott[™] APR Adapter



3M™Particulate Filter 2091/07000(AAD), P100

P100 PROTECTION



3M™ Half Facepiece Reusable Respirator 6000 Series

3M™ Exhalation Valve Filter 604

N95 PROTECTION



3M[™] Aura[™] Particulate Respirator 9205+, N95





BA Shields

BA Shields securely stay on the mask right up to the second the firefighter dons it at the door, where it only takes a split second to remove. And when it's time to train, a BA Shield is the best mask blackout option on the market. Period.

IAFF Shields 3M™ Scott™ Vision C5 Facepiece

Smoked Out Shields 3M™ Scott™ AV-3000 Facepiece





Facepiece Nameplate NFPA 1981 Certified when installed on mask





Regulator Half Moon Rocker Plates

Facepiece Half Moon Rocker Plates

Reflective Colors Available: Silver, Black, Blue, Red, Orange, Lime Green, Pink, Kelly Green order online @ www.seawestern.com



Solo Rescue Decon Washer

Easy Decon of SCBA, Helmets, Facepieces, Boots, Gloves and Tools. Decon For Heroes.

The unique Solo Rescue system features a rotating basket that enables the water jets to reach even the most inaccessible parts of your equipment. The Solo Rescue offers the easiest, quickest and safest way of cleaning contaminated SCBA's, facepieces, helmets, boots and gloves.

You can choose between a 3 min cycle for gloves and boots or an 8 min cycle for SCBA's, facepieces and helmets.

- Optimized cleaning process
- Cleaning contaminated gear by hand is a health risk
- Minimize exposure & risk of recontamination
- Clean gear in less than 10 minutes

Heavy duty basket with holder for SCBA cylinders and one gear holder for Facepieces, Helmets, Gloves or Boots. *Other basket configurations available.

Mill Mine



14 SCBA per hour



Helmets per hour

56 Facepieces per hour 60 Boots per hour **120** Gloves per hour

PROBLEND Decontamination Detergent

Reduces soot and dangerous carcinogens from Gloves, Helmets and Boots in accordance to NFPA 1851, and SCBA in accordance to NFPA 1852 recommendations.





Solo Rescue®

6 -1

SCBA FLOW TESTING & SERVICE MOBILE & IN-HOUSE



In-House 3M[™] Scott[™] - Certified Repair Center

We offer fast turnaround on the repair of 3M[™] Scott[™] SCBA's, Flow Testing and Hydrostatic Testing. Our DOT Approved Hydrostatic test facility is certified to test all SCBA cylinders.

Mobile 3M[™] Scott[™] - Certified Flow Testing

We have a full-time 3M[™] Scott[™] - Certified Mobile Technician available for annual Flow Testing at your location. You supply the SCBA's and Air, and we will get the job done.

Fit Testing

We offer Fit Testing with the TSI PORTACOUNT Pro+ Respirator Fit Tester, with built-in N95 technology to perform Quantitative Fit Tests.



COMPRESSOR SERVICE ON LOCATION



Mobile Compressor Service

We offer routine maintenance on your compressor to increase the longevity of your breathing air system, including changing the oil, filters and cartridges. Our Factory-Certified Mobile Technician is available to get the task done.

Quarterly Air Test Program

Join our tried and true Quarterly Air Test Kit program to assist your department with meeting the NFPA 1500 standard. Every quarter, an Air Test Kit is automatically shipped to your department. You simply fill the empty container, seal the package, and mail. An air quality certificate will be mailed back to you.

Give us a Call to Schedule Your Service





Available in 7000 PSI Output



UNICUS 4 All-In-One High Pressure Breathing Air System

A modern upgrade with the simplicity of analog controls; Aesthetically pleasing yet robust design found only in the UNICUS 4 All-In-One platform. The system is available in either 6000 or 7000 psig with discharge capacities ranging from 13 scfm charge rate to 26 scfm charge rate.

CF85.5





Features:

STANDARD SCOPE OF SUPPLY

- BAUER breathing air purification system with SECURUS
- BAUER PLC based controller with 7" color HMI touchscreen display
- NEMA 4 rated electrical enclosure with UL listed control panel
- Compressor low oil pressure and high temperature safety shutdowns
- Emergency stop push button
- Hinged cascade fill control panel with Lexan laminate air flow/fill schematic
- Audible alarm on safety shutdowns
- Inlet filter maintenance indicator
- Automatic condensate drain system with non-corrosive condensate reservoir and integrated float sensor and automatic "Full" indication and compressor shutdown
- Two (2) ASME code stamped air cylinders installed in an integral rack designed to hold four cylinders
- Sound attenuating enclosure with slam-action latches and lift-off type hinges
- NFPA 1901 2016 edition compliant 3 position containment fill station accommodates SCBA or SCUBA cylinders up to 31" overall length



FRONT





VERTECON Compressor Systems

BAUER'S VERTECON series of high pressure breathing air compressor systems have been an industry leader for many years. An economical design featuring the latest BAUER technological enhancements and unsurpassed maintenance accessibility are incorporated within the simplistic platform. The series now features an integral base which eliminates the guess work of product placement, insuring the system has been installed correctly for system ventilation and maintenance accessibility. With the advent of the integral base the compressor package also has the ability of having a sound attenuated enclosure optionally installed at a later date. A refreshed HMI operations panel and electrical control system allow you to tailor the system to your specific requirements.

Containment Fill Stations CFS5.5-3S/CSCD

- Complete with cylinder scuff guard, SCBA fill connection, fill hose and bleed valve
- Fill control panel with adjustable regulator, relief valve, manual control valve and pressure gauge for each fill position (S version only)
 - Safety Door Interlock

Available in

7000 PSI Output

CF\$5.5

Compliant to

fill 5500 PSI

cylinders

- Ergonomic "Easy Load" door
- Convenient door handle actuation
- Bottom venting
- Remote fill outlets
- CFSII M versions designed for use with remote air distribution panel
- Mounting base is standard on "S" version and optional on "M" version
- Ergonomic Loading Height
- Reduced footprint









PortaCount[®] Respirator Fit Testers



PortaCount Fit Testers provides a consistent and objective testing experience across respirator types equipped with >99% efficient filters. FitCheck Mode shows in realtime how respirator fit changes throughout donning and adjustment, helping users select the right mask and identify the best fit more quickly. Video animations guide staff through proper fit test exercise movements during a fit test, providing a consistent testing experience and freeing fit test administrators to multitask. Group fit testing allows administrators to test up to four personnel with four PortaCounts simultaneously

Model 8040 - Tests Respirators, Gas Masks, SCBA Facepieces <u>Model 8048 - Tests All Types Including N95</u>

The Best Fit Test - Now the Fastest

OSHA has announced changes to their Respiratory Protection Standard which affect the Ambient Aerosol Condensation Nuclei Counter (CNC) Quantitative Fit Test (QNFT) Protocols for Full-facepiece and halfmask elastomeric respirators, and Filtering facepiece respirators. Total fit test time is reduced from 7:15 minutes to 2:29.

1-800-327-5312



Rentals Available



Portable Scene Light Rechargeable Scene Light

The Portable Scene Light series continues to grow - the original model features a 72" extension pole and the Portable Scene Light EXT features an 84" extension pole. Rapidly deployed and easily stowed, they feature a narrow footprint that lets you bring this light almost anywhere from wide open places to tight, confined spaces.

Portable Scene Light II Rechargable High Lumen Scene Light

Turn to a higher power with the rechargeable Portable Scene Light II. This waterproof area light requires zero deployment time and features a 360° rotating head so you can aim the light where you need it. Need more light for a job? Stack multiple lights for a "light tower" configuration. Cordless and compact, this scene light eliminates tripping hazards common with corded lighting options. Plus, portability from job to job is a snap.

Fire Vulcan[®] 180 Standard System Rechargeable Led Lantern

Lightweight and portable, the Vulcan 180 is designed to burn brighter and run longer making it an essential firefighting and utility tool. This rechargeable, waterproof lantern has a 180 degree tilting head which allows you to direct the light where you need it. Three LEDs bring you extreme brightness along with two blue taillight LEDs for visibility in thick smoke.







DIVISION :

SURVIVOR® X



Increased output with added features, the C1D1 safety rated Survivor X right-angle light is available as a fully rechargeable system or an economical alkaline model that provides a 25% cost savings on batteries. High, low and emergency flash modes:

- High for a super-bright, smoke piercing beam: 250 lumens; 447m beam distance; runs 3.75 hours (Li-Ion); runs 5 hours (alkaline)
- Low for longer run time: 60 lumens; 237m beam distance; runs 15 hours (Li-Ion); runs 15 hours (alkaline)
- Flash for signaling: runs 8 hours.

Vantage 180 LED Helmet Light

Giving you the ultimate versatility in a firefighter's light, the Vantage 180 goes instantly from a helmet light to a handheld light to a right-angle light. So wear it, hold it, clip it, or even hang it!

Features C4[®] LED with high and low modes: High for a super-bright spot beam: 250 lumens; 7,200 candela; 170m beam; runs 4 hours, Low for a less intense beam and longer run time: 100 lumens; 2,650 candela; 103m beam; runs 12 hours.

Vantage II Helmet Light

The Vantage II is the next generation of reliable hands-free lighting tools for fire helmets and hard hats. It's compact, powerful, shock-proof and virtually indestructible! High and low modes: High: 350 lumens; 118m beam; runs 2.25 hours

Low: 135 lumens; 80m beam; runs 5 hours

Waypoint[®] 300

The lightweight, lithium ion rechargeable Waypoint 300 shines bright, producing 1,000 lumens with a far-reaching 1,039m beam!





CHIEFX

Chief XD Nozzle

The Chief XD takes the industry standard for handline nozzles to a whole new level. It offers accurate high volume flows at low tip pressures and is built tough like no other nozzle for Xtreme Duty, or XD. Forged shutoff body and forged metal bale handle for maximum strength, with a full round metal ball for the best stream performance, as well as fixed molded urethane or spinning stainless steel metal teeth that don't break.

XD Shutoffs w/ Smooth Bore Tips

Elkhart Brass XD Shutoffs and Smooth Bore Tips are designed and constructed for rugged use and reliable performance. They are built strong with forged shutoff bodies and forged metal bale handles, providing an excellent foundation for break-apart applications using smooth bore or fog nozzle tips. The 187-XD and 188-XD smooth bore tips feature durable urethane bumpers and laser etching. Extra knurling has also been added for increased control and grip. Available Sizes: 7/8" - 15/16" - 1" - 1-1/16" - 1-1/8" - 1-3/16" - 1-1/4





SELECT-0-MATIC



Select-O-Matic XD Nozzle

The Select-O-Matic XD automatic handline nozzle adjusts to fluctuating water supply conditions to maintain effective pressure and a consistent fire stream in all flow ranges. It does so by generating back pressure by using a patented internal spring design that leaves the waterway unobstructed. This mechanism ensures a quality fire stream, regardless of flow.

RAM XD Portable Monitor

The RAM XD is easily deployed and operated by a single firefighter. Its patented hydraulic stability system harnesses reaction force to stabilize the monitor. Four fold-out forged aluminum legs with carbide-tipped ground spikes extend to the largest footprint in its class for exceptional stability. The rear ground spikes are angled to help the carbide tips grip the ground surface.

Standpipe Kit

An essential part of any firefighting operation, basic standpipe equipment will aid in an efficient and effective fire attack by helping crews overcome many of the unknown variables that could be faced in a standpipe equipped building.



RA





COMBAT READY

- Featuring a one-piece extruded through-the-weave nitrile inner lining
- 1.88" internal diameter
- Great kink resistance
- Superior heat resistance
- Designed for use with low or high pressure nozzles
- Targeted flow rates 160-185 gpm
- 10 year warranty

COMBAT SNIPER

- Unique one-piece extruded through-the-weave nitrile inner lining
- 1.78" internal diameter
- Great kink resistance
- Superior heat resistance
- · Designed for use with low pressure nozzles
- Targeted flow rates 145-175 gpm
- 10 year warranty

TRU-ID

- · Virtually kink resistant
- True Internal Diameter 1.75"
- · Designed for use with low pressure nozzles
- · Built to reduce hose whip
- Targeted flow rates 145-175 gpm
- 10 year warranty

FDNY

- This is the sister to the Big10
- Designed for big water with 1.88" inside diameter
- Robust construction
- · Designed for use with low pressure nozzles
- Targeted flow rates 160-185 gpm
- 10 year warranty





order online @ www.seawestern.com



20



vear al

hazards

warrantv

1 year all

hazards warrantv



ECO 10

- Double jacket construction
- EPDM rubber lined
- Overall thin wall construction
- Designed for great packability
- Designed for use with 100psi nozzles
- Targeted flow rates 150-185 gpm
- 10 year warranty including lifetime liner delamination guarantee

BIG 10

- 100% premium ring spun and filament polyester fibers
- EPDM rubber liner
- Overall thick walls construction
- UL Listed
- Designed for use with 75psi or 100psi nozzles
- Targeted flow rates 160-175 gpm
- 10 year warranty including lifetime liner delamination guarantee

PRO-FLOW LDH

- · Large diameter supply hose
- Nitrile/PVC through-the-weave design
- Thin exterior ribs for flexibility and packability
- Lighter weight than traditional rubber hose
- Heat resistant, Ozone and Chemical Resistant
- 10 year warranty

HY-FLOW

- The rugged flexibility of filament polyester over a thin wall, high tensile EPDM rubber liner
- Extremely lightweight, easy to handle double jacket attack or supply line
- Combines minimum weight with maximum flexibility & abrasion resistance
- Mildew, chemical and UV resistant
- 10-year warranty and guaranteed not to delaminate for the life of the hose

Wildland Forestry Hose 187 Type II

- Lightweight design
- Tight jacket weave which reduces snagging and pulling
- Flexible and pliable
- Meets USDA-US Forestry Services Specification 5100-187 TYPE 2.













Quickee Fan

The Lightweight PPV option with a punch. Featuring High Flow Jet technology.

- 21" x 21" x 9.5"
- 42.5 lbs with battery
- 36 lbs without battery
- 11,200 CFM AMCA Equivalent (High Flow Jet Technology)
- IP-67 (yet to be formally tested)





Commando Fan

PPV fan with enough muscle for any job. Featuring High Flow Jet Technology.

- 25 1/4" x 25 1/4 x 10 1/4"
- 56 lbs with battery
- 43 lbs without battery
- 16,300 CFM AMCA Equivalent (High Flow Jet Technology)





• IP-67 (yet to be formally tested)

BH-20 Compact PPV Fan

The BH-20 compact PPV fan allows you to respond faster, and starts instantly on battery power.

- 24" x 24" x 10"
- 59 lbs with battery
- 47 lbs without battery
- 10,200 CFM
- Automatic Switching between AC Power and battery

OPTIONS: BlowHard BH-20 Misting Ring BlowHard BH-20 Ducting







TRAINING PRODUCTS SMARTDUMMY™ Rescue Manikins



- Integrated Voice Box / Recorder in head
- No Pinch Points
- More Durable vs. conventional rescue mannequins
- Realistic / Anatomically correct weight distribution over entire body



• Available in 55 lbs. and 110 lbs.

SMARTDUMMY[™] Extrication Manikins

- All the same features of the SmartDummy plus...
- Severable Arm & Leg
- Torso impalement point
- Available in 55 lbs. and 110 lbs.

SMARTDUMMY[™] Thermal Manikin

- All the same features of the SmartDummy plus...
- Thermal signature for use with TIC's
- Available in 66 lbs.



Smoke Generator 1000

- Generates 1000 cubic feet of smoke to zero visibility in 1 minute
- Immediate smoke production no warm up
- Handheld, Portable & simple to use
- Durable steel construction weights only 17 lbs

Smoke Generator 4000

- Generates 4000 cubic feet of smoke to zero visibility in 1 minute
- Dual heating core
- Immediate smoke production no warm up
- · Portable, weighs only 45 lbs.

Smoke Liquid - 10 Liter and 20 Liter

- Proprietary non-hazardous smoke production
- · Water based, leaves no residue like other smoke machines
- For best results, use LION's proprietary smoke machine cleaner too









LION TRAINING PRODUCTS





BULLSEYE™

Don't let the first time they handle an extinguisher be during a real fire. Prepare them to successfully put out a fire using the BullsEye Digital Fire Extinguisher Training System.





R.A.C.E. STATION

Upon discovery of a simulated fire, trainees can put R.A.C.E. (Rescue, Alert, Confine, Extinguish) to the test by alerting with the Emergency Phone and/or pull station before attempting to extinguish the fire.



ATTACK™

The ATTACK Digital Fire Training System combines digital flames, sound and smoke to create a range of fire conditions that respond directly to hose line application. Train with a seat of fire in acquired structures, training towers or any other location where live fire isn't possible or practical.







LION TRAINING PRODUCTS







Through the use of innovative, patented technology, the Intelligent Training System (I.T.S.) provides clean, safe and cost effective extinguisher training. The Intelligent Training System senses where the trainee aims and sweeps the SmartExtinguisher[®] training extinguisher and varies the flames automatically, putting the fire out only when the proper technique is used.





I.T.S XTREME™

Propane-fed flames, intelligent props, as well as class of fire and difficulty level settings make I.T.S. Xtreme the world's most advanced live fire extinguisher training system.



HOSE LINE TRAINING SYSTEM


The LION Hose Line Training System is a heavy-duty fire training tool designed to handle the requirements of advanced fire suppression training. The system's stainless steel construction and rugged components mean you can run evolution after evolution for years to come. Hit the system with virtually anything in your firefighting arsenal for intense hands-on training.

1-800-327-5312





- Burn Crib 2 Ultra-High Temperature Protection System
- 3 Ventilation System





- 1 Smoke Generation
- 2 Fire Scenario Heat
- 3 Digital Fire Panels
- 4 Mobile Walls







Training Systems




Smart Class B

Confined Space

11

- 1 Smoke Generation
- 2 High Temperature Protection System
- 3 Stainless Steel Burn Tray & Pilot Plate
- 4 Rollover Simulator
- 5 Ventilation System







ISO

Game-Changing Turnout Gear Moisture Management Technology from LION



IsoDri is more than just an outer shell that resists water penetration and absorption. It is a complete system of components (outer shell, moisture barrier, thermal barrier and wristlets) that works together to reduce the water in your turnout gear and the dangers that water presents.

Features:

- Lighter Less water on the inside means your gear will be lighter.
- **Dryer** Gear dries faster between runs as it will absorb less water.
- **Safer** water transfers heat 21 times faster than air, you want more insulating air in your thermal liner than sweat or water





PF Zero™

PF Zero[™] is a non-fluorocarbon based water and stain repellent finish with exceptional durability for maximum protection. PF Zero[™] is the first commercially available fluorine free water repellent finish for first responders. Visit http://www.pf-zero.com to learn more

Semper Dri™

To reduce the stress on you and turnout wear, Semper Dri...

- Employs a special treated thermal liner material to reduce absorption, staying drier and lighter
- Is standard in the waterwells of turnout coat sleeves and in the shoulder/yoke area of coat liners and the bottom of pant liners.
- Helps reduce turnout gear drying time



Outershell Materials









Thermal Liner Systems K7 Araflo[®] Thermal Liner

• A conventional liner system with all the features of LION's exclusive IsoDri moisture management system

C7 Center Cut Thermal Liner

- A one-of-a-kind enhanced liner system that improves both TPP & THL
- Protects Moisture Barrier from pinhole leaks
- · No added layers, weight or stiffness
- An improved composite system you can See & Feel!

C7 Center Cut Plus

- · Enhanced Performance Before, During & After
- Lightweight & Comfortable
- Best Balance of Heat Stress Management & Thermal Protection

1-800-327-5312



isodrī J





Closure Guard

INTRODUCING





Particulate-Blocking Hood

When tones drop and you arrive on the scene of a fire, your turnout gear and hood are immediately exposed to a number of toxic chemicals – exposure that can result in serious health problems. That includes cancer, which is currently the leading cause of U.S. firefighter deaths. With that fact in mind, LION has developed **RedZoneTM**, our exclusive PPE contaminant control package.

RedZone features five particulate-blocking zones designed to help reduce your exposure to the dangers

To learn more about our new **RedZone** Contaminant Control Package, visit **lionprotects.com/redzone**.

#LIONREDZONE



Arm Guard



Leg Guard (Interior Detail)



HELPING TO REDUCE FIREFIGHTER CANCER THREATS.

ZONE 1: PARTICULATE-BLOCKING HOOD

A breathable, ultra-soft hood with **StedAir®** PREVENT protects the head and neck from particulates, while also providing excellent mobility and unrestricted hearing during firefighting activities.

ZONE 2: ARM GUARD

Elasticized wrist shields and enhanced **IsoDri®**knit wristlets with **Nomex®Nano Flex**help block particulates at the coatto-glove interface.

ZONE 3: CORE GUARD

A Nomex[®] Nano multi-layered composite with an elasticized band helps reduce particulate ingress at the coat-to-pant interface.

ZONE 4: CLOSURE GUARD

Engages with just one zip. No extra steps to don the gear. Red hook and loop indicates when turnout coat is properly closed.

ZONE 5: LEG GUARD

Together, the elasticized ankle shield and Nomex® Nano Flex calf protector help block particulate exposure at the pant-to-boot interface.

featuring

C?

DuPont" Nomex. Nano DuPont" Nomex. Nano Flex

© 2018 Lion Group, Inc. All rights reserved.

LION, RedZone and IsoDri are registered trademarks of Lion Group, Inc. DuPont, Nomex Nano and Nomex Nano Flex are tradenames of E.I. du Pont de Nemours and Company. StedAir and PREVENT are tradenames of StedFast, Inc.



LION CONTAMINANT CONTROL NETWORK

RANER SPEC in PD[®]MAX



YOUR JOB IS NEVER EASY, DON'T LET YOUR GEAR MAKE IT HARDER.

SeaWestern's Rainer Spec V-Force[®] turnouts from LION, provide a cut-inmotion design that moves the way you do, while still offering unparalleled protection.

KEY V-FORCE COMFORT & MOBILITY DESIGN FEATURES

Comfort Collar

Ergonomically shaped to improve comfort, interface better with other PPE elements and deliver continuous thermal and moisture protection.

V-Fit™ Elbows, Legs, Knees & Sides

Elbows and knees include cutouts, shaped pieces and darts to allow natural arm and leg movement without restrictions or tugging. Contoured coat side panels have a more tailored fit to move with your body during firefighting activities.

Raglan Sleeves

Shaped like your arm to promote free, unrestricted movement and reduce turnout coat hem rise.

Superior Cut

Evenly distributes the weight of your turnout and positions seams to reduce conflicts with SCBA straps that can cause irritation and discomfort.

Radial Inseam

Eliminates crotch seams to reduce tension and provide added pant comfort, while also extending the useful life of your turnout pants.

LION Ventilated Trim™

Provides a conduit for the release of vapor and guards against the potential hazards of trapped moisture. It's also more flexible than traditional reflective trim.



RAINIER SPEC V-FORCE QUESTIONS? Contact SeaWestern at 425.821.5858 or email us at info@seawestern.com













Rainier Spec LION V-Force Coat

IsoDri System, PBI/Kevlar MAX 7oz Natural Gold Outer Shell.

Two Layer Thermal Liner with Glide Facecloth and W.L. Gore Crosstech "Black" Breathable Moisture Barrier.

Lime / Yellow 3" Ventilated Scotchlite Triple Trim, in New York City Pattern With Two Rows of Stitching.

Black Fusion Material Reinforcement on Cuffs.

Ever Dry Water Well with Over-the-Thumb Wristlet.

Bi Swing Back Design.

-SWING BACK & RAGLAN SLEEV

V-FIT[™]

ELBOW

& KNEE

Velcro Storm Flap with Zipper inside.

6" x 10" x 2" Full Bellows Pockets with Kevlar Twill Reinforcement on the Inside.

Radio Pocket, 3" x 7" x 2" Located on Left Chest.

Self-Material Mic Tab Located Above the Radio Pocket on Left Side.

Flashlight Assembly Located on Right Chest, Downwards Facing Dee Hook and Self Material Utility Strap with Velcro Closure.

Self-Material Mic Tab Located Above Flashlight Assembly on Right Side.

Rainier Spec LION V-Force Pant

Two Layer Thermal Liner with Glide Facecloth and W.L. Gore Crosstech "Black" Breathable Moisture Barrier.

Lime / Yellow 3" Ventilated Scotchlite Triple Trim, in New York City Pattern With Two Rows of Stitching.

2" Kevlar Belt System with Three Belt Loops.

Black Arashield Reinforcement on Knees and Cuffs.

Internal Zipper with Velcro Closure.

UPGRADE TO:

Extra Layer of Lite and Dry Padding in Knees.

9" x 10" x 2" Full Bellows Pocket with Kevlar Twill Lining on the Inside, Black Arashield on Outside, Located on the Left Thigh.

 $9"\ x\ 10"\ x\ 2"$ Full Bellows Pocket with Integrated "Tool" Pocket and Kevlar Twill Lining on the Inside, Black Arashield on Outside, Located on the Right Thigh.

3" Letters Attached to back Yoke of Coat, Sewn Directly to Coat. Eight Letters Included in Pricing.

SEAWESTERN Fire Fighting Equipment

Self-Material "Hanging" Name Plate with Velcro Attachment and Snaps, with 3" Yellow Letters, "LAST NAME" $% \left(\frac{1}{2}\right) =0$

American Flag on Right Shoulder, with Stars in Upper Right Corner of the Flag.

CUSTOM OPTIONS AVAILABLE

Black PBI MAX 7oz. Black Outer Shell.

Center Cut "C7" Thermal Liner System.

Straight Wristlet

Combination Handwarmer Pockets, Handwarmer to the Rear with Fleece

Lining and Cargo to the Top.

Exchange Flashlight Assembly for Additional Radio Pocket.

"Chicago" Closure System, Hook and Dee on Inside and Velcro on the Outside.

Napoleon Pocket on Chest, Zipper Closure with Lined Pocket.

Self-Material Suspender Attachments, with Leather Reinforcement and Snap Attachment.

Quick-Adjust Suspenders with Padded Shoulders and Parachute Adjustments with Self Material Attachments and Yellow Reflective Trim on Shoulder Pads.

Drag Rescue Device Installed in Shoulders of Coat.

CUSTOM OPTIONS AVAILABLE

Black PBI MAX 7oz. Black Outer Shell.


Center Cut "C7" Thermal Liner System.

Second Tool Pocket on Pant, with Black Arashield Reinforcement.

"Weaver" Knee, with Additional Layer of Silicone Padding on Knee.

SeaWestern's Rainer Spec V-Force® gear is available in PBI Max Gold and Black outershells.











PACIFIC SPEC in ARMORA



YOUR JOB IS NEVER EASY, DON'T LET YOUR GEAR MAKE IT HARDER.

SeaWestern's Pacific Spec V-Force® turnouts from LION, provide a cut-inmotion design that moves the way you do, while still offering unparalleled protection.

KEY V-FORCE COMFORT & MOBILITY DESIGN FEATURES

Comfort Collar

Ergonomically shaped to improve comfort, interface better with other PPE elements and deliver continuous thermal and moisture protection.

V-Fit[™] Elbows, Legs, Knees & Sides

Elbows and knees include cutouts, shaped pieces and darts to allow natural arm and leg movement without restrictions or tugging. Contoured coat side panels have a more tailored fit to move with your body during firefighting activities.

Ragian Sleeves

Shaped like your arm to promote free, unrestricted movement and reduce turnout coat hem rise.

Superior Cut

Evenly distributes the weight of your turnout and positions seams to reduce conflicts with SCBA straps that can cause irritation and discomfort.

Radial Inseam

Eliminates crotch seams to reduce tension and provide added pant comfort, while also extending the useful life of your turnout pants.

LION Ventilated Trim™

Provides a conduit for the release of vapor and guards against the potential hazards of trapped moisture. It's also more flexible than traditional reflective trim.



RAINIER SPEC V-FORCE QUESTIONS? Contact SeaWestern at 425.821.5858 or email us at info@seawestern.com



Pacific Spec LION V-Force Coat

IsoDri System, Armor AP 6.5oz Gold Outer Shell.

Two Laver Thermal Liner with Glide Facecloth and W.L. Gore Crosstech "Black" Breathable Moisture Barrier.

Lime / Yellow 3" Ventilated Scotchlite Triple Trim. in New York City Pattern With Two Rows of Stitching.

Black Fusion Material Reinforcement on Cuffs.

Ever Dry Water Well with Over-the-Thumb Wristlet.

Bi Swing Back Design.

Velcro Storm Flap with Zipper inside.

6" x 10" x 2" Full Bellows Pockets with Kevlar Twill Reinforcement on the Inside.

Radio Pocket, 3" x 7" x 2" Located on Left Chest.

Self-Material Mic Tab Located Above the Radio Pocket on Left Side.

Flashlight Assembly Located on Right Chest, Downwards Facing Dee Hook and Self Material Utility Strap with Velcro Closure.

Self-Material Mic Tab Located Above Flashlight Assembly on Right Side.

Pacific Spec LION V-Force Pants

IsoDri System, Armor AP 6.5oz Gold Outer Shell.

Two Layer Thermal Liner with Glide Facecloth and W.L. Gore Crosstech "Black" Breathable Moisture Barrier.

Lime / Yellow 3" Ventilated Scotchlite Triple Trim, in New York City Pattern With Two Rows of Stitching.

2" Kevlar Belt System with Three Belt Loops.

Black Arashield Reinforcement on Knees and Cuffs.

Internal Zipper with Velcro Closure.

Extra Layer of Lite and Dry Padding in Knees.

9" x 10" x 2" Full Bellows Pocket with Kevlar Twill Lining on the Inside, Black Arashield on Outside, Located on the Left Thiah.

SeaWestern's Pacific Spec V-Force® gear is available in Gold, Black or Khaki Armor AP 3" Letters Attached to back Yoke of Coat, Sewn Directly to Coat. Eight Letters Included in Pricing.

Self-Material "Hanging" Name Plate with Velcro Attachment and Snaps, with 3" Yellow Letters, "LAST NAME"

American Flag on Right Shoulder, with Stars in Upper Right Corner of the Flag.

Drag Rescue Device Installed in Shoulders of Coat.

CUSTOM OPTIONS AVAILABLE

Black Armor AP 6.5 oz. Black Outer Shell.

Center Cut "C7" Thermal Liner System.

Straight Wristlet

Combination Handwarmer Pockets. Handwarmer to the **Rear with Fleece**

Lining and Cargo to the Top.

Exchange Flashlight Assembly for Additional Radio Pocket.

"Chicago" Closure System, Hook and Dee on Inside and Velcro on the Outside.

Napoleon Pocket on Chest, Zipper Closure with Lined Pocket.

9" x 10" x 2" Full Bellows Pocket with Integrated "Tool" Pocket and Kevlar Twill Lining on the Inside, Black Arashield on Outside, Located on the Right Thigh.

Self-Material Suspender Attachments, with Leather Reinforcement and Snap Attachment.

Quick-Adjust Suspenders with Padded Shoulders and Parachute Adjustments with Self Material Attachments and Yellow Reflective Trim on Shoulder Pads.

CUSTOM OPTIONS AVAILABLE

Black Armor AP 6.5 oz. Black Outer Shell.

Center Cut "C7" Thermal Liner System.

Second Tool Pocket on Pant, with Black Arashield Reinforcement.

"Weaver" Knee, with Additional Layer of Silicone Padding on Knee.







V-FIT[™] FI BOW







RAINIER SPEC V-FORCE QUESTIONS? Contact SeaWestern at 425.821.5858 or email us at info@seawestern.com



RADIAL INSEAM & BANDED CROTCH







Contaminant Cantrol Packag

UPGRADE TO:

S SEAWESTERN FIRE FIGHTING EQUIPMENT

V-FIT[™] KNEE

Zip. Flip. Go! MagneTite[™]

O MAGNETIC GEAR CLOSURES

Less Wear & Tear on Your Gear. Easier, Faster Gear Donning.



- Designed for optimal strength closure and shunted in the opposite direction to avoid fireground debris
- Multiple layers protect magnetic elements from heat, so they hold tight fire after fire, wash after wash
- Pick this option a la carte on select gear stormflaps, collars, pockets and flies or place them in ALL of these locations for the optimal MagneTite experience
- Available with thermoplastic zipper closure only

Ventilated Trim

Helping Firefighters ³ Reduce Compression Burns

LION Ventilated Trim[™] provides a conduit for vapor release and guards against the potential hazards of trapped moisture, without adding weight to the garment.

3M[™] Scotchlite[™] Reflective Material



ORALITE[®] Reflective Material







Heavy Duty Extractor

- Unit sizes from 7-14 piece capacity
- 208V or 240V options
- Bases recommended for install
- Extractors arrive pre-programmed

Express Extractor

- Unit sizes from 4-6 piece capacity
- 120V (includes plug)
- Extractors arrive pre-programmed





Soft Mount Extractor Series

- Unit sizes from 4-18 piece capacity
- 208V or 240V options
- · Levelling feet for simple install
- Extractors arrive pre-programmed

PPE Express 2-Gear Dryer

- 4 piece capacity
- 120V (includes plug)
- 1500 / 850 CFM



PPE Express 6-Gear Dryer

- 8 piece capacity
- 208V or 240V options
- 6000W / 850 CFM

Gear Lockers

- Wall-Mounted, Mobile or Free-Standing
- 18", 20", 24"
- Security doors available



1-800-327-5312







Spokane[®] **Escape & Ladder Belt**



Lakota® **Escape & Ladder Belt**



Mohawk™ Escape & Ladder Belt



UL CERTIFIED TO NFPA 1983: 2017 ED FIRE INNOVATIONS NFPA ESCAPE BELTS & HARNESSES QUICK BELT COMPARISON CHART	Man,	WEDA ESCADE BOL	Mpn. 1 adder Beil	Forme Resist	Toul Steel Harding	Paning mare	Coart	Indi	One of the Size	Sice fis Most
SPOKANE	•	0	•	•		•		•		
LAKOTA	•		•	•		•			•	
MOHAWK	•	0	•	•	•		•		•	

• Standard • Optional Equipment Required







LION MT94 - High Performance Fire Rescue Gear

- Hot Zone protection certified to NFPA 1994, Class 2 and
- NFPA 1992 for hot zone operations
- Streamlined, light-weight design for maximum comfort and natural freedom of movement
- Rugged construction allows you to perform in the most challenging perform in the most challenging
- Re-usable for multiple wears and washings when not exposed or contaminated
- Mulitple Configurations made from durable materials offer maximum protection with uncompromised mobility
- Available in Navy or Tan

LION ERS - Extended Response, Extreme Dexterity

- Protection against TIC's, TIM's and CWA's below IDLH concentration levels while performing technical and tactical operations
- Dual-Certified Version: NFPA 1994, Class 3, NFPA 1992
- Multi-Certified Version: NFPA 1994, Class 3, NFPA 1994, NFPA 1994, Class 4, NFPA 1999 Single Use, NFPA 1992
- · Certified with variety of face pieces and boots
- Selectively permeable membrane for improved mission time and performance
- Eight-hour wear life, if not damaged, exposed or contaminated
- Fully sealed seams eliminate need for external taping
- Tapered legs with elasticated cuffs and attached booties for increased functionality and mobility

LION FRS Flood Response Suit

The FRS (Flood Response Suit) protects against lower levels of liquid concentrations that may be encountered in flood zones or stagnant water where wading is appropriate.

- Stagnant water search and rescue
- · Medical triage / first receiver for stagnant water accident victims
- Escape from contaminated stagnant water environments
- Clean up (Where no airborne contaminants)







American Legend Helmet

LION's American Legend traditional fiberglass fire helmet, provides outstanding head, eye, ear and neck protection, while also offering additional head room. Light weight for on-the-job comfort and mobility. SMC shell with a powder coat, impact-resistant finish, Impact cap with a ratcheting headband, cushioned with Nomex foam wrap Suspension, and a 3-position rear ratchet height adjustment.

With 4" Faceshield or ESS Goggles



American Legend Helmet

LION's American Legend traditional fiberglass fire helmet, provides outstanding head, eye, ear and neck protection, while also offering additional head room and a light weight for on-the-job comfort and mobility. With Integrated Goggle System

Legacy 5 Modern Helmet

Features Shell with State-of-the-art fiberglass materials for light weight and structural integrity. RTM technology provides color pigmentation throughout the shell. Lexan® ABS dome encapsulated with urethane foam for outstanding thermal resistance. Suspension, patented Center of Gravity™ adjustment system lets you set the center of gravity to your liking and keeps it positioned in place. Adjusts from size 5½ to 9½. Headband is cushioned with foam and covered with black knit DuPont™ Nomex® brand fiber for comfort and secure fit. With 4" Faceshield or ESS Goggles







First Due Structural Helmet

The safest firefighting helmet is the one you keep on your head. Since it is the lightest structural NFPA 1971 compliant helmet, boasting a low center of gravity and central balance, it is less likely to create the neck and upper back fatigue so many are used to during long incidents. The First Due Structural is compliant to current OSHA and NFPA 1971 and NFPA 1951 standards.

With 4" Faceshield or ESS Goggles

TC-1 Traditional Composite Helmet

Phenix Technology Inc.'s Traditional Composite helmet boasts a low center of gravity and is enter balanced, thus, promoting a very low degree of neck fatigue. Our traditional composite models interface with any SCBA mask. We offer several options when building your custom TC-1. The TC-1 is compliant to current OSHA and NFPA 1971 standards. **With ESS Goggles**



TL-2 Traditional Leather Helmet

The TL-2 Traditional Leather fire helmet is the lightest NFPA compliant authentic leather helmet on the market. Worn by firefighters worldwide, the TL-2 combines tradition and modern safety in a handcrafted masterpiece. Compliant to OSHA & NFPA 1971 standards. With ESS Goggles







Particulate Hood



LION's RedZone Particulate Blocking Hood protects one of the most vulnerable areas of your body by preventing up to 98% of particles from ever touching your face or neck. Using a 2-layer design with LION exclusive StedAir® PREVENT particulate blocker, RedZone has outstanding breathability, increased air permeability and unique construction for ease of movement and flexibility.

Majestic's firefighter hoods are NFPA 1971 Compliant / UL Certified to the latest edition. These fire retardant hoods provide unparalleled comfort, protection, and value. Their fabrics are inherently protective, which allows for the ultimate in protection against radiant and intense heat without the risk of the





Majestic Firefighter Hoods





Ultra Black • Ultra PBI

Ultra Nomex

Commander Ace Gloves

protective nature being "washed out".

- 2D Gun Cut design 100% split grain leather
- GORE CROSSTECH insert barrier technology
- Kovenex liner for easy wet glove donning & doffing
- Conventional glove fit & feel

Primus Gloves

- 3D design with a split-grain leather outer & goatskin fourchettes
- GORE CROSSTECH insert barrier technology
- Kovenex liner for easy wet glove donning & doffing
- Enhanced knuckle protection

All Hoods and Gloves shown stocked @ SeaWestern order online @ www.seawestern.com







MK-1 Gloves

- Unprecedented 5 layers of 100% Kevlar / Para-aramid knit for Premium Thermal, Cut & Puncture Resistance
- Cowhide reinforced back shell for long term Radiant Heat Resistance
- NFPA 1971 Compliant Moisture Barrier blocks Chemicals and Bloodborne Pathogens

MK-1 Ultra Gloves

All of the features of the MK-1 in a Goat Skin Version, with enhanced Strength, Durability and Suppleness of this Legendary Naturally Water-Resistant Leather. Goat Skin is ounce for ounce the most durable leather with 10 times the tensile strength of cowhide.

Squad-1 Extrication Gloves

- 100% Kevlar / Para-aramid Palm Side Inner Liner and Flame Resistant Back Side Outer Shell
- Synthetic Leather Palm Shell Reinforced with Tough Flexible Kangaroo Skin Outer Layer
- Kevlar / Para-aramid Laminate Reinforcements Back of Fingers
- Padded Knuckle Protection with Reflective Strip

Pro-Tech 8 Fusion Gloves Pro

- Certified Porelle[®] FR 540 liner for blood borne pathogen/liquid resistance
- 8 layer knuckle guard system featuring 100% Kevlar[®] fused with silicone carbide
- Stays soft and maintains dexterity after use and washing

Pro-Tech 8 Titan Gloves Pro

- 8 layer knuckle guard system featuring 100% Kevlar[®] fused with silicone carbide
- Stays soft and maintains dexterity after use and washing
- Leather reinforced inner cuff
- Quick drying

All Gloves shown stocked @ SeaWestern













HAIX[®] Secura Liner for a liner that won't wrinkle up or pull out over time, Water Ice Grip heat resistant sole for unsurpassed grip on water, ice, and snow, Protective HX toe cap, Puncture protection sole, Vari-Width system allows boots to be adapted to fit individual widths, Shin protection, and are Waterproof/ breathable with the CROSSTECH[®] moisture barrier. Meets standards NFPA 1971-2007, CAN/CSA Z195-2009 and ASTM F 2413-05.

Stocked @ SeaWestern

Fire Eagle[®] Air Structural Boots

The Fire Eagle[®] Air sets the standard for the modern day firefighter. Lighter in weight and slimmer in design than all of its predecessors, the Fire Eagle[®] Air has an athletic fit and feel, yet offers the highest degree of protection when on the frontline of a firefight.

Fire Hunter[®] USA Boots

The HAIX Fire Hunter USA features a waterproof CROSS-TECH inner liner and is resistant against chemicals and bloodborne pathogens. The unique Secura Liner will never wrinkle up or pull out over time. Steel protective toe cap, larger boot straps, and a steel puncture protective sole.

Fire Flash[®] Xtreme Boots

For structural fire fighting, wildland fire fighting, USAR & hazmat. Features rubber toe cap and reflective strip, new lacing system, more flexibility and climate comfort. Features Chainsaw protection, T-grip, and Crosstech. NFPA Certified - CAN/CSA Z195 Certified. Leg height 10 inches.









Airpower XR1 Pro Boots

The HAIX® Airpower XR1 Wildland and Station/EMS Boots are certified to NFPA 1851, NFPA 1977-2011, NFPA 1999-2013, ASTM F 2413-2011, CAN/CSA Z195-2009 standards. Complete with the HAIX® Arch Support System, and CROSSTECH® Laminate Technology. Leg height 9 inches. **Stocked @ SeaWestern**



Missoula 2.1 Boots

The HAIX Missoula 2.1 was built to meet the exacting demands of the wildland firefighter. The durably tough European split bull leather is water-resistant, hydrophobic and breathable to keep your feet as comfortable as possible. The lighter weight of the Missoula 2.1 helps to alleviate leg fatigue while on long hikes, since the less weight you have on your feet, the less energy you have to expend while walking. Offering not only safety protection, but comfort, for those who can spend all day on their feet in the most rugged of terrain.



Black Leather Boot Polish



QR14 Leather Boots



LION QR14 bunker boots are built for comfort, durability and safety. The flex gussets allow the boot to move with you. 3M Scotchlite Hi-Vis piping in these waterproof, flame- and cut-resisting leather bunker boots creates a high-visibility look when exposed to direct light.

Stocked @ SeaWestern

Station 1 Wildland / EMS Boots

These hard-working boots never clock-out, even if your shift turns into a double. Our exclusive Vibram ATS (All-Terrain Sole) provides exceptional traction on any surface. GORE CROSSTECH triple layer moisture barrier is the toughest in the industry prepared for everything.

KnockDown Elite™ 14" Leather Boots

Waterproof, flame-resisting leather upper with abrasionresisting rubber toe and heel protection. Removable dualdensity polyurethane insole. Lenzi L-Protection[®] flexible, non-metallic, puncture-resisting insole. Steel triple-rib ladder shank, and exclusive Vibram[®] ATS sole with Fire & Ice technology. Cement construction.

Hellfire Boots

Enjoy superior protection and grip while fighting fires in these flame and heat-resisting rubber light insulated structural bunker boots with lug sole. The stainless steel, puncture-resisting bottom plate provides a barrier between your feet and whatever you have to walk over to contain the fire. Experience added safety in the form of an oversized steel toe.

Stocked @ SeaWestern







Battalion Shirt IIIA Short Sleeve - 4.5 oz. Nomex



- Hidden Snap Front Closure, Spade Pockets & Flaps
- 4.5 oz/yd2 DuPont™ Nomex[®] IIIA plain weave
- Dress front placket with Dacron[®] interlining, decorative buttons
- Five sewn military creases and Spade breast pockets

SHORT SLEEVE - Sizes - S-4XL

Navy Style #1457-10 Black Style #1457BK-10

Battalion Shirt IIIA Long Sleeve - 4.5 oz. Nomex

- Hidden Snap Front Closure, Spade Pockets & Flaps
- 4.5 oz/yd2 DuPont™ Nomex[®] IIIA plain weave
- Dress front placket with Dacron® interlining, decorative buttons
- Five sewn military creases and Spade breast pockets

LONG SLEEVE - Sizes - S-4XL

Navy Style #1457LS-10 Black Style #1457LSBK-10

Bravo Shirt 4.25 oz. Poly/Cotton Short Sleeve/Long Sleeve

- 4.25 oz/yd2 poly/cotton plain weave
- Seven-button dress front placket with Dacron interlining
- Five sewn-in military creases
- Box-pleated front pockets with mitered corners, Dacron interlined scalloped pocket flaps have hook and loop closures with decorative buttons
- · Left pocket has slot for pencil/pen
- Functional shoulder epaulets with Dacron interlining

Available in White, Medium Blue or Navy 1571-10 - SHORT SLEEVE - Sizes - S-4XL 1271-10 - LONG SLEEVE - Sizes - XXS-4XL







Deluxe Uniform Trouser CLION® 6.5 oz. Nomex - Twill Weave

- Traditional four-pocket design
- · Double hook and bar waist closure with french fly
- · Front and back pocket openings reinforced at all corners
- Superior crotch reinforcement by connecting all four panels of trouser together at greatest point of stress
- · Double hook and bar closure
- · Permanent silicone creases

Available Sizes - 28-38, 40-52 (Even Only)



Black
Style #2106BK

Heavyweight Duty Pants 7.5 oz. Nomex - Plain Weave

- Triple-needle stitched side seams
- · Gusset crotch for ease and range of movement
- Double-needle stitched seat
- Quarter top pockets with coin pocket (right side)
- · Double-welt rear hip pockets
- · Riveted closure at waistband

Mens - Available Sizes - 28-38, 40-52 (Even Only)

Navy

Style #2242G-00

Black Style #2242GBK-00

Duty Pants 6 oz. Nomex Plain Weave - Navy

- Quarter-top front pockets double layer reinforced
- · Two welt-style back pockets with button closure on left
- 2" wide finished waistband with belt loops bartacked below waistband
- · Single hook and bar waist closure with heavy-duty ratcheting brass zipper
- Silicone shirt grip

2101A - Available Sizes - 28-38, 40-52





Deluxe Uniform Trouser 6.5 Oz. Nomex - Twill Weave Female Patterned Uniform Pant



- Traditional four-pocket design
- Double hook and bar waist closure with french fly
- Front and back pocket openings reinforced at all corners
- Superior crotch reinforcement by connecting all four panels of trouser together at greatest point of stress
- Double hook and bar closure
- Permanent silicone creases Available Sizes - 2 - 30



Black
Style #LL106BK

Tri-Certified Pant 6-Pocket 6 oz. Nomex - Plain Weave

- 6.0 oz/yd2 DuPont™ Nomex® IIIA plain weave
- Certified to meet NFPA 1951 Utility, 1975 and 1977 standards
- Hook and loop side waist adjustments
- Double-layered reinforced knees and seat
- Quarter-top, notch-style pocket with utility knife reinforcement
- EMS style right leg pocket with additional interior compartments
- Expandable cargo style left leg pocket with interior compartments

Available Sizes - 26-50 (Even Only) Unisex

Navy Style #BDU1951P-30

boston

6582 Basketweave Duty Belt

The 6582 1-1/2" Duty Belt from Boston Leather makes a strong fashion statement while providing the strength and reliability of top-grain leather. Comes standard in black with Nickel finish buckle.



High-Performance Emergency Medical Services (EMS) Rescue Wear





VERSAPROTM LION's lightweight, high-performance and dual-certified rescue wear

NFPA 1951 (Technical Rescue) and NFPA 1977 (Wildland Firefighting)

1.11.50

1110



VERSAPR



Versefred Standard Features - Wessefre Plus Adecu

FLASHLICHT STRAD BADIO POCKET

MIC THE

POL RENFORCED ELBOAS

ADDED HIGH VIGBILITY VENTILATED TRPLE TRIV

SCEEVE TAREFUR STRAPS

THE RINGPLASSIC ZIPPPER

CARGO POCKETS

ADDED HIGH-WSIBEITY TRIPLE TRIM

PCA-HEINFORCED WHEES IN THAN EXTRA LAVER OF LITE-H DFL

SELF-EABRIC WHEE WITH A SEAR OF LAATE OF LITT-N-DID.

ZIPPERED LEGS

PANT LEC TAKE-UP STRAPS

PCA-REINFORCED DARIE CHILLS



Both Models Available in Tan or Black Standard. Navy, Blue, Yellow, Green, Red and Orange are also available as special orders (50 set minimum).

45% Meta-Aramid, 32% Lenzing FR, 17% Polyamide, 6% Para-Aramid

Tan, Black (Navy, Blue, Yellow, Green, Red and Orange available with a 50 set order min.)

Custom Name & ID lettering, Belt/Belt Loops,

Options Sizing

Suspenders Numeric Sizes: 32" -60" Coats & 28" -58" Pants

IDDAT: HONTY ! PANT JPX" VE





(COLAT ACUTIN (PANT: PRUTY)



7 osy, Sigma Twill



3M[™] Scotchlite[™] II Reflective Material Triple Trim (Lime/Yellow & Silver)





BetaX Wildland Fire Shirt

Xvent is king in the BetaX Wildland Fire Shirt. Airflow vents in each bicep area of the arms and two lower chest region vents allow for maximum torso airflow. Torso airflow helps to cool the core, keeping you more alert and focused. UL® Dual Certified to current NFPA 1977 & 1975 Specs. 5.8 oz Tecasafe® Plus. Size Options - XS - 4XL

YELLOW

YELLOW/GREEN

YELLOW/NAVY SeaWestern

Vector Wildland Fire Shirt

The Vector Wildland Fire Shirt is the result of a custom designed product for firefighters in the southern regions. They wanted an excellent quality and well-priced wildland fire shirt that would accommodate the extreme heat while keeping their wildland firefighters safe.UL[®] Dual Certified to current NFPA 1977 & 1975 Specs.

Size Options - XS - 4XL

YELLOW Stocked @ SeaWestern

Stryker Wildland Fire Shirt

The Stryker is the perfect lightweight wildland fire shirt for battling wildfires. The 5.8 oz Tecasafe[®] Plus material wicks sweat away from your body and dries quickly. ³/₄ YKK Nomex front zip allows for breathability and easy on/off capabilities. UL[®] Dual Certified to current NFPA 1977 & 1975 Specs. Size Options - XS - 4XL

YELLOW

CX Wildland Vent Brush Shirt

5.8oz Tecasafe[®] Plus CX Wildland Vent Brush Shirt keeps you cool, comfortable, and protected on the front lines. Patent pending Xvent system allows body heat to escape to help regulate your core temperature. UL[®] Dual Certified to current NFPA 1977 & 1975 Specs.

Size Options - XS - 4XL

YELLOW









Tyee Wildland Fire Pant

The Tyee wildland fire pant is constructed of 7 oz Tecasafe[®] fabric for superior durability, comfort, and performance. The first wildland fire pant to offer ultimate fit and performance with a true fit responsive waistband that eliminates bunching and provides optimal comfort. Certified to current NFPA 1977 & 1975 Specs.

GREEN

NAVY BLUE

Tyee Wildland Dual Compliant Fire Pant

The Tyee Dual Compliant Fire Pant made with 6 oz Nomex[®], reaches a new standard of performance and function for today's modern firefighting needs. With a true fit responsive waistband that eliminates bunching, and five reinforced beltloops to accommodate heavy duty belts, this pant offers optimal comfort with a sleek profile and a professional look.Dual Compliant to current NFPA 1977 & 1975 Specs.

GREEN BLACK

CX Wildland Vent Brush Pant

The CX Wildland Fire Pant design with 7 oz Tecasafe[®] Plus (Green material Ripstop) material provides the perfect balance between protection and comfort. Each feature in these wildland fire pants was specifically designed to battle against heat, sweat, and discomfort. UL[®] Dual Certified to current NFPA 1977 & 1975 Specs. Size Options - XS - 4XL

GREEN

NAVY BLUE

Vector Wildland Fire Pant

Day or night - the Vector Wildland Fire Pant craves the fire line. Tecasafe[®] Plus 7oz (Green material Ripstop) material provides maximum comfort, protection, and durability. Materials and design provide great moisture management keeping you cool and comfortable. UL[®] Dual Certified to current NFPA 1977 & 1975 Specs. Size Options - XS - 4XL

GREEN

NAVY BLUE Stocked @ SeaWestern

1-800-327-5312

53



Nomex®

6 oz

Nomex® 6 oz Tecasafe® 7 oz

Available⁴

Women's Cut

RELIABLE SITUATIONAL AWARENESS



FLIR K1 - 160 × 120 pixels

POCKET-PORTABLE AND RUGGED

- · Quickly assess the scene without losing line of sight
- Document key findings with internal recording of up to 10,000 thermal/visual image sets
- · Designed to withstand a two-meter drop onto concrete
- Water resistant (IP67)
- Up to 5.5 hours of radiometric thermal imaging

VISION FOR EVERY FIREFIGHTER

FLIR K2 - 160 × 120 pixels



EASY TO HANDLE

- Glove-friendly, one-button control for quick access to the simplified interface
- Lightweight but rugged
- Withstands a two meter drop onto concrete
- Water resistant (IP67)
- Fully operational up to 500°F (three minutes)

POWERFUL, AFFORDABLE TICS

FLIR K53 - 320 × 240 pixels

PREMIUM FEATURES, LOWER PRICE

- · Combines simplified, one-button controls with advanced features
- FSX enhancement
- Smooth, 60 Hz image capture to provide reliable vision at an affordable price





Black & White







ADVANCED TECHNOLOGY WITHOUT **COMPROMISE**

FLIR K55 - 320 × 240 pixels

HIGH-PERFORMANCE

- Uncompromising, detail-rich imagery you can view in real-time
- Save as JPEGs, or record as video
- Choose one of five image modes designed to help you better navigate heavy smoke, find hidden hot spots, or search for potential victims

FLIR K65 - 320 × 240 pixels

NFPA 1801 COMPLIANT

- Fully-sealed connectors and a secured battery
- Designed to be compliant with the NFPA 1801-2018 Standard for Thermal Imagers covering usability, image quality, and durability



*Intergovernmental Contract Available



POWER ON THE GO

• FLIR in-truck chargers help ensure your TIC and Spare Battery are always powered up and ready to go

Heat Detection





1-800-327-5312

Search & Rescue



回該名手









FirePRO[®] 300

Personal Thermal Camera for Improved Situational Awareness and Firefighter Safety.

- Viewing Angle Ergonomic 90°
- Resolution 320 x 240
- Field of View 57° x 42°
- Durability IP67 waterproof, 2 meter drop
- Detection -20°C to 550°C (-4°F to 1022°F)
- Imaging Mixed Gain with SV1 Technology
- Flashlight 300 Lumen LED

Reveal Fire PRO

Personal, Affordable, High-Resolution TIC for Firefighting.

- Resolution 320 x 240
- 32° Field of View
- IP67 Rating
- Detection -20°C to 550°C (-4°F to 1022°F)
- Simple Magnetic Charge Port
- Flashlight 300 Lumen LED









AttackPRO+

NFPA 1801:2021 CERTIFIED

Decision Making High-Resolution TIC for Firefighting.


- Resolution 320 x 240
- Field of View 57° x 42°
- Durability IP67 waterproof, 2 meter drop
- Detection -20°C to 550°C (-4°F to 1022°F)
- Imaging Mixed Gain with SV1
- Flashlight 300 Lumen LED

AttackPRO


Decision Making, Durable, High-Resolution TIC.

- Resolution 320 x 240
- Field of View 57°Horizontal
- Durability IP67 Ingress Protection
- Detection -20°C to 550°C (-4°F to 1022°F)
- High Impact and Heat Resistant
- Flashlight 300 Lumen LED





Territory Sales Map




1-800-327-5312

59



Family Owned & Operated Since 1977 Quality Products With Service After The Sale





1-800-327-5312 order online @ www.seawestern.com

EDITION 23.2