





Bow & Arrow

Herbicide

For the control of certain broadleaf weeds in turf

Technical Brief

15	0 g/L clopyralid present as the potassium salt 5 g/L diflufenican 00 g/L MCPA present as the potassium salt	
י אין חו	Contains the following group compounds pyridine (clopyralid) nicotinanilide (diflufenican) phenoxy (MCPA)	
Mode of Action Group:	/ F	
Formulation: Su	uspension Concentrate	
ca D ac pl M	<i>lopyralid</i> - classified as a Group I Herbicide, with a mode of action where the weed annot grow due to disruption of plant cell growth (disruptors of plant cell growth). <i>ifflufenican</i> - classified as a Group F Herbicide, with a mode of action of a bleaching ction, due to the inhibition of carotenoid biosynthesis, therefore preventing hotosynthesis and leading to plant death. <i>ICPA</i> - classified as a Group I Herbicide, with a mode of action where the weed cannot row due to disruption of plant cell growth (disruptors of plant cell growth).	
	<i>lopyralid</i> - Absorbed mainly through the foliage with some root absorption. Translocated trongly throughout the plant.	
	<i>iflufenican</i> - The foliage of the weeds absorbs diflufenican. However, good coverage is ssential, because the translocation of the product is limited.	
tr	<i>ICPA</i> - It is absorbed through the leaves of susceptible weeds and then rapidly ranslocates to accumulate in the growing points of the stems and roots, where it nterferes with cell division and enlargement.	
Benefits		

В

- ≻ Outstanding broadleaf weed control
- ≻ Very low application rates of active ingredient Non-ester formulation (no volatilisation issues, ≻
- reducing potential for off-target damage)
- One standard application rate >
- > Superior turf safety (cool and warm season grasses)
- No odour >
- ≻ A mix of active ingredients for improved resistance management
- ≻ S5 Scheduling - safer when handling concentrate compared to Schedule 6 products
- Additional surfactants not required for most weeds ≻

Weed Management

SITUATION	WEEDS CONTROLLED	RATE	CRITICAL COMMENTS
Turf	Broadleaf weeds including; White Clover (<i>Trifolium repens</i>) Plantain (<i>Plantago lanceolata</i>) Capeweed (<i>Arctotheca calendula</i>) Cat's ear (<i>Hypochoeris radicata</i>) Bindii (Jo-Jo, Onehunga) (<i>Soliva sessilis</i>) Cudweed (<i>Gnaphalium</i> spp.)	5 L in 200-500 L water/ ha	Apply to actively growing weeds. Transient discolouration may occur on Kikuyu, Carpet grass and Queensland Blue Couch. Varietal differences in certain Buffalo grasses (e.g. ST85) may produce more pronounced effects and it is recommended that small areas be tested for turf safety before large-scale application occurs. Avoid exceeding application rates through overlapping sprayed areas.
	Creeping oxalis (Oxalis corniculata)		Use a surfactant for difficult to wet weeds.

Note: The above table represents only a modified extract from the full registered label. Always read the full product label before use.

How to get the most out of your application

- Apply 5 L in 200-500 L water/ha
- For best results turf and weeds should be actively growing at the time of treatment.
- Surfactants (if used) should be added after Bow & Arrow Herbicide and water are mixed when the spray-tank is almost full.
- Avoid mowing during the 3 to 4 days preceding or following treatment.
- Avoid exceeding application rates through overlapping sprayed areas.
- Complete weed death may take up to 6 weeks. Faster results can be expected on smaller weeds.
- Shake container well before use.
- Transient discolouration may occur on Kikuyu, Carpet grass and Queensland Blue Couch.
- Varietal differences on certain species of buffalo grasses (eg. ST85) may lead to transient discolouration effects, it is recommended to try a small area first before large scale application occurs.

Mixing and Compatibility

MIXING

Shake original container before use. Agitate continuously to ensure thorough mixing before and during application. Only mix sufficient chemical for each day's work.

COMPATIBILITY

No information is available that indicates physical compatibility with other products. Tank-mixing other products with Bow & Arrow Herbicide cannot therefore be recommended. As formulations of other manufacturers' products are beyond the control of Turf Culture Pty Ltd, all mixtures should be tested prior to mixing commercial quantities.

Restraints

DO NOT APPLY if weeds or turf are under stress or when frosts are imminent.

DO NOT USE if rain is expected within 4 hours.

DO NOT USE clippings as mulch around other plants or for composting.

DO NOT USE on golf and bowling greens.

Packaging

Pack size: 2 L, 10 L







Bow & Arrow Herbicide

www.turfculture.com.au