



super

20 YEARS of

slings inc.

 Secure Solutions

TIE DOWN ACCESSORIES



	Sling Protection
	Web Slings
	Round Slings
	Synthetic Chain Slings
	Wire Rope Slings
	Chain Slings
	Shackles & Turnbuckles
	Hooks & Links
	Lifting Points
	Hoists & Blocks
	Lifting Devices
	Pipe & Hose Restraints
	Tie Down Assemblies
	Tie Down Accessories
	Towing & Recovery
	Rope & Carriage

Sling Protection
Web Slings
Round Slings
Synthetic Chain Slings
Wire Rope Slings
Chain Slings
Shackles & Turnbuckles
Hooks & Links
Lifting Points
Hoists & Blocks
Lifting Devices
Pipe & Hose Restraints
Tie Down Assemblies
Tie Down Accessories
Towing & Recovery
Rope & Cordage

Corner Protectors

One of the most common causes of tie down failure is cutting/damage from sharp corners and abrasive surfaces. Sturdy corner and web & chain protectors prevent abrasion of cargo and cargo-securing devices.

***Corner Protectors should not be used as sling protection for overhead lifting.**


Steel (Zinc Plated) Corner Protector (Chain)

Product details:

For use with chain and extends 4" to protect the load.

Weight: 1.10 lbs./ .50 kg.

Item Code: 12-CC-S-C




Steel (Zinc Plated) Corner Protector (Web)

Product details:

Steel Corner Protector for chain and up to 4" winch straps and extends 3-5/8" to protect the load.

Weight: 1.10 lbs./ .50 kg.

Item Code: 12-CC-S-N



High Density Polymer Corner Protector

Product details:

High Density Polymer. Suitable for webbing up to 4". 5.25" wide and extends approx. 3.5" to protect the load. Has excellent low temperature performance down to -20°F.

Weight: .06 lb./ .03 kg.

Item Code: 12-CC-P-N



12" Long Plastic Corner Protector

Product details:

12" Long Plastic. Extends approx. 3" to protect the load. Suitable for webbing up to 4" in width. Has excellent low temperature performance, down to -20°F.

Weight: .47 lb./ .21 kg.

Item Code: 12-CC-P-N-O



Rubber coated Steel Corner Protector

Product details:

For use with chain and extends 4" to protect the load. Rubber coated for added grip and load protection.

Weight: 1.9 lbs./ .86 kg.

Item Code: 12-CC-S-C-R



Fiber Reinforced Rubber Corner Protector

Product details:

Extends approx 5" to protect the load for webbing up to 3" or 4" in width.

4" Model

Weight: .75 lb./ .34 kg.

Item Code: 12-42098-12

3" Model

Weight: .63 lb./ .29 kg.

Item Code: 12-42098-11



Rubber coated Steel Corner Protector

Product details:

For use with chain and extends 4" to protect the load. Rubber coated for added grip and load protection.

Weight: .21 lbs./ .10 kg.

Item Code: 12-CC-T-N



Cordura Wearpad Sleeve

Product details:

Flexible Nylon Cordura® Wearpad Sleeve protect tie downs from typical abrasive surfaces. Available in widths 1" up to 12". Sold by the foot. Velcro® available upon request.



CargoGuard Corner Protectors

Product details:


High-density polyethylene X-TREME GUARD™ Corner Protector distributes strap tension over the length of the guard to prevent your cargo from being crushed by the straps and protects your webbing from abrasion. Made in lengths of 12-, 24-, 36- and 48-inches, this durable guard is strong yet lightweight, and crack/weather resistant to -30°. Corner Protectors not to be used as sling protection for overhead lifting.

12" X-Treme Guard Corner Protector: 50089-12

24" X-Treme Guard Corner Protector: 50089-24

36" X-Treme Guard Corner Protector: 50089-36

48" X-Treme Guard Corner Protector: 50089-48



CargoGuard Corner Protectors

Product details:

CargoGuard feature patented, multiple living hinges adapt to the form of any cargo, regardless of the shape. Cargo corner protectors are designed to protect both the strap and the cargo from damage, and easily installed even after the strap has been placed on the load. Made from high impact thermoplastic, 2 or more corner protectors snap together for any required length and they are easily stacked for storage when not in use. Cargo Corner Protectors are available for both 2 inch cargo straps and 4 inch cargo straps. CargoGuard Flexible Corner Protectors are used in the following industries: Agriculture & Forestry, Bridge Builders, Highway and Street, Steel Erection, Military, Transportation & Utilities - Power, Water, Sewer & Pipe.

Item Code: CC5681 - CargoGuard (For 2" Straps)

Weight: 0.07 lbs

Item Code: CC5682 - CargoGuard (For 2" & 4" Straps)

Weight: 0.07 lbs




Cable Type Binder Locks

Product details:

Eliminates load binder release. Two width adjustments, easy to install and remove.

Weight: 1.10 lbs./ .50 kg.

Item Code: 12-LOCKNGO



Binder Minder 'Binder Lock'


Product details:

Eliminates load binder release. Two width adjustments, easy to install and remove. High visible yellow painted finish.

Weight: .39 lbs./ .18 kg.

Item Code: 29-61205

~Replacement Pin - 29-66461



Tarp Tie-down Straps - Bungees

Available in three types, and known for quality, durability, and resistance to the elements, these tarp ties offer good stretch recovery and maintain their strength over the entire life of the tarp ties.



Type	Dimensions (in)		Item Code
	Length	Max Stretch	
100% Natural Rubber (Black)	9	14	12-KS-9-JB
100% Natural Rubber (Black)	15	23	12-KS-15-JB
100% Natural Rubber (Black)	21	32	12-KS-21-JB
100% Natural Rubber (Black)	31	47	12-KS-31-JB
100% Natural Rubber (Black)	41	62	12-KS-41-JB
Artic Blue EPDM	9	14	12-COLDBUNGEE10"
Artic Blue EPDM	15	23	12-COLDBUNGEE15"
Artic Blue EPDM	21	32	12-COLDBUNGEE21"
Artic Blue EPDM	31	47	12-COLDBUNGEE31"
Snappi-Hookers Cold Weather	9	14	12-SNAPPRHOOKER9
Snappi-Hookers Cold Weather	15	23	12-SNAPPYHOOKER15
Snappi-Hookers Cold Weather	20	30	12-SNAPPYHOOKER20
Snappi-Hookers Cold Weather	30	45	12-SNAPPYHOOKER30

NOTE According to the Canadian Council of Motor Transport Administrators (CCMTA), bungee cords and tarp straps are not suitable for use as tie downs, and are equally unsuited to having an assigned Working Load Limit (WLL). They may still be used, however, as supplementary restraint for light weight cargo and equipment.

WARNING

- **TYING** tarp straps over sharp edges shortens the service life
- **NEVER** tie knots in tarp straps
- **NEVER** extend over safe stretch (150%)
- **ALWAYS** inspect straps frequently, replace cracked straps

Strap Winder

Product details:

Keep winch straps organized with the strap winder. The strap winder is a must for any driver who uses winch straps. The set screw mount allows the unit to attach easily to any standard side rail and conveniently assemble for storage.

Use the strap winder to roll all of your winch straps neatly and quickly so they are ready for use whenever you need them. The strap winder will save you a fortune in time and extend the life of your straps.

Weight: 2.4 lbs
Item Code: 12-10091



5th Wheel Pin Puller


Product details:

The new multi-purpose 5th Wheel Pin Puller at 34" long, is the perfect tool to help the driver release the king pin without climbing under the trailer.

It can also be used to easily grab the door pull or latch on that out of reach roll-up door.

This heavy duty pin puller makes work easier and safer for operators.

Weight: 1.9 lbs
Item Code: 12-PINPULL3005



Sling Protection
 Web Slings
 Round Slings
 Synthetic Chain Slings
 Wire Rope Slings
 Chain Slings
 Shackles & Turnbuckles
 Hooks & Links
 Lifting Points
 Hoists & Blocks
 Lifting Devices
 Pipe & Hose Restraints
 Tie Down Assemblies
 Tie Down Accessories
 Towing & Recovery
 Rope & Cordage

Flags & Banners


Mesh Safety Flags

Product details:

PVC coated nylon - Extremely durable, -40°C Cold Crack, UV Stable 1" pocket grommeted

Item Codes:

- 18"x18" 12-BP300
- 12"x16" 12-BP302
- 18"x18" Red 12-BP307




Polyester Safety Flag

Product details:

Durable polyester fabric
Water resistant - UV stable

Item Code:

- 18" x 18" 12-BP100



Dimensional Banners

Product details:

18 oz reinforced vinyl laminate, -30°C cold crack. All banners include grommets placed at 6' and 8' point.

12" x 96" Vinyl Dimensional Load Sign

Item Code: 12-D SIGN V



Reinforced Vinyl Dimensional Load Sign

Item Code: 12-D SIGN V/REINF



Oversize/Wide Load Banner

Product details:

18 oz reinforced vinyl laminate, -30°C cold crack. All banners include grommets placed at 6' and 8' point.

12" x 96" Vinyl Wide Load/Oversize Load Sign

Item Code: 12-WIDE/OVER



Magnetic LED Safety Lights

Product details:

Magnetic LED Safety Lights have 2 lighting options for constant or flashing.

- Super brightness LED up to 1 mile
- Operated by 4 AA size batteries (not included)
- Strong magnetic design and road stand design

Item No. Red: 12-STROBE-R-HD

Item No. Amber: 12-STROBE-A-HD



Heavy Duty Round Base Magnets

Product details:

Secure tarps, cables, wires, brooms and more to any steel surface, including overhead beams, ceiling decks, drop ceiling channels and metal joists. These cup magnet assemblies are quickly installed and repositioned. Plated, low profile, cup magnet assemblies are ideal for holding, hanging, mounting and more. Note: Ceramic cup magnets are heat resistant up to 300°F(148°C). Rare Earth cup magnets are heat resistant up to 180°F(82°C). Cup magnet (base) +/-0.005" on all dimensions.

- A. 95 Lb Magnet
- B. 65 Lb Magnet
- C. 95 Lb Magnet - Screw & Wingnut
- D. 65 Lb Magnet - Screw & Wingnut
- E. 95 Lb Magnet With Carabiner (small)
- F. 95 Lb Magnet W/ Eye



Sling Protection	Web Slings	Round Slings	Synthetic Chain Slings	Wire Rope Slings	Chain Slings	Shackles & Turnbuckles	Hooks & Links	Lifting Points	Hoists & Blocks	Lifting Devices	Pipe & Hose Restraints	Tie Down Assemblies	Tie Down Accessories	Towing & Recovery	Rope & Cordage
------------------	------------	--------------	------------------------	------------------	--------------	------------------------	---------------	----------------	-----------------	-----------------	------------------------	---------------------	----------------------	-------------------	----------------