




Notification Provided By:
Cool Roof Rating Council
 449 15th St. Suite 400
 Oakland, CA 94612


NOTIFICATION OF PRODUCT RATING

Product Brand: Thermo-Shield / Climate-Shield
Product Model: Roof Coat, Tank Shield, Stucco Shield White
Company: SPM Thermo-Shield, Inc.
Contact Name: Peter Spiska
Telephone: 239-234-5832
Website: <http://www.thermoshield.com>
Product Type: Field-Applied Coatings: Acrylic
Initial SRI: 110
3 Year SRI: 99
Slope Types: Low/Steep
Color: Bright White

Notification Provided To:
SPM Thermo-Shield, Inc.
 4915 Rattlesnake Hammock Rd.
 Suite 266
 Naples, FL 34113

		Initial	Weathered
	Solar Reflectance	0.88	0.79
	Thermal Emittance	0.79	0.90
	Rated Product ID	0788-0001	
	Licensed Manufacturer	0788	
	Classification	Production Line	
<p>Cool Roof Rating Council ratings are determined for a fixed set of conditions, and may not be appropriate for determining seasonal energy performance. The actual effect of solar reflectance and thermal emittance on building performance may vary.</p> <p>Manufacturer of product stipulates that these ratings were determined in accordance with the applicable Cool Roof Rating Council procedures.</p>			

The Cool Roof Rating Council (CRRC), an ISO 17065 accredited organization, has reviewed the test results data provided by a CRRC-approved ISO 17025 testing laboratory and has determined this roofing product meets the requirements described in the ANSI/CRRC S100 Standard and the CRRC-1 Program Manual. This Notification of Rating is subject to all terms and conditions of the Licensee Agreement and the documents incorporated therein by reference. This document must be reproduced in its entirety.



 Technical Reviewer



 Application Reviewer



 Management Approval

7/24/2017

 Date

