

**BTIproductsLLC** 

# MATERIAL SAFETY DATA SHEET Name: MICkit® Pipe Inspection Kit Components

Revision Date: 10/21/13

## **SECTION I**

Manufacturer's Name: BTI Products, LLC Address: 652 Silver Hills Road

obe Silver mills Road

Bayfield, CO 81122

**Emergency Phone:** (800) 798-4650 **Telephone:** (970) 884-4629

# **SECTION II - Hazardous Ingredients/Identity Information**

MSDS for concentrated chemicals as commercially available are attached.

The chemicals and their concentrations (as percent by volume) present in components included in the MICkit<sup>®</sup> Pipe Inspection Kit are as follows:

MICkit <sup>®</sup> Pipe Inspection Kit Identification	MSDS Product Name	CAS No.	Percentage by Volume
Detergent-Chelant, 2%	Citrajet	NA	100% (vol/vol)
2N HCI	Hydrochloric acid solution 2.0 N	7647-01-0	100% (vol/vol)

**Note:** BTI Products, LLC disclaims any expressed or implied warranty of merchantibility or fitness of its products for any other purpose than described in its technical literature and in no event shall BTI Products, LP be liable for any consequential damages arising from use of this product.

## CITRAJET MSDS

Marketed & sold by BTI Products, LP as MICclean™ Chemical 2

#### **Section 1: MANUFACTURER INFORMATION**

Supplier: Same as manufacturer.

Manufacturer: Alconox, Inc.

30 Glenn St. Suite 309

White Plains, NY 10603.

Manufacturer emergency 800-255-3924.

phone number: 813-248-0585 (outside of the United States).

Manufacturer: Alconox, Inc.

30 Glenn St. Suite 309

White Plains, NY 10603.

Supplier MSDS date: 2005/07/13 D.O.T. Classification: Not regulated.

Section 2 : HAZARDOUS INGREDIENTS							
C.A.S.	CONCENTRATION %	Ingredient Name	T.L.V.	LD/50	LC/50		
77-92-9	10-30	CITRIC ACID	NOT AVAILABLE	RAT ORAL	NOT AVAILABLE		
				5040 MG/KG MOUSE ORAL			

## Section 3: PHYSICAL / CHEMICAL CHARACTERISTICS

Physical state: Liquid.

Appearance & odor: Pale yellow.

Nearly odorless.

Odor threshold (ppm): Not available.

Vapour pressure @ 20°C (68°F).

(mmHg): 17

Vapour density (air=1): >1

Volatiles (%)

By volume: Not available.

**Evaporation rate** (butyl acetate = 1):

**Boiling point (°C):** 103 (217F)

Freezing point (°C): Not available.

**pH:** 2.5

Specific gravity @ 20 °C: (water = 1).

Solubility in water (%): Complete.

Coefficient of water\oil Not available.

dist.:

VOC: None

MS 01.20.01.03.04.1 Page 1 of 4

#### Section 4: FIRE AND EXPLOSION HAZARD DATA

Flammability: Not flammable.

Conditions of Surrounding fire.

Extinguishing media: Carbon dioxide, dry chemical, foam.

Water

Water fog.

**Special procedures:** Self-contained breathing apparatus required.

Firefighters should wear the usual protective gear. Use water spray to cool fire exposed containers.

**Auto-ignition** temperature:

Not available.

Flash point (°C), None

method:

Lower flammability Not applicable.

limit (% vol):

Upper flammability Not applicable.

limit (% vol):

Not available.

Sensitivity to mechanical Not available.

impact:

Hazardous combustion Oxides of carbon (COx).

products: Hydrocarbons.

Oxygen. Hydrogen (H). Carbon.

Rate of burning: Not available.

Explosive power: Containers may rupture if exposed to heat or fire.

#### Section 5: REACTIVITY DATA

Chemical stability: Product is stable under normal handling and storage conditions.

Conditions of instability: Extreme temperatures.

Hazardous polymerization:

Will not occur.

**Incompatible** Strong alkalies.

substances: Strong oxidizing agents.

**decomposition products:** See hazardous combustion products.

#### **Section 6: HEALTH HAZARD DATA**

Route of entry: Skin contact, eye contact, inhalation and ingestion.

**Effects of Acute Exposure** 

Eye contact: Irritant.

Skin contact: Slight irritation upon prolonged contact.

**Inhalation:** May cause slight irritation.

Ingestion: May cause vomiting and diarrhea.

May cause gastric distress.

**Effects of chronic** 

Contains an ingredient which may be corrosive. exposure:

MS 01.20.01.03.04.1 Page 2 of 4 **LD50 of product, species** > 5000 mg/kg rat oral.

LC50 of product, species Not available.

**Exposure limit of** 

material: Not available.

Sensitization to product: Not available.

Carcinogenic effects: Not listed as a carcinogen.

Reproductive effects: Not available.

Teratogenicity: Not available.

Mutagenicity: Not available.

Synergistic materials: Not available.

Medical conditions Not available. aggravated by exposure:

First Aid

**Skin contact:** Remove contaminated clothing.

Wash thoroughly with soap and water. Seek medical attention if irritation persists.

Eye contact: Check for and remove contact lenses.

Flush eyes with clear, running water for 15 minutes while holding

eyelids open. If irritation persists, consult a physician.

Inhalation: Remove victim to fresh air.

If irritation persists, seek medical attention.

**Ingestion:** Do not induce vomiting, seek medical attention.

Dilute with two glasses of water.

Never give anything by mouth to an unconscious person.

#### Section 7: PRECAUTIONS FOR SAFE HANDLING AND USE

Leak/Spill: Contain the spill.

Prevent entry into drains, sewers, and other waterways.

Wear appropriate protective equipment. Soak up with an absorbent material. Place in appropriate container for disposal. Flush residue or small spills to sanitary sewer.

**Waste disposal:** In accordance with local and federal regulations.

**Handling procedures and** Protect against physical damage.

equipment: Avoid breathing vapors/mists.

Wear personal protective equipment appropriate to task.

Wash thoroughly after handling. Keep out of reach of children.

Avoid contact with skin, eyes and clothing.

Avoid extreme temperatures.

Launder contaminated clothing prior to reuse.

**Storage requirements:** Store away from incompatible materials.

Keep containers closed when not in use.

#### **Section 8: CONTROL MEASURES**

#### **Precautionary Measures**

Gloves/Type:



Neoprene or rubber gloves.

MS 01.20.01.03.04.1 Page 3 of 4 **Respiratory/Type:** None required under normal use.

If exposed to misting.

NIOSH approved respirator for vapours and mists.

Eye/Type:



Chemical safety goggles with side-shields.

Footwear/Type: Safety shoes per local regulations. **Clothing/Type:** As required to prevent skin contact.

Other/Type: Eye wash facility should be in close proximity. Emergency shower should be in close proximity.

 $\begin{tabular}{ll} \textbf{Ventilation} \\ \textbf{requirements:} \end{tabular} \begin{tabular}{ll} \textbf{Local exhaust at points of emission.} \end{tabular}$ 

Page 4 of 4

#### SIGMA-ALDRICH

#### MATERIAL SAFETY DATA SHEET

Date Printed: 04/03/2007 Date Updated: 04/11/2006 Version 1.8

## Section 1 - Product and Company Information

HYDROCHLORIC ACID SOLUTION 2.0 N Product Name

Product Number H3037 Brand SIGMA

Company Sigma-Aldrich

Address 3050 Spruce Street

SAINT LOUIS MO 63103 US

Technical Phone: 800-325-5832 Fax: 800-325-5052 314-776-6555 Emergency Phone:

## Section 2 - Composition/Information on Ingredient

Substance Name CAS # SARA 313

HYDROCHLORIC ACID SOLUTION, >=5% -7647-01-0 No

<10%

Ingredient Name CAS # Percent SARA 313

>= 90 WATER 7732-18-5

< 95

HYDROCHLORIC ACID >= 5 7647-01-0

< 10

Formula HC1

Synonyms Acide chlorhydrique (French) \* Acido cloridrico

(Italian) \* Anhydrous hydrochloric acid \* Chloorwaterstof (Dutch) \* Chlorohydric acid \* Chlorowodor (Polish) \* Chlorwasserstoff (German) \* Hydrochloride \* Hydrogen chloride (ACGIH:OSHA)

\* Muriatic acid \* Spirits of salt

MW4025000 RTECS Number:

## Section 3 - Hazards Identification

## EMERGENCY OVERVIEW

Irritant.

Irritating to eyes, respiratory system and skin.

## HMIS RATING

HEALTH: 2

FLAMMABILITY: 0 REACTIVITY: 0

## NFPA RATING

HEALTH: 2

FLAMMABILITY: 0 REACTIVITY: 0

For additional information on toxicity, please refer to Section 11.

#### ORAL EXPOSURE

If swallowed, wash out mouth with water provided person is conscious. Call a physician.

#### INHALATION EXPOSURE

If inhaled, remove to fresh air. If breathing becomes difficult, call a physician.

#### DERMAL EXPOSURE

In case of skin contact, flush with copious amounts of water for at least 15 minutes. Remove contaminated clothing and shoes. Call a physician.

#### EYE EXPOSURE

In case of contact with eyes, flush with copious amounts of water for at least 15 minutes. Assure adequate flushing by separating the eyelids with fingers. Call a physician.

## Section 5 - Fire Fighting Measures

#### FLASH POINT

N/A

#### AUTOIGNITION TEMP

N/A

#### FLAMMABILITY

N/A

#### EXTINGUISHING MEDIA

Suitable: Water spray. Carbon dioxide, dry chemical powder, or appropriate foam.

## FIREFIGHTING

Protective Equipment: Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes. Specific Hazard(s): Emits toxic fumes under fire conditions.

#### Section 6 - Accidental Release Measures

#### PROCEDURE(S) OF PERSONAL PRECAUTION(S)

Wear respirator, chemical safety goggles, rubber boots, and heavy rubber gloves.

#### METHODS FOR CLEANING UP

Absorb on sand or vermiculite and place in closed containers for disposal. Ventilate area and wash spill site after material pickup is complete.

## Section 7 - Handling and Storage

#### HANDLING

User Exposure: Do not breathe vapor. Do not get in eyes, on skin, on clothing.

#### **STORAGE**

Suitable: Keep tightly closed.

## SPECIAL REQUIREMENTS

May develop pressure. Open carefully.

#### ENGINEERING CONTROLS

Safety shower and eye bath. Mechanical exhaust required.

#### PERSONAL PROTECTIVE EQUIPMENT

Respiratory: Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Hand: Compatible chemical-resistant gloves.

Eye: Chemical safety goggles.

#### GENERAL HYGIENE MEASURES

Wash thoroughly after handling. Discard contaminated shoes. Wash contaminated clothing before reuse.

## EXPOSURE LIMITS, RTECS

Country Source Type Value Ceiling co2 PPM USA ACGIH

USA MSHA Standard Ceiling co5 PPM (7 MG/M3) USA OSHA. PEL CL 5 PPM (7 MG/M3)

New Zealand OEL

Remarks: check ACGIH TLV

Ceiling co5 PPM NIOSH

#### **EXPOSURE LIMITS**

Country Source Type Value Poland NDS Poland 10 NDSCh Poland NDSP

## Section 9 - Physical/Chemical Properties

Physical State: Liquid Appearance

> Color: Colorless Form: Clear liquid

Value At Temperature or Pressure Property

Molecular Weight 36.46 AMU Нд N/A BP/BP Range N/A MP/MP Range N/A Freezing Point N/A Vapor Pressure N/A Vapor Density N/A Saturated Vapor Conc. N/A

1.033 g/cm3SG/Density

Bulk Density N/A Odor Threshold N/A Volatile% N/A VOC Content N/A Water Content N/A Solvent Content N/A Evaporation Rate N/A N/A Viscosity Surface Tension N/A Partition Coefficient N/A

```
Decomposition Temp.
                        N/A
Flash Point
                        N/A
Explosion Limits
                        N/A
Flammability
                        N/A
Autoignition Temp
                        N/A
Refractive Index
                        N/A
Optical Rotation
                        N/A
Miscellaneous Data
                        N/A
Solubility
                        N/A
```

#### N/A = not available

## Section 10 - Stability and Reactivity

## STABILITY

Stable: Stable.

Materials to Avoid: Bases, Amines, Alkali metals, Metals.

#### HAZARDOUS DECOMPOSITION PRODUCTS

Hazardous Decomposition Products: Hydrogen chloride gas.

## HAZARDOUS POLYMERIZATION

Hazardous Polymerization: Will not occur

### Section 11 - Toxicological Information

#### ROUTE OF EXPOSURE

Skin Contact: Causes skin irritation.

Skin Absorption: May be harmful if absorbed through the skin.

Eye Contact: Causes eye irritation.

Inhalation: May be harmful if inhaled. Material is irritating to

mucous membranes and upper respiratory tract.

Ingestion: May be harmful if swallowed.

## SIGNS AND SYMPTOMS OF EXPOSURE

Symptoms of exposure may include burning sensation, coughing, wheezing, laryngitis, shortness of breath, headache, nausea, and vomiting. Inhalation may result in spasm, inflammation and edema of the larynxand bronchi, chemical pneumonitis, and pulmonary edema. Symptoms of exposure may include burning sensation, coughing, wheezing, laryngitis, shortness of breath, headache, nausea, and vomiting.

## TOXICITY DATA

Oral

Man

2.857 mg/kg

T<sub>1</sub>DT<sub>1</sub>O

Remarks: Lungs, Thorax, or Respiration: Respiratory depression. Gastrointestinal: Changes in structure or function of esophagus. Vascular: BP lowering not charactertized in autonomic section.

Oral

Woman

420 UL/KG

LDLO

Remarks: Behavioral:Excitement. Cardiac:Pulse rate. Kidney, Ureter, Bladder:Hematuria.

Inhalation Human

```
1,300 ppm
   LCLO
   Inhalation
   Human
   3,000 ppm
   LCLO
   Inhalation
   Rat
   3,124 ppm
   LC50
   Remarks: Sense Organs and Special Senses (Nose, Eye, Ear, and
   Taste):Olfaction:Other changes. Sense Organs and Special Senses
   (Nose, Eye, Ear, and Taste): Eye: Iritis.
   Inhalation
   Mouse
   1,108 ppm
   LC50
   Remarks: Lungs, Thorax, or Respiration: Respiratory stimulation.
   Sense Organs and Special Senses (Nose, Eye, Ear, and
   Taste):Eye:Other. Skin and Appendages:Skin: After systemic
   exposure: Dermatitis, other
   Intraperitoneal
   Mouse
   40142 UG/KG
   LD50
   Oral
   Rabbit
   900 mg/kg
   LD50
IRRITATION DATA
   Eyes
   Rabbit
   5 mg
   30S
   Remarks: Rinsed
CHRONIC EXPOSURE - CARCINOGEN
   Result: This product is or contains a component that is not
   classifiable as to its carcinogenicity based on its IARC, ACGIH,
   NTP, or EPA classification.
IARC CARCINOGEN LIST
   Rating: Group 3
CHRONIC EXPOSURE - TERATOGEN
   Species: Rat
   Dose: 450 MG/M3/1H
   Route of Application: Inhalation
   Exposure Time: (1D PRE)
   Result: Specific Developmental Abnormalities: Homeostasis
   Effects on Embryo or Fetus: Fetotoxicity (except death, e.g.,
   stunted fetus).
```

# CHRONIC EXPOSURE - MUTAGEN Species: Hamster Dose: 30 MMOL/L Cell Type: lung Mutation test: Cytogenetic analysis Species: Hamster Dose: 8 MMOL/L Cell Type: ovary Mutation test: Cytogenetic analysis Section 12 - Ecological Information No data available. Section 13 - Disposal Considerations APPROPRIATE METHOD OF DISPOSAL OF SUBSTANCE OR PREPARATION Contact a licensed professional waste disposal service to dispose of this material. Observe all federal, state, and local environmental regulations. Section 14 - Transport Information DOT Proper Shipping Name: Hydrochloric acid UN#: 1789 Class: 8 Packing Group: Packing Group III Hazard Label: Corrosive PIH: Not PIH IATA Proper Shipping Name: Hydrochloric acid IATA UN Number: 1789 Hazard Class: 8 Packing Group: III Section 15 - Regulatory Information EU ADDITIONAL CLASSIFICATION Symbol of Danger: Xi Indication of Danger: Irritant. R: 36/37/38 Risk Statements: Irritating to eyes, respiratory system and skin. Safety Statements: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. US CLASSIFICATION AND LABEL TEXT Indication of Danger: Irritant. Risk Statements: Irritating to eyes, respiratory system and skin. Safety Statements: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. UNITED STATES REGULATORY INFORMATION SARA LISTED: No TSCA INVENTORY ITEM: Yes CANADA REGULATORY INFORMATION WHMIS Classification: This product has been classified in

accordance with the hazard criteria of the CPR, and the MSDS contains all the information required by the CPR.

DSL: Yes NDSL: No

#### Section 16 - Other Information

#### DISCLAIMER

For R&D use only. Not for drug, household or other uses.

#### WARRANTY

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Inc., shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. Copyright 2007 Sigma-Aldrich Co. License granted to make unlimited paper copies for internal use only.