Safety Data Sheet



Section 1: Identification		
Product Name:	MICtreat® FPS Chemical	
Product Code:	MICtreat® FPS Chemical	
Manufacturer:	BTI Products, LLC.	
	652 Silver Hills Road	
	Bayfield, Colorado 81122	
	USA	
Telephone:	(970) 884-4629	
Website:	www.bti-labs.com	
Email:	products@bti-labs.com	
Emergency Phone:	(800) 262-8200 CHEMTREC	
Recommended Use:	For use in Microbiological Corrosion Prevention and Treatment	
Restrictions on Use:	Use only as directed on instructions	

# Section 2: Hazardous Component Identification

United States (US) According to OSHA 1910.1200

# **Components: (see following individual SDS for detailed information)**

Chamical	Ingradiante
Chemica	Ingredients:

➢ Tolcide PS70 A

# Section 3: Composition/Information on Ingredients

See following individual SDS for detailed information

# Section 4: First-Aid Measures

Percentage:

\_\_\_\_\_

100%

# **Section 5: Fire-Fighting Measures**

See following individual SDS for detailed information

# Section 6: Accidental Release Measures

See following individual SDS for detailed information

# Section 7: Handling and Storage

See following individual SDS for detailed information

# Section 8: Exposure Controls/ Personal Protection

See following individual SDS for detailed information

**Section 9: Physical and Chemical Properties** 

See following individual SDS for detailed information

# Section 10: Stability and Reactivity

See following individual SDS for detailed information

# **Section 11: Toxicological Information**

See following individual SDS for detailed information

# Section 12: Ecological Information

See following individual SDS for detailed information

# **Section 13: Disposal Considerations**

See following individual SDS for detailed information

# Section 14: Transport Information

See following individual SDS for detailed information

# **Section 15: Regulatory Information**

See following individual SDS for detailed information

# **Section 16: Other Information**

Date of Last Revision:September 13, 2021Preparation Date:April 15, 2016

Disclaimer: BTI Products, LLC. Disclaims any expressed or implied warranty of merchantability or fitness of its products for any other purpose than described in its technical literature and in no event shall BTI Products, LLC. be liable for any consequential damages arising from use of this product.

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

- Trade name TOLCIDE PS70A
- FIFRA Registration number 4564-20

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### Uses of the Substance / Mixture

- Biocidal product
- FIFRA regulated use only.

#### Uses advised against

- Aerosol
- For industrial use only

#### <u>Remarks</u>

- For professional and industrial installation and use only.

#### 1.3 Details of the supplier of the safety data sheet

#### **Company**

Solvay USA Inc., NOVECARE 504 Carnegie Center Princeton, NJ, 08540, US Telephone Number: 800-973-7873

#### 1.4 Emergency telephone

FOR EMERGENCIES INVOLVING A SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT, CONTACT CHEMTREC (24-Hour Number): +1-800-424-9300 within the United States and Canada, or +1-703-527-3887 for international collect calls.

#### **SECTION 2: Hazards identification**

Although OSHA has not adopted the environmental portion of the GHS regulations, this document may include information on environmental effects.

#### 2.1 Classification of the substance or mixture

#### HCS 2012 (29 CFR 1910.1200)

Acute toxicity, Category 4 Acute toxicity, Category 3 Serious eye damage, Category 1 Skin sensitization, Category 1 Reproductive toxicity, Category 2 H302: Harmful if swallowed.

- H331: Toxic if inhaled.
- H318: Causes serious eye damage.
- H317: May cause an allergic skin reaction.
- H361: Suspected of damaging fertility or the unborn child.



PRC090052742 Version : 2.01 / US ( Z8 )





#### Signal Word

- Danger

#### **Hazard Statements**

- H302 - H317

H318

H331

H361

- Harmful if swallowed. May cause an allergic skin reaction.
- Causes serious eye damage.
- Toxic if inhaled.
- - Suspected of damaging fertility or the unborn child.

#### **Precautionary Statements**

|--|

P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. P261 \_ Wash skin thoroughly after handling. P264 -P270 Do not eat, drink or smoke when using this product. \_ Use only outdoors or in a well-ventilated area. \_ P271 P272 Contaminated work clothing must not be allowed out of the workplace. \_ \_ P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. Response P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth. IF ON SKIN: Wash with plenty of soap and water. P302 + P352 P304 + P340 + P311 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a -POISON CENTER/ doctor. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. P308 + P313 IF exposed or concerned: Get medical advice/ attention. -P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P363 Wash contaminated clothing before reuse. Storage P403 + P233 Store in a well-ventilated place. Keep container tightly closed. Store locked up. P405

Dispose of contents/ container to an approved waste disposal plant.

# 2.3 Other hazards which do not result in classification

- H400: Very toxic to aquatic life.
- H411: Toxic to aquatic life with long lasting effects.
- Possible damage to liver following repeated or prolonged exposure by ingestion.



PRCO90052742 Version : 2.01 / US ( Z8 )

Disposal - P501

### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substance

\_

Not applicable, this product is a mixture.

#### 3.2 Mixture

#### Hazardous Ingredients and Impurities

Chemical name	Identification number CAS-No.	Concentration [%]
Tetrakis(Hydroxymethyl) Phosphonium Sulfate	55566-30-8	>= 70 - < 80
Co-Polymer Containing Phosphonic, Sulphonic And Carboxylic Acid Groups	397256-50-7	>= 1 - < 5

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first-aid measures

#### General advice

- Plan first aid action before beginning work with this product.
- For effective first-aid, special training / education is needed.
- The first aid procedure should be established in consultation with the doctor responsible for industrial medicine.
- First responder needs to protect himself.
- Do not leave the victim unattended.
- Show this material safety data sheet to the doctor in attendance.
- Place affected apparel in a sealed bag for subsequent decontamination.
- When symptoms persist or in all cases of doubt seek medical advice.
- Medical examination necessary even only on suspicion of intoxication.

#### In case of inhalation

- Remove to fresh air immediately. Get medical attention immediately.
- Rescuers should put on appropriate protective gear for rescue
- Remove victim from exposure and then have him lie down in the recovery position.
- Keep patient warm and at rest.
- Get immediate medical advice/ attention.

#### In case of skin contact

- Take off contaminated clothing and shoes immediately.
- Wash off immediately with soap and plenty of water.
- Use a mild soap if available.
- Immediate medical attention is required.
- Discard contaminated shoes and clothing.
- Dispose of promptly.

#### In case of eye contact

- Rinse immediately with plenty of water, also under the eyelids.
- Take victim immediately to hospital.
- Continue rinsing eyes during transport to hospital.

#### In case of ingestion

- Do not induce vomiting without medical advice.
- Rinse mouth with water.
  - Do not give anything to drink.

PRCO90052742

Version : 2.01 / US ( Z8 )



- Keep at rest.
- Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

#### Symptoms

- Lachrymation

#### Symptoms

- Ingestion may provoke the following symptoms:
- Nausea
- Liver disorders

#### Symptoms

- Symptoms of poisoning may not appear for several hours. Keep under medical supervision for at least 48 hours.
- Symptoms will depend on the target organs.

### 4.3 Indication of any immediate medical attention and special treatment needed

#### Notes to physician

- All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

SECTION 5: Firefighting measures	
Flash point	>212 °F (100 °C) does not flash, According to the available data on the components, Structure- activity relationship (SAR)
	Flammability class: Will burn
Autoignition temperature	Not applicable
Flammability / Explosive limit	No data available
5.1 Extinguishing media	
Suitable extinguishing media	
<ul> <li>Extinguishing media - small fi</li> <li>Water spray</li> </ul>	res

- Multipurpose powders
- Carbon dioxide (CO2)
   Alcohol Resistant Aqueous Film
- Alcohol Resistant Aqueous Film Forming Foam (AR-AFFF)
- Extinguishing media large fires
- Water spray
- Multipurpose powders
- Alcohol Resistant Aqueous Film Forming Foam (AR-AFFF)

#### Unsuitable extinguishing media

- Do not use a solid water stream as it may scatter and spread fire.

#### 5.2 Special hazards arising from the substance or mixture

#### Specific hazards during fire fighting

PRCO90052742 Version: 2.01 / US (Z8)



- The pressure in sealed containers can increase under the influence of heat.
- In case of heating:
- Harmful or toxic vapors are released.
- Hazardous decomposition products formed under fire conditions.
- (following evaporation of water)
- High concentrations of toxic or harmful products may remain in the residual liquid once the fire has been extinguished.

#### Hazardous combustion products:

- Oxides of phosphorus
- Sulfur oxides
- Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).
- Phosphorus compounds
- Hydrogen

#### 5.3 Advice for firefighters

### Special protective equipment for fire-fighters

- Firefighters should wear NIOSH/MSHA approved self-contained breathing apparatus and full protective clothing.
- Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing **Specific fire fighting methods**

- Stay upwind.
- Fight fire with normal precautions from a reasonable distance.
- Suppress (knock down) gases/vapors/mists with a water spray jet.
- Do not use a solid water stream as it may scatter and spread fire.
- Cool down the containers / equipment exposed to heat with a water spray. Ensure that there is NO direct contact between the water and the product.
- Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Persons who may have been exposed to contaminated smoke should be immediately examined by a physician and checked for symptoms of poisoning. The symptoms should not be mistaken for heat exhaustion or smoke inhalation.

#### **Further information**

- Evacuate personnel to safe areas.
- Intervention only by capable personnel who are trained and aware of the hazards of the product.
- Never approach containers which have been exposed to fire, without cooling them sufficiently.
- Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
- Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

#### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

- Immediately evacuate personnel to safe areas.
- Stay upwind.
- Only qualified personnel equipped with suitable protective equipment may intervene.

PRCO90052742 Version : 2.01 / US ( Z8 )

- Avoid inhalation, ingestion and contact with skin and eyes.
- Wear chemical resistant personal protective equipment
- Wear suitable gloves.
- Wear suitable protective clothing.
- Respiratory protection
- Wear as appropriate:
- Face-shield
- Tightly fitting safety goggles
- In the case of dust or aerosol formation use respirator with an approved filter.
- In the case of vapor formation use a respirator with an approved filter.
- Stop leak if safe to do so.
- If spillage occurs on the public highway, indicate the danger and notify the authorities (police, fire service).
- For further information refer to section 8 "Exposure controls / personal protection."

#### 6.2 Environmental precautions

- Take all necessary measures to avoid accidental discharge of products into drains and waterways due to the rupture of containers or transfer systems.
- Prevent further leakage or spillage if safe to do so.
- Contain the spilled material by diking.
- The product should not be allowed to enter drains, water courses or the soil.
- Local authorities should be advised if significant spillages cannot be contained.
- If the product contaminates rivers and lakes or drains inform respective authorities.
- If the spill area is porous, the contaminated material must be collected for subsequent treatment or disposal.
- Spills may be reportable to the National Response Center (800-424-8802) and to state and/or local agencies

### 6.3 Methods and materials for containment and cleaning up

- Stop leak if safe to do so.
- Dam up with sand or inert earth (do not use combustible materials).
- Control the vapors with:
- Alcohol Resistant Aqueous Film Forming Foam (AR-AFFF)
- Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder).
- Shovel or sweep up.
- Keep in suitable, closed containers for disposal.
- Never return spills in original containers for re-use.
- Wash nonrecoverable remainder with large amounts of water.
- Clean contaminated surface thoroughly.
- Recover the cleaning water for subsequent disposal.
- Decontaminate tools, equipment and personal protective equipment in a segregated area.
- Dispose of as hazardous waste in compliance with local and national regulations.

#### Additional advice

- Possible need to alert the neighborhood.

PRCO90052742 Version: 2.01 / US (Z8)

- Mark the contaminated area with signs and prevent access to unauthorized personnel.
- Only qualified personnel equipped with suitable protective equipment may intervene.
- Following decontamination, wait several hours before allowing anyone to enter the area.
- Material can create slippery conditions.

#### 6.4 Reference to other sections

- 7. HANDLING AND STORAGE
- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
- 13. DISPOSAL CONSIDERATIONS

### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

- Handle in accordance with good industrial hygiene and safety practice.
- The product must only be handled by specifically trained employees.
- Provide sufficient air exchange and/or exhaust in work rooms.
- Vapor extraction at source
- Do not use in areas without adequate ventilation.
- Do NOT handle in a confined space.
- Extracted air must not be allowed to return to the workplace.
- Wear personal protective equipment.
- Wear suitable protective clothing.
- Avoid inhalation, ingestion and contact with skin and eyes.
- Do NOT handle without gloves.
- Do NOT handle if hands have any cuts or wounds.
- Avoid splashes.
- Avoid formation of aerosol.
- Pregnant or breastfeeding workers should not be occupied in the blending and high temperature processing operations.
- For personal protection see section 8.

# Hygiene measures

- Personal hygiene is an important work practice exposure control measure and the following general measures should be taken when working with or handling this materials:
- 1) Do not store, use, and/or consume foods, beverages, tobacco products, or cosmetics in areas where this material is stored.
- 2) Wash hands and face carefully before eating, drinking, using tobacco, applying cosmetics, or using the toilet.
- 3) Wash exposed skin promptly to remove accidental splashes or contact with material.
- The user is responsible for monitoring the working environment in accordance with local laws and regulations.
- Exposed employees should have regular medical check-ups

#### 7.2 Conditions for safe storage, including any incompatibilities

PRCO90052742 Version : 2.01 / US ( Z8 )

#### Technical measures/Storage conditions

- Take all necessary measures to avoid accidental discharge of products into drains and waterways due to the rupture of containers or transfer systems.
- Keep in a contained area
- The floor of the storage area should be impermeable and designed to form a water-tight basin.
- Keep locked up or in an area accessible only to qualified or authorized persons.
- Keep containers tightly closed in a dry, cool and well-ventilated place.
- Keep away from open flames, hot surfaces and sources of ignition.
- Keep away from incompatible materials to be indicated by the manufacturer
- Keep away from: Hazardous reactions may occur on contact with certain chemicals. (Refer to the list of incompatible materials section 10: "Stability-Reactivity").

#### Packaging material

#### Suitable material

- high density
- Polyethylene
- high density
- Polypropylene
- Stainless steel

#### Requirements for storage rooms and vessels

- No decomposition if stored and applied as directed.

#### 7.3 Specific end use(s)

- no data available

### **SECTION 8: Exposure controls/personal protection**

Introductory Remarks: These recommendations provide general guidance for handling this product. Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. Assistance with selection, use and maintenance of worker protection equipment is generally available from equipment manufacturers.

#### 8.1 Control parameters

### Components with workplace occupational exposure limits

Components	Value type	Value	Basis
Tetrakis(Hydroxymethyl) Phosphonium Sulfate	TWA	2 mg/m3	American Conference of Governmental Industrial Hygienists
Tetrakis(Hydroxymethyl) Phosphonium Sulfate	TWA	0.43 mg/m3	Solvay Acceptable Exposure Limit



PRCO90052742 Version : 2.01 / US ( Z8 )

#### 8.2 Exposure controls

#### Control measures

#### Engineering measures

- Where engineering controls are indicated by use conditions or a potential for excessive exposure exists, the following traditional exposure control techniques may be used to effectively minimize employee exposures :
- Effective exhaust ventilation system
- Ensure adequate ventilation.
- Extract at emission point.
- Ensure that extracted air cannot be returned to the workplace through the ventilation system.
- Use mechanical handling to reduce human contact with materials.
- Use closed processing systems or containment technologies.
- Avoid splashes.
- Avoid formation of aerosol.

### Individual protection measures

#### Respiratory protection

- This should be achieved by a good general extraction and -if practically feasible- by the use of a local exhaust ventilation.
- When respirators are required, select NIOSH/MSHA approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industrial recommendations.
- If mist is formed:
- Respirator with a particle filter.
- Recommended Filter type: Particulates type

#### Hand protection

- Where there is a risk of contact with hands, use appropriate gloves
- Gloves must be inspected prior to use.
- Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.
- Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

#### Suitable material

- PVC
- Protective index Class 6
- Break through time: > 480 min
- Glove thickness: 1.23 mm
- Nitrile rubber
- Protective index Class 6
- Break through time: > 480 min
- Glove thickness: 1.23 mm

#### Eye protection

- Eye and face protection requirements will vary dependent upon work environment conditions and material handling practices. Appropriate ANSI Z87 approved equipment should be selected for the particular use intended for this material.
- Eye contact should be prevented through the use of:
- Tightly fitting safety goggles
- Face-shield

# Skin and body protection

- Full protective suit
- Footwear protecting against chemicals
- Choose body protection according to the amount and concentration of the dangerous substance at the work place. Hygiene measures
  - Personal hygiene is an important work practice exposure control measure and the following general measures should be taken when working with or handling this materials:

PRCO90052742 Version: 2.01 / US (Z8)

. .





### SAFETY DATA SHEET

### **TOLCIDE PS70A**

SOLVAY

- 1) Do not store, use, and/or consume foods, beverages, tobacco products, or cosmetics in areas where this material is stored.
- 2) Wash hands and face carefully before eating, drinking, using tobacco, applying cosmetics, or using the toilet.
- 3) Wash exposed skin promptly to remove accidental splashes or contact with material.
- The user is responsible for monitoring the working environment in accordance with local laws and regulations.
- Exposed employees should have regular medical check-ups

#### **Protective measures**

- Always have on hand a first-aid kit, together with proper instructions.
- Plan first aid action before beginning work with this product.
- Emergency equipment immediately accessible, with instructions for use.
- Ensure that eyewash stations and safety showers are close to the workstation location.
- Selection of appropriate personal protective equipment should be based on an evaluation of the performance characteristics of the protective equipment relative to the task(s) to be performed, conditions present, duration of use, and the potential hazards, and/or risks that may occur during use.
- The protective equipment must be selected in accordance with current local standards and in cooperation with the supplier of the protective equipment.

### **SECTION 9: Physical and chemical properties**

Physical and Chemical properties here represent typical properties of this product. Contact the business area using the Product information phone number in Section 1 for its exact specifications.

#### 9.1 Information on basic physical and chemical properties

Physical state	liquid (68 °F (20 °C))
Form	Aqueous solution
<u>Color</u>	colorless to pale yellow
<u>Odor</u>	characteristic Do not attempt to smell the product as it is hazardous.
Odor Threshold	No data available
Melting point/freezing point	<u>Freezing point</u> : <5 °F (< -15 °C)
Initial boiling point and boiling range	No data available
Flammability (solid, gas)	The product is not flammable.
Flammability (liquids)	No data available
Flammability / Explosive limit	No data available
<u>Flash point</u>	> 212 °F (100 °C) does not flash, According to the available data on the components, Structure-activity relationship (SAR) Flammability class: Will bum
Autoignition temperature	No data available
Decomposition temperature	> 320 °F (160 °C)
рH	3.0 - 6.0(100 %)(68 °F (20 °C))
Viscosity	<u>Viscosity, kinematic</u> : 4 mm2/s ( 73 °F (23 °C))
<u>Solubility</u>	Water solubility:
CO90052742	

PRCO90052742 Version : 2.01 / US ( Z8 )

	completely miscible
Partition coefficient: n-octanol/water	log Pow: -9.8
	THPS 75%, Structure-activity relationship (SAR), estimated log Pow: -4.38
	Polymer, Structure-activity relationship (SAR), estimated
Vapor pressure	No data available
Density	1.340 - 1.400 g/cm3(68 °F (20 °C))
Relative density	No data available
<u>Relative vapor density</u>	No data available
Particle characteristics	No data available
Evaporation rate (Butylacetate = 1)	No data available
9.2 Other information	
Oxidizing properties	Not considered as oxidizing., Structure-activity relationship (SAR)
Self-ignition	Not applicable

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

- Stable at normal ambient temperature and pressure.

#### 10.2 Chemical stability

- Stable under recommended storage conditions.

#### 10.3 Possibility of hazardous reactions

- No dangerous reaction known under conditions of normal use.
- Hazardous polymerization does not occur.
- No decomposition if used as directed.

### 10.4 Conditions to avoid

- Do not mix undiluted product with concentrates of ammonium bisulphite

#### 10.5 Incompatible materials

- Strong acids and strong bases
- Strong oxidizing agents
- Strong reducing agents.

# 10.6 Hazardous decomposition products

PRCO90052742 Version : 2.01 / US ( Z8 )



- Oxides of phosphorus
- Sulfur oxides
- Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).
- Phosphine
- Hydrogen

# **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

### Acute toxicity

Acute oral toxicity Tetrakis(Hydroxymethyl) Phosphonium Sulfate	LD50:431 mg/kg -Rat , male and female Method: OECD Test Guideline 401 This product is classified as acute toxicity category 4 Unpublished internal reports
Co-Polymer Containing Phosphonic, Sulphonic And Carboxylic Acid Groups	LD50:>934 mg/kg -Rat , male and female Method: OECD Test Guideline 423 This product is classified as acute toxicity category 4 Unpublished internal reports
Acute inhalation toxicity Tetrakis(Hydroxymethyl) Phosphonium Sulfate	LC50 - 4 h ( dust/mist ) : 0.443 mg/l - Rat , male and female Method: OECD Test Guideline 403 This product is classified as acute toxicity category 2 Unpublished internal reports
Acute dermal toxicity Tetrakis(Hydroxymethyl) Phosphonium Sulfate Acute toxicity (other routes of	LD50: > 1,500 mg/kg - Rat , male and female Method: OECD Test Guideline 402 Not classified as hazardous for acute dermal toxicity according to GHS. Unpublished internal reports No data available
administration) Skin corrosion/irritation	
Tetrakis(Hydroxymethyl) Phosphonium Sulfate	Rabbit Not irritating to rabbits on cutaneous application. Method: OECD Test Guideline 404 Unpublished internal reports As is, not irritating to the skin
Co-Polymer Containing Phosphonic, Sulphonic And Carboxylic Acid Groups	Rabbit Not classified as irritating to skin Method: OECD Test Guideline 404 Unpublished internal reports
Serious eye damage/eye irritation	
Tetrakis(Hydroxymethyl) Phosphonium Sulfate	Rabbit Risk of serious damage to eyes. Method: OECD Test Guideline 405 Extremely irritating to rabbits on ocular application. Unpublished internal reports
Co-Polymer Containing Phosphonic, Sulphonic And Carboxylic Acid Groups	Rabbit No eye irritation Method: OECD Test Guideline 405 Unpublished internal reports Expert judgment

PRCO90052742 Version : 2.01 / US ( Z8 )



#### **Respiratory or skin sensitization**

Tetrakis(Hydroxymethyl) Phosphonium Sulfate Co-Polymer Containing Phosphonic, Sulphonic And Carboxylic Acid Groups	Maximization Test - Guinea pig May cause sensitization by skin contact. Classified as a skin sensitizer sub-category 1A according to GHS criteria Method: OECD Test Guideline 406 Unpublished internal reports Maximization Test - Guinea pig Does not cause skin sensitization. Method: OECD Test Guideline 406 Unpublished internal reports
Mutagenicity	
<b>Genotoxicity in vitro</b> Tetrakis(Hydroxymethyl) Phosphonium Sulfate	Mutagenicity (Salmonella typhimurium - reverse mutation assay) with and without metabolic activation
	negative Unpublished internal reports Mutagenicity (in vitro mammalian cytogenetic test) Strain: CHO with and without metabolic activation
	positive Unpublished internal reports
	UDS test Strain: Rat
	negative Unpublished internal reports
	Rodent dominant Lethal test Strain: Rat
	negative Unpublished internal reports
	Mouse lymphoma test / TK with and without metabolic activation
	positive Unpublished internal reports
	Ames test with and without metabolic activation
	negative Method: OECD Test Guideline 471 Unpublished reports
	Chromosome aberration test in vitro Strain: CHO with and without metabolic activation
	Positive with metabolic activation and equivocal without metabolic activation Method: OECD Test Guideline 473 Unpublished reports



PRCO90052742 Version : 2.01 / US ( Z8 )

Revision Date 07/28/2021

	Gene mutation assays in mammalian cells. Strain: mouse lymphoma cells with and without metabolic activation
	positive Method: OECD Test Guideline 476 Unpublished reports
<b>Genotoxicity in vivo</b> Tetrakis(Hydroxymethyl) Phosphonium Sulfate	In vivo micronucleus test - Mouse males Oral Mathadu OECD Teat Quideline 474
	Method: OECD Test Guideline 474 negative Unpublished reports
	dominant lethal test - Rat males Oral Method: OECD Test Guideline 478
	negative Unpublished reports
<u>Carcinogenicity</u> Tetrakis(Hydroxymethyl) Phosphonium Sulfate	Rat Oral exposure Animal testing did not show any carcinogenic effects. Published data
	Mouse Oral exposure Animal testing did not show any carcinogenic effects. Published data
	Rat , male and female Oral Exposure time: 104 weeks NOAEL: > 10mg/kg Method: OECD Test Guideline 453 Unpublished reports
	Mouse , male and female Oral Exposure time: 104 weeks NOAEL: > 10mg/kg Method: OECD Test Guideline 453 Unpublished reports
This product does not contain any ingredient de NTP IARC OSHA	esignated as probable or suspected human carcinogens by:
Toxicity for reproduction and developm	ent

# Toxicity for reproduction and development

# Toxicity to reproduction / fertility

PRCO90052742 Version : 2.01 / US ( Z8 )



Revision Date 07/28/2021

Tetrakis(Hydroxymethyl) Phosphonium Sulfate	Two-generation study - Rat, male and female, Oral Fertility NOAEL Parent: 0.78 mg/kg Method: OECD Test Guideline 416 Fertility NOAEL F1: 11.7 mg/kg Developmental Toxicity NOAEL F2: 11.7 mg/kg Unpublished reports
Developmental Toxicity/Teratogenicity Tetrakis(Hydroxymethyl) Phosphonium Sulfate	Rat, Oral exposure General Toxicity Maternal NOEL: 15 mg/kg Teratogenicity NOEL:30mg/kg Unpublished internal reports Rabbit, Oral exposure General Toxicity Maternal NOEL: 18 mg/kg Teratogenicity NOEL:18mg/kg Effects on development were observed, Unpublished internal reports Rat, female, Oral Test period: 10 Days General Toxicity Maternal NOAEL: 22.7 mg/kg Teratogenicity NOAEL:45.3mg/kg Method: OECD Test Guideline 414 Unpublished reports Rabbit, female, Oral Test period: 13 Days General Toxicity Maternal NOAEL: 13.6 Teratogenicity NOAEL:13.6mg/kg Method: OECD Test Guideline 414 Unpublished reports
STOT	
<b>STOT-single exposure</b> Tetrakis(Hydroxymethyl) Phosphonium Sulfate	The substance or mixture is not classified as specific target organ toxicant, single exposure according to GHS criteria. internal evaluation
<b>STOT-repeated exposure</b> Tetrakis(Hydroxymethyl) Phosphonium Sulfate	The substance or mixture is not classified as specific target organ toxicant, repeated exposure according to GHS criteria. Expert judgment
Tetrakis(Hydroxymethyl) Phosphonium Sulfate	Oral exposure 90 Days - Rat , for males and females NOEL: 1 mg/kg Liver toxicity Unpublished internal reports



PRCO90052742 Version : 2.01 / US ( Z8 )

Revision Date 07/28/2021

	Oral 90 Days - Rat , male and female NOAEL: 0.75 mg/kg Target Organs: Liver Method: OECD Test Guideline 408 Unpublished reports
	Oral 90 Days - Dog , male and female NOAEL: 0.75 mg/kg Target Organs: No specific target organs noted Method: OECD Test Guideline 409 Unpublished reports
Experience with human exposure	No data available
CMR effects	
<b>Carcinogenicity</b> Tetrakis(Hydroxymethyl) Phosphonium Sulfate	The product is not considered to be carcinogenic.
<b>Mutagenicity</b> Tetrakis(Hydroxymethyl) Phosphonium Sulfate	not mutagenic
Teratogenicity Tetrakis(Hydroxymethyl) Phosphonium Sulfate	Suspected human reproductive toxicant (fertility and/or development)
Aspiration toxicity	No data available

# **SECTION 12: Ecological information**

12.1 Toxicity

Aquatic Compartment	
<b>Acute toxicity to fish</b> Tetrakis(Hydroxymethyl) Phosphonium Sulfate	LC50 - 96 h:65 mg/l - Pleuronectes platessa (European Plaice) Unpublished internal reports
	LC50 - 96 h : 71 mg/l - Oncorhynchus mykiss (rainbow trout) semi-static test
	Method: according to a standardized method Unpublished internal reports Harmful to fish.
	NOEC - 32 d: 0.83 mg/l - Pimephales promelas (fathead minnow) Unpublished internal reports
Co-Polymer Containing Phosphonic, Sulphonic And Carboxylic Acid Groups	LC50 - 96 h : > 1,485 mg/l - Fish: Scophthalmus maximus Method: OECD Test Guideline 203 Not harmful to fish (LC/LL50 > 100 mg/L) Unpublished internal reports
Acute toxicity to daphnia and other ac	ulatic invortabratas

Acute toxicity to daphnia and other aquatic invertebrates



PRCO90052742 Version : 2.01 / US ( Z8 )

Tetrakis(Hydroxymethyl) Phosphonium Sulfate	EC50 - 48 h : 11.3 mg/l - Daphnia magna (Water flea) static test Method: OECD Test Guideline 202 Unpublished internal reports Toxic to aquatic invertebrates.
	LC50 - 48 h : 0.46 mg/l - Crustacean: Acartia tonsa static test Method: ISO 14669 and PARCOM method Unpublished internal reports Very toxic to aquatic invertebrates.
	NOEC - 21 d : 0.024 mg/l - Daphnia magna (Water flea) Unpublished internal reports
Co-Polymer Containing Phosphonic, Sulphonic And Carboxylic Acid Groups	EC50 - 48 h : 17 mg/l - Daphnia magna (Water flea) static test Analytical monitoring: yes Method: OECD Test Guideline 202 Harmful to aquatic invertebrates. Unpublished internal reports
	LC50 - 48 h : 2,389 mg/I - Crustacean: Acartia tonsa static test Analytical monitoring: no Method: ISO 14669 and PARCOM method Marine species Not harmful to aquatic invertebrates. (EC/EL50 > 100 mg/L) Unpublished internal reports
<b>Toxicity to aquatic plants</b> Tetrakis(Hydroxymethyl) Phosphonium Sulfate	ErC50 - 72 h : 0.492 mg/l - Algae : Pseudokirchneriella subcapitata (Selenastrum capricornutum) static test Method: OECD Test Guideline 201 Unpublished internal reports Very toxic to algae.
	EC10 - 72 h:0.44 mg/I - Skeletonema costatum (marine diatom) Growth rate Unpublished internal reports
	ErC50 - 72 h : 0.12 mg/l - Skeletonema costatum (marine diatom) static test Method: ISO 10253 Unpublished internal reports Very toxic to algae.
	NOErC - 72 h : 0.048 mg/l - Algae : Pseudokirchneriella subcapitata (Selenastrum capricornutum) static test Method: OECD Test Guideline 201 Toxic to algae with long lasting effects. Unpublished internal reports





SOLVAY

90052742 h:2.01 / US(Z8)	
<b>Toxicity to benthic organisms</b> Tetrakis(Hydroxymethyl) Phosphonium	EC50: 619 mg/kg dry weight (d.w.)Exposure duration: 5 Days
ediment compartment	
Co-Polymer Containing Phosphonic, Sulphonic And Carboxylic Acid Groups	No data available
	Method: OECD Test Guideline 202 Toxic to aquatic invertebrates with long lasting effects. Unpublished internal reports
Tetrakis(Hydroxymethyl) Phosphonium Sulfate	NOEC: 0.0242 mg/l - 21 Days - Daphnia magna (Water flea) semi-static test
Chronic toxicity to daphnia and other	aquatic invertebrates
<b>Chronic toxicity to fish</b> Tetrakis(Hydroxymethyl) Phosphonium Sulfate	NOEC: 0.83 mg/l - 32 Days - Pimephales promelas (fathead minnow) flow-through test Method: OECD Test Guideline 210 Harmful to fish with long lasting effects. Unpublished internal reports
	static test Method: OECD Test Guideline 209 Unpublished internal reports
Co-Polymer Containing Phosphonic, Sulphonic And Carboxylic Acid Groups	EC50 - 3 h : 2,200 mg/l - activated sludge static test Method: OECD Test Guideline 209 Unpublished internal reports NOEC - 3 h : 100 mg/l - activated sludge
<b>Toxicity to microorganisms</b> Tetrakis(Hydroxymethyl) Phosphonium Sulfate	EC50 - 3 h : 18 mg/l - activated sludge static test Method: OECD Test Guideline 209 Unpublished internal reports
	NOEC - 72 h : 1,485 mg/l - Skeletonema costatum (marine diatom) static test Analytical monitoring: yes Method: ISO 10253 No adverse chronic effect observed up to and including the threshold of 1 mg Unpublished internal reports
Co-Polymer Containing Phosphonic, Sulphonic And Carboxylic Acid Groups	ErC50 - 72 h : 2,776 mg/l - Skeletonema costatum (marine diatom) static test Analytical monitoring: yes Method: ISO 10253 Not harmful to algae (EC/EL50 > 100 mg/L) Unpublished internal reports
	NOErC - 72 h : 0.075 mg/l - Skeletonema costatum (marine diatom) static test Method: ISO 10253 Toxic to algae with long lasting effects. Unpublished internal reports

Revision Date 07/28/2021

Sulfate	Species: Abra alba Unpublished internal reports
Terrestrial Compartment	
<b>Toxicity to soil dwelling organisms</b> Tetrakis(Hydroxymethyl) Phosphonium Sulfate	LC50: 960 mg/kg - 14 Days - Eisenia fetida (earthworms) Method: OECD Test Guideline 207
<b>Toxicity to terrestrial plants</b> Tetrakis(Hydroxymethyl) Phosphonium Sulfate	EC50: 102 mg/kg - 14 Days - Medicago sativa Method: OECD Test Guideline 208 Published data Unpublished internal reports Unpublished reports
<u>M-Factor</u> Tetrakis(Hydroxymethyl) Phosphonium Sulfate	Acute aquatic toxicity = 1 ( according to the Globally Harmonized System (GHS) )
12.2 Persistence and degradability	
Abiotic degradation	
<b>Stability in water</b> Tetrakis(Hydroxymethyl) Phosphonium Sulfate	DT50: Half-life value: 131 Days (25 °C) anaerobic pH: 5.0 Method: according to a standardized method Unpublished internal reports
	DT50: Half-life value: 72 Days (25 °C) anaerobic pH: 7.0 Method: according to a standardized method Unpublished internal reports
	DT50: Half-life value: 7 Days (25 °C) anaerobic pH: 9.0 Method: according to a standardized method Unpublished internal reports
<b>Photodegradation</b> Tetrakis(Hydroxymethyl) Phosphonium Sulfate	Sensitizer: OH Concentration sensitizer in molecule/cm3: 1,500,000 1/cm3 Rate constant in cm3 / molecule*s: 2.7E-11 cm3/s Half-life indirect photolysis: 0.4 Days Structure-activity relationship (SAR) Published data
<u>Physical- and photo-chemical</u> elimination	No data available
Biodegradation	
Biodegradability	
PRCO90052742 Version : 2.01 / US ( Z8 )	
www.solvay.com	



SOLVAY

Tetrakis(Hydroxymethyl) Phosphonium Sulfate	Ultimate aerobic biodegradability Method: Simulation study 70 % - 21 d Readily biodegradable. US EPA FIFRA, Subdivision N, § 162-4 Unpublished internal reports anaerobic Method: Simulation study 60 % - 30 d US EPA FIFRA, Subdivision N, § 162-4
	Unpublished internal reports aerobic Method: Simulation study 69.6 % - 21 Days The substance fulfills the criteria for ultimate aerobic biodegradability and ready biodegradability Inoculum: 30g soil+ 90 mL well water THPS 75% CO2 evolution test Unpublished internal reports
Co-Polymer Containing Phosphonic, Sulphonic And Carboxylic Acid Groups	Ready biodegradability study: Method: OECD Test Guideline 301 D 11 % - 28 Days The 10 day time window criterion is not fulfilled. The substance does not fulfill the criteria for ready biodegradability and ultimate aerobic biodegradability Theoretical oxygen demand Inoculum: activated sludge Conc. in standard unit mg / I: 467.2 mg/I Unpublished internal reports
Degradability assessment Tetrakis(Hydroxymethyl) Phosphonium Sulfate 12.3 Bioaccumulative potential	The product is considered to be rapidly degradable in the environment
<b>Partition coefficient: n-octanol/water</b> Co-Polymer Containing Phosphonic, Sulphonic And Carboxylic Acid Groups	Due to the distribution coefficient n-octanol/water, accumulation in organisms is not expected.
Bioconcentration factor (BCF)	No data available
12.4 Mobility in soil	
<b>Adsorption potential (Koc)</b> Tetrakis(Hydroxymethyl) Phosphonium Sulfate	Log Koc: 2.2 Moderately mobile in soils Unpublished internal reports
	Adsorption/Soil Koc: 153 Method: OECD Test Guideline 106 THPS 75% Mobile in soils Unpublished internal reports
PRCO90052742 Version : 2.01 / US ( Z8 )	

Known distribution to environmental compartments 12.5 Results of PBT and vPvB assessment	No data available
Tetrakis(Hydroxymethyl) Phosphonium Sulfate	This substance is not considered to be persistent, bioaccumulating, and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).
Co-Polymer Containing Phosphonic, Sulphonic And Carboxylic Acid Groups	This substance is not considered to be persistent, bioaccumulating, and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating ( $vPvB$ ).
12.6 Other adverse effects	
Ecotoxicity assessment	
Short-term (acute) aquatic hazard Tetrakis(Hydroxymethyl) Phosphonium Sulfate Co-Polymer Containing Phosphonic, Sulphonic And Carboxylic Acid Groups Long-term (chronic) aquatic hazard	Very toxic to aquatic life. Harmful to aquatic life.
Tetrakis(Hydroxymethyl) Phosphonium Sulfate	Toxic to aquatic life with long lasting effects.
Co-Polymer Containing Phosphonic, Sulphonic And Carboxylic Acid Groups	Harmful to aquatic life with long lasting effects.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

### Product Disposal

#### Prohibition

- Do not discharge directly into the environment.
- Do not dispose of with domestic refuse.
- Dispose of as hazardous waste in compliance with local and national regulations.
- Chemical additions, processing or otherwise altering this material may make the waste management information
  presented in this SDS incomplete, inaccurate or otherwise inappropriate. Please be advised that state and local
  requirements for waste disposal may be more restrictive or otherwise different from federal laws and regulations. Consult
  state and local regulations regarding the proper disposal of this material.

#### Waste Code

- Environmental Protection Agency
- Hazardous Waste NO

#### Advice on cleaning and disposal of packaging

#### Prohibition

- Do NOT dispose of untreated packaging with industrial waste.
- Do not dispose of with domestic refuse.
- Empty remaining contents.

PRCO90052742 Version : 2.01 / US ( Z8 )

-



SOLVAY

- Clean using steam.
- Monitor the residual vapors.
- Dispose of rinse water in accordance with local and national regulations.
- Containers that cannot be cleaned must be treated as waste.
- Dispose of contents/ container to an approved waste disposal plant.
- Dispose of in accordance with local regulations.
- In accordance with IMDG regulations containers or tankers that have not been cleaned or deodorized and that previously contained a hazardous product, must either be labeled or have hazard signs.
- Where possible recycling is preferred to disposal or incineration.
- The recycled material must be completely dry and free of pollutants.

#### **SECTION 14: Transport information**

Transportation status: IMPORTANT! Statements below provide additional data on listed transport classification. The listed Transportation Classification does not address regulatory variations due to changes in package size, mode of shipment or other regulatory descriptors.

#### <u>DOT</u>

14.1 UN number	UN 2810
14.2 Proper shipping name	TOXIC, LIQUIDS, ORGANIC, N.O.S. (Tetrakis(hydroxymethyl) phosphonium sulphate)
<b>14.3 Transport hazard class</b> Label(s)	6.1 6.1
<b>14.4 Packing group</b> Packing group ERG No	<b>III</b> 153
14.5 Environmental hazards Marine pollutant	YES
TDG	
14.1 UN number	UN 2810
14.2 Proper shipping name	TOXIC LIQUID, ORGANIC, N.O.S. (Tetrakis(hydroxymethyl) phosphonium sulphate)
<b>14.3 Transport hazard class</b> Label(s)	6.1 6.1
<b>14.4 Packing group</b> Packing group ERG No	III 153
14.5 Environmental hazards Marine pollutant	YES
PRCO90052742 Version : 2.01 / US ( Z8 )	
www.solvay.com	

NOM

14.1 UN number	UN 2810
14.2 Proper shipping name	TOXIC LIQUID, ORGANIC, N.O.S. (Tetrakis(hydroxymethyl) phosphonium sulphate)
<b>14.3 Transport hazard class</b> Label(s)	6.1 6.1
<b>14.4 Packing group</b> Packing group ERG No	III 153
14.5 Environmental hazards Marine pollutant	YES
<u>IMDG</u>	
14.1 UN number	UN 2810
14.2 Proper shipping name	TOXIC LIQUID, ORGANIC, N.O.S. (Tetrakis(hydroxymethyl) phosphonium
IMDG Code segregation group	sulphate) Not Relevant
<b>14.3 Transport hazard class</b> Label(s)	6.1 6.1
<b>14.4 Packing group</b> Packing group	III
14.5 Environmental hazards Marine pollutant	YES
<b>14.6 Special precautions for user</b> EmS	F-A , S-A
For personal protection see section 8.	

For personal protection see section 8.

**14.7 Transport in bulk vessels according to IMO instruments** No data available



PRCO90052742 Version : 2.01 / US ( Z8 )

14.1 UN number	UN 2810
14.2 Proper shipping name	TOXIC LIQUID, ORGANIC, N.O.S. (Tetrakis(hydroxymethyl) phosphonium sulphate)
<b>14.3 Transport hazard class</b> Label(s):	6.1 6.1
<b>14.4 Packing group</b> Packing group	ш
Packing instruction (cargo aircraft) Max net qty / pkg Packing instruction (passenger aircraft) Max net qty / pkg	663 220.00 L 655 60.00 L
14.5 Environmental hazards	YES
14.6 Special precautions for user	

For personal protection see section 8.

Note: The above regulatory prescriptions are those valid on the date of publication of this sheet. Given the possible evolution of transportation regulations for hazardous materials, it would be advisable to check their validity with your sales office.

# **SECTION 15: Regulatory information**

#### **15.1 Notification status**

Inventory Information	Status
United States TSCA Inventory	- This product is regulated under the United States Federal Insecticide, Fungicide and Rodenticide Act (FIFRA).
Canadian Domestic Substances List (DSL)	- Listed on Inventory
Australia Inventory of Chemical Substances (AICS)	- Listed on Inventory
Japan. CSCL - Inventory of Existing and New Chemical Substances	- One or more components not listed on inventory
Korea. Korean Existing Chemicals Inventory (KECI)	- One or more components not listed on inventory
China. Inventory of Existing Chemical Substances in China (IECSC)	<ul> <li>One or more components not listed on inventory</li> <li>Solvay has obtained the required notification approvals from the Ministry of Ecology and Environment (MEE) as per the "Environmental Administrative Measures for New Chemical Substance" for the component(s) not listed in the Chinese Inventory (IESCS). The product can be imported/manufactured in China ONLY under specific conditions</li> </ul>



PRCO90052742 Version : 2.01 / US ( Z8 )

Philippines Inventory of Chemicals and Chemical Substances (PICCS)	<ul> <li>One or more components not listed on inventory</li> </ul>
Taiwan Chemical Substance Inventory (TCSI)	<ul> <li>One or more components not listed on inventory</li> </ul>
New Zealand. Inventory of Chemical Substances	<ul> <li>One or more components is not listed on the NZIoC inventory. Additional HSNO obligations may apply. Please refer to Section 15 of SDS for New Zealand.</li> </ul>
EU. European Registration, Evaluation, Authorization and Restriction of Chemical (REACH)	<ul> <li>When purchased from a Solvay legal entity based in the EEA ("European Economic Area"), this product is compliant with the registration provisions of the REACH Regulation (EC) No. 1907/2006 as all its components are either excluded, exempt, and/or registered. When purchased from a legal entity outside of the EEA, please contact your local representative for additional information.</li> </ul>
Korea. Act on Registration and Evaluation of Chemicals	<ul> <li>When purchased from a Solvay legal entity based in Korea, this product is compliant with "Act on Registration and Evaluation of Chemicals" (AREC or K- REACH, Article 10) as all its components are either excluded, exempt, and/or (pre)registered. When purchased from a legal entity outside of Korea, please contact your local representative for additional information.</li> </ul>

### **15.2 Federal Regulations**

### US. EPA EPCRA SARA Title III

#### SARA HAZARD DESIGNATION SECTIONS 311/312 (40 CFR 370)

Acute toxicity (any route of exposure)	Yes
Serious eye damage or eye irritation	Yes
Respiratory or skin sensitization	Yes
Reproductive toxicity	Yes

#### The categories not mentioned are not relevant for the product.

#### Section 313 Toxic Chemicals (40 CFR 372.65)

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

# Section 302 Emergency Planning Extremely Hazardous Substance Threshold Planning Quantity (40 CFR 355) This material does not contain any components with a section 302 EHS TPQ.

# Section 302 Emergency Planning Extremely Hazardous Substance Reportable Quantity (40 CFR 355)

Components	CAS-No.	Reportable quantity
------------	---------	---------------------



PRCO90052742 Version : 2.01 / US ( Z8 )

Revision Date 07/28/2021

Formaldehyde	50-00-0	100 lb
Calculated RQ exceeds reasonably attainable upper limit.		

#### Section 304 Emergency Release Notification Reportable Quantity (40 CFR 355)

Components	CAS-No.	Reportable quantity
Formaldehyde	50-00-0	100 lb

Calculated RQ exceeds reasonably attainable upper limit.

#### US. EPA CERCLA Hazardous Substances and Reportable Quantities (40 CFR 302.4)

Components	CAS-No.	Reportable quantity
Formaldehyde	50-00-0	100 lb

Calculated RQ exceeds reasonably attainable upper limit.

#### 15.3 State Regulations

### US. California Safe Drinking Water & Toxic Enforcement Act (Proposition 65)

This product can expose you to chemicals including Formaldehyde (CAS # 50-00-0), which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

### SECTION 16: Other information

#### NFPA (National Fire Protection Association) - Classification

Health	2 moderate
Flammability	1 slight
Instability or Reactivity	0 minimal

#### HMIS (Hazardous Materials Identification System (Paint & Coating)) - Classification

Health	2 moderate
Flammability	1 slight
Reactivity	0 minimal
PPE	Determined by User; dependent on local conditions

#### **Further information**

- Product evaluated under the US GHS format.

#### Date Prepared: 07/28/2021

#### Key or legend to abbreviations and acronyms used in the safety data sheet

- TWA: 8-hour, time-weighted average
- SAEL: Solvay Acceptable Exposure Limit
- ACGIH: American Conference of Governmental Industrial Hygienists
- OSHA: Occupational Safety and Health Administration
- NTP: National Toxicology Program
- IARC: International Agency for Research on Cancer
- NIOSH: National Institute for Occupational Safety and Health
- ADR: European Agreement on International Carriage of Dangerous Goods by Road.
   ADN: European Agreement on the International Carriage of Dangerous Goods by Inland
   Waterways.
   RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.
   IATA: International Air Transport Association.
   ICAO-TI: Technical Specification for Safe Transport of Dangerous Goods by Air.
  - IMDG: International Maritime Dangerous Goods.

PRCO90052742 Version: 2.01 / US (Z8)

www.solvay.com

SOLVAY

Revision Date 07/28/2021

- TWA:	Time weighted average
- ATE:	Estimated value of acute toxicity
- EC:	European Community number
- CAS:	Chemical Abstracts Service.
- LD50:	Substance that causes 50% (half) death in the test animals group (Median Fatal Dose).
- LC50:	Substance concentration causing 50% (half) death in the test animals group.
- EC50:	Effective Concentration of the substance causing the maximum of 50%.
- PBT:	Persistent, Bioaccumulative and Toxic substance.
- vPvB:	Very Persistent and Very Bioaccumulative.
- SEA:	Classification, labeling, packaging regulation
- DNEL:	Derived No Effect Level
- PNEC:	Predicted No Effect Concentration
- STOT:	Specific Target Organ Toxicity

Not all acronyms listed above are referenced in this SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. Such information is only given as a guidance to help the user handle, use, process, store, transport, dispose, and release the product in satisfactory safety conditions and is not to be considered as a warranty or quality specification. It should be used in conjunction with technical sheets but do not replace them. Thus, the information only relates to the designated specific product and may not be applicable if such product is used in combination with other materials or in any other manufacturing process, unless otherwise specifically indicated. It does not release the user from ensuring he is in conformity with all regulations linked to its activity.



PRCO90052742 Version : 2.01 / US ( Z8 )