

# SAFETY DATA SHEET

Creation Date 08-Sep-2009

Revision Date 26-Dec-2021

Revision Number 5

 1. Identification

 Product Name
 Copper(II) oxide

 Cat No. :
 AC405860000; AC405860010; AC405860050; AC405860250; AC405860250; AC405862500

 CAS No
 1317-38-0

 Synonyms
 Laboratory chemicals.

 Recommended Use
 Laboratory chemicals.

 Uses advised against
 Food, drug, pesticide or biocidal product use.

 Details of the supplier of the safety data sheet

<u>Company</u> Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Acros Organics One Reagent Lane Fair Lawn, NJ 07410

Emergency Telephone Number

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US:**001-201-796-7100 / **Europe:** +32 14 57 52 99 **CHEMTREC** Tel. No.**US:**001-800-424-9300 / **Europe:**001-703-527-3887

2. Hazard(s) identification

**Classification** 

Classification under 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

#### Label Elements

Hazard Statements

Precautionary Statements Hazards not otherwise classified (HNOC) Very toxic to aquatic life with long lasting effects

foam.

Component		CAS No	Weight %	
Copper oxide		1317-38-0	>95	
	4. [	First-aid measures		
General Advice	If symptoms persist, call a physician.			
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.			
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.			
Inhalation	Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.			
Ingestion	Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.			
Most important symptoms and effects	None reasona	ably foreseeable.		
Notes to Physician	Treat symptor	matically		

S	uitable Extinguishing Media	Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant
ι	Insuitable Extinguishing Media	No information available
	Flash Point Method -	No information available No information available
	utoignition Temperature	No information available
	Upper Lower Sensitivity to Mechanical Impact Sensitivity to Static Discharge	No data available No data available No information available No information available
	constantly to static bischarge	

**Specific Hazards Arising from the Chemical** Do not allow run-off from fire-fighting to enter drains or water courses.

### **Hazardous Combustion Products**

None known.

### Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Health 0	Flammability 0	<b>Instability</b> 0	Physical hazards N/A
	6. Accidental rel	lease measures	
Personal Precautions	Ensure adequate ventilatio formation.	n. Use personal protective equi	pment as required. Avoid dust

Environmental Precautions	Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.
Methods for Containment and Clean Up	Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed containers for disposal.
	7. Handling and storage
Handling	Wear personal protective equipment/face protection. Avoid ingestion and inhalation. Avoid dust formation. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing.
Storage.	Keep containers tightly closed in a dry, cool and well-ventilated place. Incompatible Materials. Strong oxidizing agents.
0 5	

8. Exposure controls / personal protection

#### Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Copper oxide	TWA: 1 mg/m <sup>3</sup>		IDLH: 100 mg/m <sup>3</sup>	
			TWA: 0.1 mg/m <sup>3</sup> TWA: 1	
			mg/m <sup>3</sup>	

#### Legend

ACGIH - American Conference of Governmental Industrial Hygienists NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures	Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location.
Personal Protective Equipment	
Eye/face Protection	Tight sealing safety goggles.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

	9. Physical and chemical properties
Physical State	Solid
Appearance	Black
Odor	Odorless
Odor Threshold	No information available
рН	7 50g/l aq. sol
Melting Point/Range	1326 °C / 2418.8 °F
Boiling Point/Range	No information available
Flash Point	No information available
Evaporation Rate	Not applicable
Flammability (solid,gas)	No information available
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	No information available
Vapor Density	Not applicable
-	

Specific Gravity
Solubility
Partition coefficient; n-octanol/water
Autoignition Temperature
<b>U I</b>
Decomposition Temperature
Viscosity
Molecular Formula
Malaaular Waight
Molecular Weight

No information available Insoluble in water No data available No information available > 1026°C Not applicable Cu O 79.54

# 10. Stability and reactivity

Reactive Hazard	None known, based on information available
Stability	Stable under recommended storage conditions.
Conditions to Avoid	Incompatible products. Excess heat. Avoid dust formation.
Incompatible Materials	Strong oxidizing agents
Hazardous Decomposition Product	s None under normal use conditions
Hazardous Polymerization	Hazardous polymerization does not occur.
Hazardous Reactions	None under normal processing.

# 11. Toxicological information

### Acute Toxicity

### Product Information

Componen	t	LD50 Oral		D50 Dermal	LC50	Inhalation
Copper oxid		Not listed		2000 mg/kg (Rat)		ot listed
Foxicologically Syn Products Delayed and immed	-	No information ava		d long-term expos	sure_	
rritation		No information available				
Sensitization		No information available				
Carcinogenicity		The table below inc	dicates whether ea	ch agency has liste	ed any ingredient	as a carcinoger
Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Copper oxide	1317-38-0	Not listed	Not listed	Not listed	Not listed	Not listed
Autagenic Effects Reproductive Effect	·s	No information ava				
•						
Developmental Effe	cts	No information ava	ilable.			
·	cts	No information ava				
Developmental Effe Teratogenicity STOT - single expos STOT - repeated exp	sure					
Teratogenicity STOT - single expos	sure	No information ava	ilable.			

#### **Endocrine Disruptor Information**

No information available

Other Adverse Effects

The toxicological properties have not been fully investigated.

12. Ecological information

#### Ecotoxicity

The product contains following substances which are hazardous for the environment. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea	
Copper oxide	Not listed	Onchorhynchus mykiss:	Not listed	Daphnia: EC50: 0.04	
		LC50: 25 mg/L/48h		mg/L/48h	
Parsistance and Degradability Insoluble in water					

Persistence and Degradability Insoluble in water

**Bioaccumulation/ Accumulation** 

Mobility

No information available.

Is not likely mobile in the environment due its low water solubility.

	13. Disposal considerations
Waste Disposal Methods	Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

	14. Transport information						
DOT							
UN-No	UN3077						
Proper Shipping Name	Environmentally hazardous substances, solid, n.o.s.						
Technical Name	Copper oxide						
Hazard Class	9						
Packing Group	III						
TDG							
UN-No	UN3077						
Proper Shipping Name	Environmentally hazardous substances, solid, n.o.s.						
Hazard Class	9						
Packing Group	III						
UN-No	UN3077						
Proper Shipping Name	Environmentally hazardous substances, solid, n.o.s.						
Hazard Class	9						
Packing Group	III						
IMDG/IMO							
UN-No	UN3077						
Proper Shipping Name	Environmentally hazardous substances, solid, n.o.s.						
Hazard Class	9						
Packing Group							
	15. Regulatory information						

#### United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Copper oxide	1317-38-0	Х	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

#### TSCA 12(b) - Notices of Export Not applicable

#### International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Copper oxide 1317-38-0 X - 215-269-1 X X X X X X KE-08942	Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
	Copper oxide	1317-38-0	Х	-	215-269-1	Х	Х	Х	Х	Х	KE-08942

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

#### U.S. Federal Regulations

#### **SARA 313**

Component	CAS No	Weight %	SARA 313 - Threshold Values %
Copper oxide	1317-38-0	>95	1.0

#### SARA 311/312 Hazard Categories

See section 2 for more information

#### CWA (Clean Water Act)

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Copper oxide	-	-	Х	-
Clean Air Act	Not applicable			
<b>OSHA</b> - Occupational Safety and Health Administration	Not applicable			
CERCLA	Not applicable			
California Proposition 65	This product does	not contain any Proposi	tion 65 chemicals.	

#### U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Copper oxide	-	Х	Х	-	-

#### **U.S. Department of Transportation**

Reportable Quantity (RQ):	Ν
DOT Marine Pollutant	Ν
DOT Severe Marine Pollutant	Ν

#### **U.S. Department of Homeland** Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade

No information available

Authorisation/Restrictions according to EU REACH

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Copper oxide	1317-38-0	Listed	Not applicable	Not applicable	Not applicable
Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Copper oxide	1317-38-0	Not applicable	Not applicable	Not applicable	Annex I - Y22

	16. Other information
Prepared By	Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com
Creation Date Revision Date Print Date Revision Summary	08-Sep-2009 26-Dec-2021 26-Dec-2021 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

### **End of SDS**