

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** NATOLE Sanitary Cleaner  
Art. No. 4060  
**Revision date :** 11.12.2019  
**Print date :** 12.12.2019

**Version (Revision) :** 2.0.1 (2.0.0)

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

### 1.1 Product identifier

NATOLE Sanitary Cleaner  
Art. No. 4060

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses**

Product Categories [PC] Washing and cleaning products

### 1.3 Details of the supplier of the safety data sheet

**Supplier (manufacturer/importer/only representative/downstream user/distributor)**

BIOFA Naturprodukte W.Hahn GmbH

**Street :** Dobelstr.22

**Postal code/city :** D-73087 Bad Boll

**Telephone :** +49 (0) 7164-9405-0

**Telefax :** +49 (0) 7164-9405-94

**Information contact :**

**Respondent department:** product safety department

**Contact:** Mr. Andrew Beuttenmüller

**E-mail address of the competent person responsible for the SDS:** a.beuttenmueller@biofa-de.com

### 1.4 Emergency telephone number

During office time 7:30 to 16:30: +49 (0) 7164-9405-0

Emergency telephone number Berlin (24 h): +49(0)30/30686700 Support in English

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

**Classification according to Regulation (EC) No 1272/2008 [CLP]**

Eye Irrit. 2 ; H319 - Serious eye damage/eye irritation : Category 2 ; Causes serious eye irritation.

Skin Irrit. 2 ; H315 - Skin corrosion/irritation : Category 2 ; Causes skin irritation.

### 2.2 Label elements

**Labelling according to Regulation (EC) No. 1272/2008 [CLP]**

**Hazard pictograms**



Exclamation mark (GHS07)

**Signal word**

Warning

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** NATOLE Sanitary Cleaner  
Art. No. 4060  
**Revision date :** 11.12.2019  
**Print date :** 12.12.2019

**Version (Revision) :** 2.0.1 (2.0.0)

### Hazard components for labelling

CITRIC ACID ; CAS No. : 77-92-9  
FORMIC ACID ; CAS No. : 64-18-6  
lavandin oil ; CAS No. : 8022-15-9  
Peppermintoil ; CAS No. : 68917-18-0

### Hazard statements

H315 Causes skin irritation.  
H319 Causes serious eye irritation.

### Precautionary statements

P102 Keep out of reach of children.  
P103 Read label before use.  
P101 If medical advice is needed, have product container or label at hand.  
P264 Wash ... thoroughly after handling.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P332+P313 If skin irritation occurs: Get medical advice/attention.  
P337+P313 If eye irritation persists: Get medical advice/attention.  
P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor/.../ if you feel unwell.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P501 Dispose of contents/container in accordance with local/national regulations

### Special rules for supplemental label elements for certain mixtures

EUH208 Contains lavandin oil ; Peppermintoil. May produce an allergic reaction.  
EUH210 Safety data sheet available on request.

## 2.3 Other hazards

None known.  
Results of PBT and vPvB assessment: Not applicable.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Hazardous ingredients

CITRIC ACID ; EC No. : 201-069-1; CAS No. : 77-92-9 ; REACH registration No. : 01-2119457026-42

Weight fraction :  $\geq 1 - < 6 \%$   
Classification 1272/2008 [CLP] : Eye Irrit. 2 ; H319

ETHANOL ; EC No. : 200-578-6; CAS No. : 64-17-5 ; REACH registration No. : 01-2119457610-43

Weight fraction :  $\geq 1 - < 2 \%$   
Classification 1272/2008 [CLP] : Flam. Liq. 2 ; H225 Eye Irrit. 2 ; H319

FORMIC ACID ; EC No. : 200-579-1; CAS No. : 64-18-6

Weight fraction :  $\geq 1 - < 2 \%$   
Classification 1272/2008 [CLP] : Flam. Liq. 3 ; H226 Met. Corr. 1 ; H290 Acute Tox. 3 ; H331 Skin Corr. 1A ; H314 Eye Dam. 1 ; H318 Acute Tox. 4 ; H302

Peppermintoil ; EC No. : 290-058-5; CAS No. : 68917-18-0

Weight fraction :  $\geq 0,1 - < 0,25 \%$   
Classification 1272/2008 [CLP] : Skin Irrit. 2 ; H315 Skin Sens. 1 ; H317 Aquatic Chronic 2 ; H411

lavandin oil ; EC No. : 297-384-7; CAS No. : 8022-15-9

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** NATOLE Sanitary Cleaner  
Art. No. 4060

**Revision date :** 11.12.2019

**Print date :** 12.12.2019

**Version (Revision) :** 2.0.1 (2.0.0)

Classification 1272/2008 [CLP] : Skin Irrit. 2 ; H315 Skin Sens. 1 ; H317 Aquatic Chronic 3 ; H412

### Additional information

Full text of H- and EUH-phrases: see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General information

When in doubt or if symptoms are observed, get medical advice. Never give anything by mouth to an unconscious person or a person with cramps. Remove contaminated, saturated clothing immediately. If unconscious place in recovery position and seek medical advice.

#### Following inhalation

Provide fresh air. In case of respiratory tract irritation, consult a physician.

#### In case of skin contact

Remove contaminated, saturated clothing immediately. Subsequently wash off with: Water  
In case of skin reactions, consult a physician.

#### After eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. If necessary remove contact lenses and continue to flush with plenty of clean, fresh water.

#### After ingestion

Call a physician immediately. Put victim at rest, cover with a blanket and keep warm. Do NOT induce vomiting. If vomiting occurs, be sure to avoid choking. Rinse mouth thoroughly with water.

### 4.2 Most important symptoms and effects, both acute and delayed

No information available.

### 4.3 Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

alcohol resistant foam Carbon dioxide (CO<sub>2</sub>) Water spray Extinguishing powder

### 5.2 Special hazards arising from the substance or mixture

"Fire will produce dense black smoke. Exposure to danger decomposition products may cause a health hazard. " In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO<sub>2</sub>) Nitrogen oxides (NO<sub>x</sub>)

### 5.3 Advice for firefighters

Use suitable breathing apparatus. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** NATOLE Sanitary Cleaner  
Art. No. 4060

**Revision date :** 11.12.2019

**Print date :** 12.12.2019

**Version (Revision) :** 2.0.1 (2.0.0)

Danger of slipping on spilled product. Provide adequate ventilation. Wear breathing apparatus if exposed to vapours/dusts/aerosols. See protective measures under point 7 and 8.

### 6.2 Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates drains, lakes, rivers or sewers, inform the appropriate authorities in accordance with local regulations.

### 6.3 Methods and material for containment and cleaning up

#### For cleaning up

Larger amounts have to be pumped out. Contain and collect small spillages with non-combustible absorbent materials, e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Wash with plenty of water.

### 6.4 Reference to other sections

See protective measures under point 7 and 8.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Avoid contact with skin and eyes.

Keep container tightly closed. Never use pressure to empty container. Keep/Store only in original container. Comply with health and safety regulations.

Do not allow to enter into surface water or drains.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations.

#### Hints on joint storage

Keep away from: Alkali (lye). Acid Oxidizing agent

**Storage class :** 12

**Storage class (TRGS 510) :** 12

#### Further information on storage conditions

Observe label and technical data sheet precautions. Keep only in the original container in a cool, well-ventilated place. Protect against Heat. Frost Containers which are opened must be carefully resealed and kept upright to prevent leakage.

### 7.3 Specific end use(s)

Cleaning concentrate for kitchens, bathrooms and toilets.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational exposure limit values

ETHANOL ; CAS No. : 64-17-5

Limit value type (country of origin) : TRGS 900 ( D )

Limit value : 500 ppm / 960 mg/m<sup>3</sup>

Peak limitation : 2(II)

Remark : Y

Version : 17.10.2017

FORMIC ACID ; CAS No. : 64-18-6

Limit value type (country of origin) : TRGS 900 ( D )

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** NATOLE Sanitary Cleaner  
Art. No. 4060

**Revision date :** 11.12.2019

**Print date :** 12.12.2019

**Version (Revision) :** 2.0.1 (2.0.0)

Limit value : 5 ppm / 9,5 mg/m<sup>3</sup>

Peak limitation : 2(I)

Remark : Y

Version : 17.10.2017

Limit value type (country of origin) : TWA ( EC )

Limit value : 5 ppm / 9 mg/m<sup>3</sup>

Version : 07.02.2006

## 8.2 Exposure controls

### Appropriate engineering controls

Not necessary

### Personal protection equipment

Safety data sheet of raw material suppliers or taken by accredited Laboratories or have been determined internally

#### Eye/face protection

Suitable eye protection Eye glasses with side protection

#### Skin protection

After cleaning apply high-fat content skin care cream.

#### Hand protection

Tested protective gloves must be worn DIN EN 374

Breakthrough times and swelling properties of the material must be taken into consideration.

Suitable material : NBR (Nitrile rubber)

Thickness of the glove material 0,35 mm

Breakthrough time (maximum wearing time) > 480 min.

NR (natural rubber, natural latex)

Thickness of the glove material 0,5 mm

Breakthrough time (maximum wearing time) > 480 min.

PVC (Polyvinyl chloride)

Thickness of the glove material 0,5 mm

Breakthrough time (maximum wearing time) > 480 min.

#### Body protection

Personnel should wear impermeable protective work clothing.

Recommended material Natural fibres (e.g. cotton)

#### Respiratory protection

Not necessary

### Environmental exposure controls

See section 7. No additional measures necessary.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

**Physical state :** liquid

**Colour :** green

#### Odour

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** NATOLE Sanitary Cleaner  
Art. No. 4060  
**Revision date :** 11.12.2019  
**Print date :** 12.12.2019

**Version (Revision) :** 2.0.1 (2.0.0)

lavender

## Odour threshold

Not determined

## Safety relevant basis data

<b>Melting point/melting range :</b>		No data available	
<b>Initial boiling point and boiling range :</b>	( 1013 hPa )	>	100 °C
<b>Decomposition temperature :</b>		No data available	
<b>Flash point :</b>		not applicable	DIN EN ISO 1523
<b>Ignition temperature :</b>		not applicable	
<b>Lower explosion limit :</b>		not applicable	
<b>Upper explosion limit :</b>		not applicable	
<b>Vapour pressure :</b>	( 50 °C )	No data available	
<b>Density :</b>	( 20 °C )	1,021 - 1,026	g/cm <sup>3</sup> DIN 53217
<b>Solvent separation test :</b>	( 20 °C )	not applicable	
<b>Water solubility :</b>	( 20 °C )	completely mixable	
<b>pH :</b>		2,1 - 2,3	
<b>Flow time :</b>	( 20 °C )	45 - 55	s DIN-cup 4 mm
<b>Viscosity :</b>	( 20 °C )	1200 - 1400	mPa.s Brookfield
<b>Solid content :</b>		not determined	
<b>Solvent content :</b>		0	Wt %
<b>Maximum VOC content (EC) :</b>		3 - 4	Wt %
<b>Maximum VOC content (Switzerland) :</b>		3 - 4	Wt %

Self-ignition: Product is not self-igniting.

**danger of explosion by solvents:** Not applicable

Relative density: Not determined

Vapour density: Not determined

Evaporation rate: Not determined

N-octanol-water partition coefficient: Not determined

## 9.2 Other information

None

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No dangerous reactivity under recommended usage, handling and storage.

### 10.2 Chemical stability

Stable under recommended usage, storage and handling conditions (see section 7).

### 10.3 Possibility of hazardous reactions

None known.

### 10.4 Conditions to avoid

Thermal decomposition can lead to the escape of irritating gases and vapours.

### 10.5 Incompatible materials

Alkali (lye). Acid Oxidizing agent.

### 10.6 Hazardous decomposition products

By combustion and thermal decomposition at high temperatures, the following chemicals can be produced: Carbon

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** NATOLE Sanitary Cleaner  
Art. No. 4060

**Revision date :** 11.12.2019

**Print date :** 12.12.2019

**Version (Revision) :** 2.0.1 (2.0.0)

dioxide. Carbon monoxide Nitrogen oxides (NOx). carbon black.

### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

##### Acute effects

###### Acute oral toxicity

Parameter : LD50 ( FORMIC ACID ; CAS No. : 64-18-6 )

Exposure route : Oral

Species : Rat

Effective dose : 1210 mg/kg

Parameter : LD50 ( Citric acid ; CAS No. : 5949-29-1 )

Exposure route : Oral

Species : Mouse

Effective dose : 5400 mg/kg

###### Acute dermal toxicity

Parameter : LD50 ( Citric acid ; CAS No. : 5949-29-1 )

Exposure route : Dermal

Species : Rat

Effective dose : > 2000 mg/kg

###### Acute inhalation toxicity

Parameter : LC50 ( ETHANOL ; CAS No. : 64-17-5 )

Exposure route : Inhalation

Species : Rat

Effective dose : > 1800 mg/kg

Exposure time : 4 h

##### Irritant and corrosive effects

###### Primary irritation to the skin

Skin contact: frequent and prolonged skin contact may cause irritation and skin inflammation. .  
The mixture need not be classified as corrosive in spite of the extreme pH.

###### Irritation to eyes

Causes serious eye irritation. .

###### Irritation to respiratory tract

The product is: Not an irritant.

##### Sensitisation

May cause an allergic skin reaction.

##### Repeated dose toxicity (subacute, subchronic, chronic)

Toxicological data are not available.

##### CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

###### Carcinogenicity

Toxicological data are not available.

###### Germ cell mutagenicity

Toxicological data are not available.

###### Reproductive toxicity

Toxicological data are not available.

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** NATOLE Sanitary Cleaner  
Art. No. 4060  
**Revision date :** 11.12.2019  
**Print date :** 12.12.2019

**Version (Revision) :** 2.0.1 (2.0.0)

### SECTION 12: Ecological information

#### 12.1 Toxicity

##### Aquatic toxicity

###### Acute (short-term) fish toxicity

Parameter : LC50 ( FORMIC ACID ; CAS No. : 64-18-6 )  
Species : Leuciscus idus (golden orfe)  
Evaluation parameter : Acute (short-term) fish toxicity  
Effective dose : 46 - 100 mg/l  
Exposure time : 96 h  
Parameter : LC50 ( Citric acid ; CAS No. : 5949-29-1 )  
Species : Leuciscus idus (golden orfe)  
Evaluation parameter : Acute (short-term) fish toxicity  
Effective dose : 440 mg/l  
Exposure time : 48 h

###### Acute (short-term) daphnia toxicity

Parameter : EC50 ( FORMIC ACID ; CAS No. : 64-18-6 )  
Species : Daphnia magna (Big water flea)  
Evaluation parameter : Acute (short-term) daphnia toxicity  
Effective dose : 120 mg/l  
Exposure time : 48 h  
Parameter : EC50 ( Citric acid ; CAS No. : 5949-29-1 )  
Species : Daphnia magna (Big water flea)  
Evaluation parameter : Acute (short-term) daphnia toxicity  
Effective dose : 1535 mg/l  
Exposure time : 24 h

###### Acute (short-term) algae toxicity

Parameter : EC50 ( FORMIC ACID ; CAS No. : 64-18-6 )  
Species : Desmodesmus subspicatus  
Evaluation parameter : Acute (short-term) algae toxicity  
Effective dose : 26,9 mg/l  
Exposure time : 72 h  
Parameter : EC50 ( Citric acid ; CAS No. : 5949-29-1 )  
Species : Scenedesmus quadricauda  
Evaluation parameter : Acute (short-term) algae toxicity  
Effective dose : 425 mg/l  
Exposure time : 168 h

###### Bacteria toxicity

Parameter : Bacteria toxicity ( Citric acid ; CAS No. : 5949-29-1 )  
Species : Pseudomonas putida  
Evaluation parameter : Bacteria toxicity  
Effective dose : > 10000 mg/l  
Exposure time : 16 h

#### 12.2 Persistence and degradability

The surfactants/soaps contained in this mixture meet the requirements of Detergents Regulation 648/2004/EC concerning their biodegradability

#### 12.3 Bioaccumulative potential



# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** NATOLE Sanitary Cleaner  
Art. No. 4060  
**Revision date :** 11.12.2019  
**Print date :** 12.12.2019

**Version (Revision) :** 2.0.1 (2.0.0)

No indication of bioaccumulation potential.

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

### 12.6 Other adverse effects

No data available

### 12.7 Additional ecotoxicological information

Do not allow to enter into surface water or drains.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Do not allow to enter into surface water or drains.

#### Product/Packaging disposal

Wastes and empty containers must be classified in accordance with the Waste Catalogue Ordinance.

#### Waste codes/waste designations according to EWC/AVV

##### Waste code product

20 01 29\*

##### Waste name

Detergents containing dangerous substances.

##### Waste code packaging

15 01 10\*

##### Waste name

Packaging containing residues of or contaminated by dangerous substances.

#### Waste treatment options

##### Appropriate disposal / Package

Packing which cannot be properly cleaned must be disposed of.

Non-contaminated packages may be recycled.

## SECTION 14: Transport information

### 14.1 UN number

No dangerous good in sense of these transport regulations.

### 14.2 UN proper shipping name

No dangerous good in sense of these transport regulations.

### 14.3 Transport hazard class(es)

No dangerous good in sense of these transport regulations.

### 14.4 Packing group

No dangerous good in sense of these transport regulations.

### 14.5 Environmental hazards

No dangerous good in sense of these transport regulations.

### 14.6 Special precautions for user

None

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** NATOLE Sanitary Cleaner  
Art. No. 4060

**Revision date :** 11.12.2019

**Print date :** 12.12.2019

**Version (Revision) :** 2.0.1 (2.0.0)

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

### 14.8 Additional information

No dangerous good in sense of these transport regulations.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Regulation (EC) No. 2037/2000 concerning materials, which cause damage to the ozone layer. Not applicable

Directive 96/82/EC for danger control following severe accidents with dangerous substances Not subject to 96/82/EC

#### National regulations

Restrictions of occupation

None, if handled according to order.

#### Störfallverordnung

Not subject to StörfallVO.

#### Technische Anleitung Luft (TA-Luft)

Weight fraction (Number 5.2.5. I) : < 5 %

#### Water hazard class (WGK)

Class : 1 (Slightly hazardous to water) Classification according to AwSV

#### Additional information

Giscode : GS 60

### 15.2 Chemical safety assessment

Chemical safety assessments for substances in this preparation were not carried out.

## SECTION 16: Other information

### 16.1 Indication of changes

02. Classification of the substance or mixture · 02. Labelling according to Regulation (EC) No. 1272/2008 [CLP] · 02. Labelling according to Regulation (EC) No. 1272/2008 [CLP] - Hazard components for labelling · 03. Hazardous ingredients · 15. Water hazard class (WGK)

### 16.2 Abbreviations and acronyms

Acute Tox.	Akute Toxizität
ADR	Accord europeen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road – Europäisches Übereinkommen über die internationale Beförderung gefährlicher Güter auf der Straße
Aquatic Acute	Akute aquatische Toxizität
Aquatic Chronic	Chronische aquatische Toxizität
Asp. Tox.	Aspirationsgefahr
AVV	Abfallverzeichnis-Verordnung
AwSV	Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen
BImSchV	Verordnung zur Durchführung des Bundesimmissionsschutzgesetzes
CAS	Chemical Abstracts Service – Gesellschaft für die Vergabe von CAS-Nummern
CLP	Classification, Labelling and Packaging (Verordnung (EG) Nr. 1272/2008 über die Einstufung, Kennzeichnung und Verpackung von Stoffen und Gemischen)

**Safety Data Sheet**  
**according to Regulation (EC) No. 1907/2006 (REACH)**



**Trade name :** NATOLE Sanitary Cleaner  
 Art. No. 4060

**Revision date :** 11.12.2019

**Version (Revision) :** 2.0.1 (2.0.0)

**Print date :** 12.12.2019

CMR	carcinogen, mutagen, reproduktionstoxisch (krebserzeugend, erbgutverändernd, fortpflanzungsgefährdend)
DIN	Deutsches Institut für Normung
EAK	Europäischer Abfallkatalog
EC50	Mittlere effektive Konzentration
EN	Europäische Norm
EU	Europäische Union
EUH	Europäische Gefahrenhinweise
Eye Dam.	Schwere Augenschädigung
Eye Irrit.	Augenreizend
Flam. Liq.	Entzündbare Flüssigkeit
GHS	Globally Harmonised System of Classification and Labelling of Chemicals (Global Harmonisiertes System zur Einstufung und Kennzeichnung von Chemikalien)
hPa	Hectopascal
IATA-DGR	International Air Transport Association –Dangerous Goods Regulations (Gefahrgutvorschriften der Internationalen Flug-Transport-Vereinigung)
ICAO-TI	International Civil Aviation Organization-Technical Instructions (Technische Anleitungen für den sicheren Transport von Gefahrgütern in der Luft der zivilen Luftfahrtgesellschaft)
IC50	Halbmaximale Hemmstoffkonzentration
IMDG	International Maritime Code for Dangerous Goods (Internationaler Code für Gefahrgüter auf See)
ISO	International Standards Organization (Internationale Organisation für Normung)
LC50	Lethal concentration, 50 percent (Lethale Konzentration für 50% einer Versuchspopulation)
LD50	Lethal dose, 50 percent (Lethale Dosis für 50% einer Versuchspopulation)
LQ	Limited Quantities (begrenzte Mengen)
MAK	Maximale Arbeitsplatzkonzentrationswerte gesundheitsgefährdender Stoffe
Met. Corr.	Korrosiv gegenüber Metallen
NOEC	No Observed Effect Concentration (Tierexperimentell festgelegte höchste Konzentration, bei der keine Wirkung – schädigender Effekt – mehr nachweisbar ist)
PBT	Persistent, Bioaccumulative and Toxic (persistent, bioakkumulierbar und toxisch)
RCP	Reciprocal Calculation-based Procedure (Methode zur Berechnung von Arbeitsplatzgrenzwerten von Kohlenwasserstoffgemischen)
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals (Verordnung (EG) Nr. 1907/2006 zur Registrierung, Bewertung, Zulassung und Beschränkung chemischer Stoffe)
RID	Reglement concernant le transport International ferroviaire de marchandises Dangereuses (Regelung zur internationalen Beförderung gefährlicher Güter im Schienenverkehr)
Skin Corr.	Hautätzende Wirkung
Skin Irrit.	Hautreizende Wirkung
Skin Sens.	Sensibilisierung durch Hautkontakt
STOT RE	Spezifische Zielorgan-Toxizität – wiederholte Exposition
STOT SE	Spezifische Zielorgan-Toxizität – bei einmaliger Exposition
TRGS	Technische Regeln für Gefahrstoffe
UN	United Nations (Vereinte Nationen)
VbF	Verordnung über brennbare Flüssigkeiten (Österreichische Verordnung)
VOC	Volatile Organic Compounds (flüchtige organische Verbindungen)
vPvB	very Persistent and very Bioaccumulative (sehr persistent und sehr bioakkumulierbar)
WGK	Wassergefährdungsklasse (German Water Hazard Class)

Siehe auch Übersichtstabellen unter [www.euphrac.com](http://www.euphrac.com) oder <http://abk.esdscom.eu>

**16.3 Key literature references and sources for data**

Regulation (EC) No. 1907/2006 (REACH), 1272/2008 (CLP) in the current version.  
 Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP] Transport regulations according ADR, RID, IMDG, IATA in the current version.  
 Safety data sheet taken from raw material suppliers or taken by accredited Laboratories or have been determined

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** NATOLE Sanitary Cleaner  
Art. No. 4060

**Revision date :** 11.12.2019

**Print date :** 12.12.2019

**Version (Revision) :** 2.0.1 (2.0.0)

internally

### 16.4 **Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]**

The classification and evaluation was carried out by the calculation method.

### 16.5 **Relevant H- and EUH-phrases (Number and full text)**

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

### 16.6 **Training advice**

None

### 16.7 **Additional information**

None

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.