


Quality **FARM SUPPLY**

PARTS CATALOG

2021



A PART OF THE GREAT AMERICAN FARM LANDSCAPE

CONTENTS

POLICY & ORDER PAGES	3	PLANTING	25
DISC BLADES	5	Planter Parts for John Deere	25
Smooth Disc Blades	5	Planter Parts for Monosem	26
Notched Discs Blades	6	Planter Parts for White	27
Vertical Tillage	8	Grain Drill Parts for John Deere	27
VERTICAL TILLAGE & DISC HARROW	9	Grain Drill Parts for Tye	29
For John Deere	9	Grain Drill Parts for Great Plains	29
For Case	9	Grain Drill Parts for Sunflower, Krause, & Landoll	29
For Krause, Salford, Summers, & McFarlane	9	Grain Drill Parts for Case IH	30
For Landoll & Sunflower	9	Planter Talc & Graphite	31
Disc Axles	11	AG SPRAY	32
Disc Scrapers / Arms	11	Sprayers	32
End Washers	12	Guidance	33
Transport Hubs / Spindles	12	Spray Tips & Nozzles	34
Disc Bearings	15	Pressure Gauges	38
Disc Spools	15	Hose & Hose Clamps	39
Bearing Components	16	CUTTING	42
BEARINGS & SEALS	17	Mower & Rotary Cutter Blades	42
Cast Iron Housings	17	For Alamo	42
Disc Harrow Bearings – NTN	17	For Bush Hog	42
Flanged Disc Bearings – NTN	17	For Hardee	42
Cotton Stripper Bearings – AgSmart	17	For Howse	42
Disc Harrow Insert Bearings – Fafnir	18	For John Deere	42
Flanged Disc Bearings – AgSmart	18	For Land Pride	42
Pre-Lube Disc Bearings – AgSmart	19	For Hardee	42
Pillow Block Bearings – Fafnir	19	For Tiger	42
Re-Lube Insert Bearings – Fafnir	20	For Schulte	43
Sealed Insert Bearings – Fafnir	20	For Servis	43
Specialty Ag Bearings – Fafnir / AgSmart	21	For Sidewinder	43
Stamped Steel Flanges	21	For Woods	43
Tapered Cup/Cone Bearings	22	Sickle Assemblies & Sickle Sections	44
Wheel Bearing Kits for Disc Harrow, Do-All's, & Cane Cultivators	23	Rake & Cutter Parts	44
Riveted Flange Round Bore Bearings	23	HYDRAULICS	45
Disc Harrow Insert & Flanged Bearings	23	Hydraulic Cylinders	45
Disc Harrow Bearings – Square Bore – AgSmart	23	Valves	46
Hipper Bearings	23	ICEBIN COOLERS & TUMBLERS	49
Planter, Drill, & Cultivator Bearings	24	LED AG EQUIPMENT LIGHTING	50

CONTENTS

EQUIPMENT	52	HITCH & LINKAGE	79
FARM SUPPLIES	53	Hitch Pins & Top Link Pins.....	79
Insect Repellent.....	53	Lift Arm Pins, Quick Hitches, & Drawbars.....	80
Extension Cords.....	53	Top Link Assemblies & Lift Arm Bushings.....	81
Air Accessories.....	54	Top Link Ball Sockets & Clevises.....	82
Grease / Tire Sealant.....	54	Misc. Pins.....	83
Fuel Jugs & Lubricants.....	55	CHAINS & SPROCKETS	84
Fuel Transfer.....	56	Roller Chain.....	84
Towing Accessories.....	57	Connecting Links.....	85
IRRIGATION	62	Hubs & Sprockets.....	86
Drivelines & Accessories.....	62	PICKSMART COTTON PICKER PARTS	87
Fuel Tank Accessories.....	62	TILLAGE	90
Polypipe Clamps.....	62	Field Cultivator Sweeps.....	90
Levee Dams.....	62	Field Cultivator Parts.....	90
TRACTOR PARTS	63	Chisel Plows & Cultivators.....	91
Starters & Alternators.....	63	Furrowers & Chisel Sweeps.....	91
Switches.....	64	Welded Steel Disc Chain for Kelly.....	92
For John Deere.....	65		
For New Holland.....	66		
For Massey Ferguson.....	67		
For Ford New Holland.....	67		
Filters.....	68		
Seats & Seat Cushions.....	73		
PTO.....	74		
Tractor Hydraulics.....	75		
Power Unit Parts.....	77		

See Our Full Range of Over 25,000 Products at
www.qualityfarmsupply.com



STATEMENT OF POLICY

ORDERING

Ordering is available online 24/7 at qualityfarmsupply.com or by phone Monday–Friday 8:00-5:00 CST at 855-428-9737. Before calling, it is helpful to have your order details and credit card information ready.

SHIPPING

We know you need your order as quickly as possible—all orders received by 2:00pm CST Monday–Friday will ship Same Day. Orders placed over the weekend or holidays will ship next business day.

Orders over \$200 that are shippable in four packages or less – and weighing 60 pounds or less per package—qualify for Free Shipping via UPS Ground, Postal Service, or other Ground Carriers. Orders that total less than \$200 will ship at a Flat Rate of only \$9.00.

Next Day shipping is available on all qualifying orders, but such orders do not qualify for free shipping. Next Day orders exclude weekends and holidays, and orders placed during those times may not arrive Next Day.

Overweight, Bulky Merchandise—Depending on location, these orders will be sent via FedEx Freight, SAIA Motor Freight, AAA Cooper, or another LTL Freight Carrier, using their Regular Rates to calculate shipping cost. Any orders for Overweight, Bulky Merchandise over \$2,000 will qualify for Free Shipping.

All orders only ship on business days and require a physical street address and cannot ship to PO Boxes.

PAYMENT

Payments may be made my Visa, Mastercard, Discover, American Express, or PayPal.

RETURNS

To begin your return and create a prepaid UPS label, use our interactive returns process by viewing your order history under your account information. Pack your return securely and affix your shipping label to the package, making sure no other tracking labels are showing. Drop the package off at your nearest UPS location.

If you are unable to create a return label through our website, please contact our Customer Service Department either by calling us at 855-428-9737 or by email at qfs.help@qualityfarmsupply.com within 30 days of your purchase. We will either email or mail you a return label—free to you—so you can easily return your unneeded items.*

Unless you report to us that the product was damaged upon receipt, all merchandise must be returned in new, unused, resale condition. Refunds or exchanges on any merchandise must be returned for inspection prior to credit being given. It is the responsibility of the customer to get the product to the carrier and to handle any shipping/carrier issues until the parts are returned to our facility. Please allow up to 10 business days for us to complete inspection and issue your refund. Returns may be subject to a 15% restocking fee.

*Our Free Returns Policy only qualifies for Ground-shippable returns. If you need to return items that must go LTL, please call our Customer Service Department to discuss this return.

PRICES & INVENTORY

Prices listed in our catalog are subject to change without notice and do not include any applicable taxes. Prices may differ online vs. retail stores. All prices stated in USD. Any descriptive or imaging errors in this catalog presentation are subject to correction.

CONTACT US

Customer Service for Online Customers

Monday—Friday 855-428-9737
8:00 am—5:00 pm qfs.help@qualityfarmsupply.com
(Central Standard Time)



EDGE TYPES



Fluted



Notched



Smooth



Vertical Till



Ripple



Samurai




Wavy

SMOOTH / STANDARD DISC BLADES

■ Concavity: Standard

Part No.	Ø	Thickness (mm)	AS Axle Size	CS Concavity Specification
HOLE TYPE: COMBO HOLE				
114-24360317P	24"	5	1-1/8" Sq x 1-1/4" Sq	2.80"
114-26560518P	26"	8	1-1/2" Sq x 1-3/4" Rnd	4.00"
114-28560511P	28"	8	1-1/2" Sq x 1-5/8" Rnd	4.25"
Material: Boron 15B26 / Rockwell Hardness: 46-52 Rockwell Scale				
114-16110203P	16"	3	1 Sq x 1-1/8" Sq	1.50"
114-16110317P	16"	3	1-1/8" Sq x 1-1/4" Sq	1.50"
114-16110107P	16"	3	7/8" Sq x 1 Rnd	1.50"
114-16090203P	16"	3.5	1 Sq x 1-1/8" Sq	1.50"
114-16070203P	16"	4.5	1 Sq x 1-1/8" Sq	1.50"
114-18090203P	18"	3.5	1 Sq x 1-1/8" Sq	1.63"
114-18090317P	18"	3.5	1-1/8" Sq x 1-1/4" Sq	1.63"
114-18090102P	18"	3.5	7/8" Sq x 1 Sq	1.63"
114-18070203P	18"	4.5	1 Sq x 1-1/8" Sq	1.63"
114-18360317P	18"	5	1-1/8" Sq x 1-1/4" Sq	1.63"
114-20090203P	20"	3.5	1 Sq x 1-1/8" Sq	1.88"
114-20090317P	20"	3.5	1-1/8" Sq x 1-1/4" Sq	1.88"
114-20070203P	20"	4.5	1 Sq x 1-1/8" Sq	1.88"
114-20070317P	20"	4.5	1-1/8" Sq x 1-1/4" Sq	1.88"
114-20360317P	20"	5	1-1/8" Sq x 1-1/4" Sq	1.88"
114-22070317P	22"	4.5	1-1/8" Sq x 1-1/4" Sq	2.50"
114-22360203P	22"	5	1 Sq x 1-1/8" Sq	2.50"
114-22360317P	22"	5	1-1/8" Sq x 1-1/4" Sq	2.50"
114-22141706P	22"	6	1-1/4" Sq x 1-1/2" Rnd	2.50"
114-22140317P	22"	6	1-1/8" Sq x 1-1/4" Sq	2.50"
114-24140518P	24"	6	1-1/2" Sq x 1-3/4" Rnd	2.80"
114-24140511P	24"	6	1-1/2" Sq x 1-5/8" Rnd	2.80"
114-24140317P	24"	6	1-1/8" Sq x 1-1/4" Sq	2.80"
114-26140518P	26"	6	1-1/2" Sq x 1-3/4" Rnd	4.00"
114-26140511P	26"	6	1-1/2" Sq x 1-5/8" Rnd	4.00"
114-26140317P	26"	6	1-1/8" Sq x 1-1/4" Sq	4.00"




Part No.	Ø	Thickness (mm)	AS Axle Size	CS Concavity Specification
HOLE TYPE: SINGLE PUNCH				
114-181405P	18"	6	1-1/2" Square	1.63"
114-181403P	18"	6	1-1/8" Square	1.63"
Material: Boron 15B26 / Rockwell Hardness: 46-52 Rockwell Scale				
114-160903P	16"	3.5	1-1/8" Square	1.50"
114-160703P	16"	4.5	1-1/8" Square	1.50"
114-160705P	16"	4.5	1-1/2" Square	1.50"
114-180904P	18"	3.5	1-1/8" Round	1.63"
114-180903P	18"	3.5	1-1/8" Square	1.63"
114-180706P	18"	4.5	1-1/2" Round	1.63"
114-180703P	18"	4.5	1-1/8" Square	1.63"
114-183605P	18"	5	1-1/2" Square	1.63"
114-183603P	18"	5	1-1/8" Square	1.63"
114-200705P	20"	4.5	1-1/2" Square	1.88"
114-200703P	20"	4.5	1-1/8" Square	1.88"
114-200718P	20"	4.5	1-3/4" Round	1.88"
114-203606P	20"	5	1-1/2" Round	1.88"
114-203605P	20"	5	1-1/2" Square	1.88"
114-203603P	20"	5	1-1/8" Square	1.88"
114-201403P	20"	6	1-1/8" Square	2.00"
114-201405P	20"	6	1-1/2" Square	2.00"
114-220706P	22"	4.5	1-1/2" Round	2.50"
114-220703P	22"	4.5	1-1/8" Square	2.50"
114-223618P	22"	5	1-3/4" Round	1.5"
114-223606P	22"	5	1-1/2" Round	2.50"
114-223605P	22"	5	1-1/2" Square	2.50"
114-223603P	22"	5	1-1/8" Square	2.50"
114-221406P	22"	6	1-1/2" Round	2.50"
114-221405P	22"	6	1-1/2" Square	2.50"
114-221403P	22"	6	1-1/8" Square	2.50"
114-221418P	22"	6	1-3/4" Round	2.50"
114-221423P	22"	6	2" Round	2.50"
114-243618MFP	24"	5	1-3/4" Round	2.63"
114-243618MRP	24"	5	1-3/4" Round	3.75"
114-241406P	24"	6	1-1/2" Round	2.80"
114-241405PDF	24"	6	1-1/2" Square	2.80"
114-241405P	24"	6	1-1/2" Square	2.80"
114-241417P	24"	6	1-1/4" Square	2.80"
114-241403PDF	24"	6	1-1/8" Square	2.80"
114-241403P	24"	6	1-1/8" Square	2.80"
114-241418P	24"	6	1-3/4" Round	2.80"
114-241423P	24"	6	2" Round	2.80"
114-261405PDF	26"	6	1-1/2" Square	4.00"
114-261405P	26"	6	1-1/2" Square	4.00"
114-261417P	26"	6	1-1/4" Square	4.00"
114-285605P	28"	8	1-1/2" Square	4.25"
114-285623P	28"	8	2" Round	4.25"

Wear Tuff Coat -

NOTCHED / STANDARD DISC BLADES

■ Concavity: Standard


Part No.	Ø	Thick- ness (mm)	AS Axle Size	CS Concavity Specification
HOLE TYPE: COMBO HOLE				
114-22140317N	22"	6	1-1/8" Sq x 1-1/4" Sq	2.50"
114-26561706N	26"	8	1-1/4" Sq x 1-1/2" Rnd	4.00"
Material: Boron 15B26				
Rockwell Hardness: 46-52 Rockwell Scale				
114-16110203N	16"	3	1 Sq x 1-1/8" Sq	1.50"
114-16110107N	16"	3	7/8" Sq x 1 Rnd	1.50"
114-16110102N	16"	3	7/8" Sq x 1 Sq	1.50"
114-16070203N	16"	4.5	1 Sq x 1-1/8" Sq	1.50"
114-16090203N	16"	3.5	1 Sq x 1-1/8" Sq	1.50"
114-16090102N	16"	3.5	7/8" Sq x 1 Sq	1.50"
114-18360203N	18"	5	1 Sq x 1-1/8" Sq	1.63"
114-18360317N	18"	5	1-1/8" Sq x 1-1/4" Sq	1.63"
114-18070203N	18"	4.5	1 Sq x 1-1/8" Sq	1.63"
114-18070317N	18"	4.5	1-1/8" Sq x 1-1/4" Sq	1.63"
114-18090203N	18"	3.5	1 Sq x 1-1/8" Sq	1.63"
114-18090317N	18"	3.5	1-1/8" Sq x 1-1/4" Sq	1.63"
114-18090107N	18"	3.5	7/8" Sq x 1 Rnd	1.63"
114-18090102N	18"	3.5	7/8" Sq x 1 Sq	1.63"
114-20360317N	20"	5	1-1/8" Sq x 1-1/4" Sq	1.88"
114-20070203N	20"	4.5	1 Sq x 1-1/8" Sq	1.88"
114-20070317N	20"	4.5	1-1/8" Sq x 1-1/4" Sq	1.88"
114-20070107N	20"	4.5	7/8" Sq x 1 Rnd	1.88"
114-20090203N	20"	3.5	1 Sq x 1-1/8" Sq	1.88"
114-20090317N	20"	3.5	1-1/8" Sq x 1-1/4" Sq	1.88"
114-20090102N	20"	3.5	7/8" Sq x 1 Sq	1.88"
114-22360317N	22"	5	1-1/8" Sq x 1-1/4" Sq	2.50"
114-22070317N	22"	4.5	1-1/8" Sq x 1-1/4" Sq	2.50"
114-24140518N	24"	6	1-1/2" Sq x 1-3/4" Rnd	2.80"
114-24140511N	24"	6	1-1/2" Sq x 1-5/8" Rnd	2.80"
114-24140317N	24"	6	1-1/8" Sq x 1-1/4" Sq	2.80"
114-26140518N	26"	6	1-1/2" Sq x 1-3/4" Rnd	4.00"
114-26140317N	26"	6	1-1/8" Sq x 1-1/4" Sq	4.00"
114-28140511NDF	28"	6	1-1/2" Sq x 1-5/8" Rnd	4.25"
114-28560511NDF	28"	8	1-1/2" Sq x 1-5/8" Rnd	4.25"
114-28560511N	28"	8	1-1/2" Sq x 1-5/8" Rnd	4.25"



Part No.	Ø	Thick- ness (mm)	AS Axle Size	CS Concavity Specification
HOLE TYPE: SINGLE PUNCH				
114-201405N	20"	6	1-1/2" Square	2.00"
114-321046NDF	32"	10	2-1/4" Square	4.75"
Material: Boron 15B26				
Rockwell Hardness: 46-52 Rockwell Scale				
114-183605N	18"	5	1-1/2" Square	1.63"
114-183603N	18"	5	1-1/8" Square	1.63"
114-180903N	18"	3.5	1-1/8" Square	1.63"
114-203602N	20"	5	1" Square	1.88"
114-203606N	20"	5	1-1/2" Round	1.88"
114-203605N	20"	5	1-1/2" Square	1.88"
114-203603N	20"	5	1-1/8" Square	1.88"
114-200705N	20"	4.5	1-1/2" Square	1.88"
114-200703N	20"	4.5	1-1/8" Square	1.88"
114-200903N	20"	3.5	1-1/8" Square	1.88"
114-221406N	22"	6	1-1/2" Round	2.50"
114-221405N	22"	6	1-1/2" Square	2.50"
114-221403N	22"	6	1-1/8" Square	2.50"
114-221418N	22"	6	1-3/4" Round	2.50"
114-223602N	22"	5	1" Square	2.50"
114-223606N	22"	5	1-1/2" Round	2.50"
114-223605N	22"	5	1-1/2" Square	2.50"
114-223603N	22"	5	1-1/8" Square	2.50"
114-220703N	22"	4.5	1-1/8" Square	2.50"
114-241406N	24"	6	1-1/2" Round	2.80"
114-241405NDF	24"	6	1-1/2" Square	2.80"
114-241405N	24"	6	1-1/2" Square	2.80"
114-241403N	24"	6	1-1/8" Square	2.80"
114-241418N	24"	6	1-3/4" Round	2.80"
114-243605N	24"	5	1-1/2" Square	2.80"
114-261405N	26"	6	1-1/2" Square	4.00"
114-281405N	28"	6	1-1/2" Square	4.25"
114-285605NDF	28"	8	1-1/2" Square	4.25"
114-285605N	28"	8	1-1/2" Square	4.25"
114-321046N	32"	10	2-1/4" Square	4.75"
114-361246N	36"	12	2-1/4" Square	5.00"

Wear Tuff Coat - ○

SMOOTH COULTER BLADES



Part No. Ø Thick-ness (mm) Number of Bolt Holes BS For Bolt Circle BC Bolt Circle CS For Bolt Size CCH Coulters Center Hole


HOLE TYPE: BOLT HOLES

845-P204512	20"	4.5	8	5" and 5-1/4"	1/2"	4"
845-P22451	22"	4.5	4	5"	1/2"	3-11/16"
845-P22149	22"	6.5	4	4"	1/2"	2-1/2"
845-87443010	22"	6.5	5	5-1/2"	1/2"	4-1/8"
845-87691879	24"	6	5	5-1/2"	1/2"	4"

HOLE TYPE: SINGLE PUNCH

845-P20505	20"	5	Center Hole Only			
Concavity: Shallow / Axle Size: 1-1/2" Round						

SMOOTH / CONE DISC BLADES



- Material: Boron 15B26
- Rockwell Hardness: 46-52 Rockwell Scale

Part No. Ø Thick-ness (mm) AS Axle Size CS Concavity Specification

HOLE TYPE: SINGLE PUNCH

Concavity: Deep Cone

114-223603CP	22"	5	1-1/8" Square	3.60
114-241405CP	24"	6	1-1/2" Square	4.17
114-241417CP	24"	6	1-1/4" Square	4.17

SMOOTH / VERTICAL TILL

- Concavity: Shallow
- Material: Boron 15B26
- Rockwell Hardness 46-52 Rockwell Scale




Part No. Ø Thickness (mm) AS Axle Size CS Concavity Specification

HOLE TYPE: SINGLE PUNCH

114-206518SP	20"	-	1-3/4" Round	-
114-M4477	20"	5	1-1/2" Square	0.95"
114-226518SP	22"	6.5	1-3/4" Round	1.75"
114-241423SP	24"	6	2" Round	2.35"
CCD Crimp Center Diameter: 4-1/2"				
114-SMA74699	18"	6.5	1-1/2" Round	1.00"
114-SMA74703	18"	6.5	1-1/2" Round	1.00"
114-SMA30572	20"	6.5	1-1/2" Round	1.25"
114-SMA30573	20"	6.5	1-1/2" Round	1.25"

SMOOTH / CRIMP CENTER DISC BLADES



- Concavity: Standard

Part No. Ø Thick-ness (mm) AS Axle Size CS Concavity Specification

HOLE TYPE: SINGLE PUNCH

Material: Boron 15B26

Rockwell Hardness: 46-52 Rockwell Scale

CCD Crimp Center Diameter: 6 inch

114-180703FP	18"	4.5	1-1/8" Square	1.75"
114-200703FP	20"	4.5	1-1/8" Square	2.00"
114-203606FP	20"	5	1-1/2" Round	2.00"
114-203603FP	20"	5	1-1/8" Square	2.00"
114-220706FP	22"	4.5	1-1/2" Round	2.50"
114-220703FP	22"	4.5	1-1/8" Square	2.50"
114-223606FP	22"	5	1-1/2" Round	2.50"
114-223603FP	22"	5	1-1/8" Square	2.50"
114-221406FP	22"	6	1-1/2" Round	2.50"
114-221403FP	22"	6	1-1/8" Square	2.50"


Material: Boron 15B26

Rockwell Hardness: 46-52 Rockwell Scale

CCD Crimp Center Diameter: 8 inch

114-241406FP	24"	6	1-1/2" Round	2.88"
114-241405FP	24"	6	1-1/2" Square	2.88"
114-261405FP	26"	6	1-1/2" Square	3.19"
114-281405FP	28"	6	1-1/2" Square	3.88"
114-285605FP	28"	8	1-1/2" Square	3.88"

WAVY COULTER BLADES



Part No. Ø Thick-ness (mm) NW Number of Waves BS For Bolt Circle BC Bolt Circle CS For Bolt Size CCH Coulters Center Hole

HOLE TYPE: BOLT HOLES

Number of Bolt Holes: 4

845-W16402	16"	4	25	5" and 5-1/4"	1/2"	4"
845-W174518	17"	4.5	8	5"	1/2"	3-11/16"
CS Concavity Specification: 1"						
845-W204528	20"	4.5	8	5-1/4"	1/2"	4"
845-W205018	20"	5	8	5"	1/2"	3-11/16"

Number of Bolt Holes: 5

845-W72678	16"	4.5	13	4-3/4"	1/2"	2-1/8"
845-W72680	16"	4.5	25	4-3/4"	1/2"	2-1/8"
845-W225028	22"	5	8	5-1/2"	1/2"	4"

Number of Bolt Holes: 6

845-W17458	17"	4.5	13	5"	3/8"	3.8"
845-W20458	20"	4.5	13	5"	3/8"	3.8"
845-W205020	20"	5	13	5"	3/8"	3.8"

Number of Bolt Holes: 8


845-W174512	17"	4	13	5" and 5-1/4"	1/2"	4"
845-W205012	20"	5	13	5" and 5-1/4"	1/2"	4"

HOLE TYPE: SINGLE PUNCH

Concavity: Shallow / Number of Bolt Holes: Center Hole Only


845-W226523	22"	6.5	13	None	Center Hole Only	
--------------------	-----	-----	----	------	------------------	--

FLUTED COULTER BLADES



Part No.	Ø	Thick-ness (mm)	Number of Bolt Holes	BC Bolt Circle	BS For Bolt Size	CCH Coulter Center Hole
HOLE TYPE: BOLT HOLES						
845-F174512	17"	4.5	8	5" and 5-1/4"	1/2"	4"
845-F204512	20"	4.5	8	5" and 5-1/4"	1/2"	4"
CS Concavity Specification: 3/8"						


NOTCHED / VERTICAL TILL



- Concavity: Shallow
- Material: Boron 15B26
- Number of Bolt Holes: 8 Holes
- Rockwell Hardness: 46-52 Rockwell Scale

Part No.	Ø	Thickness (mm)
HOLE TYPE: BOLT HOLES		
114-2065HSN	20"	6.5

VERTICAL TILL




Part No.	Ø	Thick-ness (mm)	Number of Bolt Holes	BC Bolt Circle	BS For Bolt Size	CCH Coulter Center Hole
HOLE TYPE: BOLT HOLES						
845-VT175012	17"	5	4	5" and 5-1/4"	1/2"	4"
845-VT185012S	18"	5	4	5" and 5-1/4"	1/2"	4"

Concavity: Shallow
Material: Boron 15B26 / Rockwell Hardness: 46-52 Rockwell Scale
 114-4559503 20" 6.5 5 4-1/4" 1/2" None

HOLE TYPE: COMBO HOLE						
Concavity: Shallow / Axle Size: 1-1/2" Sq x 1-3/4" Rnd						
845-VT20500518	20"	5	-	-	-	-
845-VT20650518	20"	6.5	-	-	-	-
845-VT22650518	22"	6.5	-	-	-	-

HOLE TYPE: SINGLE PUNCH						
Concavity: Shallow / Axle Size: 1-3/4" Round						
845-SRX226518	22"	6.5	-	-	-	-

SAMURAI BLADES




- Material: Boron 15B26
- Rockwell Hardness: 46-52 Rockwell Scale

Part No.	Ø	Thick-ness (mm)	AS Axle Size	CS Concavity Specification
HOLE TYPE: COMBO HOLE				
Concavity: Standard				
114-24140518SA	24"	6	1-1/2" Sq x 1-3/4" Rnd	2.80"
HOLE TYPE: SINGLE PUNCH				
Concavity: Shallow				
114-SMA30572SA	20"	6.5	1-1/2" Round	1.25"
CCD Crimp Center Diameter: 4-1/2"				
114-SMA30573SA	20"	6.5	1-1/2" Round	1.25"
CCD Crimp Center Diameter: 4-1/2"				
114-223618SSA	22"	5	1-3/4" Round	1.75"

NOTCHED / CONE DISC BLADES



- Concavity: Deep Cone
- CS Concavity Specification: 4.17"
- Material: Boron 15B26
- Rockwell Hardness: 46-52 Rockwell Scale




Part No.	Ø	Thickness (mm)	AS Axle Size (inch square)
HOLE TYPE: SINGLE PUNCH			
114-241405CN	24"	6	1-1/2"
114-241417CN	24"	6	1-1/4"

NOTCHED / CRIMP CENTER DISC BLADES




- Concavity: Standard
- Material: Boron 15B26
- Rockwell Hardness: 46-52 Rockwell Scale



Part No.	Ø	Thickness (mm)	AS Axle Size (inch square)	CS Concavity Specification
HOLE TYPE: SINGLE PUNCH				
CCD Crimp Center Diameter: 6 inch				
114-200703FN	20"	4.5	1-1/8"	2.00"
114-220703FN	22"	4.5	1-1/8"	2.50"
114-203603FN	20"	5	1-1/8"	2.00"
114-223606FN	22"	5	1-1/2" Round	2.50"
114-223603FN	22"	5	1-1/8"	2.50"
114-221406FN	22"	6	1-1/2" Round	2.50"
CCD Crimp Center Diameter: 8 inch				
114-241405FN	24"	6	1-1/2"	2.88"
114-261405FN	26"	6	1-1/2"	3.19"
114-281405FN	28"	6	1-1/2"	3.88"
114-286505FNDF	28"	6.5	1-1/2"	3.88"
114-285605FN	28"	8	1-1/2"	3.88"
114-285605FNDF	28"	8	1-1/2"	4.25"
114-325642FN	32"	8	1-3/4"	4.75"

Wear Tuff Coat -

RIPPLE COULTER BLADES



Part No.	Ø	Thick-ness (mm)	Number of Bolt Holes	BC Bolt Circle	BS For Bolt Size	CCH Coulter Center Hole
HOLE TYPE: BOLT HOLES						
845-SMA9254	16"	4	4	5-1/4"	1/2"	4"
CS Concavity Specification: 5/8"						
845-R16402	16"	4	4	5-1/4"	1/2"	4"
845-R17CASE	17"	4	6	3-1/4"	5/16"	31/32"
845-R174512	17"	4.5	8	5" and 5-1/4"	1/2"	4"
845-R204511	20"	4.5	6	5"	3/8"	3.8"
CS Concavity Specification: 3/8"						
845-R204510	20"	4.5	4	3.63"	3/8"	2-1/2"
845-R20451	20"	4.5	4	5"	1/2"	3-11/16"
845-R204512S	20"	4.5	4	5" and 5-1/4"	1/2"	4"

DISC HARROW

FOR JOHN DEERE®

Part No.	Description
FOR JOHN DEERE® 600 SERIES & PRIOR	
851-SMA30941	Bearing Kit, Includes Bearing, Flange Pair, Gasket, 4 Bolts and Nuts. Replaces AA30941.
851-JD85	Flange Pair and Gasket for SMA30941 Bearing Kit. Includes 2 Flanges, Grease Zerk, Gasket and 4 Bolts and Nuts. Replaces AA27172, A34792.
851-SMA30942	Bearing Kit, Includes Bearing, Flange Pair, Gasket, 4 Bolts and Nuts. Replaces AA30942.
851-SMA28186	2-3/16" ID Bearing for Tillage Tools. For 310, 315, 330, 340, 350, 360, 370, 637, 640, 650 Disc, 510, 512 Ripper. Replaces AA28186.
864-SMA28474	Bearing Wear Guard, Replaces A28474.
864-SMA16	6-11/16" Sleeve for Models with 7-1/4" Spacing. Replaces A20647.
864-SMA17	8-1/2" Sleeve for Models with 9" Spacing. Replaces A20648.
864-SMA34203	2.188" OD x 1.75" ID x 8.63" Bearing Sleeve for 9" Spacing. Fits 310, 315, 330, 331, 335, 340, 350, 355, 360, 370, 375, 635, 640, 650, 670 Discs, 1710 and 1710A Mulch Tiller. Replaces B34203.
864-SMA34204	2.188" OD x 1.75" ID x 10.5" Bearing Sleeve for 11" Spacing. Fits 310, 315, 330, 331, 335, 340, 350, 355, 360, 370, 375, 635, 640, 650, 670 Discs; 510, 512 Disc Rippers and 1700 Mulch Tiller. Replaces B34204.
864-SMA25694	Bumper Washer for Discs. Replaces A25694.



Part No.	Description
864-SMA20621	1-7/8" Spool for Models with 7-1/4" and 9" Spacing. Replaces N241315.
864-SMA240970	2-1/2" Disc Spool Fits 9" or 11" Spacing, for 1-1/4" Axle with Sleeve. Replaces N241315.
864-SMA260397	Fabricated Disc Spool for 11" Spacing Units. Replaces AN260397.
864-SMA20622	3.8" Spool for Models with 7-1/4" Spacing. Replaces N241318.
864-SMA37023	5-1/2" Spool for Models with 9" Spacing. Replaces N241314.
864-SMA13963	7" Disc Spool Fits 11" Spacing, for 1-1/4" Axle with Sleeve. Replaces N241234, KK13963.
864-SMA28369	Full Spool for Models with 7-1/4" Spacing. Replaces AN183748.
864-SMA28448	8-3/4" Full Spool for Models with 9" Spacing. Replaces AN183629.
864-SMA240886	Right Hand Scraper Arm. Replaces AN240886.
864-SMA240887	Left Hand Scraper Arm. Replaces AN240887.
864-SMA38364	Scraper Blade for SMA240886 and SMA240887. Replaces N242551.
864-SMA20006	Scraper Blade for Models 110-11, 115, 210, 220, 230 Disc. Replaces A20006.

FOR CASE IH 3950 & PRIOR

Part No.	Description
FOR CASE IH 3950 & PRIOR	
864-SMA472592	1-1/8" Square Hole Spool with Machined Bearing Surface for Models with 7-1/2" Spacing. Replaces 472592R3.
864-SMA472593	3" Square Hole Spool with Machined Bearing Surface for Models with 9" Spacing. Replaces 472593R3.
864-SMA472591	4" Square Hole Spool with Machined Bearing Surface for Models with 7-1/2" and 9" Spacing. Replaces 472591R3.
864-SMA101189	1-5/8" Round Hole Spool with Machined Bearing Surface for Models with 7-1/2" Spacing. Replaces 101189C1.
864-SMA101190	3" Round Hole Spool with Machined Bearing Surface for Models with 9" Spacing. Replaces 101190C1.
864-SMA101191	4" Round Hole Spool with Machined Bearing Surface for Models with 7-1/2" and 9" Spacing. Replaces 101191C1.
864-SMA481416	7-1/2" Square Hole Spool with Machined Bearing Surface for Models with 7-1/2" Spacing. Replaces 481416R1.
864-SMA481417	9" Square Hole Spool with Machined Bearing Surface for Models with 9" Spacing. Replaces 481417R1.
864-SMA12	5-1/16" Sleeve for Models with 7-1/2" Spacing. Used with 472591 and 472592. Replaces 652383R1.
864-SMA13	6-1/16" Sleeve for Models with 9" Spacing. Used with 472591 and 472593. Replaces 472594R1.



Part No.	Description
864-SMA14	7-1/4" Sleeve for Models with 7-1/2" Spacing. Used with 101189 and 101191. Replaces 112769C1, 652412R1.
864-SMA15	8-3/4" Sleeve for Models with 9" Spacing. Used with 101190 and 101191. Replaces 112410C1.
864-SMA468584	Bumper Washer, Replaces 468584R2.
864-SMA481611	End Washer, Tall, Replaces 481611R1.
864-SMA4167	End Washer, Short, Replaces PA4167.

SCRAPERS & BEARINGS



Part No.	Replaces	Description
864-CB496AL	121119C92	Left Hand Scraper and Arm for 496 Disc Harrow.
864-CB496AR	121120C92	Right Hand Scraper and Arm for 496 Disc Harrow.
864-CB496	121118C1	Scraper Only for 496 Disc Harrow.
851-SMA491A	ST491A	Disc Harrow Bearing 1-3/4" Bore, AgSmart. For Rigid Gang Unit Only.
321-FD209TTRJA	ST491A, BP491A, FD209RA	1-3/4" Bore, NTN. Fits Case IH 37, 48, 60-61, 120, 122, 130, 132, 150, 330, 350, 470, 475, 480, 490, 496 w/o Rock Flex, 610, 760, 3800, 3900, 3950, 480-496.

DISC HARROW

FOR
CASE IH

- For case IH 370, 375, 500, 501, 596, 770 and others
- For 1-1/2" Square Axle

Part No.	Description
864-SMA549977	Spool 4.125" with Machined Bearing Surface. For Models 500, 501, 596, 770, Replaces 549977R1.
864-SMA549976	Spool 10.5" Long, Replaces 549976R1.
864-SMA549973	End Washer for Models 500, 501, 596, 770, Replaces 549973R1.
864-SMA549974	End Washer 1.5" Square, for Models 501, 596, 770, RMX790, Replaces 100697C1.
864-SMA596769	End Washer 1.5" Square, for Models 300, 310, 3800, 3850, 485, 496, 501, 596, 760, 770, RMX790. Replaces 596769R1.
864-SMA549975	Bumper Washer for Models 500, 501, 596, 770, Replaces 549975R1, 60615C1.
864-SMA58919	Shim Spacer .187" Thick, for Models 501, 596, 770, RMX790. Replaces 58919C1.



Part No.	Description
864-SMA60134	Hitch Leveling Trunnion with Grease Fitting for Models 501, 596 and 3900 Leveling Assembly. Replaces 60134C1.
982-606468	Hub with Cups for Transport Wheel Assembly on Models 770, 780, 3900. Replaces 606468R21, IH468H.
982-1978726	Spindle for 606468 Hub, Replaces 1978726C1, IH468S.

HIGH SPEED DISC

FOR DEGELMAN,
JOHN DEERE,
KINZE & NORWOOD

Part No.	Description
FOR DEGELMAN, JOHN DEERE, KINZE AND NORWOOD	
114-2065HSP	20" x 6.5mm Plain Edge Blade, Double Punched for Degelman Pro-Till®, Norwood Quick Till HSD, JD 2680H, Kinze Mach Till and Others, Replaces 143556, JD and Norwood 5NS9034003.
114-2065HSN	20" x 6.5mm Notched Blade, Double Punched for Degelman Pro-Till®, Norwood Quick Till HSD, JD 2680H, Kinze Mach Till and Others, Replaces 143557, JD and Norwood 5NS9034002.
FOR HORSCH JOKER	
114-4559503	20" x 6.5mm Notched Blade for Horsch Anderson Joker. Has Flat Center with No Hole, 5 Bolt Pattern on 4.2" Bolt Circle for 1/2" Bolts. Used on MT, PT and RT Series, Replaces 04559503.

DISC AXLES

Part No.	Description	Length Range
FOR AMCO		
868-SMA944	1-1/2" x 70-5/8" square amco levee plow axle	31-75.9"
868-SMA945	1-1/2" x 79-7/8" square amco levee plow axle	76+"
868-SMA946	1-1/2" x 89-1/8" square amco levee plow axle	76+"
868-SMA705	1-1/8" x 12" amco hipper axle with washer	0-30.9"
FOR CASE IH		
868-SMA58831	1-1/2" x 47.3" square axle	31-75.9"
868-SMA549978	1-1/2" x 57.9" square axle	31-75.9"
868-SMA549979	1-1/2" x 68.2" square axle	31-75.9"
868-SMA549980	1-1/2" x 78.9" square axle	76+"
868-SMA549981	1-1/2" x 89.4" square axle	76+"
868-SMA588329	1-1/8" x 103.4" square axle	76+"
868-SMA546831	1-1/8" x 112.5" square axle	76+"
868-SMA57000	1-1/8" x 121.5" square axle	76+"
868-SMA468607	1-1/8" x 40.25" square axle	31-75.9"
868-SMA471014	1-1/8" x 49.5" square axle	31-75.9"
868-SMA471015	1-1/8" x 57.6" square axle	31-75.9"
868-SMA652939	1-1/8" x 67.4" square axle	31-75.9"
868-SMA472586	1-1/8" x 71.9" square axle	31-75.9"
868-SMA468582	1-1/8" x 76.4" square axle	76+"
868-SMA468583	1-1/8" x 79.4" square axle	76+"
868-SMA481844	1-1/8" x 85.5" square axle	76+"
868-SMA487168	1-1/8" x 94.6" square axle	31-75.9"



Part No.	Description	Length Range
FOR JOHN DEERE		
868-SMA20561	1-1/2" x 15-1/8" square amco hipper axle	0-30.9"
868-SMA15143	1-1/8" square x 12" square axle	0-30.9"
868-SMA40827	1-1/8" x 104-11/16" square axle	76+"
868-SMA20133	1-1/8" x 50-11/16" square axle	31-75.9"
868-SMA20134	1-1/8" x 59-11/16" square axle	31-75.9"
868-SMA20615	1-1/8" x 68-11/16" square axle	31-75.9"
868-SMA20616	1-1/8" x 77-11/16" square axle	76+"
868-SMA20617	1-1/8" x 87" square axle	76+"
868-SMA40826	1-1/8" x 95-11/16" square axle	76+"
FOR KMC		
868-SMA2757	1-1/8" x 12-1/2" square hipper axle	0-30.9"
FOR OTHER MAKES		
868-2052	1" x 26-1/2" square axle	0-30.9"
868-2055	1" x 30-5/8" square axle	0-30.9"
868-2053	1" x 34" square axle	31-75.9"
868-2056	1" x 39-5/8" square axle	31-75.9"
868-2054	1" x 41" square axle	31-75.9"
868-SMA478302	1-1/2" x 13-3/4" square axle for W&A	0-30.9"
868-SMA478114	1-1/2" x 31" square axle for W&A	31-75.9"
868-SMA83451	1-1/2" x 32" square levee plow axle	31-75.9"
868-SMA83461	1-1/2" x 41" 10 blade levee plow axle	31-75.9"
868-SMA83471	1-1/2" x 50-3/4" square levee plow axle	31-75.9"
868-SMA4781	1-1/8" x 12-1/2" square W&A hipper axle	0-30.9"
868-AX11825	1-1/8" x 25" square cane hipper axle	0-30.9"
868-AX11831	1-1/8" x 31" square axle	31-75.9"

DISC SCRAPER / ARM


Part No.	Description
FOR CASE IH	
864-CB496	Disc scraper blade
864-SMA121469	Disc scraper blade
864-CB485AL	Left hand disc scraper assembly
864-SMA121470	Left hand disc scraper assembly
864-CB496AL	Left hand disc scraper assembly
864-CB480AL	Left hand disc scraper blade
864-CB485AR	Right hand disc scraper assembly
864-CB496AR	Right hand disc scraper assembly
864-SMA121471	Right hand disc scraper assembly
864-CB480AR	Right hand disc scraper blade
864-CB480	Scraper blade



Part No.	Description
FOR JOHN DEERE	
864-SMA20006	Disc scraper blade
864-SMA405093	Disc scraper blade
864-SMA240887	Left hand disc scraper arm
864-SMA401418	Left hand disc scraper arm
864-SMA240886	Right hand disc scraper arm
864-SMA401417	Right hand disc scraper arm
864-SMA38364	Scraper blade for disc harrow
FOR LANDOLL / SUNFLOWER	
864-SMA144155	Disc scraper arm
864-SMA6732	Disc scraper arm
864-SMA6103	Disc scraper blade
864-SMA140488	Disc scraper blade Landoll

END WASHERS

Part No.	Description	Thickness	O.D.
FOR ALL MAKES			
864-90538	1-1/2" square axle disc washer spring	3/8"	7"
864-90540	1-1/4" square axle disc washer spring	3/8"	7"
864-90537	1-1/8" square axle disc washer spring	3/8"	7"
864-H2007	1-1/8" square axle end washer	3/8"	7-3/16"
FOR CASE IH			
864-SMAP34102	1-1/2" round axle slack washer	1/4"	-
864-SMA549975	1-1/2" square axle bumper washer	1-1/4"	6-1/8"
864-SMA549973	1-1/2" square axle end washer	-	-
864-SMA549974	1-1/2" square axle end washer	-	-
864-SMA596769	1-1/2" square axle end washer	-	-
864-SMA100694	1-1/2" square axle plate	-	-
444-SMA193929	1-1/2" square axle retaining washer	3mm	109mm
864-SMA58919	1-1/2" square axle shim spacer	.187"	-
864-SMA100695	1-1/2" square axle spacer	-	-
864-SMA468584	1-1/8" square axle bumper washer	-	-
864-SMA4167	1-1/8" square axle end washer	-	-
864-SMA481611	1-1/8" square axle end washer	-	-
864-SMAP34103	1-1/8" square axle slack washer	1/4"	5"
864-SMAP34105	1-1/8" square axle slack washer	.10"	5"
982-913612	1-1/8" square axle spindle washer	-	-
982-913608	7/8" spindle washer for 630S and 64821 transport spindles	-	1-1/2"



Part No.	Description	Thickness	O.D.
FOR JOHN DEERE			
864-SMA25694	Bumper washer for John Deere	-	-
FOR LANDOLL / SUNFLOWER			
864-90539	1-3/4" round axle disc washer spring	3/8"	7"
444-SMA4924	Washer	.098"	3.927"
FOR OTHER MAKES			
864-SMA13208	1-1/8" square axle bumper washer	-	-
864-SMA16690	1-1/8" square axle washer	3/16"	2-1/2"
FOR UTILITY DISCS			
864-CFG4	1" square axle bumper washer	-	-
864-CFG3	1" square axle end washer	-	-
864-UW	1-1/8" square axle end washer	1-1/4"	4"

TRANSPORT HUBS / SPINDLES

Part No.	Description
FOR CASE IH	
982-478375	10-11/16" spindle
982-1978726	10-13/16" spindle
864-SMA9801	12" spindle tube
982-912945	Spindle nut
982-912951	Thin spindle nut
982-909917	Grease cap
982-909970	Grease cap
982-465493	6 Bolt hub
982-606468	6-Bolt hub
864-SMA3950	Bearing kit
913-TKR6KITP	Disc transport wheel bearing kit
913-TKR5KITP	Disc transport wheel bearing kit
864-SMA63881P	Disc wheel bearing kit
982-283740	Hub and spindle
864-SMA123096P	IH disc hub bearing kit
FOR JOHN DEERE	
982-24325	14-5/8" spindle
982-630S	31" spindle
982-912952	Slotted hex nut
982-913607	7/8" spindle washer
982-183318	6-Bolt hub
982-27616	6-Bolt hub
864-SMA630BK	Bearing kit for transport wheel hub
864-SMA1020000	Hub bearing repair kit



Part No.	Description
982-913538	Lug bolts
864-SMA235BK	Wheel bearing kit
FOR OTHER MAKES	
913-TKR3KITP	Bearing kit for other makes

RETAINING RINGS



Part No.	Description	O.D.
FOR AMCO		
747-11005	Retaining ring for amco hipper Width: 1-7/8, Thickness: .056"	3-3/4"
747-11064	Retaining ring for amco hipper Thickness: .109"	4"
FOR CASE IH		
747-87016938	Retaining ring Thickness: .109" For Axle Size: 1-1/2" Round	4-11/16"
FOR OTHER MAKES		
747-19832	Retaining ring for athens trunnion bearings	-
747-32184	Retaining ring JD, KMC, FC hipper	3-5/16"

VERTICAL TILLAGE & DISC HARROW

FOR CASE
IH 330/335 & 340/345

Part No.	Description
114-SMA30573	20" LH, 1.5" Rnd Center Hole, 1.25" Concavity. Original OEM Turbo Blade.
114-SMA30572	20" RH, 1.5" Rnd Center Hole, 1.25" Concavity. Original OEM Turbo Blade.
114-SMA30573SA	20" LH, 1.5" Rnd Center Hole, 1.25" Concavity. Samurai Turbo Blade.
114-SMA30572SA	20" RH, 1.5" Rnd Center Hole, 1.25" Concavity. Samurai Turbo Blade.
321-SBX1226	Gang Bearing for CIH 330, 335VT, 3950, 340, 345 Disc Harrow. Has 4.33" (110mm) OD, 1.78" ID. Replaces 193906A1.
321-SBX1227	Gang Bearing 2.187" ID x 4.33" OD x 2.187" Wide, for Case IH 370, 375 Disc; 690, 870, 875 Ripper. Replaces CNH 409556A1.
864-SMA193907	Bearing Housing for CIH 330, 335VT, 340, 345, 370, 375 Disc; 690, 870, 875 Ripper. Replaces 193907A1.
444-SMA193929	Retaining Washer for 330, 335VT, 3950, 340, 345, 370, 375 Disc and 690, 870, 875 Ripper. Replaces 193929A1.
747-87016938	Retaining Ring for 330, 335VT, 3950, 375 Disc and 870, 875 Ripper. 4.69" OD, .109" Thick. Replaces 87016938.
864-SMA195109	Trunnion Bearing Mount for 330, 335VT, 3950, 340, 345, 370, 375 Disc and 690, 870, 875 Ripper. Replaces 195109A1.

Part No.	Description
864-SMA197334	Trunnion Bushing for 330, 335VT, 3950, 340, 345, 370, 375 Disc and 690, 870, 875 Ripper. Replaces 197334A1.
864-SMA14	1.75" OD x 7.25" Bearing Sleeve for 330, 335VT, 475, 496, 3800, 3850, 3900, 3950, 340 and 345 Disc with 7.5" Spacing. Used with 101189, 101191. Replaces 112769C1, 652412R1.
851-SMA209K	Rolling Basket Bearing 1.25" Square for CIH 330, 335VT, 870, 875 Ripper and TGM200. Replaces 84151226.
864-SMA1263631	Full Spool 7.5" Long, 1.5" Round Hole, Ductile Iron for 330, 335VT, 475, 496, 3800, 3850, 3900, 3950, 340 and 345 Disc. Replaces 1263631C1.
864-SMA1263636	Half Spool 2.6" Long, 1.5" Round Hole, Ductile Iron for 330, 335VT, 475, 496, 3800, 3850, 370 Disc. Replaces 1263636C1.
864-SMA101190	3" Round Hole Spool for 330, 335VT, 490, 496, 3800, 3850, 3900, 3950, 340, 345 and 370 Disc. Replaces 101190C1.
982-281081	Hub with Cups, Studs and Grease Zerk. 8" Bolt Circle with 8 Studs and 6" Pilot. Component Parts Sold Separately. For 330, 335 VT, 530C Ecolo Tiger, 340, 370, 770, RMX340, RMX370, RMX790, 3950 Disc. Replaces 87407202.
402-178151	Top Wind Tube Mount Bulldog Jack for CIH Tillage Tools. Replaces CNH 32230000.

FOR JOHN DEERE® &
GREAT PLAINS

Part No.	Description
FOR JOHN DEERE® 2600 SERIES	
114-241423SP	24" x 1/4" Blade with 2" Round Center Hole and Shallow Concavity. For 2620, 2623, 2625, Disc; 2720, 2730 Ripper. Replaces N242998.
864-SMA242933	Upper Bearing Cap for 2620, 2623, 2625 Disc; 2623VT, 2720, 2730 Rippers. Replaces N242933.
864-SMA242934	Lower Bearing Cap for 2620, 2623, 2625 Disc; 2623VT, 2720, 2730 Rippers. Replaces N242934.
851-SMA241911K	Bearing Kit with 2 Nylon Liners. For 2620, 2623, 2625 Discs; 2623VT, 2720, 2730 Rippers. 3.937" OD, 2.195" ID, Non-Relube. Replaces AN241911, AKK16196.
864-SMA243180	Nylon Liners Used with SMA241911 (AN241911) Bearing (2 Required) for 2620, 2623, 2625 Disc; 2623VT, 2720, 2730 Rippers. Replaces N243180.
864-SMA13963	7" Disc Spool for 11" Spacing Units. Fits 1-1/4" Axle with Sleeve. Fits 637, 640, 650, 2600 Series Discs and VT and 2700 Series, 510, and 512 Rippers. Replaces KK13963, N241234.
864-SMA401418	Scraper Arm LH Short for 2600 Series Disc Harrows, Vertical Tillage and 2720, 2723 Disc Rippers. Replaces AN401418.
864-SMA401417	Scraper Arm RH Short for 2600 Series Disc Harrows, Vertical Tillage and 2720, 2723 Disc Rippers. Replaces AN401417.
864-SMA405093	Scraper Blade 5" for SMA401417 and SMA401418 Scraper Arms. For 2600 Series Disc Harrows, Vertical Tillage and 2720, 2723 Disc Rippers. Replaces AN401417.



Part No.	Description
864-H2009	Spring Steel End Washer with 2" Round Hole. For 2620, 2623, 2625 Discs; 2623VT, 2720, 2730 Rippers. Replaces KK13054.
FOR GREAT PLAINS TURBOTILL & TURBOMAX	
845-VT22650518	22" x 6.5mm Blade with 1.5" Sq x 1.75" Round Center Hole. Used on Turbo Chisel, Replaces 820-430C.
845-VT20650518	20" x 6.5mm with 1.5" Sq x 1.75" Round Center Hole (SR5). Used on TurboMax, Replaces 820-011C.
845-VT20500518	20" x 5mm with 1.5" Sq x 1.75" Round Center Hole (SR5). Used on TurboMax. Replaces 820-261C.
851-SMA30941	Bearing Kit for Early Model TurboTill with Standard Duty Gang for 1000TT, 1200TT, 1700TT, 2200TT, 3000TT, 4000TT. Replaces GP 822-207C; Kent FC2286.
851-SMA822294	Bearing and Housing for Great Plains TurboMax. Uses SMAW211K57 Bearing. Replaces 822-294C.
851-SMAW211K57	Bearing for Great Plains TurboMax. Has 3.937" OD, 1.75" ID and 6 Lip Seal Design. Used in 822-294C.
864-90539	Spring Steel End Washer with 1.75" Round Hole. Replaces 804-200C.

VERTICAL TILLAGE & DISC HARROW

FOR KRAUSE, SALFORD,
SUMMERS & MCFARLANE

Part No.	Description
FOR KRAUSE	
845-SRX226518	22" x 6.5mm 25 Wave Coultter for Excelerator 8000 Series. 1.75" Round Center Hole, Shallow Concavity, Reverse Crimp Center. Replaces 8014420 32 Wave.
864-SMAK010	Spool, 1.5" Round Concave, 2.375" Deep, Replaces 1280-0-10.
864-SMAK1013	Spool, 1.5" Square x 1.75" Round Convex, 5" Deep, Replaces 1441-0-13.
864-SMAK1014	Spool, 1.5" Square x 1.75" Round, 2-3/4" Deep, Replaces 1441-0-14.
864-SMAK408	Spool, 1.5" Round Concave, 3" Deep, Replaces 364-0-8.
864-SMAK409	Spool, 1.5" Round Convex, 4.75" Deep, Replaces 364-0-9.
851-SMA2410110	Bearing, Rubber Mounted for High Shock Load Tillage Applications. For 1.75" Round Axle, Replaces 2410-11-0.
851-SMA1927	Bearing, Rubber Mounted for High Shock Load Tillage Applications. For 1.5" Round Axle, Replaces 1927-11-0.
864-SMA45105	Bearing Side Ring, 92mm OD, 59mm ID, 1.5mm Thick. Replaces 45-105.
864-SMA1927KIT	Bearing Kit for 1.5" Round Axle. Includes SMA1927, SMA1927L, SMA1927U and 2 SMA45105 Side Rings. Replaces 1927-10-1, 1927-10-2.
873-70105	Leveling Link Tube and End, Extra Heavy Duty, Replaces 70-105, 1402-40-2.



Part No.	Description
FOR SALFORD	
845-W204528	20" x 4.5mm 8 Wave Coultter, 2" Wave, 4" Center Hole, 4 Bolt Pattern on 5.25" Bolt Circle for 1/2" Bolts. Replaces CT5112008
845-W225028	22" x 5mm 8 Wave Coultter, 4" Center Hole, 5 Bolt Pattern on 5.5" Bolt Circle for 1/2" Bolts. Replaces CT512208.
FOR SUMMERS & VTI	
845-W226523	22" x 6.5mm 13 Wave Coultter with 2" Round Center Hole, Replaces Summers 8J1022H, VTI 8J1022V.
851-SMA8K2050	2" Bearing and Housing Assembly for Summers SuperCoulter Plus and VTI.
851-SMA8K2000	Bearing 2" I.D., Relube for Summers SuperCoulter Plus and VTI. Replaces Summers 8K2000
FOR MCFARLANE REEL DISC	
114-M4477	20" x 3/16" with 1.5" Square Center Hole, .95" Shallow Concavity, Replaces RD-4477.
114-M4479	20" X 6mm with 1.5" Center Hole, .95" Shallow Concavity, Flat Center. Replaces RD-4479.
851-SMA211M	1.5" Square Hole Gang Bearing for McFarlane RD-4000 Series (s/n12947-up). Replaces RD-4498.
851-SMA209B	1.5" Round Rolling Basket Bearing for McFarlane RD-4000 Series (s/n12756-up). Replaces DRB-3826.
864-90538	Spring Steel End Washer with 1.5" Square Hole. Replaces RD-4471.

FOR LANDOLL
& SUNFLOWER

Part No.	Description
FOR LANDOLL 7000 SERIES	
114-246518PR	24" x 6.5mm Rollable Boron Steel Blade, 1.75" Center Hole and 3" Concavity. Replaces 142662.
114-226518SP	22" x 6.5mm VT Blade, 1.75" Round Center Hole and 1.6" Shallow Concavity. Replaces 155617.
864-SMA151550	4" Scraper Blade for 7410VT and 8530 Disc Harrow. Mounting Hardware Not Included. Replaces 151550.
444-SMA4924	Trunnion Bearing Shield/Shim Washer, Replaces 140473.
864-SMA144155	Scraper Arm for 6000, 7000 Series and Weatherproofer. Replaces 144155.
864-SMA140488	4.5" Scraper Blade for 6000 Serices Discs, 7000 Series VT and Weatherproofer. Mounting Hardware Not Included. Replaces 140488.
864-SMA090i	Bearing Assembly with DC211TTR21 Bearing. Replaces 140477.
2631-DC211TTR21	1.75" NTN Disc Bearing, Replaces 140464.
864-SMA140479	Trunnion Bearing Mount, Replaces 140479.
864-90539	Spring Steel End Washer 1.75", Replaces 140469.



Part No.	Description
FOR SUNFLOWER 6600 SERIES	
114-223618SSA	22" x 3/16" Samurai Blade with 1.75" Center Hole. Has 24 Wave Serrated Edge and 1.75" Shallow Concavity for Vertical Till. Replaces SN16845.
114-206518SP	20" x 6.5mm Disc Blade Plain Edge, 1.75" Round Center Hole, Shallow Concavity. For Land Finishers 6211, 6212, 6220, 6221, 6332, 6233, 6333, 6432, 6433; Optional on 6331 and 6430. Replaces SN4662N
114-N1964	24" x 1/4" Plain Edge Disc Blade with 1.75" Round Center Hole and 3" Concavity. Replaces SN1964N and Landoll 140465.
114-N7588	24" x 1/4" Plain Edge Disc Blade with 1.75" Round Center Hole and 2.4" Concavity. Replaces SN7588N.
864-SMA3090i	Bearing Assembly with 321-DC211TTR21 Bearing. Replaces SN3090.
2631-DC211TTR21	1.75" Disc Bearing, Replaces SN3091.
864-SMA140479	Trunnion Bearing Mount, Replaces SN3096.
444-SMA4924	Trunnion Bearing Shield/Shim Washer, Replaces SN4924.
864-SMA2816	2-3/8" Short Spool with 7.5" Spacing. Has 6" Diameter Base, Replaces SN2816.
864-SMA3107	3-1/8" Long Spool with 7.5" Spacing. Has 5.5" Diameter Base, Replaces SN3107.
864-SMA3108	4-1/8" Long Spool with 8.5" Spacing. Has 5.5" Diameter Base. Replaces SN3108.
864-SMA6732	Scraper Arm, Replaces SN6732
864-SMA6103	4" Scraper Blade, Replaces SN6103.
864-90539	Spring Steel End Washer 1.75", Replaces SN2723B.

DISC BEARINGS

Part No.	Description	
FOR UTILITY DISCS		
308-W208PPB6	1" square disc bearing	⊙
851-SMAW208PPB6	1" square disc bearing	⊙
FOR AMCO		
308-GW211PP3	1-1/2" square disc bearing	⊙
851-SMAGW211PP3	1-1/2" square disc bearing	⊙
FOR KRAUSE		
321-FD209RE	1-1/2" round riveted flange disc bearing	⊙
851-SMA209B	1-1/2" round riveted flange disc bearing	⊙
321-CDS209TTR6P	1-1/2" round rubber mounted outer ring disc bearing	⊙
851-SMA1927	1-1/2" round rubber mounted outer ring disc bearing	⊙
852-GW209PPB22	1-1/2" round rubber mounted outer ring disc bearing	⊙
851-SMA211M	1-1/2" square riveted flange disc bearing	⊙
FOR LANDOLL / SUNFLOWER		
308-GW211PP37	1-3/4" round disc bearing	⊙
FOR OTHER MAKES		
308-W208PP5	1-1/8" square disc bearing for Forrest City	⊙
851-SMAW208PP5	1-1/8" square disc bearing for Forrest City	⊙
308-W210PP4	1-1/8" square disc bearing for Prime	⊙
851-SMAW210PP4	1-1/8" square disc bearing for Prime	⊙



Part No.	Description	
FOR UTILITY DISCS		
308-W208PPB5	1-1/8" square disc bearing	⊙
851-SMAW208PPB5	1-1/8" square disc bearing	⊙
FOR CASE IH		
851-SMA491A	1-3/4" round riveted flange disc bearing	⊙
321-FD209TTRJA	1-3/4" round riveted flange disc bearing	⊙
851-SMA211B	2-3/16" round riveted flange disc bearing	⊙
FOR KRAUSE		
2631-FD211RE	1-3/4" round riveted flange disc bearing	⊙
851-SMA211E	1-3/4" round riveted flange disc bearing	⊙
851-SMA2410110	1-3/4" round rubber mounted outer ring disc bearing	⊙
321-CDS209TTR6PB	1-3/4" round rubber mounted outer ring disc bearing	⊙
FOR SUMMERS / VTI		
851-SMA8K2000	2" disc bearing for Summers VT	⊙

Bore shape: Round - ⊙ / Square - ⊖

DISC SPOOLS

Part No.	Description	For Axle Size	Width	For Spacing
FOR CASE IH				
864-SMA101190	3" Spool	1-1/2" Round	3"	9"
864-SMA1263636	3-3/5" Spool	1-1/2" Round	3-3/5"	
864-SMA101191	4" Spool	1-1/2" Round	4"	7-1/2" and 9"
864-SMA1263631	7-1/2" Spool	1-1/2" Round	7-1/2"	7-1/2"
864-SMA139918	9" Spool	1-1/2" Round	9"	9"
864-SMA549976	10-1/2" Spool	1-1/2" Square	10-1/2"	
864-SMA549977	4" Spool	1-1/2" Square	4"	
864-SMA101189	1-5/8" Spool	1-1/8" Square	1-5/8"	7-1/2"
864-SMA472592	1-5/8" Spool	1-1/8" Square	1-5/8"	7-1/2"
864-SMA472593	3" Spool	1-1/8" Square	3"	9"
864-SMA472591	4" Spool	1-1/8" Square	4"	7-1/2" and 9"
864-SMA481416	7-1/2" Spool	1-1/8" Square	7-1/2"	7-1/2"
864-SMA481417	9" Spool	1-1/8" Square	9"	9"
864-SMA129797	9-1/2" Half spool	1-1/8" Square	9-1/2"	
FOR JOHN DEERE				
864-SMA28369	7" Spool	1-1/2" Square	7"	7-1/4"
864-SMA28448	8-3/4" Spool	1-1/2" Square	8-3/4"	9"
864-SMA20621	1-7/8" Spool	1-1/8" Square	1-7/8"	7-1/4" and 9"
864-SMA20622	3-7/8" Spool	1-1/8" Square	3-7/8"	7-1/4"
864-SMA37023	5-1/2" Spool	1-3/4" Square	5-1/2"	9"
864-SMA260397	7" Spool	1-3/4" Square	7"	11"
FOR KMC				
864-SMA5704	2-1/2" Spool	1-1/8" Square	2-1/2"	



Part No.	Description	For Axle Size	Width	For Spacing
FOR KRAUSE				
864-SMAK1014	2-3/4" Spool	1-1/2" Round	2-3/4"	
864-SMAK010	2-3/8" Spool	1-1/2" Round	2-3/8"	
864-SMAK408	3" Spool	1-1/2" Round	3"	
864-SMAK409	4-3/4" Spool	1-1/2" Round	4-3/4"	
864-SMAK1013	5" Spool	1-1/2" Round	5"	
FOR LANDOLL / SUNFLOWER				
864-SMA2816	1-3/4" Spool	1-3/4" Round	2-3/8"	7-1/2" and 8-1/2"
864-SMA3107	3-3/16" Spool	1-3/4" Round	3-3/16"	7-1/2"
864-SMA3108	4-3/16" Spool	1-3/4" Round	4-3/16"	8-1/2"
FOR OTHER MAKES				
864-SMA5027	2-1/2" Spool	1-1/8" Square	2-1/2"	
FOR UTILITY DISCS				
864-CFG7	2-3/8" Spool	1" Square	2-3/8"	
864-CFG8	3-5/8" Spool	1" Square	3-5/8"	
864-CFG9	5-1/8" Spool	1" Square	5-1/8"	
864-CFG5	7-1/2" Spool	1" Square	7-1/2"	7-1/2"
864-CFG1	7-1/4" Spool	1" Square	7-1/4"	7-1/2"
864-CFG10P	7-1/4" Spool	1" Square	7-1/4"	7-1/2"
864-U134	1-3/4" Spool	1-1/8" Square	1-3/4"	
864-U3	3-1/4" Spool	1-1/8" Square	3-1/4"	
864-U412	4-1/2" Spool	1-1/8" Square	4-1/2"	
864-U712	7-1/2" Spool	1-1/8" Square	7-1/2"	7-1/2"
864-UR712	7-1/2" Spool	1-1/8" Square	7-1/2"	7-1/2"
864-U9	9" Spool	1-1/8" Square	9"	9"
864-UR9	9" Spool	1-1/8" Square	9"	9"

BEARING FLANGE

- Bearing Series to Fit: 208 Series
- Bolt Circle Size: 4-11/16"
- Flange Shape: Square
- Flange Size: 80mm
- Height: 5
- Housing Material: Stamped Steel
- Number of Holes: 4



Part No. Description

FOR UTILITY DISCS

851-F80 80mm 4-hole round bearing flange

BEARING HOUSING



Part No. Description

FOR AMCO

864-SMA3091 100mm Bearing Trunnion

FOR CASE IH

864-SMA129532 Gang bearing standard

For Axle Size: 1-1/2" Round

864-SMA195109 Trunnion bearing mount

864-SMA193907 Bearing housing

864-SMA197334 Trunnion bushing

FOR JOHN DEERE

864-SMA262032 Bearing housing

864-SMA242934 Lower bearing cap

864-SMA243180 Nylon liner bearing

864-SMA242933 Upper bearing cap
Thickness: NYLON LINER - JD BEARING

FOR KRAUSE

864-SMA1927L Lower bearing housing

864-SMA1927U Upper bearing housing

FOR LANDOLL / SUNFLOWER

864-SMA140479 Trunnion bearing mount

FOR M&W

864-SMA2435520 Trunnion Bearing Housing for M&W

FOR OTHER MAKES

864-SMA93416 Bearing housing for other makes

864-SMA15410 Bearing housing w/o bearing for other makes


864-SMA5026 Left hand bearing hanger for other makes

864-SMA5025 Right hand bearing hanger for other makes

FOR UTILITY DISCS

864-URBC Bearing cap with zerk

864-CF62 Ribbed spool bearing cap



DISC AXLE NUTS

- Finish: Zinc
- Grade: 5

Part No. Description Size

FOR ALL MAKES

864-SMAP34101 1-1/4" zinc hex nut 1-1/4"

120-84018 1-1/8" zinc hex nut 1-1/8"

120-84024 1-1/8" zinc hex nut 1-1/2"

BEARING GUARDS



Part No. Description

FOR CASE IH

864-SMA129753HD Heavy duty bearing wear guard for ST740

FOR JOHN DEERE

864-SMA28474 Disc bearing wear guard

BEARING SLEEVE



Part No. Description Length I.D. O.D.

FOR CASE IH

864-SMA12 1-3/4" OD x 5" 5-1/16" 1-1/2" 1-3/4"

864-SMA13 1-3/4" OD x 6-1/16" 6-1/16" 1-1/2" 1-3/4"

864-SMA14 1-3/4" OD x 7-1/4" 7-1/4" 1-1/2" 1-3/4"

864-SMA15 1-3/4" OD x 8-3/4" 8-3/4" 1-1/2" 1-3/4"

864-SMA18 2-1/8" OD x 5-7/8" 5-7/8" 2" 2-1/8"

FOR JOHN DEERE

864-SMA34204 2-3/16" OD x 10-1/2" 10-1/2" 1-3/4" 2-3/16"

864-SMA34203 2-3/16" OD x 8-5/8" 8-5/8" 1-3/4" 2-3/16"

864-SMA16 6-11/16" OD x 7-1/4" 6-9/16" 1-1/2" 1-3/4"

864-SMA17 8-1/2" for 9" spacing 8-1/2" 1-1/2" 1-3/4"

DISC BEARING KITS



Part No. Description Bearing I.D.

FOR JOHN DEERE

851-SMA30941 1-3/4 Inch round disc bearing kit 1-3/4" ⊙

851-SMA30942 2-3/16 Inch round disc bearing kit 2-3/16" ⊙

851-SMA241911K Disc bearing kit with nylon ring 2-3/16" ⊙

FOR KRAUSE

864-SMA1927KIT Bearing and housing kit for Krause disc -

FOR LANDOLL / SUNFLOWER

864-SMA30901 Bearing and housing assembly 1-3/4" ⊙

FOR M&W

864-SMA2460138 Trunnion bearing assembly M&W 1-5/8"

FOR OTHER MAKES

851-SMA822294 Bearing /housing for Great Plains turbo max 1-3/4" ⊙

864-SMA40000P Bearing assembly with housing -

FOR SUMMERS / VTI

851-SMA8K2050 Housing and bearing assembly -

Bore shape: Round - ⊙

FRAME COMPONENTS



Part No. Description

FOR CASE IH

873-16924 Leveling link

864-SMA60134 Leveling Trunnion

FOR KRAUSE

873-70105 Leveling link X-HD
thread size: 1-1/4"

CAST IRON HOUSINGS **AGsmart**

▪ Housing Material: Cast Iron



Part No.	Flange Size (mm)	Bolt Spacing	Bearing Series to Fit	Bolt Size
1 2 Hole Flange				
851-NFL205	52	3.9"	205	3/8"
851-NFL206	62	4.59"	206	7/16"
851-NFL207	72	5.12"	207	1/2"
851-NFL208	80	5.65"	208	1/2"
2 4 Hole Flange				
851-NF206	62	3.25"	206	1/2"
851-NF207	72	3.62"	207	1/2"
851-NF208	80	4"	208	1/2"
851-NF209	85	4.13"	209	1/2"
851-NF210	90	4.37"	210	5/8"
851-NF211	100	5.12"	211	5/8"
851-NF2115	100	5.12"	211	1/2"

Part No.	Flange Size (mm)	Bolt Spacing	Bearing Series to Fit	Bolt Size
3 Pillow Block				
851-PK205	52	4.13"	205	3/8"
851-PK206	62	4.76"	206	1/2"
851-PK207	72	5"	207	1/2"
851-PK208	80	5.51"	208	1/2"
851-PK209	85	5.75"	209	1/2"
851-PK210	90	6.26"	210	5/8"
851-PK211	100	7.13"	211	5/8"

NTN DISC BEARINGS



Part No.	Description	Bearing I.D.	Bearing O.D. (mm)
GREASABLE			
<i>Outer Race Shape: Cylindrical</i>			
321-DC211TR2	BEARING 7AC11-2.3/16D1	2-3/16"	100
321-SBX1226	DISC BEARING	1-3/4"	110
<i>Outer Race Shape: Spherical</i>			
321-CDS209TTR6P	KRAUSE DISC BEARING 1927-11-0	1-1/2"	-
321-DS216TTR2	DISC HARROW BEARING	2-1/4"	140
SEALED			
<i>Outer Race Shape: Cylindrical</i>			
321-DC208TT5	DISC BEARING	1-1/8"	80
<i>Outer Race Shape: Spherical</i>			
321-DS208TT8	DISC BEARING 2AS08-1.1/8C3	1-1/8"	80

Bore shape: Round – (●) / Square – (■)

TIMKEN RIVETED FLANGE DISC BEARINGS

- Greasable
- Riveted Flange



Part No.	Description	Bolt Circle	Bearing I.D.
308-DHU112R209	1-1/2" ROUND	5"	1-1/2"
308-DHU112S211	1-1/2" SQUARE	5-1/2"	1-1/2"
308-DHU134R211	1-3/4" ROUND	5-1/2"	1-3/4"
308-DHU491A	1-3/4" ROUND FOR CASE IH	5"	1-3/4"
308-DHU2316R211	2-3/16 ROUND FOR CASE IH	-	2-3/16"

Bore shape: Round – (●) / Square – (■)

NTN FLANGED DISC BEARINGS

- Greasable
- Riveted Flange



Part No.	Bearing I.D.
321-FD209RM	1-1/8"
321-FD209RK	1-1/4"
321-FD209RE	1-1/2"
321-FD211RM	1-1/2"
321-FD209TTRJA	1-3/4"
321-FD209TTRJHN	1-3/4"
321-FD211RJA	1-15/16"

Bore shape: Round – (●) / Square – (■)

COTTON STRIPPER BEARINGS



Part No.	Description	Bearing I.D.
514-JD123045	Cotton stripper BRG ASBY 1 inch hex	1"
514-JD123127	Two-bolt flange assembly 1-1/4" round, Fafnir	1-1/4"

Bore shape: Round – (●) / Hex – (⬡)

FAFNIR DISC HARROW BEARINGS



FLANGE DISC BEARINGS **AGsmart**



Part No. Bearing I.D. Bearing O.D. (mm)

GREASABLE

Outer Race Shape: Cylindrical

308-GW208PP17	1-1/8"	85	⊙
308-GW211PP17	1-1/2"	100	⊙
308-GW211PP3	1-1/2"	100	⊙
308-GW211PP37	1-3/4"	100	⊙

Outer Race Shape: Spherical

308-GW208PPB5	1-1/8"	80	⊙
308-GW208PPB8	1-1/8"	80	⊙
308-GW209PPB4	1-1/2"	85	⊙
308-GW211PPB3	1-1/2"	100	⊙
308-GW209PPB11	1-3/4"	85	⊙
308-GW211PPB13	1-3/4"	100	⊙
308-GW210PPB2	1-15/16"	90	⊙
308-GW211PPB2	2-3/16"	100	⊙

SEALED

Outer Race Shape: Cylindrical

308-W208K2	1"	80	⊙
308-W208K3	1-1/8"	80	⊙
308-W208PP5	1-1/8"	80	⊙
308-W208PP8	1-1/8"	80	⊙
308-W210PP4	1-1/8"	90	⊙
308-W208PP10	1-1/2"	80	⊙
308-W211PP3	1-1/2"	100	⊙
308-W211PP5	1-1/2"	100	⊙
308-W210PP2	1-15/16"	90	⊙

Outer Race Shape: Spherical

308-W208PPB6	1"	80	⊙
308-W208PPB12	1-1/8"	87	⊙
308-W208PPB5	1-1/8"	80	⊙
308-W209PPB5	1-1/4"	85	⊙
308-W209PPB4	1-1/2"	85	⊙
308-W211PPB3	1-1/2"	100	⊙
308-W211PPB6	1-1/2"	104	⊙
308-W209PPB2	1-3/4"	85	⊙
308-W210PPB5	1-3/4"	90	⊙

Bore shape: Round – ⊙ /Square – ◻

▪ Greasable

▪ Disc Bearing

Part No.	Description	Bearing I.D.
1 Disc Bearing Type: Disc Bearing Kit		
851-SMA30941	Bearing/flange kit	1-3/4" ⊙
851-SMA241911K	Disc bearing kit for John Deere	2-3/16" ⊙
851-SMA30942	Dura-flex bearing/flange kit - 2-3/16"	2-3/16" ⊙
2 Disc Bearing Type: Housed Bearing		
851-SMA2316R	Miller bearing w/4 bolt housing Bearing O.D. – 100mm	2-3/16" ⊙
3 Disc Bearing Type: Riveted Flange		
851-SMA2081	Flange disc bearing 1" square bore	1" ⊙
851-SMA208118	Flange disc bearing 1-1/8" square bore	1-1/8" ⊙
851-SMA209M	Flange disc bearing 1-1/8" square	1-1/8" ⊙
851-SMA209K	Flanged disc bearing 1-1/4" square Krause	1-1/4" ⊙
851-SMA211M	Flanged disc bearing 1-1/2" square Krause	1-1/2" ⊙
851-SMA209B	Flanged disc bearing 1-1/2" round Krause	1-1/2" ⊙
851-SMA491A	Flange bearing for IHC disc 1-3/4" round	1-3/4" ⊙
851-SMA211E	Flanged disc bearing 1-3/4" round Krause	1-3/4" ⊙
851-SMA211J	Flange do all bearing - 1-15/16" round	1-15/16" ⊙
851-SMA211B	Flange disc bearing-2-3/16" round	2-3/16" ⊙

Bore shape: Round – ⊙ /Square – ◻

FLANGE DISC BEARINGS **AGsmart**



▪ Bearing Type: Housed Units

▪ Inner Race: Wide

▪ Greasable

▪ Bore shape: Round ⊙

Part No. Bearing I.D.

SHAFT LOCK TYPE: LOCK COLLAR

2 Hole

851-SAFL20516	1"
851-SAFL20620	1-1/4"
851-SAFL20720	1-1/4"

4 Hole

851-NANF20516	1"
851-NANF20720	1-1/4"
851-NANF20722	1-3/8"
851-NANF20824	1-1/2"
851-NANF20928	1-3/4"
851-NANF21031	1-15/16"
851-NANF21132	2"

Pillow Block

851-NAPK20412	3/4"
851-NAPK20516	1"
851-NAPK20619	1-3/16"
851-NAPK20720	1-1/4"
851-NAPK20722	1-3/8"
851-NAPK20723	1-7/16"
851-NAPK20824	1-1/2"
851-NAPK20928	1-3/4"
851-NAPK21031	1-15/16"
851-NAPK21132	2"

SHAFT LOCK TYPE: SET SCREW

4 Hole

851-UCF20824	1-1/2"
--------------	--------



DISC BEARINGS PRELUBE **AGsmart**

Part No.	Bearing I.D.	Bearing O.D.(mm)
GREASABLE		
<i>Outer Race Shape: Cylindrical</i>		
851-SMAGW208PP17	1-1/8"	87
851-SMAGW210PP4	1-1/8"	90
851-SMAGW211PP17	1-1/2"	100
851-SMAGW211PP27	1-1/2"	100
851-SMAGW211PP3	1-1/2"	100
<i>Outer Race Shape: Spherical</i>		
851-SMAGW208PPB8	1-1/8"	80
851-SMAGW208PPB5	1-1/8"	80
851-SMAGW210PPB4	1-1/8"	90
851-SMAGW209PPB5	1-1/4"	85
851-SMAGW209PPB4	1-1/2"	85
851-SMAGW211PPB3	1-1/2"	100
851-SMA28184	1-3/4"	85
851-SMAGW209PPB11	1-3/4"	85
851-SMAGW209PPB2	1-3/4"	85
851-SMAGW210PPB5	1-3/4"	90
851-SMAGW211PPB13	1-3/4"	100
851-SMAGW210PPB2	1-15/16"	90
851-SMAGW214PPB3	1-15/16"	125
851-SMA28186	2-3/16"	100
851-SMAGW211PPB2	2-3/16"	100
851-SMAGW214PPB2	2-3/4"	125

Part No.	Bearing I.D.	Bearing O.D.(mm)
SEALED		
<i>Outer Race Shape: Cylindrical</i>		
851-SMAW208PP6	1"	80
851-SMAW208PP8	1-1/8"	80
851-SMAW208PP5	1-1/8"	80
851-SMAW210PP4	1-1/8"	90
851-SMAW211PP5	1-1/2"	102
851-SMAW211PP3	1-1/2"	100
851-SMAW210PP2	1-15/16"	90
<i>Outer Race Shape: Spherical</i>		
851-SMAW208PPB11	7/8"	87
851-SMAW208PPB6	1	80
851-SMAW208PPB12	1-1/8"	87
851-SMAW208PPB5	1-1/8"	80
851-SMAW208PPB8	1-1/8"	80
851-SMAW208PPB7	1-3/16"	80
851-SMAW209PPB5	1-1/4"	85
851-SMAW209PPB4	1-1/2"	85
851-SMAW211PPB3	1-1/2"	100
851-SMAW211PPB6	1-1/2"	104
851-SMAW211K57	1-3/4"	100
851-SMAW209PPB2	1-3/4"	85
851-SMAW210PPB5	1-3/4"	90
851-SMAW210PPB2	1-15/16"	90

Bore shape: Round – ○ / Square – ◻

FAFNIR BEARINGS

- Housed Units
- Greasable
- Disc Bearing
- Inner race: Wide
- Shaft Lock Type: Lock Collar
- Bore shape: Round ○

Part No.	Bearing I.D.
1 2 Hole	
308-RCJT1	1"
308-RCJT1316	1-3/16"
308-RCJT114	1-1/4"
308-RCJT138	1-3/8"
308-RCJT1716	1-7/16"
308-RCJT112	1-1/2"
308-RCJT11116	1-11/16"
308-RCJT134	1-3/4"
308-RCJT11516	1-15/16"
2 4 Hole	
308-RCJ1	1"
308-RCJ114	1-1/4"
308-RCJ138	1-3/8"
308-RCJ1716	1-7/16"
308-RCJ112	1-1/2"
308-RCJ11116	1-11/16"
308-RCJ134	1-3/4"
308-RCJ11516	1-15/16"
308-TCJ11516	1-15/16"



Part No.	Bearing I.D.
308-RCJ2	2"
308-RCJ2316	2-3/16"
308-TCJ2316	2-3/16"
308-RCJ2716	2-7/16"
308-RCJ21516	2-15/16"
3 Pillow Block	
308-RAK34	3/4"
308-TAK1	1"
308-RAK1	1"
308-RAK118	1-1/8"
308-RAK1316	1-3/16"
308-RAK114	1-1/4"
308-RAK138	1-3/8"
308-RAK1716	1-7/16"
308-RAK112	1-1/2"
308-TAK112	1-1/2"
308-RAK11116	1-11/16"
308-RAK134	1-3/4"
308-RAK11516	1-15/16"
308-TAK11516	1-15/16"
308-RAK2	2"
308-RAK218	2-1/8"
308-RAK2316	2-3/16"
308-RAK2716	2-7/16"

RELUBE-INSERT-BEARINGS-/ SEALED-INSERT-BEARINGS

- Insert-Bearing
- Bore-shape:-Round-⊙



INSERT-BEARING

Part-No.	Bearing-I.D.	Bearing-O.D. (mm)
INNER-RACE:-NARROW		
<i>Outer-Race-Shape:-Spherical-/-Shaft-Lock-Type:-Set-Screw</i>		
308-GYA100RRB	1"	52
308-GYA104RRB	1-1/4"	72
308-GYA108RRB	1-1/2"	80
INNER-RACE:-WIDE		
<i>Outer-Race-Shape:-Spherical-/-Shaft-Lock-Type:-Lock-Collar</i>		
308-GRA012RRB	3/4"	40
308-G1100KRRB	1"	52
308-GRA100RRB	1"	52
308-G1102KRRB	1-1/8"	62
308-GRA102RRB	1-1/8"	62
308-G1103KRRB	1-3/16"	62
308-GRA103RRB	1-3/16"	62
308-G1103KRRB3	1-1/4"	62
308-G1104KRRB	1-1/4"	72
308-GRA103RRB2	1-1/4"	62
308-GRA104RRB	1-1/4"	72
308-G1106KRRB	1-3/8"	72
308-GRA106RRB	1-3/8"	72

Part-No.	Bearing-I.D.	Bearing-O.D. (mm)
308-G1107KRRB	1-7/16"	72
308-GRA107RRB	1-7/16"	72
308-G1108KRRB	1-1/2"	80
308-GRA108RRB	1-1/2"	80
308-G1110KRRB	1-5/8"	85
308-G1111KRRB	1-11/16"	85
308-G1112KRRB	1-3/4"	85
308-GRA112RRB	1-3/4"	85
308-G1112KPPB4	1-3/4"	85
308-G1115KRRB	1-15/16"	90
308-GN115KRRB	1-15/16"	110
308-G1115KPPB3	1-15/16"	90
308-G1200KRRB	2"	100
308-GRA115RRB2	2"	90
308-GRA200RRB	2"	100
308-G1203KRRB	2-3/16"	100
308-G1207KRRB	2-7/16"	110

SEALED

Part No.	Bearing I.D.	Bearing O.D. (mm)
INNER RACE: NARROW		
<i>Outer Race Shape: Cylindrical / Shaft Lock Type: Lock Collar</i>		
308-RA012RR	3/4"	47
308-RA012RRB	3/4"	47
308-RA014RRB	7/8"	52
308-RA100RR	1"	52
308-RA100RRB	1"	52
308-RA103RR2	1-1/4"	62
308-RA103RRB2	1-1/4"	62
308-RA104RR	1-1/4"	72
308-RA108RR	1-1/2"	80
308-RA115RRB2	2"	90
<i>Outer Race Shape: Spherical / Shaft Lock Type: Lock Collar</i>		
308-RAE25RRB	25mm	52
308-RAE30RRB	30mm	62
308-RA102RRB	1-1/8"	62
308-RA103RRB	1-3/16"	62
308-RA104RRB	1-1/4"	72
308-RA106RRB	1-3/8"	72
308-RA107RRB	1-7/16"	72
308-RA108RRB	1-1/2"	80
308-RA112RRB	1-3/4"	85
308-RA200RRB	2"	100



Part No.	Bearing I.D.	Bearing O.D. (mm)
INNER RACE: WIDE		
<i>Outer Race Shape: Cylindrical / Shaft Lock Type: Lock Collar</i>		
308-1112KRR	1-3/4"	85
<i>Outer Race Shape: Spherical / Shaft Lock Type: Lock Collar</i>		
308-1100KRRB	1"	52
308-1103KRRB	1-3/16"	62
308-1103KRRB3	1-1/4"	62
308-1106KRRB	1-3/8"	72
308-1108KRRB	1-1/2"	80

SPECIALTY AG BEARINGS



Part No.	Description
Primary Application: Baler	
1 308-207KRRB12	Fafnir 1-1/8" hex bore bearing
308-207KRRB17	Fafnir ag radial bearing 1-1/4" hex
308-209KRRB2	Fafnir 1-1/2" hex bore bearing
308-210RRB6	JD baler bearing 1-1/2" hex(JD AE42880,HP)
308-W208PP21	Fafnir hex bore ag bearing
308-BP13043	Bearing assy for JD balers USA
308-JD13043	1-1/2" Hex bore baler bearing - Timken
308-203KRR3	Fafnir ball bearing-nh and amadus
321-HPC103TTPAN	NTN 1-1/4" hex bore bearing
851-SMA210RRB6	JD baler bearing - 1-1/2" hex bore
851-SMA13043	1-1/2" Hex bore baler bearing - AgSmart
851-SMAW208PP21	Baler bearing 1-1/4" hex bore
851-SMA209KRRB2	1-1/2" hex bore baler bearing
851-SMA5202	Cam follower bearing for JD balers
Primary Application: Cotton Stripper	
308-206KPPB5	Triple lip seal 1" hex bore bearing, Fafnir
308-206KRRB6	Single lip seal 1" hex bore bearing, Fafnir
Primary Application: Nut Sweeper	
2 851-SMA68910HD	Bearing 5/8" ID hd flange
851-SMA68912HD	Bearing 3/4" ID hd flange
851-SMA689122	Nut sweeper double bearing kit
Primary Application: Planter & Grain Drill	
308-205KRRB2	Fafnir hex bore bearing195293R91/JD9260/
308-203RR2	Fafnir radial ag bearing
308-204RR6	Fafnir radial ag bearing

Part No.	Description
308-205KRP2	Fafnir ag radial bearing
308-205PP9	Fafnir bearing for KMC cultivator
308-205PPB7	Timken bearing
308-206KPP16	Fafnir ag radial bearing
308-206KPR4	Fafnir ag radial bearing
308-5203KYY2	Two row bearing - 16mm ID, for gauge and closing wheels
308-BB203RR2	Rotary hoe/drill bearing 5/8" ID
308-204PY3	Fafnir ag ball bearing
647-203NT1	JD planter bearing
AGSMART	
851-C203KRR2	Hub kit and pulley bearing
851-SMA204RR6	Radial ag ball bearing
851-SMA204PY3	Bearing for planter and drill
851-SMA205DDS	Bearing great plains drill - 5/8" ID
851-SMA205KRP2	Bearing-planter and ripper
851-SMA205PPB7	Agsmart bearing - fits lilliston / bigham rolling cultivator
851-SMA206GGH	Orthman row marker bearing
851-SMA315261	Bearing for orthman
851-SMA203GYY2	Bearing grain drill and rotary hoe
851-SMA885154B	Stem bearing cultivator and drill
851-SMA88515240	40mm stem bearing with hole, replaces AA35951
851-SMA88515440	40mm stem bearing with groove

Bore shape: Round - ○ / Hex - ◉ / Stem Bearing - ⚙ / Tine Bar - ▽

STAMPED STEEL FLANGES



Part No.	Flange Size (mm)	Bolt Circle Size
1 3 Hole / Greasable		
851-FG52	52	3"
851-FG62	62	3-9/16"
F3272	72	3-15/16"
4 Hole / Greasable		
851-FG80	80	4-11/16"
851-FG85	85	4-3/4"
851-FG90	90	5"
851-FG100	100	5-7/16"
2 Hole		
2 851-F52T	52	3"
3 Hole		
851-F52	52	3"
3 851-F52TR	52	3"
851-F62	62	3-9/16"
851-F62TR	62	3-9/16"
851-F72	72	3-15/16"

Part No.	Flange Size (mm)	Bolt Circle Size
4 Hole		
F480	80	4-11/16"
F4Z80	80	4-11/16"
851-F80	80	4-11/16"
F485	85	4-3/4"
F4Z85	85	4-3/4"
851-F85	85	4-3/4"
851-F87	87	4-3/4"
851-F90	90	5"
851-F100	100	5-7/16"
KIT		
851-JD85	85	-

Flange Shape: Round - ○ / Square - ◻ / Oval - ◌ / Triangular - ▴



TAPERED CUP/CONE

Part No.	Description	Bearing I.D.	Bearing O.D.
851-3720	Bearing cup	-	3.671"
851-30205	Bearing cup/cone	-	2.047"
HUB0807	Bearing kit	-	-
HUB0808	Bearing kit	-	-
913-TKR3KITP	Bearing kit-JD, M&W, Prime, Picou	-	-
851-IM6	Bearing set LM67010/LM67048	-	-
864-SMA3950	Brg kit/3950 c/IH disc 8 bolt hub	-	-
864-SMA123096P	IH disc hub bearing kit	-	-
864-SMA63881P	IH disc wheel bearing kit for 470-501	-	-
851-IM44643		-	-
851-IM29749		-	-
851-IM11949	Cone	-	-
851-IM25580		-	-
851-IM506849		-	-
851-IM67048	Cone import	-	-
851-IM48548	Cone import	-	-
851-IM67000LA	Cone w/lip seal	-	-
851-IM67010	Cup-import	-	-
913-TKR5KITP	Kit for Case IH disc harrow transport wheels	-	-
913-TKR6KITP	Kit-ih disc transpt wheel	-	-
913-SET11		1-1/2"	2.3750"
913-SET6		1-1/4"	2.2400"
913-SET13		1-3/8"	2.2400"
913-SET17		1-3/8"	2.25"
913-SET5		1-3/8"	3-1/16"
913-SET45	One cone and cup per set.	1-5/8"	3.844"
913-SET37		1-7/9"	3"
913-SET15		1"	1.875"
913-SET4		1"	1.938"
913-SET14		1"	1.969"
913-SET2	Timken set2 bearing set	3/4"	1.377"
913-SET38	Timken set38 tapered roller bearing cone and cup set	2"	3.1500"
913-M12600LA	Cone and cup, lip seal.	5/6"	
913-24780	Single cone	1-5/8"	
913-LM29700LA	Single cone with lip seal.	1-1/2"	
913-LM501349	Single cone, for axle bearing	1-5/8"	
913-JL69349		1-1/2"	
913-LM29749		1-1/2"	
913-13685		1-1/2"	
913-LM29748		1-1/2"	
913-13600LA		1-1/2"	
913-14125A		1-1/4"	
913-15123		1-1/4"	
913-LM67048	Cone.	1-1/4"	
913-15126		1-1/4"	
913-LM67000LA		1-1/4"	
913-25580		1-3/4"	
913-460		1-3/4"	
913-2780		1-3/7"	
913-LM48500LA		1-3/8"	
913-L68149		1-3/8"	

Part No.	Description	Bearing I.D.	Bearing O.D.
913-LM48548		1-3/8"	
913-25877		1-3/8"	
913-25590		1-4/5"	
913-2790		1-5/16"	
913-342A		1-5/8"	
913-LM102949		1-7/9"	
913-LM603049		1-7/9"	
913-L44643		1"	
913-L44649		1"	
913-2788		1/2"	
913-39585	Cone.	2-1/2"	
913-387AS		2-1/4"	
913-JLM506849		2-1/6"	
913-33275		2-3/4"	
913-3984		2-5/8"	
913-JLM104948		2"	
913-LM104949		2"	
913-3780		2"	
913-LM11949		3/4"	
913-14136A		3/8"	
913-14137A		3/8"	
913-2720			2-3/5"
913-LM67010			2.0472"
913-L44610			1.969"
913-382A			1.98"
913-15245			2.375"
913-JL69310			2.3750"
913-LM29710			2.441"
913-14276			2.5625"
913-13621			2.615"
913-LM501310	Cup		2.875"
913-332			3.125"
913-LM104912			3.1560"
913-25520			3.228"
913-JLM506810			3.307"
913-3720			3.543"
913-LM603011			3"
913-453A			4.125"
913-39520			4.25"
913-LM11910			0.906"
913-L68111			2.25"
913-25821			2.7170"
913-JLM104910	Single cup. For wheel bearing.		3.1500"
913-LM104911			3.151"
913-LM48510			-
913-3795	Timken trb single cone <4od	2"	-
WBK15	Wheel bearing kit	-	-

BEARINGS

**FOR DISC HARROWS,
DO-ALL'S & CANE CULTIVATORS**



Part No.	Description
WHEEL BEARING KITS FOR CASE IH	
<i>For Disc Harrow Transport Wheels Models 470 thru 501. Replaces 63881C91</i>	
913-TKR5KITP	Timken Bearings: Includes 1 ea. M12649, LM48548 Bearings; M12610, LM48510 Cups; SMA200886 Seal (Repl. 667599R91); SMA667564 Wear Ring for Seal; 909917 Grease Cap (Repl. 663908R1). For Disc Harrow Transport Wheels Models 470 thru 501. Replaces 63881C91
864-SMA63881P	AgSmart Bearings: Includes 1 ea. M12649, LM48548 Bearings; M12610, LM48510 Cups; SMA200886 Seal (Repl. 667599R91); SMA667564 Wear Ring for Seal; 909917 Grease Cap (Repl. 663908R1). For Disc Harrow Transport Wheels Models 470 thru 501. Replaces 63881C91

Part No.	Description
DOUBLE TAPERED BEARING KITS	
<i>Double Tapered Bearing Kits Square Bore For Disc Harrows and Cane Cultivators</i>	
913-TKR3KITP	Timken, 1.5" Square Bore 385SD, 2 ea. 382A Cups; 26310 Seals. For JD TW and TWA (63-69), 1630, 1635. Midland Discs 840 (73-78), 850 (69-84), 950 (68-78); M&W Earthmaster. Prime, Picou, LA Cane Cultivators. Replaces Athens 20287, JD AB14028, M&W 2436004.
851-TKR3KITIMP	AgSmart, 1.5" Square Bore 385SD, 2 ea. 382A Cups; 26310 Seals. For JD TW and TWA (63-69), 1630, 1635. Midland Discs 840 (73-78), 850 (69-84), 950 (68-78); M&W Earthmaster. Prime, Picou, LA Cane Cultivators. Replaces Athens 20287, JD AB14028, M&W 2436004.

**RIVETED FLANGE
ROUND BORE BEARINGS**



Part No.	Replaces	Description
851-SMA491A	ST491A, BP491A, FD209RA	1-3/4" Bore, AgSmart. Fits Case IH 37, 48, 60-61, 120, 122, 130, 132, 150, 330, 350, 470, 475, 480, 490, 496 w/o Rock Flex, 610, 760, 3800, 3900, 3950, 480-496.
308-DHU491A	ST491A, BP491A, FD209RA	1-3/4" Bore, Fafnir. Fits Case IH 37, 48, 60-61, 120, 122, 130, 132, 150, 330, 350, 470, 475, 480, 490, 496 w/o Rock Flex, 610, 760, 3800, 3900, 3950, 480-496.

Part No.	Replaces	Description
321-FD209TTRJA	ST491A, BP491A, FD209RA	1-3/4" Bore, NTN. Fits Case IH 37, 48, 60-61, 120, 122, 130, 132, 150, 330, 350, 470, 475, 480, 490, 496 w/o Rock Flex, 610, 760, 3800, 3900, 3950, 480-496.
321-FD211RJA	G2379381, ST3012A	1-15/16" Bore, NTN. Fits John Deere, Case IH and Noble, Replaces G2379381, ST3012A.

BEARINGS

**DISC HARROW
BEARINGS -
TIMKEN**



Part No.	Description
RIVETED FLANGE	
308-DHU2316R211	2-3/16" Round
308-DHU491A	1-3/4" Round
ROUND & SQUARE BORE - RELUBE	
308-GW209PPB4	1-1/2" Round
308-GW211PP17	1-1/2" Square
308-GW211PP3	1-1/2" Square

Part No.	Description
308-GW211PPB2	2-3/16" Round
308-GW211PPB3	1-1/2" Square
ROUND & SQUARE BORE - NON-RELUBE	
308-W208K2	1" Square
308-W208PP10	1-1/2" Round
308-W208PP5	1-1/8" Square
308-W208PPB12	1-1/8" Square

Part No.	Description
308-W208PPB5	1-1/8" Square
308-W208PPB6	1" Square
308-W209PPB4	1-1/2" Round
308-W211PP5	1-1/2" Square
308-W211PPB3	1-1/2" Square

**AGSMART DISC
HARROW BEARINGS -
SQUARE BORE**



Part No.	Replaces	Description
851-SMAW208PP5	REPLACES: JD9350, 963889R91	1-1/8" Bore, fits JD, W&A, CIH, Forrest City, Burch Hipper.
851-SMAW208PPB5	JD9373, 10272,	1-1/8" Bore, fits Amco, CIH, Burch, Krause, Tufline, White.
851-SMAGW211PP3	630210R91	1-1/2" Bore, fits Amco, Bush Hog, Greenline.
851-SMAGW211PP17	G11071, 14-6-430, DC211TTR3, 11503, DC211TTR4	1-1/2" Bore, fits Amco F12, 15, 17, 41 and J41.

**HIPPER BEARINGS -
SQUARE BORE
FOR JOHN DEERE®**



Part No.	Replaces	Description
864-SMA262032	N262032	Housing Used on 955, 2700 Rippers and 637 Disc.
308-W208PP5	JD9350	1-1/8" Sq. Bore for SMA262032 Housing, 2 Used. Timken
321-DC208TT5	JD9350	1-1/8" Sq. Bore for SMA262032 Housing, 2 Used. NTN
851-SMAW208PP5	JD9350	1-1/8" Sq. Bore for SMA262032 Housing, 2 Used. AgSmart

SPECIALTY BEARINGS

PLANTER, DRILL
& CULTIVATOR

Part No.	Replaces	Description	
308-203PP 851-62032RS	AA61722, JD8535	Planter Wheel Bearing .67" Input Domestic for John Deere MaxEmerge 2, Plus, Pro, XP, XP Pro Units.	USA Import
647-203NT1 851-203JD	AA34132	Planter Gauge Wheel Bearing .67" Input Domestic for John Deere MaxEmerge 2, Plus, Pro, XP, XP Pro. Used with 203PP Bearing.	USA Import
851-SMA2036YY2	AN141120, 822-095C	Press Wheel and Rotary Hoe Bearing for John Deere, Great Plains, Case IH. Has Gothic Arch and 2 Lip Seals.	Import
308-204PY3 851-SMA204PY3	AA21480, 1268017C91, GA2014	Disc Opener Bearing 5/8" Input Domestic for John Deere, Kinze, Case IH, White, Great Plains. Fits MaxEmerge Plus, Pro, XP, XP Pro and Case IH 900, 1200 Series.	USA Import
308-5203KYY2 851-SMA5203PP2	AN212132, GA6171, 306007A1	Double-Row Ball Bearing 5/8" Input Domestic for 4.5" x 16" Wheel Assemblies. Fits John Deere, Kinze, Case IH and White.	USA Import
308-BB203RR2	AN142670, 149261C91, 822-095C	Drill and Rotary Hoe Gauge Wheel Bearing 5/8" Input Domestic. For John Deere, Great Plains, Case IH and Tye.	USA
308-203RR2 851-C203KRR2	AN281357	Hub Bearing 5/8" Input Domestic for Gauge Wheels, Grain Drills and Pulleys. Fits John Deere, Case IH and White.	USA Import
308-205PPB7 851-SMA205PPB7	20-50-20, 20-61-001	Rolling Cultivator Bearing 15/16" Input Domestic for Lilliston and Bigham Brothers.	USA Import
308-206KPP16 851-SMA206GGH	120-070	Row Marker and Cultivator Bearing 3/4" Input Domestic for Orthman Super Sweep and Cole Planters.	USA Import

Part No.	Replaces	Description	
308-206KPR4	AA34616	Row Marker and Furrowing Disc Bearing 1" Input Domestic for John Deere 7000 Series, 1700 Series and DB Planters.	USA
864-SMA35638P	AA35638	Closing and Gauge Wheel Bearing Kit, Includes .67" Input Domestic SMA5203TN1 Double Row Bearing with Sleeve. For MaxEmerge 2 Row Units, 750 Grain Drill and 866 Row-Crop Cultivator.	Import
851-SMAAB16768	AB16768	Planter Bearing for Single Tire on Disc Closing Attachment. For John Deere Planters.	Import
851-SMA885152	AA35741, 128558C91, GA2022	Stem Bearing with Hole for Closing and Press Wheels. For John Deere, Case IH, Monosem and Kinze.	Import
851-SMA885154B	AN131668, 822-023	Stem Bearing with Groove for Closing and Press Wheels. For John Deere and Great Plains.	Import
851-SMA59196	AA59196	Double-Row Ball Bearing 5/8" Input Domestic for John Deere 1700 Series, XP, XP Pro, 1530, 1535.	Import
851-SMA315261	315-261	Cultivator Coulter Bearing 5/8" Input Domestic with Extended Inner Ring. For Orthman Super Sweep.	Import
851-SMATB7623	1738001, ST437	Tine Bar Bearing Stud Type 1. For Vermeer, New Holland and Massey Ferguson.	Import

PLANTER PARTS (FOR JOHN DEERE®)

ROW UNIT & FERTILIZER COULTERS

Part No.	Replaces	Description
864-SMA27458	AA27458	Fertilizer Disc Opener Assembly 13.5" Blade. Stamped Steel Housing and Dust Cap (SMA52024) Included. Attaches Directly to Fertilizer Bar.
864-HD27458	AA27458, AA57466	Fertilizer Disc Opener Assembly HD, 13.5" Blade. Uses Machined Bearing Housing, No Spacer Required, Dust Cap (32457C) Included. Attaches Directly to Fertilizer Bar.
864-HD57466	AA57458	Fertilizer Disc Opener Assembly HD, 13.5" Blade. Uses Machined Bearing Housing, Ring/Spacer and Dust Cap (32457C) Included.
845-W72678	A72678	Coulter Blade 16" x .177" with 13-Waves, 3/4" Wide. Has 4.75" Bolt Circle with 5-Bolt Pattern. For MaxEmerge 2, MaxEmerge Plus, Pro, XP, XP Pro, 1530, 1535.

GAUGE WHEEL ASSEMBLIES & COMPONENTS

Part No.	Replaces	Description
013-70657	AA66988	Narrow Gauge Wheel Assembly 3" x 16" with Black Nylon/Steel Wheel Halves and SMA5203PP2 Double-Row Ball Bearing 5/8" ID. For 15" Split Row Planters.
864-SMA9Y	AA32046, AA35392	Gauge Wheel Assembly 4.5" x 16" Yellow Steel Wheel. Chined Tire, SMA88515240 Stem Bearing with Hole. For MaxEmerge Before 1992.
864-SMA132B	AA41359	Gauge Wheel Assembly 4.5" x 16". Black Steel Wheel Halves, Nylon Cover, Chined Tire, SMA88515440 Grooved Stem Bearing. For MaxEmerge, Plus, Pro Series and 1530, 1535 Drills. (SMA Assembly)
864-SMA99Y	AA41359	Gauge Wheel Assembly 4.5" x 16". Yellow Steel Wheel Halves, SMA88515440 Grooved Stem Bearing. For MaxEmerge, Plus, Pro Series, 1530 and 1535 Drills.
864-SMA99B	AA41359	Gauge Wheel Assembly 4.5" x 16". Black Steel Wheel Halves, SMA88515440 Grooved Stem Bearing. For MaxEmerge, Plus, Pro Series, 1530 and 1535 Drills.
864-SMA142B	AA41359	Gauge Wheel Assembly 4.5" x 16". Black Steel Wheel Halves with Nylon Cover, Chined Tire, SMA5203PP2 Double-Row Ball Bearing 5/8" ID. For MaxEmerge Plus. (SMA Assembly)
864-SMA140B	AN281360	Gauge Wheel Assembly 4.5" x 16". Black Nylon/Steel Wheel Halves, Chined Tire, SMA5203PP2 Double-Row Ball Bearing 5/8" ID. For MaxEmerge Plus. (Carlisle Assembly)
013-4516XP	A77881, A84062	Offset Gauge Wheel Tire 4.5" x 16". For MaxEmerge XP, XP Pro, MaxEmerge 5, ExactEmerge.
013-545007	A77881, A84062	Offset Gauge Wheel Tire. 4.5" x 16". For MaxEmerge XP, XP Pro, MaxEmerge 5, ExactEmerge. (Carlisle)
013-204008	A22884, A84050	Offset Gauge Wheel Tire 4.5" x 16". For MaxEmerge, MaxEmerge 2, Plus, Pro Units.
013-5410341	A22884, A84050	Offset Gauge Wheel Tire. 4.5" x 16". For MaxEmerge, MaxEmerge 2, Plus, Pro Units. (Carlisle)



Part No.	Replaces	Description
845-W72680	A72680	Coulter Blade 16" x .177" with 25-Waves, 5/8" Wide. Has 4.75" Bolt Circle with 5-Bolt Pattern. For MaxEmerge 2, MaxEmerge Plus, Pro, XP, XP Pro, 1530, 1535.
845-72358	A72358	Coulter Blade 16" x 5mm Smooth Edge for Single Disc Fertilizer Opener. Has 3.54" Bolt Circle with 5-Bolt Pattern, Uses 8mm Bolts.
199-D132	B35601	Dry Fertilizer Tube, 7" to 20" Length.

GAUGE WHEEL ARMS

Part No.	Replaces	Description
864-SMA97866	A97866, AA82684	Gauge Wheel Arm Kit with Grease Zerk and Set Screw. 16mm (5/8") ID Threaded Sleeve, 4 Shims, 1 Washer, Bolt M16x100mm. Fits MaxEmerge Plus, Pro Series.
864-SMA92817	A92817	Gauge Wheel Arm Kit with Grease Zerk. 16mm (5/8") ID Threaded Sleeve, 4 Shims, 1 ea. Bolts M16x100mm, M16x70mm. Fits Series 1700 s/n 760101 and up, DB s/n 755001 and up.
864-SMA7017	A41968, A54179	Gauge Wheel Arm Kit with 1 ea. SMA57057, SMA57058 Threaded Bushings, Mounting Hardware. For 7000-7300, MaxEmerge 2, MaxEmerge Plus, 1530, 1535 Drills.
864-SMA57058	A57058	Threaded Bushing for Gauge Wheel Arm, 5/8" ID.
864-SMA57057	A57057	Threaded Bushing for Gauge Wheel Arm, 1" ID.




GAUGE WHEEL DEPTH CONTROL HARDWARE

Part No.	Replaces	Description
864-SMA82772K	A82772	Rocker Body Kit for Walking Gauge Wheels. Fits MaxEmerge Plus, Pro, XP, XP Pro, 1530 and 1535. Includes A82773 Stop, A62609 Pivot and A58670 Shoulder Bolt. Mounting Bolt Not Included.
864-SMA57482	AA57482	Rocker Body with Mounting Hardware (bolt and bushing) for Walking Gauge Wheels. Fits MaxEmerge Plus, Pro, MaxEmerge 2 (late), 1530. Shoulder Bolt and Rocker Pivot Not Included.
864-SMA62609	A62609	Rocker Pivot for Walking Gauge Wheels. Fits MaxEmerge Plus, Pro, XP, XP Pro, MaxEmerge 2 (late), MaxEmerge 5, 1530, 1535.
864-SMA58670	A58670	Shoulder Bolt for Rocker Body. Fits MaxEmerge Plus, Pro, MaxEmerge 2 (late), XP, XP Pro, MaxEmerge 5, 1530, 1535.



PLANTER PARTS (FOR JOHN DEERE®)

DISC OPENER ASSEMBLIES



Part No.	Replaces	Description
864-SMA53860	AA53860	HD Disc Opener Assembly, 15" x 3.5mm Blade, Bearing, and Dust Cap (SMA52024) Included.
864-JD860	AA53860	HD Disc Opener Assembly, 15" x 3.5mm AgSmart Blade, Bearing and Dust Cap (SMA52024) Included.
864-SMA55927	AA55927, AA37474	Disc Opener Assembly, 15" x 3mm Blade, Bearing, and Dust Cap (SMA52024) Included.
864-SMA58321	AA58321	Covering Disc Assembly 8" with Bearing, Hub and Bolt Included. For Disc Closing Attachment.

SCRAPERS



Part No.	Description
864-SMA99180KIT	HD Scraper Kit with Tungsten Carbide Blade. Includes 1 ea. A98182-RH, A98183-LH, A50047 Spring. For 1705 to 1795, DB44 to DB120 Planters.
864-SMA98180KIT	Scraper Kit with 1 ea. A98182-RH, A98183-LH and A50047 Spring. For 1705 to 1795, DB44 to DB120 Planters.
864-SMA99160KIT	HD Scraper kit with 1 ea. LH, RH Carbide Blades, LH, RH Arms and Spring (A50047). Fits 7200 and Newer, XP, XP Pro, MaxEmerge Plus, MaxEmerge 2.
864-7012102	HD Scraper Blade Kit with Tungsten Carbide Blade. Includes RH and LH Blades Only. For 2-Piece Scraper Arm.
864-RS231K	Rotating Disc Scraper Kit with Nylon Covers. Includes 2 Wheels, Spring, LH and RH Arms. For 1530, 1535, 1700, 1760, 1780, 7000, 7100, 7200, 7300, 7340.
864-RS221	"Rotating Disc Scraper Wheel with Nylon Cover for RS231K. Replaces AA37221"
864-RS315	Rotating Disc Scraper All Metal Wheel for RS313K. Replaces AH133315

PLANTER PARTS (FOR MONOSEM)

DISC OPENER ASSEMBLY



Part No.	Replaces	Description
864-SMA9263	900263	HD Disc Opener Assembly 15" x 4mm with Cast Iron Hub and 20mm ID Double-Row Bearing.

AIR SEEDER HOSE



■ BLACK / CLEAR ■ OEM Specifications & Quality

Part No.	Replaces	Description
485-CB1121	JD-AA54445, CNH-86993485, Kinze GR1947	1" x 100-ft. Black/Clear Hose. 1.25" OD, 1.9" Minimum Bend Radius, .26-lb/ft.
485-CB112114	JD-AA64213, SH-74114	1.25" x 100-ft. Black/Clear Hose.
485-CB112212	JD-AA54447, CNH-86992286	2.5" x 100-ft. Black/Clear Hose. 2.84" OD, 6.0" Minimum Bend Radius, .87-lb/ft.

GAUGE WHEELS & TIRES



Part No.	Replaces	Description
013-70657	70657	Narrow Gauge Wheel Assembly 3" x 16" with Black Nylon/Steel Wheel Halves and SMA5203PP2 Double-Row Ball Bearing 5/8" ID. For Split Row Planters
864-SMA9W	7073	Gauge Wheel Assembly 4.5" x 16", Off-White Steel Wheels, Chined Tire and SMA88515240 Stem Bearing with Hole.
864-SMA142B	7073.N	Gauge Wheel Assembly 4.5" x 16". Black Steel Wheel Halves with Nylon Cover, Chined Tire, SMA5203PP2 Double-Row Ball Bearing 5/8" ID. (SMA Assembly)
013-204008	852060	Offset Gauge Wheel Tire 4.5" x 16"

CLOSING WHEELS & TIRES



Part No.	Replaces	Description
864-SMA43899	7074	Closing Wheel Assembly 1" x 12" with Nylon Wheel Halves and SMA88515240 Stem Bearing with Hole.
864-SMA39968	7074.N	Closing Wheel Assembly 1" x 12" with Nylon Wheel Halves and SMA5203PP2 Double-Row Ball Bearing 5/8" ID.
013-112SC	-	Closing Wheel Tire 1" x 12"

PLANTER PARTS (FOR WHITE)

DISC OPENER ASSEMBLIES



Part No.	Replaces	Description
864-SMA164107	700155037, 700164107	HD Disc Opener Assembly, 15" x 3.5mm Blade with Bearing and Dust Cap (204WC). For 8000 Series
864-700172776	700172776	HD Disc Opener Assembly, 15.75" x 3.5mm North American Blade with Bearing and Dust Cap (204WC). For 9000 Series
527-204WC	-	Metal Dust Cap for Disc Opener Assembly

PLANTER CHAIN ASSEMBLIES



Part No.	Description
673-P41110	For Insecticide/Herbicide Meter on 6000 Series, 109 Links, 1 Conn.
673-P41120	For Seed Hopper on 5100 and 5700, 119 Links, 1 Conn.

GAUGE WHEELS & TIRES



Part No.	Replaces	Description
864-SMA9W	—	Gauge Wheel Assembly 4.5" x 16", Off-White Steel Wheel, Chined Tire and SMA88515240 Stem Bearing with Hole. For 5100 and 5700 Series
864-SMA99W	853998	Gauge Wheel Assembly 4.5" x 16", Off-White Steel Wheel, Chined Tire and SMA88515440 Grooved Stem Bearing. For 6000 Series
864-SMA142B	N859182	Gauge Wheel Assembly 4.5" x 16". Black Steel Wheel Halves with Nylon Cover, Chined Tire, SMA5203PP2 Double-Row Ball Bearing 5/8" ID. For 8000 Series. (SMA Assembly)
013-204008	852060	Offset Gauge Wheel Tire 4.5" x 16"

CLOSING WHEELS & TIRES



Part No.	Replaces	Description
864-SMA39968	854262	Closing Wheel Assembly 1" x 12" with Nylon Wheel Halves and SMA5203PP2 Double-Row Ball Bearing 5/8" ID.
013-112SC	17632	Closing Wheel Tire 1" x 12"

GRAIN DRILL PARTS (FOR JOHN DEERE®)

ROW UNIT HARDWARE

Part No.	Replaces	Description
864-SMA282536	N282536	Main Arm Pivot Pin 1.25" OD, 5.24" Long. For 1560, 1590, 1690, 1835, 1860, 1890, 1895, 1990.
864-SMA283636	N283636	Top Bushing for Main Arm, 1.257" ID, 1.628" OD, 1" Long, 2 Used. For 1560, 1590, 1690, 1835, 1860, 1890, 1895, 1990.
864-SMA73951	AA73951, AN282117	Opening System Arm and Shaft. For 750A, 1560, 1565, 1590, 1690, 1835, 1860, 1890, 1895, 1990.
864-SMA284086	N284086	Short Top Inner Bushing for Press Wheel Arm. 0.641" ID, 1" OD, 2.37" Long. For 1560, 1565, 1590, 1690, 1835, 1860, 1890, 1895, 1990.
864-SMA280648	N280648	Long Top Inner Bushing for Press Wheel Arm. 0.641" ID, 1" OD, 3.37" Long. For 1560, 1565, 1590, 1690, 1835, 1860, 1890, 1895, 1990.
864-SMA219547	N219547	Outer Bushing for Opener and Wheel Arms. 1.10" ID, 1.378" OD, 0.69" Long. For 750 s/n 3835 up, 1560, 1590, 1850, 1860, 1890, 1895, 1990.



Part No.	Replaces	Description
864-SMA282108	AN282108	Depth Control Arm RH for 1560, 1590, 1690, 1835, 1860, 1890, 1895, 1990.
864-SMA282109	AN282109	Depth Control Arm LH for 1560, 1590, 1690, 1835, 1860, 1890, 1895, 1990.
864-SMA282710	N282710	Depth Control Handle for 1560, 1590, 1690, 1835, 1860, 1890, 1895, 1990.
864-SMA283120	N283120	Depth Control Cover / Depth Gauge Plate for 1560, 1590, 1690, 1835, 1860, 1890, 1895, 1990.
864-SMA40003	K40003	Control Arm Lock Nut for AN282108 and AN282109. For 1560, 1590, 1690, 1835, 1860, 1890, 1895, 1990.
864-SMA82163	M82163	Depth Control Compression Spring for 1560, 1590, 1690, 1835, 1860, 1890, 1895, 1990.

GRAIN DRILL PARTS (FOR JOHN DEERE®)

DISC OPENERS & HUBS

Part No.	Replaces	Description
845-P18507	N214190, N283804	Disc Opener Blade 18" x 5mm for 750, 1560, 1565, 1590, 1690, 1850, 1860, 1890, 1895, 1990.
982-281856	AN281856	Four Bolt Hub Assembly for 1560, 1565, 1590, 1690, 1835, 1860, 1890, 1895, 1990.
982-219700	AN213544	Hub with Cups for Seeder Blade on 750 and 1850 No-Till Drill.
864-SMA544BK	-	Bearing Kit for AN213544 Seeder Blade Hub. Includes AgSmart Bearing, Cups, Cones, Seals and Retainers.



Part No.	Replaces	Description
845-USA13525	N164594, N283805	Disc Opener Blade 13.5" with Raised Center for Aluminum Boot. For 450, 455, 515, 520, 730, 1520, 8000, 8500, 9400 and Frontier BD Series.
864-SMA280975	N280975	Foam Seal for Grain Drill Bearing. Used on USA13525 Drill Disc Blade. 10 per Bag.
864-SMA281241	AN281241	Rear Hub Seal 3-11/16" OD. for 1560, 1590, 1690, 1835, 1860, 1890, 1895, 1990 drills.
864-SMA33806	W33806	Opener Arm Wear Sleeve Bushing for 1560, 1565, 159, 1690, 1835, 1860, 1890, 1895, 1990.

GAUGE WHEELS & TIRES



Part No.	Replaces	Description
013-70657	70657	Narrow Gauge Wheel Assembly 3" x 16" with Black Nylon/Steel Wheel Halves and SMA5203PP2 Double-Row Ball Bearing 5/8" ID.
864-SMA142B	AN281360	Gauge Wheel Assembly 4.5" x 16", Black Steel Wheel Halves with Nylon Cover, Chined Tire and SMA5203PP2 Double-Row Ball Bearing 5/8" ID. For 1560, 1565, 1590, 1860, 1890, 1895, 1990. (SMA Assembly)
864-SMA140B	AN281360	Gauge Wheel Assembly 4.5" x 16", Black Nylon/Steel Wheel Halves, Chined Tire and SMA5203PP2 Double-Row Ball Bearing 5/8" ID. For 1560, 1565, 1590, 1860, 1890, 1895, 1990. (Carlisle Assembly)
864-SMA98Y	AN211864	Gauge Wheel Assembly 4.5" x 16", Yellow Steel Wheel Halves, Chined Tire and SMA5203PP2 Double-Row Ball Bearing 5/8" ID. For 750, 1850
864-SMA98B	AN211864	Gauge Wheel Assembly 4.5" x 16", Black Steel Wheel Halves, Chined Tire and SMA5203PP2 Double-Row Ball Bearing 5/8" ID. For 750, 1850
013-204008	A84050, A22884	Offset Gauge Wheel Tire 4.5" x 16" for 750, 1530, 1535, 1560, 1565, 1590, 1690, 1860, 1890, 1895, 1990.
851-SMA5203PP2	AN212132	Double-Row Ball Bearing 5/8" ID for Closing and Gauge Wheels.

SEED BOOTS & PARTS



Part No.	Replaces	Description
864-SMA284044	N284044	HD Seed Boot, Right Hand, Heat-Treated. For 1590, 1690, 1890, 1895, and 1990
864-SMA284045	N284045	HD Seed Boot, Left Hand, Heat-Treated. For 1590, 1690, 1890, 1895, and 1990
864-SMA280316	AN280316	HD Seed Boot, Right Hand with Tungsten Carbide Coating Applied to Wear Area. For 750 and 1850
864-SMA280317	AN280317	HD Seed Boot, Left Hand with Tungsten Carbide Coating Applied to Wear Area. For 750 and 1850
864-SMA283432	N283432	HD Seed Boot, RH Lower, made of Chrome Alloy Steel for Longer Wear. Used with SMA282788, for 1560, 1565, 1860.
864-SMA283433	N283433	HD Seed Boot, LH Lower, made of Chrome Alloy Steel for Longer Wear. Used with SMA282789, for 1560, 1565, 1860.
864-SMA280446	N280446	Seed Boot Right Hand for 750 and 1850
864-SMA280447	N280447	Seed Boot Left Hand for 750 and 1850
864-SMA284055	N284055	Leaf Spring for Seed Boots SMA280316, SMA280317, SMA280446 and SMA208447.
199-U100	N284261	Grain Drill Tube, Top Inside Diameter 2" and 1-1/2" Bottom Outside Diameter. Working Length 10" to 30". For 750 and 1520
864-SMA219982	N219982	Poly Seed Flap, Helps Reduce Seed Bounce, One Required per Seed Boot. Uses 1/4" -20 x 5/8" Bolt

GRAIN DRILL PARTS (FOR JOHN DEERE®)

CLOSING SYSTEMS

Part No.	Replaces	Description
864-SMA282110	N282110	Cast Iron Closing Wheel for 1560, 1590, 1690, 1860, 1890, 1895, 1990.
864-SMA213060	AN213060	Cast Iron Closing Wheel Assembly for 750 and 1850.
851-213060KIT	-	Bearing Kit for SMA213060 Closing Wheel. Includes 2 Bearings (62032RST), Trash Guard, Wear Sleeve and Retaining Ring.
864-SMA43898	AA43898	Closing Wheel Assembly 1" x 12" with Nylon Wheel Halves and SMA5203TN1 Double Row Bearing. For 455 Series
013-110JD	JD N281714	Heavy Duty Closing Wheel Tire 1" x 10" for 750, 1500, 1600, 1800, 1900 and 1700 Series. Used in SMA49P Assembly.
013-110SC	A52952	Closing Wheel Tire 1" x 10" for 750 Grain Drill, 7200, 7300 and 1700 Series.
864-SMA219547	N219547	Outer Bushing for Opener and Wheel Arms. For 750 s/n 3835 up, 1560, 1590, 1850, 1860, 1890, 1895, 1990. 1.10" ID x 1.378" OD x .69" Long.
864-SMA48P	AN281359, AA38447	Packer Wheel 1" x 10" with CG203KRR2 Bearing 5/8" ID. For 750, 1530, 1535, 1560, 1565, 1590, 1690, 1860, 1890, 1895 and 1990.

GRAIN DRILL PARTS (FOR TYE)



Part No.	Replaces	Description
864-TY647H	550-647	HD Disc Opener Assembly 13.5" x 3mm, 5/8" ID Ball Bearing 204PY2 and 1/4" Rivets.
013-21315	304-388S	Closing Wheel Assembly, 2" x 13", Steel Wheels and Grooved Stem Bearing SMA885154B.
864-SMA3045	1980578, 304-576	Gauge Wheel Assembly 2" x 13", Steel Wheels and 5/8" ID Ball Bearing CG203KRR2.
864-SMA49P	501-006	Packer Wheel Assembly 1" x 10", Steel Wheels and 1/2" ID Bearing C203KRR5.
199-TY201	562-201	Grain Drill Tube Flexible
936-GD1	-	Grain Drill Tooth, Fits Yetter, Crustbuster and JD
511-1000	-	Grain Drill Covering Chain, Use One Per Row

GRAIN DRILL PARTS (FOR SUNFLOWER, KRAUSE & LANDOLL)

DISC OPENERS & GAUGE WHEELS

Part No.	Replaces	Description
864-SMA143880	143880	Disc Opener Assembly 15.75" x 3.5mm for Landoll 5000 Series.
864-SMA18358	9753, 18358	Disc Opener Assembly 15" x 3.5mm for 9100-9400 Series Year 2000 and Up.
864-SMA7261	7261	Disc Opener Assembly 15" x 3.5mm for 9100-9400 Series Year 1999 and Older.
013-313402	K. 52-523, SF. 13217, 013-313152	Gauge Wheel Assembly 3" x 13" with Nylon Wheels, Center Rib Tire and Double-Row Ball Bearing 5/8" ID (SMA5203PP2). Will Fit Great Plains, Replaces 814-158C



Part No.	Replaces	Description
864-SMA282115	N282115	Press Wheel Arm Strap for 1560, 1590, 1690, 1835, 1860, 1890, 1895, 1990.
851-SMA5203PP2	AN212132	Double-Row Ball Bearing 5/8" ID for Closing and Gauge Wheels.
864-SMA85727	A85727	Triple Lip Seal for Closing and Press Wheel Arm 1580, 1690, 1835, 1890, 1895, 1990. Optional on 750 s/n 6001 up, 1560, 1850, 1860.
864-SMA283994	N283994 N282888	Torsion Spring RH for Cast Closing Wheel. For 1560, 1590, 1690, 1860, 1890, and 1990.
864-SMA283995	N283995 N282889	Torsion Spring LH for Cast Closing Wheel. For 1560, 1590, 1690, 1860, 1890 and 1990.
864-SMA282218	N282218	Torsion Spring RH for Press Wheel. For 1560, 1590, 1860, 1890, 1895, 1990.
864-SMA282219	N282219	Torsion Spring LH for Press Wheel. Fits 1560, 1590, 1860, 1890, 1895, 1990.
TDC38	-	Grain Drill Covering Drag Chain, 3/8" with 3 Rings and Double Link at Top. Use One Per Row.
511-1000	-	Grain Drill Covering Chain, Use One Per Row.

GRAIN DRILL PARTS (FOR GREAT PLAINS)



Part No.	Description
864-GP133	Disc Opener Assembly 13.5" x 3mm with 53mm OD Bearing x 5/8" ID. Uses 205GPC Cap, Replaces 107-133.
864-GP138	HD Disc Opener Assembly, 13.5" x 4mm with 53mm OD Bearing x 5/8" ID. Uses 205GPC Cap, Replaces 107-138S.
864-GP121	HD Disc Opener Assembly, 15" x 4mm with 53mm OD Bearing x 5/8" ID. Uses 205GPC Cap, Replaces 404-121S, 820-287C, 404-072S.
527-205GPC	Dust Cap for GP121, GP133, GP138 Disc Assemblies. Replaces 107-111D.
864-GP136	Bolt, Cap and Shim Kit, Includes Thread-Lock Bolt, 205GPC Cap and 4 Shims. For GP121, GP133, GP138. Replaces 107-136.
864-GP229	Disc Opener Assembly 13.5" x 3mm with 204PY2 Bearing 5/8" ID. Uses 204GPC Cap, Replaces 107-054S, 107-229S.
527-204GPC	Dust Cap for GP229 Disc Assembly, Replaces 107-096D.



Part No.	Replaces	Description
013-313153	13219	Gauge Wheel Assembly 3" x 13" with Steel Wheels, Double Rib Tire and SMA5203PP2 Double-Row Ball Bearing 5/8" ID.
864-KR5250	5250-484- 0A	Disc Opener Assembly 13.5" x 3.5mm with Concave on Bevel Side of Blade. For Krause
527-205GPC	107-111D	Dust Cap for Use with KR5250

GRAIN DRILL PARTS (FOR GREAT PLAINS)

GAUGE WHEELS,
PACKER WHEELS & ACCESSORIES

Part No.	Description
013-313402	Gauge Wheel Assembly 3" x 13" with Nylon Wheels, Center Rib Tire and SMA5203PP2 Double-Row Ball Bearing 5/8" ID. Replaces 814-158C.
013-21340	Gauge Wheel Assembly 2" x 13" with Nylon Wheels and SMA5203PP2 Double-Row Ball Bearing 5/8" ID. Replaces 814-157C.
864-SMA3045	Gauge Wheel Assembly 2" x 13" with Steel Wheels and CG203KRR2 Ball Bearing 5/8" ID. Replaces 1980578, 04-576.
013-54103	Offset Gauge Wheel Tire 2" x 13" for SMA3045. Replaces 560-027.
013-30236	Gauge Wheel Tire 2.5" x 16" for Box Drills and Yield Pro Planters. Replaces 814-258C.
013-21315	Closing Wheel Assembly 2" x 13" with Steel Wheels and Grooved Stem Bearing SMA885154B. Replaces 814-057C.

Part No.	Description
013-213SC	Grain Drill Tire 2" x 13" with Smooth Crown, Replaces 814-149C.
013-541035	Grain Drill Tire 3" x 13" with Single Rib, Replaces 814-160C.
864-SMA46P	Packer Wheel Assembly 1" X 10" with Steel Wheels and SMA885154B Grooved Stem Bearing. Replaces 199-009C.
864-SMA45P	Packer Wheel Asby. 1" x 10", Steel Wheels, 5/8" ID Double-Row Bearing 5203KYY. For 2400, 2410, 2420.
199-GP003	Flexible Grain Drill Tube, Replaces 816-003C.
936-GD1	Grain Drill Tooth Fits Tye, Yetter, Crustbuster and JD. Replaces 807-079C.
511-1000	Grain Drill Covering Chain, Use One Per Row.

SPOKE GAUGE WHEELS (FITS JOHN DEERE®, CASE IH, KINZE, GREAT PLAINS AND MORE!)

The Spoke Wheel is Designed to Allow Mud to Flow Away from the Furrow. This Allows Farmers to be Back in the Fields Sooner After a Rain.

Part No.	Description
013-70775	3" x 16" Offset Smooth Crown Tire, Steel Wheel Assembly and 40mm Bearing

Part No.	Description
013-70773	4.5" x 16" Offset Smooth Crown Tire, Steel Wheel Assembly and 40mm Bearing

GRAIN DRILL PARTS (FOR CASE IH®)

FOR PRECISION DISC &
SDX DRILLS

Part No.	Replaces	Description
845-P18508	87488385	Disc Opener Blade 18" x 5mm for Precision Disk 500, 500T Air Drills.
845-P22149	306001A1	Disc Opener Blade 22" x 6.35mm, Double Bevel. For SDX, Precision Disk 30, 40.
864-SMA48188187	48188187	Left Hand Scraper with Tungsten Edge for Precision Disc 500, 500T and New Holland P2080, P2085.
864-SMA48188190	48188190	Right Hand Scraper with Tungsten Edge for Precision Disc 500, 500T and New Holland P2080, P2085.
864-SMA47544615	47544615	Poly Seed Deflector Tab for Precision Disk 500, 500T and New Holland P2080, P2085.

Part No.	Replaces	Description
864-SMA146B	87604747	Gauge Wheel Assembly 4.5" x 15.5", Black Steel Inner Wheel, Nylon Outer. CIH Style Reduced Inner Diameter Tire. Double-Row Ball Bearing 5/8" ID (SMA5203PP2). For SDX, Precision Disk 30, 40. (SMA Asby)
013-451550C	87602293	Gauge Wheel Tire 4.5" x 16" Reduced Inner Diameter Design. For SDX, Precision Disk 30, 40 Drills and Planters.
864-SMA140B	21618	Gauge Wheel Assembly 4.5" x 16", Black Steel Inner Wheel, Nylon Outer. For Precision Disk 500, 500T Air Drills. (Carlisle Asby)
013-4516XP	87646854	Gauge Wheel Tire 4.5" x 16" for Precision Disk 500T Air Drills.
851-SMA5203PP2	306007A1	Double-Row Ball Bearing 5/8" ID for Closing and Gauge Wheels.

AGSMART PLANTER TALC @ GRAPHITE

PLANTER TALC



Part No.	Description	Unit of measure
174-PT8P	Planter Talc	8 lb. Jug
174-PT30P	Planter Talc	30 lb. Bucket

TALC/GRAPHITE BLEND



Part No.	Description	Unit of measure
80/20 BLEND		
941-09068	80-20t Talc/Graphite Blend	8 lb. Jug
941-09014	80-20 Talc/Graphite Blend	40 lb. Box
50/50 BLEND		
941-09058	50-50 Talc/Graphite Blend	8 lb. Jug
941-09054	50-50 Talc/Graphite Blend	40 lb. Box

GRAPHITE POWDER

Part No.	Description	Unit of measure
941-99601	Dry Graphite Powder	1 lb. Bottle
941-99605	Dry Graphite Powder	5 lb. Jug



BACKPACK SPRAYERS

- 4 Gal. Polyethylene Tank,
- 3.5 Gal. Operating Capacity



Part No.	Description
800-90700015	AgSmart 4.23 Gal. / 16 Liter Capacity. Padded Harness, Wand Clip, Piston Pump. Includes 4 Spray Tips and Complete Spare Parts Kit.
865-425	Solo with Piston Pump and Adjustable Nozzle (4900527). Minimum Effort Maintains Uniform Spray Pattern, Quick Shut-Off Discharge Valve
865-475	Solo with Diaphragm Pump, Adjustable Nozzle (4900527). Can Be Used with Wettable Powders
800-BPS401	14.4 Volt Lithium-Ion Battery Powered Sprayer, 1 GPM, 40 PSI Max. Up to 30 Gal. on Single Charge, Charger Included.

SPOT SPRAYERS – UTILITY VEHICLE

- Corrosion Resistant, Low Profile Polyethylene Tank
- 12 Volt Diaphragm Demand Pump
- Manifold with On/Off Valves for Pressure Control & Boom Operation
- Pistol Grip Spray Gun, 25 ft. 3/8" Hose
- Multi-Lid to Accurately Measure & Pour Chemicals



Part No.	Description
800-UTV457	45 Gal. UTV Sprayer, 4.5 GPM High-Flo Side Mount Pump, 60 PSI, Manifold, 7 Nozzle Folding Boom, 140" Coverage and Easy Grip Boom Design Allows for Quick Removal.
800-UTV45BL	45 Gal. UTV Sprayer, 4.5 GPM High-Flo Side Mount Pump, 60 PSI, Manifold, Boomless 3 Nozzle 6' to 30' Coverage and Easy Grip Boom Design Allows for Quick Removal.
800-UTV657	65 Gal. UTV Sprayer, 4.5 GPM High-Flo Side Mount Pump, 60 PSI, Manifold, 7 Nozzle Folding Boom, 140" Coverage and Easy Grip Boom Design Allows for Quick Removal.
800-UTV65BL	65 Gal. UTV Sprayer, 4.5 GPM High-Flo Side Mount Pump, 60 PSI, Manifold, Boomless 3 Nozzle 6' to 30' Coverage and Easy Grip Boom Design Allows for Quick Removal.

AGSMART SPOT SPRAYERS

- Corrosion Resistant Low Profile Polyethylene Tank
- 12 Volt Diaphragm Demand Pump
- Glyphosate Compatible
- Molded Wand Clips



Part No.	Description
ECONOMY MODELS	
800-AS15EC	15 Gallon Tank, 1 GPM Everflo Top Mounted Pump, 45 PSI, 18-in. Lever Spray Wand
800-AS25EC	25 Gallon Tank, 1 GPM Everflo Top Mounted Pump, 45 PSI, 18-in. Lever Spray Wand

COMPRESSED AIR SPRAYERS

Full featured hand pump sprayers, ideal for use around the farm or garden. Pumps include la pump handles, built-in wand storage & pressure relief valve.



Part No.	Description
1 SOLO 430 SERIES — WHITE POLY TANK • VITON® SEALS • 4 NOZZLES	
865-4301G	1 Gal. Easy-Fill Funnel Top, Long Hose. Includes Adj., Flat Fan, Hollow Cone, Jet Stream Tips.
865-4302G	2 Gal. Easy-Fill Funnel Top, Long Hose. Includes Adj., Flat Fan, Hollow Cone, Jet Stream Tips.
865-4303G	3 Gal. Easy-Fill Funnel Top, Long Hose. Includes Adj., Flat Fan, Hollow Cone, Jet Stream Tips.
2 SOLO UTILITY SPRAYERS	
865-405US	1 Gal. Operating Capacity. Poly Wand with 45" PVC Hose, Adjustable Tip.
865-406US	2 Gal. Operating Capacity. Poly Wand with 45" PVC Hose, Adjustable Tip.
3 VALUE LINE TRANSLUCENT TANK WITH ADJUSTABLE TIP	
938-AG15	1.5 Gal. Poly Tank, Wand and Flexible Hose
938-AG2	2 Gal. Poly Tank, Wand and Flexible Hose

AGSMART SPOT SPRAYERS

- Corrosion Resistant Low Profile Polyethylene Tank
- 12 Volt Diaphragm Demand Pump
- 8-ft. Wiring Kit with Switch & Clips
- Glyphosate Compatible
- Molded Wand Clips



Part No.	Description
STANDARD MODELS	
800-SS15ST	15 Gallon Tank, 2.4 GPM High-Flo Side Mounted Pump, 60 PSI, 18-in. Lever Spray Wand
800-SS25ST	25 Gallon Tank, 2.4 GPM High-Flo Side Mounted Pump, 60 PSI, 18-in. Lever Spray Wand
DELUXE MODELS	
800-SS25D	25 Gallon Tank, 2.4 GPM High-Flo Side Mounted Pump, 60 PSI, Manifold, Gauge, Agitation, Pistol Grip Spray Wand
800-SS25DX	25 Gallon Tank, 4.5 GPM High-Flo Side Mounted Pump, 60 PSI, Manifold, Gauge, Agitation, Pistol Grip Spray Wand

MULTI-LID

Part No.	Description
800-7772014	Multi-Lid with Measuring Cup and Garden Hose Port. Allows Accurate Measure and Easy Pouring of Chemicals.



SPOT SPRAYERS – ATV 15 @ 25 GALLON AGsmart



- Corrosion Resistant Polyethylene Tank
- 12 Volt Diaphragm Demand Pump
- Glyphosate Compatible
- 5" Fill Lid with Tether

Part No.	Description
800-ASATV15	15 Gal. Tank, 2.2 GPM Ever-Flo Pump, Rear Mounted Nozzle Provides 16-ft. Swath. Lever Spray Wand with 10-ft. Coiled Hose and 2 Straps for Easy Installation.
800-ATV25DX	25 Gal. Tank, 4.5 GPM Pump, Pressure Gauge, Agitation, Deluxe Sheilded Boom with 7 AIXR No-Drip Diaphragm Check Valve Nozzles Provides 140-in. Coverage. Lever Spray Wand, Adjustable Tip, 15-ft. 3/8-in. Hose.

AGSMART 3-POINT HITCH SPRAYERS

GALLON 3-POINT HITCH SPRAYER AGsmart



110, 150, 200, 300
Gallon Features

- Pressure Adjusting Relief Valve
- Optional 10', 16', 21', 28' Folding Booms
- Single or 3-Nozzle Boomless Available
- Boom Control Valve @ Gauge
- Will Adapt to Most Roller Pumps (sold separately)
- Category 1 @ 2 Hitch

55 Gallon
Features:

- Optional 7 AIXR-Nozzle Folding Boom
- Single or 3-Nozzle Boomless Available
- Single Manual Lever Valve Control @ Gauge
- 5-in. Fill Lid with Tether
- Category 1 Hitch

Part No.	Description
800-3PH55EC	55 Gallon 3-Point Hitch Sprayer
800-3PH110	110 Gallon 3-Point Hitch Sprayer
800-3PH150	150 Gallon 3-Point Hitch Sprayer
800-3PH200	200 Gallon 3-Point Hitch Sprayer
800-3PH300	300 Gallon 3-Point Hitch Sprayer

3-POINT HITCH SPRAYER BOOM OPTIONS

- Adjustable Spacing Nozzles
- Height Adjustment
- 4-Way Hinge for Boom Protection Cross Over Folding
- Caps, Strainers @ Tips Standard
- Square Tube Boom Construction
- Optional Diaphragm Check Valve Nozzles

Part No.	Description
800-B10	10' Standard Boom with 7 AIXR Tips 140" Coverage
800-B16	16' Standard Boom with 10 AIXR Tips 200" Coverage
800-B28	28' X-fold Breakaway Boom, 19 AIXR Tips on 20" Spacing
800-BL30NS	3 Tip Wet Boom with Up to 30 ft. Coverage
800-BL54S	Hamilton Nozzle Assembly, Up to 54 ft. Coverage

TRAILER SPRAYERS AGsmart



- Corrosion Resistant Low Profile Polyethylene Tank
- Wiring Kit with Quick Coupler,
- Switch @ Clips
- 12 Volt Diaphragm Demand Pump
- Glyphosate Compatible

Part No.	Description
STANDARD MODELS	
800-TRL20NS	20 Gal. Tank, 2.4 GPM High-Flo Rear Mount Pump and Manifold, 2" Gauge, 60 PSI. 2 Nozzle Breakaway Boom, 80" Coverage and Pistol Grip Spray Gun with 15-ft. Hose.
800-TRL30NS	30 Gal. Tank, 2.4 GPM High-Flo Rear Mount Pump and Manifold, 2" Gauge, 60 PSI. 2 Nozzle Breakaway Boom, 80" Coverage and Pistol Grip Spray Gun with 15-ft. Hose.
PRO SERIES	
800-TRL50PROST	50 Gal. Tank, 4.5 GPM High-Flo Tongue Mount Pump and Manifold, 2.5" Gauge, 45 PSI. 7 Nozzle Folding Boom, 140" Coverage, 22" Long Range Pistol Grip Spray Gun with 25-ft. Hose and Multi-Lid for Ease of Measuring, Pouring Chemicals.
800-TRL50PROBL	50 Gal. Tank, 4.5 GPM High-Flo Tongue Mount Pump and Manifold, 2.5" Gauge, 45 PSI. Boomless 3 Nozzle, 30-ft. Coverage, 22" Long Range Pistol Grip Spray Gun with 25-ft. Hose and Multi-Lid for Ease of Measuring, Pouring Chemicals.

GUIDANCE

AGSMART CAMERA VISION WIRED SYSTEM

- 2 Waterproof Night-Vision Cameras
- 9-in. LCD Monitor
- Remote Control
- Audio / Video Cables
- Mounting Brackets
- 12-VDC Power Adapter



Part No.	Description
811-SC209	AgSmart Camera Vision Wireless system allows simultaneous viewing of both cameras. Video inputs for 4 cameras which could all be viewed at the same time.
811-SC209W	AgSmart Camera Vision Wired system allows front monitor panel switching between 2 cameras. Video inputs for 3 cameras, includes 20-ft. and 65-ft. camera cables.

AIR BLAST / CONEJET CONE TIP



Part No.	Orifice Size
CONEJET / TEEJET CONE TIP	
CP114444 / CP25607 / 114445 / 25608	
<i>Material: Brass</i>	
878-TX2	2
878-TX3	3
878-TX4	4
878-TX5	5
878-TX6	6
878-TX8	8
878-TX12	12
878-TX18	18
878-TX26	26

AIR BLAST / HOLLOW CONE TIP



Part No.	Orifice Size	Color
CONEJET / TX CONEJET HOLLOW CONE TIP		
CP114444 / CP25607 / 114445 / 25608		
<i>Material: Poly/Ceramic</i>		
878-TXVK4	4	Green
878-TXVK6	6	Red
878-TXVK8	8	Gray
878-TXVK12	12	Brown
878-TXVK18	18	Orange
878-TXVK26	26	Light Blue
CP114444 / CP25607 / 114445 / 25608		
<i>Material: Poly/Stainless</i>		
878-TXVS3	3	Yellow
878-TXVS4	4	Green
878-TXVS6	6	Red
878-TXVS10	10	Black
878-TXVS12	12	Brown
878-TXVS18	18	Orange
878-TXVS26	26	Light Blue

BANDING / FULL CONE



Part No.	Orifice Size
FULL CONE / TEEJET FULL CONE SPRAY TIP	
CP114444 / CP25607 / 114445 / 25608	
<i>Material: Brass</i>	
878-TG3	3
878-TG4	4
878-TG5	5
878-TG6	6
878-TG8	8

AIR BLAST / CORE



Part No.	Orifice Size
CORE / TEEJET CORE	
<i>Material: Brass</i>	
878-DC25	25
878-DC45	45
878-DC46	46
<i>Material: Stainless Steel</i>	
878-DC25HSS	25
878-DC45HSS	45
CP26277 / 26278	
<i>Material: Ceramic</i>	
878-DC25CER	25
878-DC45CER	45
878-DC46CER	46

AIR BLAST / TEEJET DISC



Part No.	Orifice Size
CORE / TEEJET DISC	
CP26277 / 26278	
<i>Material: Ceramic</i>	
878-DCER4	4
878-DCER5	5
878-DCER6	6
878-DCER7	7

AIR BLAST / TEEJET CORE




Part No.	Orifice Size
DISC / TEEJET CORE	
<i>Material: Stainless Steel</i>	
878-D2	2
878-D3	3
878-D4	4
878-D5	5
878-D6	6
878-D7	7
878-D8	8
878-D10	10
CP26277 / 26278	
<i>Material: Ceramic</i>	
878-DCER3	3

BANDING / FLAT SPRAY



Part No.	Orifice Size	Color
FLAT SPRAY / TEEJET EVEN		
CP114440 / CP25611 / 114441 / 25612		
Nozzle Spray Angle: 40		
<i>Material: Stainless Steel</i>		
878-TP4002ESS	2	
CP114440 / CP25611 / 114441 / 25612		
Nozzle Spray Angle: 80		
<i>Material: Brass</i>		
878-TP8002E	2	
878-TP8003E	3	
878-TP8004E	4	
CP114440 / CP25611 / 114441 / 25612		
Nozzle Spray Angle: 80		
<i>Material: Poly/Stainless</i>		
878-TP8001EVS	1	Orange
878-TP80015EVS	1.5	Green
878-TP8002EVS	2	Yellow
878-TP8003EVS	3	Blue
878-TP8004EVS	4	Red
878-TP8005EVS	5	Brown
878-TP8006EVS	6	Gray

BROADCAST / AIR INDUCTION



- Nozzle Spray Angle: 110
- Drift control: Excellent

Part No.	Orifice Size	Color
AIR INDUCTION / TEEJET FLAT FAN TIP		
<i>Cap / Tip Combo</i>		
<i>Material: Poly</i>		
878-AIC11003VP	3	Blue
<i>Cap / Tip Combo</i>		
<i>Material: Poly/Stainless</i>		
878-AIC11002VS	2	Yellow
878-AIC11003VS	3	Blue
878-AIC11004VS	4	Red
878-AIC11005VS	5	Brown
878-AIC11010VS	10	Light Blue
CP114442 / CP25597 / 114443 / 25598		
<i>Material: Poly/Stainless</i>		
878-AI110015VS	1.5	Green
878-AI11002VS	2	Yellow
878-AI110025VS	2.5	Purple
878-AI11003VS	3	Blue
878-AI11004VS	4	Red
878-AI11005VS	5	Brown
878-AI11006VS	6	Gray
878-AI11008VS	8	White

BOOMLESS

Part No. Orifice Size

Nozzle Spray Angle: 110
1/4" Male NPT
Material: Brass
Teejet brass nozzle with strainer

1 878-H14VVL11004 4

Nozzle Spray Angle: 95
1/4" Male NPT
Material: Brass
Teejet brass nozzle with strainer


878-H14VVL9506 6

3/4" Male NPT
Material: Brass
Hamilton boomless nozzle
400-65501 20

1/4" Male NPT
Material: Brass
Teejet nozzle brass

1 878-H14U0508HE

878-H14U0520HE



BROADCAST / AITTJ60 AIR

- Nozzle Spray Angle: 110
- Drift control: Excellent
- Material: Poly

Part No. Orifice Size Color

TEEJET AITTJ60 AIR INDUCTION TWINJET

CP114442 / CP25597 / 114443 / 25598

878-AITTJ6011003VP 3 Blue

878-AITTJ6011004VP 4 Red



BROADCAST / AIXR AIR

Part No. Orifice Size Color

TEEJET AIXR AIR INDUCTION XR

CP114440 / CP25611 / 114441 / 25612

Nozzle Spray Angle: 110

Material: Poly

Drift control: Excellent

878-AIXR110015VP 1.5 Green

878-AIXR11002VP 2 Yellow

878-AIXR110025VP 2.5 Purple

878-AIXR11003VP 3 Blue

878-AIXR11004VP 4 Red

878-AIXR11005VP 5 Brown

878-AIXR11006VP 6 Gray

878-AIXR11008VP 8 White



Part No. Orifice Size Color

2 BOOM X-TENDER

Material: Poly/Stainless

449-FXCT024 24 Yellow

Swath at 40 PSI / 48" Height: 16 Feet

Fast Cap

449-XT024 24 Yellow

Swath at 40 PSI / 48" Height: 16 Feet

1/4" Male NPT

3 BOOMINATOR

1/4" Male NPT

Material: Poly

400-1250PFS -

4 BOOMJET

3/4" Male NPT

Material: Brass

878-462934TOC20 -

Nozzle cluster - single swivel with OC-20 nozzles

878-5880342TOC10 -

Nozzle cluster with OC-10 nozzles

878-5880342TOC20 -

Nozzle cluster with OC-20 nozzles



BROADCAST / DRIFT GUARD

- Drift control: Good
- Material: Poly/Stainless


Part No. Orifice Size Color

DRIFT GUARD TIP

CP114440 / CP25611 / 114441 / 25612

Nozzle Spray Angle: 80

878-DG8004VS 4 Red



BROADCAST / DUAL FAN

Part No. Orifice Size Color

DUAL FAN / TURBODROP

Cap and Tip Combo

Nozzle Spray Angle: Dual Pattern

Material: Poly

Optimal Pressure: 20 - 60 PSI

Drift control: Excellent

385-TADF04 4 Red

385-TADF05 5 Brown

385-TADF06 6 Brown

Part No. Orifice Size Color

5 FIELDJET

1/4" Male NPT

Material: Brass

878-14KLC9 9

6 XP BOOMJET

1/4" Male NPT

Material: Poly

Left hand nozzle

878-14XP20LVP 20 Yellow

1/4" Male NPT

Material: Poly

Right hand nozzle

878-14XP20RVP 20 Yellow



BROADCAST / OFF CENTER

Part No. Orifice Size

OFF CENTER / TEEJET FLAT SPRAY TIP

CP114440 / CP25611 / 114441 / 25612

Material: Brass

878-OC02 2

878-OC03 3

878-OC04 4

878-OC06 6

878-OC08 8

878-OC10 10

CP114440 / CP25611 / 114441 / 25612

Material: Stainless Steel

878-OCSS03 3

878-OCSS04 4



BROADCAST / TURBO TEEJET

Part No. Orifice Size Color

TURBO TEEJET / SPRAY TIP

CP114440 / CP25611 / 114441 / 25612

Nozzle Spray Angle: 110

Material: Poly

Drift control: Very Good

878-TT11001VP 1 Orange

878-TT11002VP 2 Yellow

878-TT110025VP 2.5 Purple

878-TT11003VP 3 Blue

878-TT11004VP 4 Red

878-TT11005VP 5 Brown

878-TT11006VP 6 Gray

878-TT11008VP 8 White

BROADCAST / FLAT SPRAY

Part No.	Orifice Size	Color
FLAT SPRAY / TEEJET		
CP114440 / CP25611 / 114441 / 25612		
Nozzle Spray Angle: 110		
Material: Brass		
878-TP11004	4	-
878-TP11006	6	-
CP114440 / CP25611 / 114441 / 25612		
Nozzle Spray Angle: 110		
Material: Poly		
878-TP11002VP	2	Yellow
878-TP11003VP	3	Blue
878-TP11004VP	4	Red
878-TP11005VP	5	Brown
CP114440 / CP25611 / 114441 / 25612		
Nozzle Spray Angle: 110		
Material: Poly/Stainless		
878-TP11002VS	2	Yellow
878-TP11003VS	3	Blue
878-TP11004VS	4	Red
878-TP11008VS	8	White

CP114440 / CP25611 / 114441 / 25612		
Nozzle Spray Angle: 65		
Material: Brass		
878-TP6503	3	-
878-TP6505	5	-
CP114440 / CP25611 / 114441 / 25612		
Nozzle Spray Angle: 80		
Material: Brass		
878-TP8001	1	-
878-TP80015	1.5	-

BROADCAST / TURBO INDUCTION

- Nozzle Spray Angle: 110
- Material: Poly
- Drift control: Excellent

Part No.	Orifice Size	Color
TURBO INDUCTION / TEEJET		
Cap / Tip Combo		
Turbo induction and cap assembly tip		
878-TTI11004VPCE	4	Red
878-TTI11005VPCE	5	Brown
CP114442 / CP25597 / 114443 / 25598		
Turbo induction tip		
878-TTI11002VP	2	Yellow
878-TTI11003VP	3	Blue
878-TTI11004VP	4	Red
878-TTI11005VP	5	Brown
878-TTI11006VP	6	Gray

DIRECTED SPRAY

Part No.	Orifice Size	Color
UNDERLEAF BANDING / TEEJET AIR INDUCTION		
CP114442 / CP25597 / 114443 / 25598		
Nozzle Spray Angle: 85		
Material: Poly/Stainless		
878-AIUB8504VS	4	Red



Part No.	Orifice Size	Color
878-TP8002	2	-
878-TP8003	3	-
878-TP8004	4	-
878-TP8005	5	-
878-TP8006	6	-
878-TP8008	8	-
Tip Low Press Brass		
CP114440 / CP25611 / 114441 / 25612		
Nozzle Spray Angle: 80		
Material: Poly		
878-TP8002VP	2	Yellow
878-TP8003VP	3	Blue
878-TP8004VP	4	Red
878-TP8006VP	6	Gray
878-TP8008VP	8	White
CP114440 / CP25611 / 114441 / 25612		
Nozzle Spray Angle: 80		
Material: Poly/Stainless		
878-TP8001VS	1	Orange
878-TP80015VS	1.5	Green
878-TP8002VS	2	Yellow
878-TP8003VS	3	Blue
878-TP8004VS	4	Red
878-TP8005VS	5	Brown
878-TP8006VS	6	Gray
878-TP8008VS	8	White
CP25609 / 25610		
Nozzle Spray Angle: 80		
Material: Brass		
878-TP8010	10	-
878-TP8020	20	-

BROADCAST / XR EXTENDED RANGE

Part No.	Orifice Size	Color
XR EXTENDED RANGE / TEEJET		
CP114440 / CP25611 / 114441 / 25612		
Nozzle Spray Angle: 110		
Material: Poly/Stainless		
Drift control: Good		
878-XR11001VS	1	Orange
878-XR11002VS	2	Yellow
878-XR11003VS	3	Blue
878-XR11004VS	4	Red
878-XR11005VS	5	Brown
878-XR11006VS	6	Gray
878-XR11008VS	8	White
CP114440 / CP25611 / 114441 / 25612		
Nozzle Spray Angle: 80		
Material: Poly/Stainless		
Drift control: Good		
878-XR8001VS	1	Orange
878-XR80015VS	1.5	Green
878-XR8002VS	2	Yellow
878-XR8003VS	3	Blue
878-XR8004VS	4	Red
878-XR8005VS	5	Brown
878-XR8006VS	6	Gray
878-XR8008VS	8	White

BROADCAST / FLOODJET

Part No.	Orifice Size	Color
CP114444 / CP25607 / 114445 / 25608		
Material: Brass		
878-TK2	2	-
878-TK25	2.5	-
878-TK3	3	-
878-TK4	4	-
878-TK5	5	-
878-TK75	7.5	-
878-TK10	10	-
878-TK15	15	-
CP114444 / CP25607 / 114445 / 25608		
Material: Stainless Steel		
878-TKSS15	15	-
878-TKSS20	20	-
CP25599 / 25600		
Material: Poly/Stainless		
878-TKVS2	2	Red
878-TKVS25	2.5	Brown
878-TKVS3	3	Gray
878-TKVS4	4	White
878-TKVS5	5	Light Blue
878-TKVS75	7.5	Light Green
878-TKVS10	10	Black

BROADCAST / TTI60 TWINJET


Part No.	Orifice Size	Color
TTI60 TWINJET		
CP114440 / CP25611 / 114441 / 25612		
Nozzle Spray Angle: 110		
Material: Poly		
878-TTJ6011002VP	2	Yellow
878-TTJ6011003VP	3	Blue
878-TTJ6011004VP	4	Red
878-TTJ6011005VP	5	Brown
878-TTJ6011006VP	6	Gray

FERTILIZER

Part No.	Orifice Size	Color
STREAMJET / TEEJET SJ3		
Cap / Tip Combo		
Material: Poly		
878-SJ706VP	6	Gray
878-SJ708VP	8	White
878-SJ710VP	10	Light Blue
878-SJ715VP	15	Light Green
STREAMJET / SOLID STREAM NOZZLE		
CP114442 / CP25597 / 114443 / 25598		
Material: Poly		
Nozzle Spray Angle: Solid Stream		
878-TP0006SS	6	-



BROADCAST / TURBO DROP



- Cap and Tip Combo
- Nozzle Spray Angle: 110
- Material: Poly
- Optimal Pressure: 30 - 120 PSI
- Drift control: Excellent

Part No.	Orifice Size	Color
385-TDXL11005	5	Brown
385-TDXL11006	6	Gray
Tip ultra coarse droplet		
385-TDXL11003D	3	Blue
385-TDXL11004D	4	Red
385-TDXL11006D	6	Gray

BROADCAST / TURBO FLOOD



Part No.	Orifice Size	Color
TURBO FLOOD / FLOODJET WIDE ANGLE FLAT TIP CP25599 / 25600		
Material: Poly		
Drift control: Excellent		
878-TFVP2	2	Red
878-TFVP25	2.5	Brown
878-TFVP3	3	Gray
878-TFVP4	4	White
878-TFVP5	5	Blue
878-TFVP75	7.5	Green
878-TFVP10	10	Black
CP25599 / 25600		
Material: Poly/Stainless		
Drift control: Excellent		
878-TFVS2	2	Red
878-TFVS25	2.5	Brown

QUICKJET CAP



▪ Material: Celcon

Part No.	Color
1 QuickJet Cap x 1/4" Female NPT	
878-QJ467614NYR	Black
878-QJ46764514NYR	Black
	45 Degree
2 QuickJet Cap for flat spray tips	
Replaces CP25611 / 25612 series	
878-CP1144401CE	Black
878-CP1144404CE	Blue
878-CP1144407CE	Brown
878-CP1144409CE	Gray
878-CP1144405CE	Green
878-CP1144403CE	Red
878-CP1144402CE	White
878-CP1144406CE	Yellow
3 QuickJet Cap for flat spray tips	
Larger capacity	
878-CP256096NY	Yellow
4 QuickJet Cap for round body spray tips	
Replaces CP25597 / 25598 series	
878-CP1144421CE	Black
878-CP1144424CE	Blue
878-CP1144423CE	Red
878-CP1144426CE	Yellow

Part No.	Color
4 QuickJet Cap for round body spray tips	
Replaces CP25607 / 25608 series	
878-CP1144441CE	Black
878-CP1144444CE	Blue
878-CP1144445CE	Green
878-CP1144443CE	Red
878-CP1144442CE	White
878-CP1144446CE	Yellow
5 QuickJet Cap for TF-VS / TK-VS / TK-VP tips	
878-CP255991NY	Black
878-CP255993NY	Red
878-CP255996NY	Yellow
6 QuickJet shutoff cap	
878-1144471CELR	Black
7 Teejet rubber seat washer for quickjet cap - EPDM	
878-CP19438EPR	-
	Material: Nylon
878-CP19438VI	-
	Material: EPDM

TEEJET / MISC.

Part No.	Description
Teejet	
1 878-219502NYB	Chemsaver end cap sub assembly 2 psi Boom Component Category: Check Valve Material: Nylon
2 878-CP20016NY	Clean off brush
3 878-CP20230	Spraying systems CP20230 brass teejet nozzle cap - gold
4 878-CP262771NY	Quickjet cap nylon
5 878-CP18999EPR	Rubber seat washer quickjet for disc/core Boom Component Category: Gasket Material: EPDM
Tip	
6 878-H14VV8002	Tip



TIP / CONTAINER / CONE TIP / SPRAY TIP

Part No.	Description
1 385-GTS50M	Gripper tip strainer, 50 mesh
2 385-QC02	Quick check calibration container



DRY GAUGE

- Case Material: Enameled Steel
- Connection Material: Brass
- Fill Material: Dry
- Connection: 1/4" Male NPT (Bottom mount)



Part No.	Description	Max PSI Rating
Pressure Range: 15 - 60 PSI		
920-SG60	60 psi dry gauge - 2-1/2" diameter	60
920-SG604	60 psi dry gauge - 4" diameter	60
Pressure Range: 100 - 300 PSI		
920-SG100	100 psi dry gauge - 2-1/2" diameter	100
920-SG1004	100 psi dry gauge - 4" diameter	100
920-SG160	160 psi dry gauge - 2-1/2" diameter	160
920-SG200	200 psi dry gauge - 2-1/2" diameter	200
920-SG300	300 psi dry gauge - 2-1/2" diameter	300
Pressure Range: 400 - 1000 PSI		
920-SG400	400 psi dry gauge - 2-1/2" diameter	400

AMMONIA GAUGE

- Case Material: Enameled Steel
- Connection Material: Stainless Steel
- Fill Material: Dry
- Connection: 1/4" Male NPT (Bottom mount)



Part No.	Description	Max PSI Rating
920-ASG60	AMMONIA GAUGE 60PSI	60
920-ASG160	AMMONIA GAUGE 160PSI	160
920-ASG400	AMMONIA GAUGE 400PSI	400

LIQUID FILLED / STAINLESS GAUGE / BRASS CONNECTOR

- Case Material: Stainless Steel Case
- Connection Material: Brass
- Fill Material: Glycerin
- Connection: 1/4" Male NPT (Bottom mount)



Part No.	Description	Max PSI Rating
Pressure Range: 15 - 60 PSI		
920-GG15	15 psi liquid filled / stainless gauge - 2-1/2" diameter	15
920-GG30	30 psi liquid filled / stainless gauge - 2-1/2" diameter	30
920-GG60	60 psi liquid filled / stainless gauge - 2-1/2" diameter	60
920-GG604	60 psi liquid filled / stainless gauge - 4" diameter	60
Pressure Range: 100 - 300 PSI		
920-GG100	100 psi liquid filled / stainless gauge - 2-1/2" diameter	100
920-GG100B	100 psi liquid filled / stainless gauge - back mount 2-1/2" diameter	100
920-GG1004	100 psi liquid filled / stainless gauge - 4" diameter	100
920-GG160	160 psi liquid filled / stainless gauge - 2-1/2" diameter	160
920-GG200	200 psi liquid filled / stainless gauge - 2-1/2" diameter	200

Part No.	Description	Max PSI Rating
920-GG300	300 psi liquid filled / stainless gauge - 2-1/2" diameter	300
Pressure Range: 400 - 1000 PSI		
920-GG400	400 psi liquid filled / stainless gauge - 2-1/2" diameter	400
920-GG600	600 psi liquid filled / stainless gauge - 2-1/2" diameter	600
Pressure Range: 1000 PSI +		
920-GG1000	1000 psi liquid filled / stainless gauge - 2-1/2" diameter	1000
920-GG1500	1500 psi liquid filled / stainless gauge - 2-1/2" diameter	1500
920-GG2000	2000 psi liquid filled / stainless gauge - 2-1/2" diameter	2000
920-GG3000	3000 psi liquid filled / stainless gauge - 2-1/2" diameter	3000
920-GG4000	4000 psi liquid filled / stainless gauge - 2-1/2" diameter	4000
920-GG5000	5000 psi liquid filled / stainless gauge - 2-1/2" diameter	5000

AG SPRAY HOSE

Part No.	Hose I.D.	Color
EPDM RUBBER		
<i>Reel Length: 100 Feet / Box</i>		
<i>Pressure Rating: 200 PSI</i>		
380-MR114X200PSI	1-1/4"	Red
<i>Reel Length: 200 Feet</i>		
<i>Pressure Rating: 200 PSI</i>		
380-2X200PSI	2"	Red
380-2X200PSIB	2"	Black
<i>Reel Length: 250 Feet</i>		
<i>Pressure Rating: 200 PSI</i>		
380-MR14X200PSI	1/4"	Red
380-MR38X200PSI	3/8"	Red
380-MR12X200PSI	1/2"	Red
380-MR58X200PSI	5/8"	Red
380-MR34X200PSI	3/4"	Red
380-MR1X200PSI	1"	Red
<i>Reel Length: 300 Feet</i>		
<i>Pressure Rating: 200 PSI</i>		
380-112X200PSI	1-1/2"	Red
380-112X200PSIB	1-1/2"	Black
<i>Reel Length: 400 Feet</i>		
<i>Pressure Rating: 200 PSI</i>		
380-114X200PSI	1-1/4"	Red
380-114X200PSIB	1-1/4"	Black
<i>Reel Length: 450 Feet</i>		
<i>Pressure Rating: 200 PSI</i>		
380-1X200PSI	1"	Red
380-1X200PSIB	1"	Black

SUCTION HOSE



Part No.	Hose I.D.	Color	Pressure Rating (PSI)
EPDM RUBBER COVER / POLY HELIX / SYNTHETIC BRAID / SMOOTH I.D. / CORRUGATED O.D.			
<i>Reel Length: 100 Feet / 300 SERIES</i>			
485-PE1Y	1"	Yellow / Black Sprial	50
485-PE114Y	1-1/4"	Yellow / Black Sprial	50
485-PE112Y	1-1/2"	Yellow / Black Sprial	50
485-PE2Y	2"	Yellow / Black Sprial	50
485-PE3Y	3"	Yellow / Black Sprial	43
<i>Reel Length: 100 Feet</i>			
485-BK390114	1-1/4"	Black	100
485-BK390112	1-1/2"	Black	100
485-BK3902	2"	Black	100
485-BK3903	3"	Black	90
FLEXIBLE PVC COVER / RIGID PVC HELIX / SMOOTH I.D. / SMOOTH O.D.			
<i>Reel Length: 100 Feet</i>			
485-CL11234	3/4"	Clear	86
485-GR11234	3/4"	Green	86
485-CL1121	1"	Clear	86
485-GR1121	1"	Green	86
485-CL112114	1-1/4"	Clear	80
485-GR112114	1-1/4"	Green	80
485-CL112112	1-1/2"	Clear	70
485-GR112112	1-1/2"	Green	70
485-CL1122	2"	Clear	65
485-GR1122	2"	Green	65
485-CL1123	3"	Clear	55
485-GR1123	3"	Green	55



Part No.	Hose I.D.	Color
<i>Reel Length: 500 Feet</i>		
<i>Pressure Rating: 200 PSI</i>		
380-12X200PSI	1/2"	Red
380-12X200PSIB	1/2"	Black
380-14X200PSI	1/4"	Red
380-14X200PSIB	1/4"	Black
380-34X200PSI	3/4"	Red
380-34X200PSIB	3/4"	Black
380-38X200PSI	3/8"	Red
380-38X200PSIB	3/8"	Black
380-58X200PSI	5/8"	Red
380-58X200PSIB	5/8"	Black
PVC RIBBED COVER / SMOOTH I.D. / WOVEN FABRIC REINFORCEMENT		
<i>Reel Length: 300 Feet</i>		
<i>Pressure Rating: 800 PSI</i>		
694-34038	3/8"	Green
694-34012	1/2"	Green

VINYL / EVA TUBING



Part No.	Hose I.D.
Color: Clear	
140-C1008	1/4"
140-C1013	3/8"
140-C1017	1/2"
140-C1022	5/8"
140-C1024	3/4"
140-C1026	1"
Color: Clear With Braid	
140-B5001	1/4"
140-B5002	3/8"
140-B5003	1/2"
140-B5004	5/8"
140-B5005	3/4"
140-B5006	1"
Color: Translucent	
073-V115138	3/8"
073-V115112	1/2"



STANDARD STEEL HOSE CLAMPS

Part No.	Minimum Diameter	Maximum Diameter
Screw Size: 1/4"		
Width of Band: 5/16"		
124-3508	1/2"	29/32"
124-3608	1/2"	29/32"
124-3708	1/2"	29/32"
124-3506	7/16"	25/32"
124-3606	7/16"	25/32"
124-3504	7/32"	5/8"
124-3604	7/32"	5/8"
Screw Size: 5/16"		
Width of Band: 1/2"		
124-62024	1-1/16"	2"
124-63024	1-1/16"	2"
124-62036	1-13/16"	2-3/4"
124-63036	1-13/16"	2-3/4"
124-62028	1-5/16"	2-1/4"
124-63028	1-5/16"	2-1/4"
124-62032	1-9/16"	2-1/2"
124-63032	1-9/16"	2-1/2"
124-62008	1/2"	29/32"
124-63008H	1/2"	29/32"
124-62012	11/16"	1-1/4"
124-63012	11/16"	1-1/4"
124-63016	13/16"	1-1/2"

Part No.	Minimum Diameter	Maximum Diameter
124-62020	13/16"	1-3/4"
124-63020	13/16"	1-3/4"
124-62040	2-1/16"	3"
124-63040	2-1/16"	3"
124-62048	2-5/16"	3-1/4"
124-63048	2-5/16"	3-1/4"
124-63044	2-5/16"	3-1/4"
124-62056	3-1/16"	4"
124-63056	3-1/16"	4"
124-62088	3-1/8"	6"
124-62064	3-9/16"	4-1/2"
124-63064	3-9/16"	4-1/2"
124-62016	3/16"	1-1/2"
124-62072	4-1/8"	5"
124-63072	4-1/8"	5"
124-62104	6-1/8"	7"
124-63104	6-1/8"	7"
124-62006	7/16"	25/32"
124-63006	7/16"	25/32"
124-62010	9/16"	1-1/16"
124-63010	9/16"	1-1/16"

ZIP TIES

Part No.	Package Qty. (pieces)	Length	Color
HEAVY DUTY			
Tensile Strength: 120 lbs.			
923-T120R	50	15-1/4"	Black
Tensile Strength: 150 lbs.			
923-T120S	50	8-7/8"	Black
923-T150M	25	21"	Black
923-T150L	25	32"	Black
923-T150XL	25	43"	Black
923-T150XLL	25	52-1/2"	Black
Tensile Strength: 250 lbs.			
923-T250XL	25	40"	Black
STANDARD DUTY			
Tensile Strength: 18 lbs.			
141-47012H	31	4"	Red
141-47016H	31	4"	Blue
141-47017H	31	4"	Yellow
141-4701H	31	4"	White
141-4702H	31	4"	Black
923-T18R	100	4"	Black
141-47032H	25	5-1/2"	Red
141-47036H	25	5-1/2"	Blue
141-47037H	25	5-1/2"	Yellow



Part No.	Package Qty. (pieces)	Length	Color
141-4703H	25	5-1/2"	White
141-4704H	25	5-1/2"	Black
923-T30R	100	6"	Black
141-47052H	14	7-1/2"	Red
141-47056H	14	7-1/2"	Blue
141-47057H	14	7-1/2"	Yellow
141-4705H	14	7-1/2"	White
141-4706H	14	7-1/2"	Black
141-47072H	14	11-1/2"	Red
141-47076H	14	11-1/2"	Blue
141-47077H	14	11-1/2"	Yellow
141-4707H	14	11-1/2"	White
141-4708H	14	11-1/2"	Black
141-4709H	8	14-1/2"	White
141-4710H	8	14-1/2"	Black
Tensile Strength: 50 lbs.			
923-T50R	100	8"	Black
923-T50L	100	15-1/2"	Black
Tensile Strength: Assortment			
975-W2925	1,000	Assortment	Assortment
975-W2918	250	Assortment	Assortment

CLAMPS / GARDEN HOSES / STRAINER

Part No.	Description
1 CLAMPS	
124-47892	Hose clamp, quick release ss
124-47893	Clamp ss 12" dia
124-47894	Clamp ss 14" dia
124-47895	Clamp ss 16" dia
124-6210	Hose clamp display 200 pcs.
2 T-BOLT CLAMP	
124-TB163	T-bolt clamp - for 1-1/4" hose
124-TB175	T-bolt clamp - for 1-1/4" hose
124-TB188	T-bolt clamp - for 1-1/2" hose
124-TB213	T-bolt clamp - for 1-1/2" hose
124-TB225	T-bolt clamp 2-1/4x2-9/16 all ss
124-TB238	T-bolt clamp - for 2" hose
124-TB250	T-bolt clamp - for 2" hose
124-TB288	T-bolt clamp - for 2" hose
124-TB300	T-bolt clamp 3" x 3-5/16"
124-TB325	T-bolt clamp - for 3" hose
124-TB350	T-bolt clamp - for 3" hose
124-TB400	T-bolt clamp 4" x 4.31"
124-TB425	T-bolt clamp - for 4" hose
124-TB450	T-bolt clamp - for 4" hose
3 GARDEN HOSE	
380-HFZG550YW	Garden hose asby 5/8" x 50 foot - Flexzilla
380-HFZG575YW	Garden hose asby 5/8" x 75 foot - Flexzilla
380-HFZW58250YW	Water hose bulk 5/8" x 250 foot - Flexzilla
4 REUSABLE END-WATER HOSE	
380-RP900625F	5/8" Hose x 3/4" GHT Female
380-RP900625M	5/8" Hose x 3/4" GHT Male



1



2



3



5



4

Part No.	Description
5 STRAINER	
887-73290	2" zinc plated steel sediment strainer
887-73390	2" black poly sediment strainer
887-73690	3" zinc plated steel sediment strainer



FLAT DISCHARGE HOSE

Part No.	Hose I.D.	Color	Pressure Rating (PSI)
380-537564048	1-1/2"	Blue	70
380-537564064	2"	Blue	60
380-537564107	3"	Blue	50

HOSES & CLAMPS MISC.



Part No.	Description
123-48841	Replacement blade-T100
123-T100	Lil nipper
485-UFD060725	7" Urethane wire reinforced hose
978-45348	34 Pc. Hose clamp assortment

MOWER BLADES FOR ALAMO



Part No.	Bolt Hole Diameter	Length	Length from Center Hole	Offset	Thickness
CW Rotation - Updraft / Width: 4					
404-2886200	1-1/2"	20.12"	17-5/8"	2-1/4"	1/2"
Dual Edge Blade / Width: 5"					
404-02726900	1-1/2"	14-1/2"	12"	Flat	5/8"

MOWER BLADES FOR BUSH HOG



Part No.	Bolt Hole Diameter	Length	Length from Center Hole	Offset	Thickness
CW Rotation / Width: 3"					
404-36	1-1/2"	24-5/8"	22-1/8"	2"	1/2"
404-772302	1-3/8"	27-1/2"	25-1/2"	3"	3/8"
CW Rotation / Width: 3-1/2"					
404-462	1-1/2"	24-3/4"	22-1/4"	2"	1/2"
404-463	1-1/2"	27-3/4"	25-1/4"	2"	1/2"
404-464	1-1/2"	30-3/4"	28-1/4"	2"	1/2"
CW Rotation - Updraft / Width: 4"					
404-7828	1-1/2"	19-1/4"	16-3/4"	2"	1/2"
404-86664	1-1/2"	20-3/4"	18-1/4"	2"	1/2"
404-78495	1-1/2"	24"	21-1/2"	2"	1/2"
404-7555	1-1/2"	24-3/4"	22-1/4"	2"	1/2"
404-B3093	1-3/8"	27"	24-1/2"	2"	1/2"
404-7556	1-1/2"	27-3/4"	25-1/4"	2"	1/2"
404-7557	1-1/2"	30-3/4"	28-1/4"	2"	1/2"
CW Rotation - Updraft / Width: 4"					
404-7829	1-1/2"	19-1/4"	16-3/4"	2"	1/2"
404-86665	1-1/2"	20-3/4"	18-1/4"	2"	1/2"
404-78494	1-1/2"	24"	21-1/2"	2"	1/2"
404-11150	1-1/2"	24-3/4"	22-1/4"	2"	1/2"
404-B3094	1-3/8"	27"	24-1/2"	2"	1/2"
Dual Edge Blade / Width: 3"					
404-63968	1-1/2"	24-7/16"	21-15/16"	2"	1/2"
Dual Edge Blade / Width: 4"					
404-86666	1-1/2"	20-1/4"	17-3/4"	2"	1/2"

MOWER BLADES FOR HARDEE



Part No.	Bolt Hole Diameter	Length	Length from Center Hole	Offset	Thickness
CW Rotation - Updraft / Width: 3-1/2"					
404-C470	1-1/2"	29"	26-1/2"	2-1/2"	1/2"
Dual Edge Blade / Width: 3"					
404-C49ND	1-1/2"	23"	20-1/2"	2-1/2"	1/2"
- / Width: 3"					
404-C50ND	1-1/2"	18-3/4"	16-1/8"	1-3/4"	1/2"
404-C49	1-1/2"	23"	20-1/2"	2"	1/2"

ROTARY CUTTER FOR HOWSE



Part No.	Bolt Hole Diameter	Length	Length from Center Hole	Offset	Thickness
CW Rotation / Width: 3-1/2"					
404-H608	1-1/2"	24-1/2"	22-1/2"	2-1/2"	1/2"
404-HL422N	1-1/2"	27-1/2"	25-1/2"	2-1/2"	1/2"

MOWER BLADES FOR JOHN DEERE



Part No.	Bolt Hole Diameter	Length	Length from Center Hole	Offset	Thickness
CW Rotation - Updraft / Width: 4"					
404-50192	1-1/2"	18"	16"	2-1/2"	1/2"
404-39203	1-1/2"	18-1/4"	16-1/4"	2-1/4"	1/2"
404-39200	1-1/2"	21-3/4"	19-3/4"	2-1/2"	1/2"
404-49171	1-1/2"	21-3/4"	19-3/4"	2-3/8"	1/2"
404-52742	1-1/2"	27-1/4"	25-1/4"	2-3/4"	1/2"
404-48577	1-1/2"	28-1/2"	26-1/2"	2-1/2"	1/2"
CW Rotation - Updraft / Width: 4"					
404-50191	1-1/2"	18"	16"	2-1/2"	1/2"
404-39202	1-1/2"	18-1/4"	16-1/4"	2-1/4"	1/2"
404-39201	1-1/2"	21-3/4"	19-3/4"	2-1/2"	1/2"
404-49170	1-1/2"	21-3/4"	19-3/4"	2-3/8"	1/2"
404-48578	1-1/2"	28-1/2"	26-1/2"	2-1/2"	1/2"
Dual Edge Blade / Width: 4"					
404-39204	1-1/2"	18-1/4"	16-1/4"	2-1/4"	1/2"

MOWER BLADES FOR LANDPRIDE



Part No.	Bolt Hole Diameter	Length	Length from Center Hole	Offset	Thickness
CW Rotation / Width: 4"					
404-820168	1-1/2"	29"	26-1/4"	2-1/2"	1/2"
404-820169	1-1/2"	23"	20-1/2"	2-1/2"	1/2"
CW Rotation / Width: 4"					
404-820170	1-1/2"	23"	20-1/4"	2-1/2"	1/2"

MOWER BLADES FOR HARDEE



Part No.	Bolt Hole Diameter	Length	Length from Center Hole	Offset	Thickness
CW Rotation - Updraft / Width: 3"					
404-C1257	1-1/2"	18-3/4"	16-1/4"	2"	1/2"
CW Rotation - Updraft / Width: 3"					
404-C1256	1-1/2"	18-3/4"	16-1/4"	2"	1/2"
Dual Edge Blade / Width: 3-1/2"					
404-C469ND	1-1/2"	26"	23-1/2"	2-1/2"	1/2"

MOWER BLADES FOR TIGER



Part No.	Bolt Hole Diameter	Length	Length from Center Hole	Offset	Thickness
CW Rotation - Updraft / Width: 4"					
404-T1021R	1-1/2"	20"	17-1/2"	2"	1/2"
CW Rotation - Updraft / Width: 5"					
404-TB2031A	1-1/2"	17"	14-1/2"	2"	1/2"

ROTARY CUTTER BLADES

Part No.	Bolt Hole Diameter	Length	Length from Center Hole	Offset	Thickness
Bi-Directional / Width: 3"					
404-1214	1-1/2"	17"	-	3"	1/2"
Description: Mohawk"					
CCW / Width: 4"					
404-50076631	1-1/2"	24-3/4"	22-1/4"	2-1/2"	1/2"
Description: For bush hog - updraft ccw"					
CCW Rotation - Updraft / Width: 3"					
8197T	1-1/2"	20-1/8"	18-1/4"	-	1/2"
Description: For BMB BR5, superflex 15. 1/2" Thick x 3" wide x 20-1/8" long."					
CCW Rotation - Updraft / Width: 4"					
11769WD	1-1/2"	20-1/8"	17-3/4"	-	3/8"
CW / Width: 4"					
404-50076632	1-1/2"	24-3/4"	22-1/4"	2-1/2"	1/2"
Description: For bush hog - updraft CW"					
CW Rotation - Updraft / Width: 4"					
404-60528	1-1/2"	30-3/4"	28-1/4"	2"	1/2"
Description: Schulte"					
Dual Edge Blade / Width: 3"					
21301SW	1-1/2"	17-3/8"	15-3/8"	-	3/8"
TP-W34286	1-25/64"	11"	9-1/2"	Flat"	1/2"
Dual Edge Blade / Width: 4"					
17190W	1-1/2"	24"	21-1/2"	-	13/32"

MOWER BLADES FOR SCHULTE

Part No.	Bolt Hole Diameter	Length	Length from Center Hole	Offset	Thickness
CCW Rotation - Updraft / Width: 4"					
404-401027	1-1/2"	24-3/4"	22-1/4"	2-1/4"	1/2"
404-401028	1-1/2"	27-3/4"	25-1/4"	2-1/4"	1/2"
CW Rotation - Updraft / Width: 4"					
404-401026	1-1/2"	24-3/4"	22-1/4"	2-1/4"	1/2"
404-401032	1-1/2"	27-3/4"	25-1/4"	2-1/4"	1/2"
Dual Edge Blade / Width: 4"					
404-401016	1-1/2"	24-3/4"	22-1/4"	2-1/2"	1/2"
404-401024	1-1/2"	27-3/4"	25-1/4"	2-1/2"	1/2"

MOWER BLADES FOR WOODS

Part No.	Bolt Hole Diameter	Length	Length from Center Hole	Offset	Thickness
CW Rotation - Updraft / Width: 5"					
404-24771	1-1/2"	14-1/2"	12"	Flat	7/16"
CCW Rotation - Updraft / Width: 4"					
404-12892	1-1/2"	24"	21-5/8"	2-3/4"	7/16"
404-19160	1-1/2"	25-1/4"	22-3/4"	2-1/2"	1/2"
404-6323	1-1/2"	30-1/4"	27-3/4"	2-3/4"	3/8"

MOWER BLADES FOR SERVIS

Part No.	Bolt Hole Diameter	Length	Length from Center Hole	Offset	Thickness
- / Width: 3"					
404-71103	1"	24-1/2"	22-1/2"	3-1/8"	3/8"
CCW Rotation / Width: 3"					
404-761319	1-3/8"	24-1/2"	22-1/2"	2"	1/2"
CCW Rotation / Width: 4"					
404-759339	1-3/8"	21-1/2"	19-1/2"	3-1/8"	1/2"
CCW Rotation - Updraft / Width: 3-1/2"					
404-753842	1-1/2"	19-7/8"	17-3/8"	2"	1/2"
CCW Rotation - Updraft / Width: 4"					
404-622013F	1-3/8"	24-1/2"	22-1/2"	3"	1/2"
404-652011RF	1-3/8"	24-1/2"	22-1/2"	3"	1/2"
404-741340330	1-3/8"	30-1/2"	28-1/2"	4-5/8"	1/2"
404-811200000	1-3/8"	31"	28-3/4"	2"	1/2"
404-8589	1-1/2"	20"	18"	2"	1/2"
404-582013F	1-3/8"	27-1/2"	25-1/2"	3"	1/2"
Description: SERVIS RHINO MOWER BLADE-CCW"					
404-8588	1-1/2"	26-1/4"	24-1/4"	2-1/2"	1/2"
Description: SERVIS ROTARY MOWER BLADE-CCW"					
CW Rotation / Width: 4"					
404-759338	1-3/8"	21-1/2"	19-1/2"	3-1/8"	1/2"
CW Rotation - Updraft / Width: 3-1/2"					
404-753841	1-1/2"	19-7/8"	17-3/8"	2"	1/2"
CW Rotation - Updraft / Width: 4"					
404-8590	1-1/2"	20-1/4"	18-1/4"	2"	1/2"
404-582010332	1-3/8"	27-1/2"	25-1/2"	3-9/16"	1/2"
Description: SERVIS RHINO MOWER BLADE-CW"					
CW Rotation - Updraft / Width: 4"					
404-371102B	1-3/8"	20"	17"	Flat"	1/2"
404-58201030	1-3/8"	27-3/4"	25-3/4"	2"	1/2"
404-681063	1-3/8"	19"	17"	2"	1/2"
404-763288	1-3/8"	17-1/16"	15"	2"	1/2"
Flat Blade - Dual Edge / Width: 4"					
404-65201030	1-3/8"	24-1/2"	22-1/2"	3"	1/2"

MOWER BLADES FOR SIDEWINDER

Part No.	Bolt Hole Diameter	Length	Length from Center Hole	Offset	Thickness
- / Width: 3-1/2"					
404-15120	1-1/2"	28-3/4"	26-1/4"	2-1/2"	1/2"
CCW Rotation / Width: 3-1/2"					
404-15074	1-1/2"	20-1/4"	17-3/4"	4"	1/2"
404-15096	1-1/2"	22-3/4"	20-1/4"	2-1/4"	1/2"
CCW Rotation / Width: 3"					
404-17065	1-1/2"	22-3/8"	20-3/8"	2"	3/8"
Dual Edge Blade / Width: 3-1/2"					
404-20013	1-1/2"	25-3/8"	22-7/8"	2-5/8"	1/2"

SABERTOOTH™

Fastener Size: 7/32" x 5/8"



Part No.	Description	Finish	Hole Spacing	Shape
Thickness: Extra-Heavy				
231-461-10PLK	Sabertooth sickle section	Black	2-1/16"	2


UNDERSERRATED SICKLES



Part No.	Description	Finish	Hole Spacing	Shape
THICKNESS: EXTRA-HEAVY				
Fastener Size: 7/32" x 5/8"				
29875NH	Heavy, under serrated sickle section. Replaces massey ferguson 683937M1 AND 1036362M1.	Black	2-1/16"	2

RAKE WHEELS

RAKE WHEELS



Part No.	Color	Diameter	Direction Straight Tines	Replacement Tines	Tine Diameter (mm)
RAKE WHEEL					
Center Hole (mm / inch): 80 / 3.15"					
Bolt Pattern (mm / inch): 131 / 5.15"					
Bolt Holes: 6 holes / 12.5mm					
804-P20AG002	Yellow	55"	LH	PL015	6.50
804-P20BG003	Yellow	55"	RH	VI1H	7.00
804-P20BG004	Yellow	55"	LH	VI1H	7.00
Height: 56					
Center Hole (mm / inch): 81 / 3.18"					
Bolt Pattern (mm / inch): 133 / 5.24"					
Bolt Holes: 6 holes / 11mm					
804-210180	Cream White	55"	RH	HST176 / 210621	7.00

Part No.	Color	Diameter	Direction Straight Tines	Replacement Tines	Tine Diameter (mm)
RAKE WHEEL SITREX					
Center Hole (mm / inch): 81 / 3.18"					
Bolt Pattern (mm / inch): 133 / 5.24"					
Bolt Holes: 6 holes / 11mm					
804-210181	Cream White	55"	LH	HST176 / 210621	7.00
804-210180B	Black	55"	RH	HST176B / 210621B	7.00
804-210181B	Black	55"	LH	HST176B / 210621B	7.00
Bolt Pattern (mm / inch): 135 / 5.31"					
Bolt Holes: 6 holes / 11mm					
804-230279	Black	60"	RH	OT2B	7.50
RAKE WHEEL H&S					
Center Hole (mm / inch): 81 / 3.18"					
Bolt Pattern (mm / inch): 135 / 5.31"					
Bolt Holes: 6 holes / 11mm					
804-230280	Black	60"	LH	OT2B	7.50
Length: 60					
RAKE WHEEL FOR KUHN					
Center Hole (mm / inch): 80 / 3.15"					
Bolt Pattern (mm / inch): 135 / 5.31"					
Bolt Holes: 6 holes / 12.5mm					
804-230339	Black	55"	RH	VI1H	7.00
804-230340	Black	55"	LH	VI1H	7.00

BEARING W/FLANGE JD & VERMEER RAKE



Part No.	Bore Shape	Bearing Type	Primary Application
851-SMA59068	Round	Specialty Ag	Wheel Rake

Check out our full line of replacement rake teeth online at www.qualityfarmsupply.com !

AGSMART NPT HYDRAULIC CYLINDERS

AGsmart



- Ductile Iron Head, Base & Rod End
- 2500 PSI Working Pressure
- Two Year Replacement Warranty

Part No.	Description	Closed center-center
ASAE		
197-20081	2" x 8"	20 1/4"
197-25081	2.5" x 8"	20 1/4"
197-30081	3" x 8"	20 1/4"
197-30161	3" x 16"	31 1/2"
197-35081	3.5" x 8"	20 1/4"
197-40081	4" x 8"	20 1/4"
197-40161	4" x 16"	31 1/2"

AGSMART ORB HYDRAULIC CYLINDERS

AGsmart



- Ductile Iron Head, Base & Rod End
- 3000 PSI Working Pressure
- Two Year Replacement Warranty

Part No.	Description	Closed center-center
ASAE		
197-20081ORB	2" x 8"	20 1/4"
197-25081ORB	2.5" x 8"	20 1/4"
197-30081ORB	3" x 8"	20 1/4"
197-30161ORB	3" x 16"	31 1/2"
197-35081ORB	3.5" x 8"	20 1/4"
197-40081ORB	4" x 8"	20 1/4"
197-40161ORB	4" x 16"	31 1/2"

CROSS HYDRAULIC CYLINDERS

CROSS



- OEM Approved
- Precision Honed Barrels
- Ductile Iron Cylinder
- Head and Clevis Base
- Induction Hardened
- Chrome Plated Piston Rod
- One Year Limited Warranty

Part No.	Description	Closed center-center
CROSS-STANDARD		
196-022683	2" x 6"	16 1/4"
196-022921	2" x 8"	18 1/4"
196-022747	2" x 10"	20 1/4"
196-022935	3" x 24"	34 1/4"
196-022742	4" x 12"	22 5/8"
CROSS-ASAE		
196-024435	4" x 8"	20 1/4"
196-027556	3" x 8"	20 1/4"

STROKE CONTROL KITS



Part No.	Description
CAST ALUMINUM KITS	
873-HC391020	7/8" - 1-1/16" Shafts, Includes 1 ea. 3/4", 1", 1-1/4", 1-1/2"
873-HC391030	1-1/8" - 1-1/2" Shafts, Includes 1 ea. 3/4", 1", 1-1/4", 1-1/2"
873-HC391040	1-3/4" - 2" Shafts, Includes 1 ea. 1", 1-1/2", 2", 4"
AIR CRAFT GRADE MACHINED ALUMINUM SERIES A AND B KITS	
2577-GR1034	A Ser. 1" - 1-1/2" Shafts, Includes 1 ea. 1", 1-1/4", 1-1/2", 1-3/4", 2"
2577-GR105	B Ser. 1-1/2" - 2" Shafts, Includes 1 ea. 1", 1-1/4", 1-1/2", 1-3/4", 2"

HYDRA-POWER TOP LINK



- 3-1/2" Bore x 7" Stroke, 1-1/2" Cylinder Shaft, 3,000 psi, 24-3/8" retracted, 31-3/8" extended with 4-1/4" space bar, 27-9/16" Retracted and 34-9/16" Extended with 7-1/2" Spacer Bar
- INCLUDES: Hydraulic Cylinder with Load Holding Valves
- Heavy Duty Cat. III Swivel socket w/grease zerk
- (2) Cat. III to Cat. II bushings
- (2) Hydraulic hoses w/ISO tips, and 90° O-ring fittings
- (1) 4-1/4" Spacer Bar and (1) 7-1/2" Spacer Bar

Part No.

383-TLC340

TEEJET BALL VALVE



- Electric Valves
- Ball Valves - 12v
- Ball Valve Type: Ball Valves - 12v
- Material: Poly

Part No.	Connection Specification	Max Rating
878-346BEC25C	1-1/4" Female NPT x 1-1/4" Female NPT	150
878-344BE23C	3/4" Female NPT x 3/4" Female NPT	300
878-344BE24C	1" Female NPT x 1" Female NPT	300
878-344BEC23C	3/4" Female NPT x 3/4" Female NPT	300
878-344BEC24C	1" Female NPT x 1" Female NPT	300

TEEJET DIRECTOVALVE



- Boom Control - 12v Solenoid
- Material: Poly

Part No.	Connection Specification	Max Rating
Electric Valves		
878-144A13	3/4" NPT Inlet x 1/2" NPT Discharge	65
878-144P1	3/4" NPT Inlet x 1/2" NPT Discharge	65
878-144A1	3/4" NPT Inlet x 1/2" NPT Discharge	100
878-144A1VI	3/4" NPT Inlet x 1/2" NPT Discharge	100
878-145H1	1" Female NPT x 1" Female NPT	100
Manual Valves		
878-6B	3/4" NPT Inlet x 1/2" NPT Discharge	150

HYDRAULIC TOP LINKS



Part No.	Category	Bore x Stroke	Pin Dia.	Description
HTL2103	1	2" x 5"	3/4"	Length: Closed 15", Open 20"; Ports .563"-18 ORB.
HTL2101	1	2" x 8"	3/4"	Length: Closed 24-1/16", Open 32-1/16"; Ports .563"-18 ORB.
HTL2102	1	2" x 8"	3/4"	Length: Closed 20", Open 28"; Ports .563"-18 ORB. Working Pressure 2200 - 2400 psi, Max 3000 psi.
HTL3106	1	3" x 8"	3/4"	Length: Closed 24", Open 28"; Ports .563"-18 ORB.
HTL3105	1 and 2	3" x 8"	3/4"	Length: Closed 22", Open 30"; Ports .563"-18 ORB.
HTL3101	1 and 2	3" x 8"	3/4" and 1"	Length: Closed 22", Open 28"; Ports .563"-18 ORB.
HTL3101M	1 and 2	3" x 8"	3/4" and 1"	Length: Closed 23", Open 28"; Ports .563"-18 ORB.
HTL3102	2	3" x 8"	1"	Length: Closed 21", Open 29"; Ports 3/4"-16 ORB.
HTL3102M	2	3" x 8"	1"	Length: Closed 21", Open 29"; Ports 3/4"-16 ORB.
HTL3103	2	3" x 8"	1"	Length: Closed 26", Open 34"; Ports .563"-18 ORB.
HTL3103M	2	3" x 8"	1"	Length: Closed 26", Open 34"; Ports .563"-18 ORB.

TEEJET THROTTLING VALVE



- Manual Valves
- Throttling Valves

Part No.	Connection Specification	Max Rating
Material: Poly		
878-2352012PP	1/2" Female NPT	150
878-2352012PP	3/4" Female NPT	150
Material: Nylon / Aluminum		
878-2352012PP	3/4" Female NPT	125

REMCOR



- Electric Valves

Part No.	Connection Specification	Max PSI Rating
Boom Control - 12v Solenoid / Material: Poly		
903-2500B1	3/4" NPT Inlet x 3/4" Male Bypass Outlet x 1/2" Female NPT Discharge	100
903-1999A1	1" NPT Inlet x 1" Male Bypass Outlet x 3/4" Female NPT Discharge	175

TEEJET PRESSURE RELIEF VALVE



- Manual Valves
- Pressure Regulating Valves

Part No.	Connection Specification	Max PSI Rating
Material: Brass		
878-1101450	1/4" Female NPT	50
878-681512300	1/2" Female NPT	300
878-681534300	3/4" Female NPT	300
Material: Ductile Iron		
878-1101DI	1" Female NPT	150
878-110114DI	1-1/4" Female NPT	150

Part No.	Connection Specification	Max PSI Rating
Material: Nylon / Aluminum		
878-846012	1/2" Female NPT	300
878-846034	3/4" Female NPT	300
Material: Poly		
878-2312012PP	1/2" Female NPT	150
878-2312034PP	3/4" Female NPT	150
878-23120A34PP	3/4" Female NPT	150

PORT POLY BALL VALVE



- Manual Valves
- Ball Valves - Manual
- Ball Valve Type : Standard Valve - Bolted
- Material: Poly

Part No.	Connection Specification	Port Opening
Standard Port		
900-ASV100	1" Female NPT x 1" Female NPT	3/4"
900-ASV200	2" Female NPT x 2" Female NPT	1-1/2"
Full Port		
900-ASV200FP	2" Female NPT x 2" Female NPT	2"
900-ASV300FP	3" Female NPT x 3" Female NPT	3"

COMPACT BALL VALVE



- Manual Valves
- Ball Valves - Manual
- Ball Valve Type: Compact Ball Valve
- Material: Steel

Part No.	Connection Specification
920-90FMB14	1/4" Female NPT x 1/4" Male NPT
920-90FFB14	1/4" Female NPT x 1/4" Female NPT
920-90FFB38	3/8" Female NPT x 3/8" Female NPT
920-90FMB38	3/8" Female NPT x 3/8" Male NPT
920-90FFB12	1/2" Female NPT x 1/2" Female NPT

SINGLE / STANDARD / STUBBY BALL VALVE

- Manual Valves
- Ball Valves - Manual
- Material: Poly



Part No.	Connection Specification	Port Opening
BALL VALVE TYPE: SINGLE UNION VALVE		
<i>Full Port</i>		
909-UV075FP	3/4" Female NPT x 3/4" Female NMPT	3/4"
909-UV100FP	1" Female NPT x 1" Female NPT	1"
909-UV150FP	1-1/2" Female NPT x 1-1/2" Female NPT	1-1/2"
909-UV050FP	1/2" Female NPT x 1/2" Female NPT	3/4"
909-UV200FP	2" Female NPT x 2" Female NPT	2"
BALL VALVE TYPE: STANDARD VALVE - BOLTED		
<i>Full Port</i>		
909-V100FP	1" Female NPT x 1" Female NPT	1"
909-V125FP	1-1/4" Female NPT x 1-1/4" Female NPT	1-1/4"
909-V150	1-1/2" Female NPT x 1-1/2" Female NPT	1-1/2"
909-V050	1/2" Female NPT x 1/2" Female NPT	3/4"
909-V204FP	2" Female NPT x 2" Female NPT	2"
909-V200FP	2" Female NPT x 2" Female NPT	2"
909-MV220CF	2" Manifold x 2" Manifold	2"
909-V300FP	3" Female NPT x 3" Female NPT	3"
<i>Standard Port</i>		
909-V075	3/4" Female NPT x 3/4" Female NPT	3/4"
909-V125	1-1/4" Female NPT x 1-1/4" Female NPT	1"
909-V100	1" Female NPT x 1" Female NPT	3/4"
909-V200	2" Female NPT x 2" Female NPT	1-1/2"
909-V300	3" Female NPT x 3" Female NPT	2-1/2"
BALL VALVE TYPE: STUBBY VALVE		
<i>Full Port</i>		
909-VSFMT204FP	2" Male Cam Lock Adapter x 2" Male NPT	2"
<i>Standard Port</i>		
909-VSF200	2" Male Cam Lock Adapter x 2" Female NPT	1-1/2"
909-VSFMT200	2" Male Cam Lock Adapter x 2" Male NPT	1-1/2"
909-VSMT200	2" Female NPT X 2" Male NPT	1-1/2"

BRONZE GATE VALVE

- Manual Valves
- Gate Valves
- Material: Brass



Part No.	Connection Specification	Max PSI Rating
959-10150	1/4" Female NPT x 1/4" Female NPT	200 WOG
959-10152	1/2" Female NPT x 1/2" Female NPT	200 WOG
959-10153	3/4" Female NPT x 3/4" Female NPT	200 WOG
959-10154	1" Female NPT x 1" Female NPT	200 WOG
959-10155	1-1/4" Female NPT x 1-1/4" Female NPT	200 WOG
959-10156	1-1/2" Female NPT x 1-1/2" Female NPT	200 WOG
959-10157	2" Female NPT x 2" Female NPT	200 WOG

BRONZE / STEEL BALL VALVE

- Manual Valves
- Ball Valves - Manual



Part No.	Connection Specification	Max PSI Rating
Ball Valve Bronze/Brass		
959-40700	1/4" Female NPT x 1/4" Female NPT	600
959-40701	3/8" Female NPT x 3/8" Female NPT	600
959-40702	1/2" Female NPT x 1/2" Female NPT	600
959-40703	3/4" Female NPT x 3/4" Female NPT	600
959-40704	1" Female NPT x 1" Female NPT	600
959-40705	1-1/4" Female NPT x 1-1/4" Female NPT	600
959-40706	1-1/2" Female NPT x 1-1/2" Female NPT	600
959-40707	2" Female NPT x 2" Female NPT	600
959-40709	3" Female NPT x 3" Female NPT	600
Ball Valve Stainless Steel		
959-41901	3/8" Female NPT x 3/8" Female NPT	1000
959-41902	1/2" Female NPT x 1/2" Female NPT	1000
959-41903	3/4" Female NPT x 3/4" Female NPT	1000
959-41904	1" Female NPT x 1" Female NPT	1000

NOZZLE VALVE

- Manual Valves
- Ball Valve Type: Nozzle Valve
- Ball Valves - Manual
- Material: Poly



Part No.	Connection Specification	Port Opening
909-VA150	1-1/2" Female NPT x 90 Degree Elbow - 8" Pipe	1-1/2"
909-VA200	2" Female NPT x 90 Degree Elbow - 8" Pipe	1-1/2"
909-VA200FP	2" Female NPT x 90 Degree Elbow - 8" Pipe	2"

EVERY ICEBIN PRODUCT PROTECTED BY A



40 & 65 liter ICEBIN Chests include handy removable/ re-positional dividers.

ICEBIN HIGH PERFORMANCE COOLERS

- One-Piece, Roto-Molded construction
- Pressure-Injected Insulation to give you better thermal resistance & ice retention
- Rubber Lid Latches with molded-in keepers
- Intergrated Gasket minimizes unwanted air exchange, sealing in cold & locking out heat
- Fully Enclosed Hinge System that is self-stopping & will not break
- Extra-Thick Walls for added insulation
- Non-Slip Feet made from non-marking rubber to keep your cooler where you put it
- Interlocking Lid that creates a form-fitting barrier between your contents & outside elements
- Molded Tie-Down Slots for solid mounting
- Rugged Rope Handles with foam coating for soft grip
- Screw-in Gasketed Drain Plug that allows for easy draining while partially opened
- Strap Guides that allow easy transporting
- Constructed of food grade material that is UV & Dry Ice compatible
- Integrated Padlock Port with #4 Padlock included
- Molded-In Divider Slots with a Flow-Through Divider for partitioning of contents
- 983-ICE65K, 983-ICE65W – 3 Molded-In Divider Slots with 2 Flow-Through Dividers for partitioning of contents
- Lid has a large, clean area for embossed logos, bumper stickers, or any kind of personalization

Part No.	Color	Cooler size (L)	Height	Length	Width	Net weight (lbs)
983-ICE20K	Khaki	20	15"	20"	15-1/2"	20
983-ICE20W	White	20	15"	20"	15-1/2"	20

Part No.	Color	Cooler size (L)	Height	Length	Width	Net weight (lbs)
983-ICE40K	Khaki	40	17"	27"	17"	30
983-ICE40W	White	40	17"	27"	17"	30
983-ICE65K	Khaki	65	17"	39"	17"	45
983-ICE65W	White	65	17"	39"	17"	45

18/26 OZ TUMBLER TOWER

983-ICE26SS

983-ICE18SS



26 & 18oz. insulated Tumblers keep your beverage hot when hot & cold when cold, just the way you need it to be. Stainless steel container provides hours of temperature control.

- High-Performance Tumbler.
- Made of Stainless Steel with a clear plastic lid.

Part No.	Capacity
983-ICE18SS	18 Ounce
983-ICE26SS	26 Ounce

KOOZIE



Pop in your favorite canned beverage & take your time enjoying—it'll still be cold for you.

- ICEBIN High-Performance
- Made of Stainless Steel with a removable black plastic/rubber lid.
- Fits 12 Ounce Cans.

Part No.	Capacity
983-ICE12CH	12 Ounce

LED CURVED LIGHT BARS SPOT/FLOOD PATTERN



The Spot/Flood Pattern Light Bars have bulbs near either end which are a flood pattern. The bulbs in the middle have a spot pattern.

Part No.	Description
588-LBFS24CE	Light Bar 24" Long, Curved, 8,000 Lumens
588-LBFS35CE	Light Bar 35" Long, Curved, 13,200 Lumens
588-LBFS43CE	Light Bar 43" Long, Curved, 16,000 Lumens
588-LBFS55CE	Light Bar 53" Long, Curved, 18,000 Lumens

LED LIGHT BARS SPOT/FLOOD PATTERN



The Spot/Flood Pattern Light Bars have bulbs near either end which are a flood pattern. The bulbs in the middle have a spot pattern.

Part No.	Description
588-LBFS24SE	Light Bar 24" Long, Spot/Flood Pattern, 8,800 Lumens
588-LBFS35SE	Light Bar 35" Long, Spot/Flood Pattern, 13,200 Lumens
588-LBFS43SE	Light Bar 43" Long, Spot/Flood Pattern, 16,000 Lumens

LED LIGHT BARS FLOOD PATTERN



Part No.	Description
588-LBF11SE	11" Long, Flood Pattern, 2,700 Lumens
588-LBF14SE	14.5" Long, Flood Pattern, 4,060 Lumens
588-LBF17SE	17" Long, Flood Pattern, 5,500 Lumens
588-LBF24SE	24" Long, Flood Pattern, 8,800 Lumens
588-LBF35SE	35" Long, Flood Pattern, 13,200 Lumens
588-LBF43SE	43" Long, Flood Pattern, 16,000 Lumens
588-2401S303	Universal Wiring Harness 9.9 ft. with Switch and Relay

LED CUBE WORK LIGHTS



Part No.	Description
588-CSP1200	LED Cube Work Light Spot Pattern 1200 Lumens
588-CFL1200	LED Cube Work Light Flood Pattern 1200 Lumens

LED CUBE WORK LIGHTS WITH 4-D REFLECTOR



Part No.	Description
WITH 4-D REFLECTOR	
588-CSP2000RFM	LED Cube Work Light Spot Pattern, 4-D Reflector, 2000 Lumens
588-CFL2000RFM	LED Cube Work Light Flood Pattern, 4-D Reflector, 2000 Lumens
FLUSH MOUNT WITH 4-D REFLECTOR	
588-CSP2000RFM	LED Cube Work Light Spot Pattern Flush Mnt., 4-D Reflector, 2000 Lumens
588-CFL2000RFM	LED Cube Work Light Flood Pattern Flush Mnt., 4-D Reflector, 2000 Lumens

LED ROUND/RECTANGLE/SQUARE WORK LIGHTS



Part No.	Description
RECTANGLE/SQUARE WORK LIGHTS	
588-SSP5000	7" x 5.9" x 3.1" (WxHxD), Spot Pattern, 5,000 Lumens
588-SFL5000	7" x 5.9" x 3.1" (WxHxD), Flood Pattern, 5,000 Lumens
588-SFL2150	4" Flood Pattern, 2,150 Lumens
ROUND WORK LIGHTS	
588-RSP1368	4.5" Diameter, Spot Pattern, 1,368 Lumens
588-RFL1368	4.5" Diameter, Flood Pattern, 1,368 Lumens
588-RFL2150	4" Diameter, Flood Pattern, 2,150 Lumens

LED REPLACEMENT LIGHTS



Part No.	Description
LED BEACON	
588-2000	Amber Warning Light - Universal
588-3BK	Bracket, Fixed Bolt-On for 588-2000
588-8BK	Bracket, Folding Vertical for 588-2000
LED CAB LIGHT	
588-AR60250	Amber Soundgard
588-3055	for Industrial Boom and Backhoe
588-92185C1	Front and Rear for Case CIH/NH
LED COMBINE & TRACTOR WORK LIGHT	
588-5650	2900 Lumens
588-5680	5500 Lumens
LED COMBINE	
588-9000	Cab and Side Light for John Deere
588-6080	Cab Light for Case IH 66 and 88
588-8420	Cab Light Hi/Lo for Case IH
588-6090	Cab Light Hi/Lo for Case IH 66 and 88
LED COMBINE WORK LIGHT	
588-3035	for Case IH 66 and 88
LED CORNER	
588-8040L	Light Left Amber for John Deere
588-8040R	Light Right Amber for John Deere
LED FLOODLIGHT	
588-350F	Compact 35 Watt Universal
588-500F	Compact 50 Watt Universal

Part No.	Description
LED HEADLIGHT	
588-2010	for Case IH 88 Series
588-7740	for Ford NH
588-2020	Hi/Lo Beam for Case IH
588-8220	Oval Inner
LED ROUND SEALED BEAM	
588-3015	24 Watt
588-3025	Hi/Lo, 24 Watt
LED ROUND TRACTOR LIGHT	
588-2080	(Bottom Mount)
588-2060	(Rear Mount)
LED SKID STEER	
588-TL750	Headlight with Clip
LED TRACTOR	
588-3080	Fender Light for John Deere 9100-9400
588-8400	Light, Dual Ball Mounts for John Deere
588-3030	Work Light
588-3050	Work Light for Ford Genesis Series
588-3090	Work Light, Swivel Mnt. Brkt. for Ford NH
588-3070	Work Light, Swivel Mount Bracket for CIH
588-RE306510	LED Hood and Roof Light for John Deere
588-8520	LED Cab and Hood Light Oval, Hi/Lo

POST HOLE DIGGER



Augers sold separately

- 2" Round Output Shaft
- Shearbolt Protected
- 2" Round Output Shaft
- Cat 1 Pins Included

Part No.	Description
PHD5000	Compact 45 hp, 4-position boom 2-7/8" x 54". Cat. 0 or 1 hitch, 6", 9", and 12" augers.

HEAVY DUTY POST HOLE DIGGER



Part No.	Dia. x Len.
COMPACT 2" – ROUND DRIVE AUGER	
PHA06C	6" x 36"
PHA09C	9" x 36"
PHA12C	12" x 36"

Part No.	Dia. x Len.
HEAVY-DUTY 2" – ROUND DRIVE	
PHA06S	6" x 50"
PHA09S	9" x 50"
PHA12S	12" x 50"
PHA18S	18" x 50"
PHA24S	24" x 48"

LOG SPLITTER



- 22 Ton Log Splitter 3-Pt Hitch
- Mount Vertical or Horizontal Operation
- Fits Cat. 1 or 2 Hitches
- Uses Tractor's Hydraulics
- Auto Return Valve
- 25" Max Log Length
- 6" Heavy Duty Beam
- 8" Splitting Wedge

Part No.
LS3PT100

TOOTH BARS

Part No.	Min. Size	Max Size	Teeth
TTB460	46"	46-3/8"	5
TTB465	46-1/2"	46-7/8"	6
TTB475	47-1/2"	47-7/8"	6
TTB480	48"	48-3/8"	6
TTB485	48-1/2"	48-7/8"	6
TTB500	50"	50-3/8"	6
TTB520	52"	52-3/8"	6
TTB525	52-1/2"	52-7/8"	6
TTB535	53-1/2"	53-7/8"	6
TTB540	54"	54-3/8"	6
TTB580	58"	58-3/8"	6
TTB585	58-1/2"	58-7/8"	6
TTB595	59-1/2"	59-7/8"	6
TTB600	60"	60-3/8"	7



Part No.	Min. Size	Max Size	Teeth
TTB605	60-1/2"	60-7/8"	7
TTB615	61-1/2"	61-7/8"	7
TTB635	63-1/2"	63-7/8"	7
TTB640	64"	64-3/8"	7
TTB645	64-1/2"	64-7/8"	7
TTB655	65-1/2"	65-7/8"	8
TTB660	66"	66-3/8"	8
TTB680	68"	68-3/8"	8
TTB695	69-1/2"	69-7/8"	8
TTB700	70"	70-3/8"	8
TTB705	70-1/2"	70-7/8"	8
TTB710	71"	71-3/8"	8
TTB715	71-1/2"	71-7/8"	8
TTB720	72"	72-3/8"	8



Part No.	Min. Size	Max Size	Teeth
TTB730	73"	73-3/8"	8
TTB755	75-1/2"	75-7/8"	8
TTB775	77-1/2"	77-7/8"	9
TTB780	78"	78-3/8"	9
TTB820	82"	82-3/8"	9
TTB840	84"	84-3/8"	9

CUTTING EDGES



Part No.	Description
Weld-On, Single Bevel	
CE12496FSB	4" Wide x 8 ft., 1/2" Thick, Cutting Edges
CE12696FSB	6" Wide x 8 ft., 1/2" Thick
CE34696FSB	6" Wide x 8 ft., 3/4" Thick
CE58696FSB	6" Wide x 8 ft., 5/8" Thick
CE34896FSB	8" Wide x 8 ft., 3/4" Thick



BUCKET TEETH



Part No.	Description
YA168	Bobcat Mini-Excavator Tooth Assembly
YA190	2A SRS Assembly for Toothbars
YAD156	156 Series Standard, Cast
YAD156L	156 Series Long Tooth, Cast
YAD156T	156 Series Single Penetration, Cast
YAD156WT	156 Series Twin Penetration, Cast
Y2300NHC	Caterpillar Style Standard, Cast



AUTOMATIC FLYING INSECT CONTROL SYSTEM



Part No.	Description
771-321996CVA	Automatic Flying Insect Control System
771-342033CVA	Mosquito and Fly Spray Refill
771-342050CVA	Metered Fly Spray Refill
771-348318CVA	CV-80D Farm and Dairy Insect Control Spray

WASP & HORNET KILLER / INSECT KILLER



Part No.	Description
771-EWHIK16	Wasp and Hornet Killer 16 oz
771-EFI16	Flying Insect Killer 16 oz

BUG & FLEA FOGGERS



Part No.	Description
771-EBMFOG2	Bug Foggers BUGMAX 3-Pack 2 oz. Cans, Each Treats Up to 2000 Cu. Ft. Last Up to 12 Weeks. Water Based, Non-Staining.

FRESH CAB – RODENT REPELLANT



- No Poisons
- Pet & Livestock Safe
- EPA Certified
- Effective & Convenient

Part No.	Description
771-MFC12P	FRESH CAB – Rodent Repellent

EXTENSION CORDS

Part No.	Description
677-90R	16/3 Gauge, 25 ft.
677-91R	16/3 Gauge, 50 ft.
677-93R	16/3 Gauge, 100 ft.
677-94R	14/3 Gauge, 25 ft.
677-95R	14/3 Gauge, 50 ft.
677-97R	14/3 Gauge, 100 ft.



BLO-GUN



Part No.	Description
574-158	Blo-Gun with 2 ft. Aluminum Extension, 2 Rubber Tip Nozzles
574-159	Blo-Gun with 4 ft. Aluminum Extension, 2 Rubber Tip Nozzles
574-S153	Blo-Gun 150 Max PSI, 1/4" Inlet, Rubber Tip

RADIATOR GENIE



- Includes Air and Water Wands
- Standard Size Air Adapter
- Adjustable Flow & Pressure
- Max Pressure 135 PSI
- 22.5" Overall Wand Length
- 17" Nozzle Length

Part No.	Description
574-RG1002	Radiator Genie Air and Water Cleaning Wands Specifically Designed to Clean Radiators of All Types.

MULTI-PURPOSE GREASE



- Seeks Friction
- Stops Rust & Corrosion
- Cleans, Lubricates & Protects

Part No.	Description
770-SUS66	Multi-Purpose Lithium Grease All Season Grade, 325° F Rating, 14 oz.
770-SUS67	Hi-Temp Red Grease NLGI2, 14 oz., Excellent Pressure and Hi-Temp Properties.
770-SUS674	Hi-Temp Bearing Grease, 4 lb. Tub.

AIR HOSE



Part No.	Description
975-M619	Air Hose Reel with Auto Rewind and 50 ft. of Air Hose
975-M610	Air Hose 3/8" x 50 ft. with Reel, Manual
380-439	Air Hose Assembly 3/8" x 50 ft. Premium Red Rubber with Bend Restricters

AIR GAUGE



Part No.	Description
574-S506	Air Gauge Dual Head Chuck with 15" Hose, 10 to 120 PSI, Milton
574-S976	Air Gauge Pencil Type, Jumbo Dual Head Chuck with Nylon Indicator Bar Calibrated All 4 Sides, 10 to 120 PSI, Milton

DEGREASER



Part No.	Description
770-4320P	Purple Power Concentrated Cleaner and Degreaser. 1 Gal.

PREMIUM TIRE SEALANT



- Prevents & Repairs Flat Tires
- Permanently Seals up to 1/4" Punctures in Tread Area & Larger in Heavy-Ply Tires
- Effective for the Life of the Tire.

Part No.	Description
307-10016	16 oz. Tire Sealant, AmerSeal® Prevents and Repairs Flat Tires. Permanently Seals up to 1/4" Punctures in Tread Area and Larger in Heavy-Ply Tires.
307-10032	32 oz. Tire Sealant, AmerSeal® Prevents and Repairs Flat Tires. Permanently Seals up to 1/4" Punctures in Tread Area and Larger in Heavy-Ply Tires.
307-10128	1 gal. Tire Sealant with Pump AmerSeal® Prevents and Repairs Flat Tires. Permanently Seals up to 1/4" Punctures in Tread Area and Larger in Heavy-Ply Tires.
307-10640	5 gal. Tire Sealant, Pump Sold Separately (307-10105) AmerSeal®



GREASE GUNS, GREASE & ACCESSORIES

Part No.	Description
506-1264	Lincoln 12 Volt Lithium-Ion PowerLuber. Kit Includes PowerLuber, Case, Two Batteries, Flex Hose and 110 Volt Charger.
506-1888	Lincoln 20 Volt Lithium-Ion PowerLuber. Kit Includes PowerLuber, Case, Two Batteries, 36" Flex Hose and 110 Volt Charger.
506-1875A	12 Volt DC Field Charger for 1264 and 1884 Lithium-Ion PowerLubers.

Part No.	Description
506-1133	Lincoln Pistol Grip Grease Gun with Whip Hose.
506-1147	Lincoln Lever Type Grease Gun with Hose.
506-5852C2	Lincoln Grease Gun Coupler with Jaws Actuated by Lubricant. Pressure Grip Fittings Form Tight, Leak-Proof Seal. 2 Per Clamshell Package
189-UC2121	Lock-On Grease Coupler

UTILITY CONTAINERS



Part No.	Description
1 STANDARD CAP & FLEXIBLE VENTED SPOUT	
TJRS27	Red 2.7 Gal. / 10 Liter Tuff Jug
TJRS	Red 5 Gal. / 20 Liter Tuff Jug
TJWAS	White 5 Gal. / 20 Liter Tuff Jug
TJBAS	Blue 5 Gal. / 20 Liter Tuff Jug
TJOAS	Orange 5 Gal. / 20 Liter Tuff Jug
TJGAS	Green 5 Gal. / 20 Liter Tuff Jug
TJYAS	Yellow 5 Gal. / 20 Liter Tuff Jug
TJPAS	Pink 5 Gal. / 20 Liter Tuff Jug

Part No.	Description
2 TUFF-JUG ACCESSORIES	
FOR GASOLINE OR DIESEL WITH RIPPER CAP	
TJRURR	For Gasoline, Red 5 Gal. / 20 Liter
TJYURY	For Diesel, Yellow 5 Gal. / 20 Liter
TJAST	Flexible Vented Spout, Auto Shut Off
TJPS	Pail Spout for Metal and Plastic Buckets
TJRRS	Ripper Cap, Red

BLACK FOAM NITRILE COATED PALM GLOVE



- High-Dexterity Foam Nitrile Palm and Fingers
- Gray Polyester Knit Shell
- Knit Wrist, Machine Washable

Part No.	Description
395-713SNFXL	PosiGrip, Seamless Gray Knit Nylon Polyester Glove, XL
395-713SNFXL	PosiGrip, Seamless Gray Knit Nylon Polyester Glove, XXL

SHOP RAGS & WATERLESS HAND WIPES



Part No.	Description
WYPALL®	
975-W1476	Shop Rags for Dirt, Grease and Liquids, Machine Washable, Pack of 25.
SCOTT® SHOP TOWELS	
853-75130	Scott Shop Towels 55 Per Roll, 11" x 10.4"
853-75190	Scott Shop Towels 200 Per Box, 10" x 14"

PENETRANTS & LUBRICANTS



Part No.	Description
FLUID FILM LUBRICANT	
TPAS11	Aerosol 11.75 oz
TPAS11-GAL	Gallon
TPAS11-5GAL	5 Gallon
WD-40	
951-490026	WD-40 with Smart Straw, Aerosol 8 oz
951-490040	WD-40 with Smart Straw, Aerosol 11 oz
LIQUID WRENCH	
770-L212	Liquid Wrench # 2, Lubricating Oil, Aerosol 11 oz
770-L711	Liquid Wrench Universal Chain Lube, Aerosol 11 oz
770-M914	Liquid Wrench Silicone Lubricant, Aerosol 11 oz

BLASTER PENETRANT

Powerful Rust Penetrating Catalyst. PB quickly breaks loose surface tension rust and corrosion. Ideal for brake, exhaust and suspension system jobs. Lubricating film remains on parts to help prevent further rusting.



Part No.	Description
118-PB16	Blaster Penetrant, Aerosol 12 oz

**Sold In Bulk To
Save You Money!**



FUEL TRANSFER PUMPS 115 VOLT

Part No.	Hose Size (inch x feet)	GPM Range	Max GPM	Outlet Size	Nozzle
Pump Performance: Standard Duty					
916-SD602H	3/4" x 12'	10 - 15	13	3/4"	Manual

Repair kit: 4200KTF8739



HEAVY DUTY FUEL TRANSFER PUMPS 115 VOLT

Part No.	Hose Size (inch x feet)	GPM Range	Max GPM	Outlet Size	Nozzle
Pump Performance: Professional					
916-FR711VA	1" x 18'	16 - 20	19	1"	Automatic Meter: 901C
916-FR700	3/4" x 12'	16 - 20	20	3/4"	Manual
Pump Performance: Contractor					
916-NX3210B	1" x 18'	21 +	25	1"	Automatic Repair kit: 700KTF2659



FUEL TRANSFER PUMPS 12-24 VOLT

Part No.	Hose Size (inch x feet)	GPM Range	Max GPM	Outlet Size	Nozzle
Pump Performance: Contractor					
916-NX3210B	1" x 18'	21 +	25	1"	Automatic
916-NX3204	Not Included	21 +	25	1"	Pump Only

Repair kit: KIT321RK



FUEL TRANSFER PUMPS 12 VOLT

Part No.	Hose Size (inch x feet)	GPM Range	Max GPM	Outlet Size	Nozzle
Pump Performance: Professional					
916-FR1210HA	3/4" x 12'	10 - 15	15	3/4"	Automatic
916-FR1210H	3/4" x 12'	10 - 15	15	3/4"	Manual
916-FR4210H	1" x 12'	16 - 20	20	1"	Manual
916-FR4204H	Not Included	16 - 20	20	1"	Pump Only

Pump Performance: Standard Duty					
916-SD1202H	3/4" x 10'	10 - 15	13	3/4"	Manual

Repair kit: 4200KTF8739



FUEL TRANSFER PUMPS 12 VOLT

Part No.	Hose Size (inch x feet)	GPM Range	Max GPM	Outlet Size	Nozzle
Pump Performance: Standard Duty					
915-10305708	3/4" x 13'	10 - 15	15	3/4"	Manual
915-10307605	1" x 13'	16 - 20	20	1"	Manual



DC ROTARY VANE PUMP

- Portable
- DC Rotary Vane Pump For Use with Anti-Freeze and Diesel
- 10 GPM
- 3/4" x 8' Hose
- One Year Warranty.

Part No.
916-FR1614

FILL-RITE FUEL TRANSFER METERS

IN-LINE DIGITAL METER



- 5 to 20 GPM
- Setup to Measure from Left to Right has 3/4" Ports
- Measures Up to 99.9 Gallons
- Two Year Warranty.

Part No.

916-807CMK

IN-LINE DIGITAL METER



- ALUMINUM CONSTRUCTION
- For Use with Gas, Diesel, Jet Fuel, Heptane, Mineral Spirits.
- 2 to 35 GPM
- 50 PSI
- Measures Liters, Gal., Qts., Pt. and Oz.
- 1" Ports.

Part No.

916-TT10AN

IN-LINE DIGITAL METER



- POLYMER CONSTRUCTION
- Use with DEF/Ad Blue, Anti-Freeze & Other Chemicals.
- 2 to 35 GPM
- 50 PSI
- Measures Liters, Gal., Qts., Pt. and Oz.
- 1" Ports.

Part No.

916-TT10PN

POLY HAND PUMP



- 11 oz. per Stroke
- For Use with Some Chemicals, ATF & Motor Oils
- Telescoping Suction Tube 36-1/2".

Part No.

916-FR20V

HAND PUMP



- 8 GPM Based on 100 Revolutions
- Easily Mounts to Tank or Barrel
- For Use with Gas, Diesel & Light Oils.

Part No.

916-SD62

HAND PUMP



- 10 GPM Based on 100 Revolutions
- 8 ft. Hose and Nozzle
- 1" Inlet, 3/4" Outlet
- For Use with Gas, Diesel & Light Oils.

Part No.

916-FR112

HAND PUMP



- 20 GPM Based on 100 Revolutions
- High Flow Hand Pump with Stainless Steel Liner for Long Life
- For Use with Gas, Diesel & Light Oils

Part No.

916-FR152

FUEL TRANSFER HOSE



Part No. Length (foot)

Port Size: 1" NPT

380-FH1010SW	10
380-FRH10012	12
380-FRH10014	14
380-FRH10020	20

Port Size: 3/4" NPT

380-FH3408SW	8
380-FH3410SW	10
380-FRH07512	12
380-FRH07514	14
380-FRH07520	20

AUTOMATIC FARM FUEL NOZZLE



Part No. Description

150-18312009	For 12 Volt Fuel Pumps, 1" NPT Inlet Red Cover
150-18312002	For 115 Volt Fuel Pumps, 1" NPT Inlet Green Cover

BINDER CHAIN – GRADE 70



Part No.	Description
511-TC516X14BC	14 ft. Chain 5/16" Binder Chain – Grade 70
511-TC516X20BC	Half Drum of Ten 20 ft. Lengths 5/16" Binder Chain – Grade 70
511-TC516X20P	20 ft. Chain in Plastic Pail 5/16" Binder Chain – Grade 70
511-TC38X20BC	Half Drum of Ten 20 ft. Lengths 3/8" Binder Chain – Grade 70
511-TC38X20P	20 ft. Chain in Plastic Pail 3/8" Binder Chain – Grade 70
329-17G375X36	3 ft. Safety Chain with Hooks 3/8"

GRAB HOOKS



Part No.	Description
511-G7014	1/4" Transport Gr. 70
511-G70516	5/16" Transport Gr. 70
511-G7038	3/8" Transport Gr. 70
511-G7012	1/2" Transport Gr. 70
511-G4314	1/4" Hi-Test Gr. 43
511-G43516	5/16" Hi-Test Gr. 43
511-G4338	3/8" Hi-Test Gr. 43
511-G4312	1/2" Hi-Test Gr. 43
WH516	5/16" Chain, Weld-On
WH38	3/8" Chain, Weld-On

TIE DOWNS, RECOVERY STRAPS & WINCHES



Part No.	Description
RATCHET STRAPS	
957-227F	Ratchet Strap with Flat Hooks, 2" x 27' 3300 WLL, Extra Wide Long Handle.
957-227J	Ratchet Strap with J-Hooks, 2" x 27' 3300 WLL, Extra Wide Long Handle.
576-31423	Ratchet Strap 1.25" x 8' Red, 2000 lb. Maximum. 2 per Package
576-31425	Ratchet Strap 1.25" x 14' Yellow, 2000 lb. Maximum. 2 per Package
576-04418	Ratchet Straps Retractable, Red, 1" x 10' 400 lb. WLL with Storage Bag. 4 Pack Set
576-34457	Ratchet Straps Retractable, Camo, 1" x 10' 1200 lb. Maximum. 2 per Package
576-34415	Ratchet Straps Retractable, Black, 1" x 10' 1200 lb. Maximum. 2 per Package
576-34416	Ratchet Straps Retractable, Black, 1" x 10' 3300 lb. Maximum. 2 per Package
RECOVERY STRAPS & TOW ROPE	
576-59500	Recovery Strap with Carry Bag, 2" x 20'
576-59800	Recovery Strap with Carry Bag, 3" x 30'
576-59802	Recovery Strap 6" x 30' 55,000 lb.
576-59807	Recovery Strap 8" x 30' 100,000 lb.
WINCHES	
850-14875	Hand Winch 2500 Lb. Capacity, DI2500AB
850-15000	Hand Winch 900 Lb. Capacity, DI900A

TRANSPORT & HI-TEST CHAIN



Part No.	Description
GRADE 70 TRANSPORT	
511-TC14X135	1/4" x 135' Transport Chain
511-TC516X90	5/16" x 90' Transport Chain
511-TC38X63	3/8" x 63' Transport Chain
511-TC12X37	1/2" x 37' Transport Chain
GRADE 43 HI-TEST	
511-HT14X135	1/4" x 135' Hi-Test Chain
511-HT516X90	5/16" x 90' Hi-Test Chain
511-HT38X63	3/8" x 63' Hi-Test Chain

BINDERS



Part No.	Description
285-DM11	Tightener
RATCHET QUICK BINDER	
285-0658	5/16" at Gr. 70, 3/8" at Gr. 43, 7,000 lb WLL
285-0858	3/8" at Gr. 70, 1/2" at Gr. 43, 12,000 lb WLL
RATCHET BINDER	
285-LDR38	5/16" at Gr. 70, 3/8" at Gr. 43, 5,400 lb WLL, 6" Take-Up
285-DR11	5/16" at Gr. 70, 3/8" at Gr. 43, 7,100 lb WLL, 6.5" Take-Up
285-DR22	3/8" at Gr. 70, 1/2" at Gr. 43, 9,200 lb WLL, 6.5" Take-Up
LEVER BINDER	
285-DB1	1/4" at Gr. 70 and 43, 3,500 lb WLL, 3" Take-Up
285-DB2	5/16" at Gr. 70, 3/8" at Gr. 43, 5,400 lb WLL, 4.5" Take-Up
285-DB3	3/8" at Gr. 70, 1/2" at Gr. 43, 9,200 lb WLL, 4.5" Take-Up

POLY TARPS – BLUE

Part No.	Description
302-PT0810	8' x 10' Poly Tarp, Blue
302-PT1216	12' x 16' Poly Tarp, Blue
302-PT1620	16' x 20' Poly Tarp, Blue
302-PT2030	20' x 30' Poly Tarp, Blue



TARP STRAPS WITH S-HOOKS



Part No.	Description
863-ATS24	24" Adjustable Tarp Strap
863-TS10	10" EPDM Tarp Strap
863-TS15	15" EPDM Tarp Strap
863-TS21	21" EPDM Tarp Strap
863-TS31	31" EPDM Tarp Strap
863-TS41	41" EPDM Tarp Strap
863-TSH1	S-Hooks 10 per Pack

ELECTRIC TRAILER JACK

- 18" Travel Height with Additional 4-3/4" Drop Leg Adjustment
- LED Light for Easy Night Time Hookup
- Hardened Steel Gears
- Black Powder-Coated Finish
- Manual Crank Handle Included
- 57" Power Lead

Part No.	Description
402-EJ3520BBX	Electric Trailer Jack 12 Volt, 3500 Lb. Capacity, For Trailers with A-Frame Couplers



AGRICULTURAL EQUIPMENT JACK

Lifts, Winches, Clamps & More.
All Cast Construction

Part No.	Description
427-HL485	Agricultural Equipment Jack Hi-Lift 48" Cast Iron Jack, 7,000 lb. Capacity
427-FK1	Hi-Lift Jack Repair Kit



AGSMART AIR/HYDRAULIC BOTTLE JACK **AGsmart**

- 48-in. Cast Iron Jack
- 7,000 lb. Capacity
- Lifts, Winches, Clamps, & More
- All Cast Construction

Part No.	Description
975-1311S246	AgSmart Air/Hydraulic Bottle Jack 20 Ton Air Over Hydraulic with a Minimum Height of 10.25"t, Lift Height 5.9" and Adjustment Height 3.15". Maximum Height is 19.3"



FLOOR & BOTTLE JACKS



Part No.	Description
975-W1616	Floor Jack, Rapid Lift 3 Ton
975-W1625	Hydraulic Bottle Jack 6 Ton
975-W1628	Hydraulic Bottle Jack 8 Ton
975-W1632	Hydraulic Bottle Jack 12 Ton

AGRICULTURAL EQUIPMENT JACK **AGsmart**

- 48-in. Cast Iron Jack
- 7,000 lb. Capacity
- Lifts, Winches, Clamps, and More
- All Cast Construction

Part No.	Description
427-HL486	AgSmart Agricultural Equipment Jack 48" Cast Iron Jack, 7,000 lb. Capacity, All Cast Construction.



BULLDOG TRAILER JACKS

Part No.	Description
TOP WIND	
<i>Capacity Top Wind Trailer Jack, A-Frame</i>	
402-151421	15" x 14.50" 2000 lb.
<i>Capacity Top Wind Trailer Jack Bracket Mount & A-Frame</i>	
402-151401	10" x 11.25" 2000 lb.
<i>Capacity Top Wind Trailer Jack Bracket Mount</i>	
402-171401	10" x 11.25" 5000 lb.
<i>Capacity Top Wind Trailer Jack, Tubular Mount</i>	
402-158451	10" x 11.25" 2000 lb.
402-158452	15" x 14.50" 2000 lb.
402-178101	10" x 11.25" 5000 lb.
402-178151	15" x 14.50" 5000 lb.

Part No.	Description
SIDE WIND	
<i>Capacity Side Wind Trailer Jack Bracket Mount</i>	
402-151101	10" x 11.25" 2000 lb.
402-151159	15" x 14.50" 2000 lb.
<i>Capacity Side Wind Trailer Jack Drop Leg</i>	
402-190754	15" x 23" 7000 lb.
<i>Capacity Side Wind Trailer Jack Tubular Mount</i>	
402-158109	10" x 11.25" 2000 lb.
402-158151	15" x 14.50" 2000 lb.
402-178203	15" x 15" 5000 lb.



TRAILER JACKS



Part No.	Description
TOP WIND	
Bracket Mount, 2000 lb. Lift Capacity	
402-251401	10" Lift, 15.25" Retracted
402-251421	15" Lift, 20.25" Retracted
Tubular Mount, 2000 lb. Lift Capacity	
402-258451	10" Lift, 15.25" Retracted
402-258452	15" Lift, 20.25" Retracted
Heavy Duty Tubular Mount, 3000 lb. Lift Cap.	
402-278101	10" Lift, 15.25" Retracted
402-278151	15" Lift, 20.25" Retracted
A-Frame Top Wind	
402-TJA2000B	14" Lift, 20" Retracted, 2000 lb. Capacity
402-275000	15" Lift, 22" Retracted, 5000 lb. Capacity

Part No.	Description
SIDE WIND	
Tubular & Swivel Mount, 2000 lb. Lift Cap.	
402-258109	10" Lift, 17.50" Retracted
402-258151	15" Lift, 23.25" Retracted
402-251101	Swivel Mount, 10" Lift, 17.50" Retracted
Heavy Duty Tubular Mount, 3000 lb. Lift Cap.	
402-278201	10" Lift, 17.50" Retracted
402-278203	15" Lift, 23.25" Retracted

BALL MOUNTS

SOLID DROP FORGE HIGH/LOW HITC



Part No.	Description
957-HL62	2" High/Low Hitch 2" Square Tube with 1" Hole Shank, 10,000 lb. MGTW, 700 lb. MVW
957-HL64	4" High/Low Hitch 2" Square Tube with 1" Hole Shank, 10,000 lb. MGTW, 700 lb. MVW
957-HL66	6" High/Low Hitch 2" Square Tube with 1" Hole Shank, 10,000 lb. MGTW, 700 lb. MVW

2 PIECE WELDED



Part No.	Description
957-1803100	1.25" Sq. Tube, 1.25" Drop, 3/4" Hole, 3500 lb MGTW
957-1803405	2.5" Sq. Tube, 3" Drop, 1.25" Hole, 1200 lb MGTW
957-1803005	2" Sq. Tube, 2" Drop, 1" Hole, 7500 lb MGTW
957-1803010	2" Sq. Tube, 4" Drop, 1" Hole, 7500 lb MGTW
957-1803015	2" Sq. Tube, 6" Drop, 1" Hole, 5000 lb MGTW

SINGLE KITS



Part No.	Description
957-1803306	2" Ball Chrome Finish, Fits 2" receiver tubes and 2" drop. Capacity 6000 lb. MGTW
957-1803307	2" Ball Black Powder Coat Finish, Fits 2" receiver tubes and 2" drop. Capacity 6000 lb. MGTW
957-1803308	2-5/16" Ball Black Powder Coat Finish, Fits 2" receiver tubes and 2" drop. Capacity 6000 lb. MGTW

CUSHION BALL MOUNT



- Black Finish
- Reduces Jolts & Jerking
- Provides Smoother Ride

Part No.	Description
184-AMSC2	Cushion Ball Mount 2" x 2" x 8" Square Shank, 2" Drop, 4.5" Extension, Overall Length 13.5"
184-AMSC4	Cushion Ball Mount 2" x 2" x 8" Square Shank, 4" Drop, 4.5" Extension, Overall Length 13.5"

CLEVIS BALL MOUNT



- Fits All 2" Receiver Tubes
- Shank Hole Size 1"
- Uses Clevis or Ball Mount
- Black Powder Coat Finish

Part No.	Description
957-1803060	Triple Tow Ball Mount, Fits All 2" Receiver Tubes, Uses Clevis or Ball Mount, 6000 lb MGTW
957-1803065	Triple Tow Ball Mount, Fits All 2" Receiver Tubes, Uses Clevis or Ball Mount, 8000 lb MGTW

FORGED TRAILER COUPLERS



Part No.	Description
402-228287	Forged Trailer Coupler A-Frame Style, 2" Ball, 16" Overall Length, 7000 lb GVWR
402-028288	Forged Trailer Coupler A-Frame Style, 2" Ball, 16" Overall Length, 5000 lb GVWR

PINTLE HOOKS



Part No.	Description
957-R15	15 Ton Pintle Hook Drop Forged, Mounting Kit Sold Separately (8520)
957-R20	20 Ton Pintle Hook Drop Forged, Mounting Kit Sold Separately (8525)
957-RM5P	Receiver Mount Pintle Hook 5 Ton, Fits 2" Receiver Tubes

WHEEL SPINNERS



Part No. Description

WHEEL SPINNER

WSV124B Wheel Spinner, Black

WSV123Y Wheel Spinner, Yellow

WSV121G Wheel Spinner, Green

WSV120B Wheel Spinner, Blue

WSV122R Wheel Spinner, Red

WSV125OR Wheel Spinner, Orange

DELUXE WHEEL SPINNER

WSDX1 Deluxe Wheel Spinner

BOOSTER PACK



Part No. Description

588-CS3000 Jump Starter and Charging System

BATTERY JUMP PACK



Part No. Description

604053-01 Battery Jump Pack, Heavy duty rescue jump pack. Professional quality, 4000 peak amps

SMV EMBLEMS & TAPE



Part No. Description

823-1C SMV Steel Emblem 2 per Pack.

823-1PC SMV Plastic Emblem,

823-1FPC SMV Film Decal Emblem,

823-8TF Highway Warning Safety Triangle

201-RCT30RL Red Conspicuity Tape 2" x 30' Roll, DOT Approved

201-YCT30RL Yellow Conspicuity Tape 2" x 30' Roll, DOT Approved

DRIVELINES, U-JOINTS, FLANGES, ROPE & ACCESSORIES



DRIVELINES


All shafts include two bolt kits with four bolts each.

Part No.	Description
658-N13536SL	Drive Shaft Series 1350, 36" Length, 75 HP Rating
658-N14136SL	Drive Shaft Series 1410, 36" Length, 100 HP Rating
658-N141SC	Drive Shaft Series 1410, 9-7/8" Length, 100 HP Rating



U-JOINTS & FLANGES

Part No.	Description
658-100003007	Flange 1-7/8" Bore with 3/8" x 3/16" Keyway. For 1350, 1410 Series Drive Shaft.
658-100004005	Special Large Companion Flange 2-1/4" Bore with 3/8" x 3/16" Keyway. For 1350, 1410 Series Drive Shaft.
658-20053	Cross & Bearing Kit for Series 1350
658-20054	Cross & Bearing Kit for Series 1410



PIPE CLAMPS

- 301 Stainless Steel 1/2" Band and Housing
- 410 Stainless Steel Bridge and 5/16" Hex Head Screw

Part No.	MIN. DIA.	MAX. DIA.
124-47893	2-1/16"	12-5/16"
124-47894	10-3/16"	14"
124-47895	1-3/4"	16"

TANK FILTERS & ADAPTERS, CABLE TIE, HOSE, CLAMPS



TANK FILTERS & ADAPTERS

Part No.	Description
FILTERS	
287-4705	10-Micron Filter Element for 287-495
287-4954	Nylon Clear Bowl with Drain Includes Gasket. Fits 287-495
287-495	1" NPT Complete Fuel Filter, Nylon Bowl with Draincock
287-49534	3/4" NPT Complete Fuel Filter, Nylon Bowl with Draincock
153-70002	10-Micron with Draincock 3/4" Flow, 1"-12 Thread, 18 gpm. 200E. O/M 6
153-70004	10-Micron with Draincock 1" Flow, 1-3/8"-12 Thread, 18 gpm. 200AE. O/M 6
153-70010	10-Micron 3/4" Flow, 1"-12 Thread, 12 gpm. 300. O/M 12
153-70012	10-Micron 3/4" Flow, 1"-12 Thread, 12 gpm. 300. O/M 12
153-70046	200 Series Fuel Filter
ADAPTERS AND CAPS	
153-50002	200H-1 for 200E, 300, 300HS 1" In/Out, 3/4" Flow, 1"-12 Thread. Cast Iron. O/M 6
153-50003	200H-3/4 for 200E, 300, 300HS 3/4" In/Out, 3/4" Flow, 1"-12 Thread. Cast Iron. 12.15 O/M 6
153-50004	200AH-1 for 200AE 1" In/Out, 1" Flow, 1-3/8"-12 Thread. Cast Iron. O/M 6
153-50	2" Base and Cap. O/M 6
153-50C	Pre-Vent Fill Cap, Fits 2" NPT
153-60002	Pre-Vent Locking Fill Cap, Fits 2" NPT

LEVEE DAMS

LEVEE DAMS

- All One Piece Material
- Orange Color is Standard
- 10 x 10 Weave with 6" Loop Pocket
- 4 Mil Poly Coating on Both Sides

Part No.	Pre cut	Per bundle
302-LD69	6' x 9'	50
302-LD79	7' x 9'	50
302-LD99	9' x 9'	25
302-LD1010	10' x 10'	25



Part No.	100 ft. Roll	Per bundle
302-PF72	6' Wide	2
302-PF84	7' Wide	2
302-PF96	8' Wide	2
302-PF120	10' Wide	2



ALTERNATORS



For John Deere and Case IH, heavy duty internal regulator, 72 amp, 3 terminal. Fits JD tractors: 4020, 4030, 4230, 4320, 4420, 4430, 4620, 4630, 5200, 6030, 7020, 7520, 8430, 8630; CIH tractors: 1066,

1086, 140, 1466, 1468, 1486, 1586, 2500A, 3088, 3288, 3388, 3588, 3688, 3788, 4166, 4186, 4366, 4386, 454, 4586, 464, 5088, 5288, 5488, 574, 6388, 6588, 674, 6788, 686, 766, 786, 886, 966, 986, Cub, Hydro 100, Hydro 186. Replaces Delco: 1102921, 1100490, 1100491, 1100580, 1100587, 1103259, 1102926, 1117232.

Part No.
TP-TY6600



For Ford, Mototola 12 volt, 51 amp, clockwise, externally regulated, 3.5" OD pulley. Fits tractors: 230A, 231, 2310, 233, 234, 250C, 2600, 260C, 2610, 2810,

2910, 333, 334, 335, 340, 340A, 340B, 345C, 345D, 3600, 3600V, 3610, 3910, 4100, 4110, 420, 445, 445A, 445C, 445D, 450, 4600, 4600SU, 4610, 5110, 515, 530A, 531, 532, 535, 540, 540A, 540B, 545, 545A, 545C, 545D, 550, 555, 555A, 555B, 5600, 5610, 5700, 5900, 655A, 6600, 6610, 6700, 6710, 6810, 7410, 7600, 7610, 7700, 7710, 8000, 8600, 8700, 9000, 9200, 9600, 9700, TW10, TW20, TW30. Replaces D5NN10300A, D3NN10300A, D5NN10300E.

Part No.
D5NN10300D



For Case IH, Ford/ New Holland, internal regulator, 40 amp. Fits CIH tractors: D35, D40, D45, DX29, DX31, DX33, DX34, DX40, DX45, Farmall 31, Farmall 35;

Ford New Holland tractors: 1320, 1520, 1530, 1620, 1630, 1715, 1720, 1725, 1920, 1925, 2120, 3415, TC25.

Part No.
SBA185046320



For Ford, Lucas 12 volt, 70 amp, clockwise. Fits tractors: 230A, 2310, 234, 250C, 260C, 2610, 2810, 2910, 3230, 3240, 334, 335, 3430, 345C, 345D, 3610, 3910, 3930, 3930H, 3930NO, 4110, 4130, 4130n, 4130NO, 445, 445C, 445D, 455C,

455D, 4610, 4630, 4639, 4830, 5030, 5110, 530A, 545C, 545D, 555C, 555D, 5600, 5610, 5610S, 5700, 575D, 5900, 655C, 655D, 6600, 6610, 6610S, 6700, 6710, 675D, 6810, 7010S, 7410, 7600, 7610, 7610S, 7700, 7710, 7810, 7810S, 7910, 8010, 8210, 8530, 8630, 8730, 8830. Replaces E7NN10B376AB

Part No.
E7NN10B376BB

STARTERS



For Ford, Lucas 5" assembly for gas engines, can replace 4.5". Fits tractors 5000 (6/71- 11/73); 3 & 4 cylinder diesel engine tractors 8000, 9000 (1968 up). Combines 620, 622 with diesel engine, gas engine 06/72 up.

Part No.
D8NN11000CE



For Ford New Holland, 12 volt, 10 tooth, clockwise, direct drive. Fits tractors: 2000, 2310, 2610, 2810, 2910, 3000, 3110, 3600, 3610, 3910, 4000, 4110, 4600, 4600SU, 4610, 5000, 5340. Industrials: 230A, 231, 234, 334, 335, 340, 340A, 420, 445, 530A, 531, 535, 540, 540A, 545, 550, 555, 3500, 3550. Replaces D7NN11001AEX, D7NN11001AR, D7NN11001A.

Part No.
D7NN11001ARXL



For Ford, 9 teeth, 12 volt, clockwise, 1.7 KW. Converts 11 tooth drive to 9 tooth. Fits tractors: 1320, 1520, 1530, 1620, 1630, 1710, 1715, 1720, 1725, 1925, 2030, T1510, T1520, T2210, T2220, T2310, T2330, TC25, TC27D, TC29, TC30, TC31DA, TC33, TC34DA, TC35, TC35A, TC35DA, TC40, TC40A, TC40D, TC45, TC45A, TC45DA, TC48DA, TC55DA, TT45A, TT50A. Replaces SBA185086551, SBA185086290, SBA185086291, SBA185086500, SBA185086550, SBA185086191.

Part No.
SBA185086551



For Ford, less drive, special Delco option. For 6 or 12 volt, gas or diesel 4-cylinder engines. Fits tractors: 2000, 4000, 4130AP, 4030, 2120, 2030, 2031, 2111, 2130, 2131, 4031, 4040, 4110TR, 4120, 4121, 4131, 501, 601, 700, 800, 801, 900, 901, 4140, 541, 611, 620, 621, 630, 631, 640, 641, 650, 651, 660, 661, 671, 681, 701, 740, 741, 771, 811, 820, 821, 840, 841, 850, 851, 860, 861, 871, 881, 941, 950, 951, 960, 961, 971, 981, 600.

Part No.
C3NF11002RXLD

NEUTRAL SAFETY SWITCH



Massey Ferguson Tractors: 240, 250, 253, 282, 283 (except Brazil), 298, 360, 362, 375, 383, 390, 393, 398, 399

Part No.

1679223M2



Massey Ferguson Tractors: 130, 231, 240, 250, 270, 290, 298, 360, 362, 375, 383, 390, 393, 398, 670, 690, 698, 3505, 3525, 3545

Part No.

3381094M1

PTO SWITCH



John Deere Tractors: 3720, 4105, 4120, 4320, 4520, 4600, 4700, 4720, 5055, 5065, 5105, 5225, 5325, 5425, 5525, 5625

Part No.

33-082

STARTER SWITCH WITH HEAT POSITION



Massey Ferguson Tractors: 35, 50, 65, 85, 88, 90

Part No.

883928M91



Ford New Holland Tractors: 2000, 2600, 2610, 2810, 2910, 3000, 3430, 3600, 3610, 3910, 3930, 4600, 4610, 4630, 4830, 5000, 5030, 5600, 5610, 6410, 6600, 6610, 6710, 6810, 7000, 7700, 7710, 7810, 7910, 8000, 8210, 8630, 8700, 8730, 8830, 9000, 9700

Part No.

E7NN11N501AB

SAFETY START SWITCH



Massey Ferguson Tractors: 35, 40, 50, 65, 85, 88, 135, 135 UK, 150, 165, 175, 180, 230, 235, 245, 255, 265, 275, 283, 285, 1080, 1085, 1100 to s/n 650005028, 1130 to s/n 651501451

Part No.

181140M94



Ford New Holland Tractors: 2120, 3400, 3430, 4400, 4500, 4630, 4830, 5030, 515, 5610S; **Massey Ferguson Tractors:** 168, 3065, 350, 4225, 4235, 4245, 4255, 4260, 6110, 6120, 6130, 6140, 6150, 6170, 6255

Part No.

D1NN11603B



Ford New Holland Tractors: 5640, 6640, 7740, 7840, 8160, 8240, 8340, 8360, 8560, TM115, TM125, TM135, TM150, TM165, TS90, TS100, TS110

Part No.

F0NN11N501AA



Ford New Holland Tractors: 2000, 3000, 3400, 3550, 4000, 4400, 5000, 7000

Part No.

C7NN7A247A



Ford New Holland Tractors: 3400, 3550

Part No.

C7NN7A247B

WATER PUMPS FOR JOHN DEERE®



Water Pump for John Deere, Fits Tractors: Fits 5085M, 5100M, 6090MC, 6090RC, 6100MC, 6100RC, 6105M, 6105R, 6110MC, 6110RC, 6115M, 6115R, 6125M, 6125R, 6130M, 6130R, 6140M; Premiums: 6230, 6330, 6430, 6530, 6630, 6830, 6930, 7130.

Part No.
TP-RE546918



Water Pump for John Deere, Fits Tractors: Fits 3520, 8130, 8225R, 8230, 8230T, 8235R, 8245R, 8260R, 8270R, 8285R, 8295R, 8295RT, 8310R, 8310RT, 8320R, 8320RT, 8330, 8330T, 8335R, 8335RT, 8345R, 8345RT, 8360R, 8360RT, 8430, 8430T, 8530, 9230. Combines: 9540 WTS, 9560 WTS, 9580 WTS, 9670 STS.

Part No.
TP-RE530194



Water Pump for John Deere. Fits Tractors: 5210, 5220, 5300 (sn 248700 & up), 5320, 5400 (sn 248700 & up).

Part No.
TP-RE67185



Water Pump for John Deere. Fits Tractors: 7700, 7800, 8100, 8200, 8300, 8560, 8570; Combines: CTS, 9500, 9500SH, 9600; Graders: 770, 770B, 770BH, 772BH.

Part No.
TP-RE68230

WATER PUMPS FOR CASE IH



Water Pump for Case IH with O-ring. Fits Tractors: 5120, 5130, 5140, 5220, 5230, 5240, 5250, MX90, MX100, MX100C, MX110, MX120, MX135, MX150, MX170, 9110, 9130.

Part No.
J286278



Water Pump for Case IH with hub, for Diesel Engines. Fits Tractors: 454, 464, 484, 584, 574, 674, 684, 2500A, Hydro 84, 784.

Part No.
3136053R92

WATER PUMPS FOR NEW HOLLAND



Water Pump for New Holland with hub, Fits Tractors 1500, 1700, 1900.

Part No.

SBA145016071



Water Pump for New Holland with hub. Fits Tractors: 1720, 1920, 1925, 2030, 2035, 2120, 3040, 3045, 3050, 3415, 4060, T1510, T1520, T1530, T2210, T2220, T2310, T2330, TC30, TC31DA, TC33, TC34DA, TC35, TC40, TC45, TC48DA, TC55DA, TT45A, TT50A. Boomers: 2030, 2035, 3040, 3045, 3050, 4060, G6030.

Part No.

SBA145017780

WATER PUMPS FOR MASSEY FERGUSON



Water Pump with Pulley for Massey Ferguson. Fits Diesel Tractors: 135, 150, 230, 235, 245. Gas Tractors: AG3-152, 135 exc. orch., 150.

Part No.

747542M91



Water Pump for Massey Ferguson. Fits Diesel Tractors: 175, 180, 255, 265, 270, 275 (no plug), 374, 384.

Part No.

3641219M91

HYDRAULIC PUMPS FOR MASSEY FERGUSON



Massey Ferguson Tractors: 225, 235
Part No.
7702425-29Z



Massey Ferguson Tractors: 1200, 133, 135, 140, 148, 152, 165, 168, 175, 178, 185, 188t
Part No.
1684582M92



Massey Ferguson Tractors: T035, 35, 50, 65
Part No.
184473M93

Auxiliary hydraulic pump



Massey Ferguson Tractors: 165, 175, 180, 235, 240, 245, 250, 253, 255, 265, 270, 275, 283, 285, 290, 298, 670, 690, 698, 699, 1080, 1085
Part No.
531607M93



Massey Ferguson Tractors: 230, 240, 245, 250, 255, 265, 270, 275, 282, 283, 290, 298, 670, 690, 698, 699
Part No.
1683301M92

HYDRAULIC PUMPS FOR FORD NEW HOLLAND



Ford New Holland Tractors: 2310, 2600, 2610, 3600, 3610, 5610, 6610, 6710, 7610, 7710
Part No.
E1NN600AB



Ford New Holland Tractors: 3500, 4000, 4100, 4200, 4400, 4410
Part No.
D0NN600F



Ford New Holland Tractors: 5110, 5610, 5610S, 5900, 6610, 6710, 6810, 7410, 7610, 7610S, 7710, 7810, 7810S, 7910, 8010, 8210
Part No.
E0NN600AC



Ford New Holland Tractors: 5610S, 5640, 5640M, 6610S, 6640, 6640SL, 6810S, 7010, 7610S, 7740, 7840, 7840SE, 7840SL, 8010, 8240, 8340, TB100, TB110, TB120, TB80, TB85, TB90, TS100, TS110, TS115, TS90
Part No.
F0NN600BB

HYDRAULIC FILTERS



Part No.	Application	Thread	Outside diameter	Height	Internal Gasket
BT470	Spin-on, Case IH Tractor JX95	1 1/8 -16"	4 1/4 "	7 3/8 "	[1] Included
BT354	Ford New Holland Tractors: 3930, 4630, 5030	1 1/8 -16"	3 11/16 "	5 3/8 "	G381-A
BT8851MPG	Ford New Holland Tractors: 6640, 7740, 7840	1 3/8 -12"	3 3/4 "	9 19/32 "	[1] Included
BT8382	Ford New Holland Tractor 7840	1 3/4 -16"	5 3/8 "	9 5/8 "	[1] Included
BT234	Ford New Holland Tractors: Boomer 3045, TC40A	1 1/8 -16"	4 9/32 "	8 1/32 "	[1] Included
BT8905	Ford New Holland Tractors: Boomer 3045, TC40A	3/4 -16"	3 23/32 "	3 7/8 "	G324-A
PT8895MPG	Ford New Holland Tractors: T4.75, TL100A, TN60A, TN65, TN75, TN75A Inside diameter: 7/8" One End	2 3/32"	2 3/32 "	4 9/16 "	[1] Attached
BT8899	Ford New Holland Tractors: TL100A, TN60A, TN65, TN75, TN75A	1 3/4 -16"	5 3/8 "	7 "	[1] Included
BT8309MPG	John Deere Tractors: 4066M, 4066R, 5083E, 5085E, 5093E, 5103, 5310, 5320, 5400, 5410, 5420, 5425, 5510, 5520 Furnished Gaskets: G369-B, G447 Optional Gaskets: G286-C, G369-V, G372, G483, G704, G710	1 1/2 -16"	5 1/16 "	6 31/32 "	-
BT8851MPG	John Deere Tractors: 6220, 6310	1 3/8 -12"	3 3/4 "	9 19/32 "	[1] Included
BT8850MPG	John Deere Tractors: 6300, 6400	1 3/8 -12"	3 3/4 "	9 17/32 "	[1] Included
DSBT8841MPG	John Deere Tractors: 6300, 6400	1 3/8 -12"	3 3/4 "	6 3/32 "	[1] Included
BT8488	Kubota Tractors: L4240, L4400, L5030, L5740	1 1/8 -16"	3 23/32 "	7 1/32 "	[1] Included

TRANSMISSION FILTERS



Part No.	Application	Thread	Outside diameter	Height	Internal Gasket
BT8504	Ford New Holland Tractors: 3930, 4630, 5030	1 1/8 -16"	3 11/16 "	6 5/8 "	G381-A
BT9358	Kubota Tractors: L4240, L5030	1 1/8 -16"	3 25/32 "	6 15/32 "	[1] Included

OIL FILTERS



Part No.	Application	Thread	Outside diameter	Height	Internal Gasket
B7327	Farmall Tractors 95, 95C	M27 x 2.0"	3 11/16 "	6 5/8 "	G381-A
B2	Ford New Holland Tractors: 3930, 4630, 5030	3/4 -16"	3 11/16 "	5 13/32 "	G381-A
BT8409	Ford New Holland Tractor TC40A	3/4 -16"	3 "	3 17/32 "	[1] Included
BT348	Ford New Holland Tractors: TL100, TL90	3/4 -16"	4 1/4 "	5 13/16 "	G381-A
B7219	Ford New Holland Tractors: TN60A, TN65, TN75, TN75A Attached Gasket: G381-A	3/4 -16"	4 1/4 "	4 3/8 "	-
B227	Spin-on, Ford New Holland Tractors - Boomer 40 and 50	M20 x 1.5"	3 "	2 27/32 "	[1] Included
BT287	John Deere Tractors: 4320, 4520 Furnished Gaskets: G369-B (Blue Striped), G372 (Yellow Striped) Optional Gaskets: G286-C, G369-V, G447, G483, G704, G710	1 1/2 -16"	5 1/32 "	7 "	-
B7322	John Deere Tractors: 5083E, 5085E, 5085M, 5093E, 5425, 5525, 6220, 6230	M92 x 2.5"	3 29/32 "	5 15/16 "	[1] Included
B7125	John Deere Tractors: 5410, 6310	1 1/2 -16"	3 11/16 "	5 3/4 "	[1] Included
B7152	Kubota Tractors: L4240, L4400, L5030, L5740	3/4 -16"	3 11/16 "	3 1/4 "	G381-A
B233	Kubota Tractor M4900	3/4 -16"	3 11/16 "	4 3/8 "	G381-A

POWER STEERING FILTERS



Part No.	Application	Inside diameter	Outside diameter	Height	Furnished Gasket
EDPN3K758A	Ford New Holland Tractors: 3930, 4630, 5030	1 1/16"	3 15/16 "	1 3/8 "	End Seals: [2] Attached

FUEL FILTERS



Part No.	Application	Outside diameter	Inside diameter	Height	Internal Gasket
Thread: M16 x 1.5					
BF1226	Case IH Tractor 5130 O-Ring: [1] Included	3 1/32"	-	5 11/16"	G449-B
BF5587D	With Water Separator, Case IH Tractor JX95	3 1/32"	-	6 1/8"	G449-B
BF5587D	With Water Separator, Ford New Holland Tractors: 6640, 7740, TL100, TL90, TN60A, TN65, TN75, TN75A	3 1/32"	-	6 1/8"	G449-B
BF7998	Ford New Holland Tractor TL100A	3 1/32"	-	6 1/2"	G449-B
BF1226	Ford New Holland Tractor 7840	3 1/32"	-	5 11/16"	G449-B
BF1365	With Water Separator, Farmall Tractor 90C	3 11/16"	-	7 13/32"	G381-A
BF1365	With Water Separator, Ford New Holland Tractor T4.75	3 11/16"	-	7 13/32"	G381-A
Thread: M14 x 1.5					
BF1361	Ford New Holland Tractors: TL100, TL90	3 11/16"	-	4 11/16"	G381-A
BF7674D	John Deere Tractors: 6200, 6220, 6300, 6310, 6400 Furnished Gaskets: [1] Included Grommets: [1] Attached	3 9/32"	21/32 One End	5 31/32"	G381-A
BF7950D	With Water Separator, John Deere Tractor 5085M Grommets: [1] Attached	3 1/2"	1 5/32 One End	7 21/32"	G381-A
PF717	Kubota Tractors: L4240, L4400, L4600, L5030, L5740, M4900, MX5100 End Seals: [2] Attached	6"	2 5/8"	16"	G381-A
BF7746D	Ford New Holland Tractors: 7740 Grommets: [1] Attached	3 9/32"	21/32 One End	7 5/8"	G381-A
PF814	John Deere Tractor 4520 Furnished Gaskets: [1] Included	3 7/16"	23/32 One End	4 3/16"	G381-A



Part No.	Application	Outside diameter	Inside diameter	Height	Internal Gasket
PF717	Ford New Holland Tractor TC40A	1 31/32"	25/32"	3 1/2"	G381-A
BF7952D	With Water Separator, John Deere Tractors: 5083E, 5093E, 5425 Grommets: [1] Attached	3 1/2"	5/8 One End"	6"	G381-A
BF9892D	John Deere Tractors: 5085E, 5085M	3 3/16"	9/16 One End"	6 1/16"	G381-A
BF9891D	John Deere Tractor 5085M Grommets: [1] Attached	3 3/16"	9/16 One End"	7 11/16"	G381-A
BF1173	Case IH Tractor 5130 Inlet: 3/8" Outlet: 3/8" Length: 3 13/16"	1 29/32"	-	-	G381-A
BF959	John Deere Tractors: 4320, 4520 Length: 4 15/16" Width: 3 11/16" Height: 3 11/32"	-	-	-	G381-A
BF909	Glass Body, John Deere Tractors: 4320, 4520 Length: 4 15/16" Width: 3 11/16" Height: 3 11/32"	-	-	-	G381-A
CAV7111-796	Ford New Holland Tractors: 3930, 4630, 5030	-	-	-	G381-A
CAV7111-296	Massey Ferguson Tractor 4255	-	-	-	G381-A

HYDRAULIC, OIL, COOLANT, POWER STEERING & TRANSMISSION



Part No.	Application
HYDRAULIC FILTER	
HYDRAULIC FILTER SPIN-ON / Case IH Tractors	
BT470	Case IH Tractors: JX95
Ford New Holland Tractors	
BT354	3930, 4630, 5030
BT8851MPG	6640, 7740, 7840; John Deere Tractors: 6220, 6310
BT234	BOOMER 3045, TC40A
BT8905	BOOMER 3045, TC40A
PT8895MPG	T4.75, TL100A, TN60A, TN65, TN75, TN75A
BT8899	TL100A, TN60A, TN65, TN75, TN75A
John Deere Tractors	
BT8309MPG	4066M, 4066R, 5083E, 5085E, 5093E, 5103, 5310, 5320, 5400, 5410, 5420, 5425, 5510, 5520
BT8850MPG	6300, 6400
Kubota Tractors	
BT8488	L4240, L4400, L5030, L5740
OIL FILTER	
Case IH Tractors / Ford New Holland Tractors	
B7327	Case IH Tractors: Farmall 95, Farmall 95C; Ford New Holland Tractors: T5050, TD5050, TL100A



Part No.	Application
Ford New Holland Tractors	
B2	3930, 4630, 5030
B227	Boomer 40, Boomer 50 Oil Filter Spin On
BT8409	TC40A
BT348	TL100, TL90
B7219	TN60A, TN65, TN75, TN75A
John Deere Tractors	
BT287	4320, 4520
B7322	5083E, 5085E, 5085M, 5093E, 5425, 5525, 6220, 6230
B7125	5410, 6310
Kubota Tractors	
B7152	L4240, L4400, L5030, L5740
B233	M4900
POWER STEERING FILTER	
Ford New Holland Tractors	
EDPN3K758A	3930, 4630, 5030
TRANSMISSION FILTER	
Ford New Holland Tractors	
BT8504	3930, 4630, 5030
Kubota Tractors	
BT9358	L4240, L5030

FUEL FILTERS



Part No.	Application
FUEL FILTER	
Case IH Tractors	
BF1173	Case IH Tractors: 5130
BF1226	Case IH Tractors: 5130; Ford New Holland Tractors: 7840
Ford New Holland Tractors	
CAV7111-796	Ford New Holland Tractors: 3930, 4630, 5030
BF7746D	Ford New Holland Tractors: 7740
Ford New Holland Tractors / Massey Ferguson Tractors	
CAV7111-296	Ford New Holland Tractors: 3930, 4630, 5030; Massey Ferguson Tractors: 4255
Ford New Holland Tractors / Kubota Tractors	
PF717	Ford New Holland Tractors: TC40A; Kubota Tractors: L4240, L4400, L4600, L5030, L5740, M4900, MX5100
Ford New Holland Tractors	
BF1361	Ford New Holland Tractors: TL100, TL90
BF7998	Ford New Holland Tractors: TL100A



Part No.	Application
John Deere Tractors	
BF959	John Deere Tractors: 4320, 4520
PF814	John Deere Tractors: 4520
BF9892D	John Deere Tractors: 5085E, 5085M
BF9891D	John Deere Tractors: 5085M
BF7674D	John Deere Tractors: 6200, 6220, 6300, 6310, 6400
Massey Ferguson Tractors	
1077260M91	Massey Ferguson Tractors: 4255
FUEL FILTER GLASS BODY	
John Deere Tractors	
BF909	John Deere Tractors: 4320, 4520
FUEL FILTER WATER SEPARATOR	
Case IH Tractors / Ford New Holland Tractors	
BF5587D	Case IH Tractors: JX95; Ford New Holland Tractors: 6640, 7740, TL100, TL90, TN60A, TN65, TN75, TN75A
John Deere Tractors	
BF7952D	John Deere Tractors: 5083E, 5093E, 5425
BF7950D	John Deere Tractors: 5085M

AIR FILTERS



Part No. Application

AIR FILTER

Ford New Holland Tractors

PA2587 Ford New Holland Tractors: 3930, 4630, 5030

PA2588 Ford New Holland Tractors: 3930, 4630, 5030

RS3703 Ford New Holland Tractors: Boomer 41, Boomer 45, Boomer 50, Boomer 55; JOHN DEERE Tractors: 3046R, 3720, 4066M, 4066R, 4105, 5103; KUBOTA Tractors: L5030, M4900, MX4800, MX5100, MX5200; MAHINDRA Tractors: 2555, 4540, 4550

RS3988 Ford New Holland Tractors: Boomer 41, Boomer 45, Boomer 50, Boomer 55; Kubota Tractors: L5030, M4900, MX4800, MX5100, MX5200

RS3705 Ford New Holland Tractors: TC40A

RS3542 Ford New Holland Tractors: TN60A, TN65, TN75, TN75A; Kubota Tractors: L5740

John Deere Tractors

PA2352 John Deere Tractors: 4320, 4520

PA2547 John Deere Tractors: 4320
Air filter inner element

PA2546 John Deere Tractors: 4320
Air filter outer element

AIR FILTER INNER

Case IH Tractors / Ford New Holland Tractors / John Deere Tractors

PA5451 Case IH Tractors: Farmall 95C; Ford New Holland Tractors: T4.75, T5050; John Deere Tractors: 5083E, 5085E, 5085M, 5093E

Ford New Holland Tractors / Kubota Tractors

RS3543 Ford New Holland Tractors: T4.75, TN60A, TN65, TN75, TN75A; Kubota Tractors: L5740

Ford New Holland Tractors / John Deere Tractors

RS3545 Ford New Holland Tractors: TD5050, TL100, TL100A, TL90; John Deere Tractors: 5103, 5310, 5410, 5420, 5425, 5510, 5520, 5525

John Deere Tractors

PA4704 5085M, 6220, 6230



Part No. Application

AIR FILTER OUTER

Case IH Tractors

PA2418FN Case IH Tractors: 5130

Case IH Tractors / Ford New Holland Tractors / John Deere Tractors

CA5450 Case IH Tractors: Farmall 95C; Ford New Holland Tractors: T4.75, T5050; John Deere Tractors: 5083E, 5085E, 5085M, 5093E

Ford New Holland Tractors / Kubota Tractors

RS3704 Ford New Holland Tractors: BOOMER 3045, BOOMER 40, BOOMER 50, TC40A; Kubota Tractors: L4240, L4400

Ford New Holland Tractors / John Deere Tractors / Kubota Tractors

RS3544 Ford New Holland Tractors: TD5050, TL100, TL100A, TL90; John Deere Tractors: 5410; Kubota Tractors: M8540, M9000, M9540

John Deere Tractors

RS3549 3046R, 3720, 4066M, 4066R, 4105, 5103

AIR FILTER CAB

Ford New Holland Tractors

PA5649 BOOMER 3045

PA5710 TD5050, TL100, TL90

AIR FILTERS



Part No.	Application	Outside diameter	Inside diameter	Height
PA5710	Cab, Ford New Holland Tractors: TD5050, TL100, TL90 Length: 20 7/16 Width: 4 1/8 Attached Gasket: [1] Attached	-	-	1 31/32"
PA2352	John Deere Tractors: 4320, 4520 Length: 28 Width: 7 1/2 Attached Gasket: [1] Attached	-	-	2 9/16"
PA5451	Inner, Farmall Tractor 95C Attached Gasket: [1] Attached Attached Gasket: [1] Attached Furnished Gasket: [1] Included	4 1/4"	-	2 9/16"
PA2588	Ford New Holland Tractors: 3930, 4630, 5030 Attached Gasket: [1] Attached Furnished Gasket: [1] Included	2 15/16"	1/2"	13 3/8"
PA2431	Ford New Holland Tractors: 3930, 4630 Attached Gaskets: [2] Attached Furnished Gasket: [1] Included	6 11/16"	1/2"	15 5/16"
PA2418FN	Outer, Case IH Tractor 5130 Attached Gasket: [1] Attached Furnished Gasket: G103-N	6 3/32"	3/4"	15 5/16"
PA2547	Inner Element, John Deere Tractor 4320 Attached Gasket: [1] Attached Furnished Gasket: [1] Included	9 3/32"	1/2"	17"
PA2546	Outer Element, John Deere Tractor 4320 Attached Gasket: [1] Attached Furnished Gasket: [1] Included	9 3/32"	1/2"	17"
PA4704	Inner, John Deere Tractors: 5085M, 6220, 6230 Attached Gasket: [1] Attached	4 9/32"	1 13/16"	-
PA2587	Ford New Holland Tractors: 3930, 4630, 5030 Attached Gaskets: [2] Attached Furnished Gasket: [1] Included	5 5/16"	7/16"	14 21/32"
CA5450	Outer, Farmall Tractor 95C	5 27/32"	-	7 1/8"
RS3543	Inner, Ford New Holland Tractors: T4.75, TN60A, TN65, TN75, TN75A	3 5/16"	2 15/32 One End	12 9/16"
RS3545	Inner, Ford New Holland Tractors: TD5050, TL100, TL100A, TL90	3 21/32"	2 7/8 One End	13 1/2"
RS3704	Outer, Ford New Holland Tractors: TC40A, Boomers - 3045, 40 and 50	4 1/8"	2 5/16 One End	10 13/16"

Part No.	Application	Outside diameter	Inside diameter	Height
RS3544	Outer, Ford New Holland Tractors: TD5050, TL100, TL100A, TL90	6 1/2"	3 9/16 One End	14 1/32"
RS3703	Ford New Holland Tractors - Boomer 41, 45, 50 and 55	3 5/16"	2 15/32 One End	11 31/32"
RS3988	Ford New Holland Tractors - Boomer 41, 45, 50 and 55	5 1/32"	3 5/32 One End	12 5/16"
RS3705	Ford New Holland Tractor TC40A	2 13/32"	1 3/4 One End	10 13/32"
RS3542	Ford New Holland Tractors: TN60A, TN65, TN75, TN75A	5 13/32"	3 3/16 One End	12 31/32"
CA5450	Ford New Holland Tractors: T4.75, T5050	5 27/32"	-	7 1/8"
RS3544	Outer, John Deere Tractor 5410	6 1/2"	3 9/16 One End	14 1/32"
RS3549	Outer, John Deere Tractors: 3046R, 3720, 4066M, 4066R, 4105, 5103	5 1/32"	3 5/32 One End	12 5/16"
CA5450	John Deere Tractors: 5083E, 5085E, 5085M, 5093E	5 27/32"	-	7 1/8"
RS3545	John Deere Tractors: 5103, 5310, 5410, 5420, 5425, 5510, 5520, 5525	3 21/32"	2 7/8 One End	13 1/2"
RS3703	John Deere Tractors: 3046R, 3720, 4066M, 4066R, 4105, 5103	3 5/16"	2 15/32 One End	11 31/32"
RS3704	Outer, Kubota Tractors: L4240, L4400	4 1/8"	2 5/16 One End	10 13/16"
RS3544	Outer, Kubota Tractors: M8540, M9000, M9540	6 1/2"	3 9/16 One End	14 1/32"
RS3703	Kubota Tractors: L5030, M4900, MX4800, MX5100, MX5200;	3 5/16"	2 15/32 One End	11 31/32"
RS3988	Kubota Tractors: L5030, M4900, MX4800, MX5100, MX5200	5 1/32"	3 5/32 One End	12 5/16"
RS3542	Kubota Tractor L5740	5 13/32"	3 3/16 One End	12 31/32"
RS3543	Kubota Tractor L5740	3 5/16"	2 15/32 One End	12 9/16"
RS3703	Mahindra Tractors: 2555, 4540, 4550	3 5/16"	2 15/32 One End	11 31/32"

SEATS FOR COMPACT TRACTORS

TRACTOR SEAT-BLACK



Kubota Tractors: B1550, B1700, B1750, B2100, B2150, B2400, B2410, B2710, B2910, B4200, B5100, B6100, B7100, B7300, B7500, B8200, B9200, L175, L185, L200, L2050, L210, L225, L2250, L235, L2350, L245, L260, L2650, L275, L285, L2850, L2900, L295, L3000, L305, L3250, L3300, L335, L3350, L3410, L345, L3450, L35, L3600, L3650, L3710, L3750, L4150, L4200, L4350, L4610, L4850, L5450, M4000, M4050, M4500, M5500, M7500, MX5000;

Yanmar Tractors: 1300D, 1500, 155, 155D, 1600, 1700, 1900, 2000, 2220, 2310, 2310D, 240, YM250

Part No.

TS5301

SEAT ASSEMBLY



Massey Ferguson Tractors: 135, 230, 235, 245, 255, 265, 275, 285

Part No.

TS533813M96

COMPACT TRACTOR SEAT-BLACK



Ford New Holland Tractors: TC18, TC210, TC25, TC29, TC33, TC35, TC400, TC40R45, TC45; Kubota Tractors: B2410, B2710, B2910, B7300, B7500, L3000, L300DT, L3410, L35, L3710, L4610;

Massey Ferguson Tractors: 1030, 1040;

Yanmar Tractors: 1600, 1700, 1720D, 1900, 1910, 2000, 2220, 2310, 2310D, 255, 2810, YM1100, YM1300, YM1300D, YM1500, YM1510, YM155, YM155D, YM220, YM2200, YM240, YM250

Part No.

469-50007

FOR FORD NEW HOLLAND SUSPENSION SEATS



Ford New Holland Tractors: 1000, 1100, 1110, 1200, 1210, 1300, 1310, 1500, 1510, 1600, 1700, 1710, 1900, 1910, 2000, 2110, 2600, 2610, 2910, 3000, 3600, 3610, 3900, 3910, 4000, 4100, 4110, 4600, 4610, 5000, 5600, 5610, 5900, 6600, 6610, 7000

Part No.

Color

E2NNA405AA99M-BL

Blue

E2NNA405AA99M

Black

SEAT CUSHIONS



Part No.	Description	Application
469-JD4700B	Replacement Backrest Cushion for John Deere Seats with Hydraulic and Mechanical Suspensions. Has 5-Position Lumbar Support, Steel Back, Brown Fabric, Hardware Not Included.	John Deere Tractors: 2140, 2350, 2355, 2550, 2555, 2750, 2755, 2855N, 2940, 2950, 2955, 3040, 3055, 3140, 3150, 3155, 3255, 4030, 4040, 4040S, 4050, 4055, 4230, 4240, 4240S, 4250, 4350, 4430, 4440, 4450, 4455, 4555, 4560, 4630, 4640, 4650, 4755, 4760, 4840, 4850, 4955, 4960, 7200, 7210, 7400, 7410, 7510, 7600, 7610, 7700, 7710, 7800, 7810, 8100, 8100T, 8200, 8200T, 8300, 8300T, 8400, 8400T, 8430, 8440, 8450, 8560, 8570, 8630, 8650, 8760, 8770, 8850, 8870, 8960, 8970, 9100, 9200, 9300, 9400
469-JD4600M	Replacement Seat Cushion for John Deere Seats with Mechanical Suspensions. Steel Back, Brown Fabric, Hardware Not Included.	John Deere Tractors: 2140, 2350, 2355, 2550, 2555, 2750, 2755, 2855N, 2940, 2950, 2955, 3040, 3055, 3140, 3150, 3155, 3255, 4030, 4040, 4040S, 4050, 4230, 4240, 4240S, 4250, 4350, 4430, 4440, 4450, 4560, 4630, 4650, 4760, 4840, 4850, 4960, 7200, 7210, 7400, 7410, 7510, 7600, 7610, 7700, 7710, 7800, 7810, 8100, 8100T, 8200, 8200T, 8300, 8300T, 8400, 8400T, 8430, 8560, 8570, 8630, 8640, 8650, 8760, 8770, 8850, 8960, 8970, 9100, 9200, 9300, 9400
469-JD4650H	Replacement Seat Cushion for John Deere Seats with Hydraulic Suspensions. Steel Back, Brown Fabric, Hardware Not Included.	John Deere Tractors: 4030, 4040, 4050, 4055, 4230, 4240, 4250, 4255, 4440, 4450, 4455, 4555, 4560, 4630, 4640, 4650, 4755, 4760, 4840, 4850, 4955, 4960, 8440, 8450, 8560, 8640, 8650, 8760, 8850, 8960

TRACTOR SEATS

FOR CASE IH, JOHN DEERE, FORD, DEUTZ, MASSEY FERGUSON & OTHERS



Part No.	Description
TS1050ATSP	Slide Track 5-Hole with Angle Base, Black
TS1040ATSP	Slide Track 5-Hole with Angle Base, Yellow
TS1060ATSP	Slide Track 5-Hole with Angle Base, Blue
TS1075ATSP	Trapezoid Seat, Slides, Black

KING SIZE FOR MIDSIZE & UTILITY TRACTORS

Universal Fit. Heavy Duty, Oversized with Weight Suspension up to 330 lb. Fits Case IH, John Deere, New Holland, MF & Others.



Part No.	Description
TS1050HD	Adjustable Seat with Arm Rest and Seatbelt, Black
TS1040HD	Adjustable Seat with Arm Rest and Seatbelt, Yellow
TS1060HD	Adjustable Seat with Arm Rest and Seatbelt, Blue

FOR LAWN TRACTORS



Part No.	Description
LGS95	Universal Lawn Tractor Seat, Black
LGS97	Universal Lawn Tractor Seat, Black
LGS97Y	Universal Lawn Tractor Seat, Yellow
LGS97HB	Deluxe High Back Utility Seat, Black
LGS97HBY	Deluxe High Back Utility Seat, Yellow. Fits JD Gator, Cub Cadet and Many Others.

SEATS FOR UTILITY TRACTORS, CONSTRUCTION & TURF EQUIPMENT



Part No.	Description
TS1100	Vinyl Fold Down Seat, Universal Fit with Slides and Arm Rests. Black
TS1110IND-SL	Vinyl Contoured High Back Seat with Slides, Black
TS1000	Vinyl Compact Tractor Seat with Steel Pan, Drain Holes, Black. For Kubota and Other Small Tractors
TS1030FLC	Universal Seat with Slide Track
TS5301	Compact Tractor Seat, Black
469-500007	Compact Tractor Seat, Black
TS1035iND	Industrial Seat
FLSSUS1	Universal Seat
TSA560	Custom Seat

PAN SEATS



Part No.	Description
UPS1	Universal Pan Seat
TS1200	Vinyl Padded Pan Seat, Black



OVERRUNNING COUPLER

Part No.	Extends PTO Length	Female End(s)	line ♂	Male End(s)	line ♂	Max HP Rating	Overall Length
Cross Pin / PTO Connection Type: Female – Male							
C670FI	3-13/16"	1-1/8"	6	1-3/8"	6	-	6-1/2"
C660FI	3-13/16"	1-3/8"	6	1-3/8"	6	-	6-1/2"
442-3100690	4-7/16"	1-1/8"	6	1-1/8"	6	75	6-21/32"
442-3100670	4-7/16"	1-1/8"	6	1-3/8"	6	75	6-21/32"
442-3100660	4-7/16"	1-3/8"	6	1-3/8"	6	75	6-21/32"
Push Pin QD / PTO Connection Type: Female – Male							
971-68386	-	1-3/8"	6	1-3/8"	6	75	-

PIN SNAP HITCH BUSHING

Part No.	Female End(s)	Overall Length
Weld On / PTO Connection Type: Female		
QR1345	1-3/8" 6 Spline	2-3/4"



PTO ADAPTER

Part No.	Extends PTO Length	Female End(s)	line ♂	Male End(s)	line ♂	Max HP Rating	Overall Length
Clamp Type / PTO Connection Type: Female – Male							
442-3200094	4-1/2"	1-3/8"	21	1-3/4"	20	125	7-11/64"
442-3201477	4-5/16"	1-3/4"	20	1-3/8"	21	75	8-3/16"
442-3201491	5-7/16"	1-3/4"	20	1-3/8"	21	125	8-3/16"
442-3201476	4-5/16"	1-3/4"	20	1-3/8"	6	75	8-3/16"
442-3201490	4-5/16"	1-3/4"	20	1-3/8"	6	125	8-3/16"
442-3200087	5-5/16"	1-3/8"	21	1-3/8"	6	75	7-5/16"
Cross Pin / PTO Connection Type: Female – Male							
442-3200018	1-1/8"	1-1/8"	6	1-3/8"	6	75	1-3/8"
442-3200371	4-9/16"	1-3/8"	6	1-3/8"	6	75	6-1/2"
Push Pin QD / PTO Connection Type: Female – Male							
442-033200092	4-3/8"	1-3/8"	6	1-3/8"	21	75	6-1/2"
Retracting Sleeve QD / PTO Connection Type: Female – Male							
442-SP16611	4-3/4"	1-3/8"	6	1-3/8"	21	75	6-1/2"
XB313	4-5/16"	1-3/8"	6	1-3/8"	21		6-1/2"
442-SP16610	5-1/8"	1-3/8"	21	1-3/8"	6	75	7-1/4"
XB373HD	5-1/8"	1-3/8"	21	1-3/8"	6		7-1/8"
XB371	4-5/16"	1-3/8"	6	1-3/8"	6		6-1/2"
Rotating Sleeve QD / PTO Connection Type: Female – Male							
442-3202121	4-5/16"	1-3/8"	21	1-3/8"	21	75	6-1/2"
442-3200013	4-5/16"	1-3/8"	6	1-3/8"	21	75	6-1/2"

SLEEVE ADAPTER

Part No.	Female End(s)	Spline	Male End(s)	Spline	Max HP Rating	Overall Length
PTO Connection Type: Female – Male						
442-3200352	1-1/8"	6	1-3/8"	6		2-1/4"
442-3200363	1-1/8"	6	1-3/8"	6	75	2"



PTO EXTENSION SHAFT

Part No.	Male End(s)	Overall Length
PTO Connection Type: Male		
442-033200394	1-3/8" 6 Spline	10"



PTO COUPLER

Part No.	Female End(s)	Overall Length
PTO Connection Type: Female		
442-3200345	1-3/8" 6 Spline	3-3/4"



Part No.	Extends PTO Length	Female End(s)	line ♂	Male End(s)	line ♂	Max HP Rating	Overall Length
442-3201373	4-5/16"	1-3/8"	21	1-3/8"	6	75	6-1/2"
442-3200010	4-5/16"	1-3/8"	6	1-3/8"	6	75	6-1/2"
Set Screw / PTO Connection Type: Female – Male							
442-3200420	2-13/16"	1-3/8"	6	1-1/8"	5	75	4-5/8"
442-3200070	5"	1-3/8"	21	1-3/4"	20	75	7"
T91	4-5/8"	1-3/4"	20	1-3/8"	21	75	7"
442-3200001	4-13/16"	1-3/8"	21	1-3/8"	21	125	6-7/8"
442-3200004	4-13/16"	1-3/8"	6	1-3/8"		125	6-7/8"
442-3203531	2-3/4"	1-1/8"	6	1-3/8"		75	
T353F	3-9/16"	1-1/8"	6	1-3/8"			5-1/2"
T90	4-15/16"	1-3/4"	20	1-3/8"			8-3/16"
442-3200373	4-1/2"	1-3/8"	21	1-3/8"		75	6-1/2"
442-3200002	4-13/16"	1-3/8"	21	1-3/8"		125	6-7/8"
442-3200378	2-15/16"	1-3/8"	6	1-3/8"		75	5-1/8"
442-3200005	4-13/16"	1-3/8"	6	1-3/8"		125	
Weld On / PTO Connection Type: Male							
442-033200359	-	-		1-3/8"			5-1/2"

FLUSH FACE



- Wrench Flats: 1-1/4"
- Coupling Product Category: Flat Face Non-Spill Coupling
- Dust Cap Series: CFE-502-PN / PFE501-PN
- Coupler Body Size: 1/2"
- Max PSI: 3625 PSI
- Rated Flow: 12 GPM
- Sleeve Operation: Push to Connect
- Connect Under Pressure: No

Part No.	Description	Length	Thread Size	Price
Largest Diameter: 1.54 / Female Coupling Body				
730-VPFEM5018FPNL	1/2" - 1/2"-14 thread	2.96"	1/2" - 14 NPT	
730-VPFEM50112FONL	1/2" - 1-1/16"-12 thread	3.21"	1-1/16 - 12 ORB	
730-VPFEM50110FONL	1/2" - 7/8"-14 orb thread	2.96"	7/8" - 14 ORB	
Largest Diameter: 1.38 / Male Tip				
730-VPFEM5028FP	1/2" - 1/2" female npt	2.77"	1/2" - 14 NPT	
730-VPFEM50212FO	1/2" - 1-1/16- orb pipe thread	3.02"	1-1/16 - 12 ORB	
730-VPFEM50210FO	1/2" - 7/8" orb female thread	2.77"	7/8" - 14 ORB	

2-WIRE RIGID END HYDRAULIC HOSE ASSEMBLY

- Thread Type: NPT
- # of Wires: 2-Wire
- Hose End: Male Rigid



Part No.	Hose Length	Hose Length Range	Price
Hose Size: 1/2"			
217-8NP72	72"	72 - 132"	
217-8NP96	96"	72 - 132"	
217-8NP120	120"	72 - 132"	
217-8NP144	144"	144"	
Hose Size: 3/8"			
217-6NP12	12"	13 - 24"	

BUNA-N RUBBER O-RING



Part No.	Description	Width	Price
067-216	1/8" wide 1-1/8" ID x 1-3/8" OD	1/8"	
067-330	3/16" wide 2-1/8" ID x 2-1/2" OD	3/16"	
067-334	3/16" wide 2-5/8" ID x 3" OD	3/16"	

REPLACEMENT COUPLING CARTRIDGE FOR JOHN DEERE

- Coupling Product Category: OEM Coupling Cartridge
- Coupler Body Size: 1/2"
- Max PSI: 3000 PSI



Part No.	Description	Price
730-VP0510007CS	Replaces RE256693	
730-VP0002076CS	Replaces RE52981	

HYDRAULIC QUICK COUPLER

- Connect Under Pressure: No (except 730-82504MB)
- Product Category: Hydraulic Quick Coupling
- Thread Size: 1/2" - 14 NPT
- Coupler Body Size: 1/2"
- Max PSI: 3000 PSI
- Rated Flow: 12 GPM



Part No.	Description	Wrench Flats	Valve	Price
Largest Diameter: 1.50" / Complete Coupling				
826-S204	1/2" npt s20 series safeway coupler / tip Sleeve Operation: Manual Connect Coupler Body / Coupler Tip: S25-4 / S71-4	1"	Ball	
826-S404	1/2" NPT S40 series safeway coupler/ tip - push to connect Sleeve Operation: Push to Connect Coupler Body / Coupler Tip: S45-4 / S71-4	15/16"	Ball	
Largest Diameter: 1.50" / Female Body				
Dust Plug Series: 5205-4M Series				
Coupler Clamp Series: 5001-4 / 5006-4				
730-42504MB	4200 Series push to connect quick coupler body - 1/2" body x 1/2"-14 NPT Complete coupler number: 4200-4 Dust Plug Series: 5205-4M Series Sleeve Operation: Push to Connect	15/16"	Ball	
730-82504MB	8200 Series connect under pressure quick coupler body - 1/2" body x 1/2"-12 NPT Complete coupler number: 8200-4 Dust Plug Series: 5205-4M Series Sleeve Operation: Push to Connect	7/8"	Poppet	
Largest Diameter: 1.22" / Male Tip				
826-S714P	1/2" NPT safeway ISO tip w/poppet end 1-1/16" Poppet			

DUST COVER / DOULBE BREAKWAY CLAMP / COUPLERS



- Coupler Body Size: 1/2"

Part No.	Description	Product Category	Sub Product Category	Price
730-950741H	Automatic dust cover for 9200 series / 9500 series kit	Plugs and Caps	Dust Caps	
730-90064	Double breakaway clamp for 9250 series lever couplers	Clamps	Double Body Clamp	
730-50064	Double breakaway clamp for standard body quick couplers	Clamps	Double Body Clamp	
730-DR10010	ISO coupler conversion kit for tractor remote couplers for John Deere tractors Max PSI: 3000 PSI / Package Type: Kit	Quick Kits	ISO Conversion Kits	
730-0312001	KUBOTA rigid mount coupler body - replaces 3A111-82011	Hydraulic Quick Coupling	OEM Couplers	
826-S424	Safeway diecast double breakaway clamp Width: 5-1/4"	Clamps	Double Body Clamp	

FILTERS — OIL / FUEL / AIR JOHN DEERE® POWER UNITS



Model	Part No.	Replaces	Part No.	Replaces	Part No.	Replaces	Part No.	Replaces	Price	Part No.	Replaces
OIL			FUEL - PRIMARY		FUEL - SECONDARY		AIR - PRIMARY (outer element)			AIR - SECONDARY (inner element)	
4039D (-92)	BT259	T19044	BF909	AR50041	—	—	PA2360FN	PMAF1606KM	—	—	—
4039D (92-)	BT259	T19044	BF909	AR50041	—	—	PA1667FN	RE45825	—	—	—
4039T (-92)	BT259	T19044	BF909	AR50041	—	—	PA2360FN	PMAF1606KM	—	—	—
4039T (92-)	BT259	T19044	BF909	AR50041	—	—	PA2418FN	CH18287	—	PA2419	RE33883
4045T (-92)	BT259	T19044	BF909	AR50041	—	—	PA2360FN	PMAF1606KM	—	PA1681FN	AT44377
4045T (92-)	BT259	T19044	BF909	AR50041	—	—	PA2418FN	CH18287	—	PA2419	RE33883
4219D	BT259	T19044	BF909	AR50041	—	—	PA1667FN	RE45825	—	—	—
4239D	BT259	T19044	BF909	AR50041	—	—	PA1667FN	RE45825	—	—	—
4239T	BT259	T19044	BF909	AR50041	—	—	PA2360FN	PMAF1606KM	—	—	—
4276D	BT259	T19044	BF909	AR50041	—	—	PA1667FN	RE45825	—	—	—
4276T	BT259	T19044	BF909	AR50041	—	—	PA2360FN	PMAF1606KM	—	—	—
4D80	B7125	RE59754	BF7673D	RE62418	—	—	RS3542	PMAF25555	—	—	—
4H115	B7322	RE504836	BF7950D	RE529643	BF7949D	RE522878	RS3517	PMAF25667	—	RS3717	AT178517
4H99	B7322	RE504836	BF7950D	RE529643	BF7949D	RE522878	—	—	—	RS3885	AT203470
4T100	B7125	RE59754	BF7673D	RE62418	—	—	RS3544	AT171853	—	—	—
4T115	B7125	RE59754	BF7673D	RE62418	—	—	RS3544	AT171853	—	—	—
4T125	B7125	RE59754	BF7673D	RE62418	—	—	RS3544	AT171853	—	—	—
4T80	B7322	RE504836	BF9891D	RE541922	BF7952D	RE522868	RS3544	AT171853	—	RS3545	AT171854
6059D	BT259	T19044	BF909	AR50041	—	—	PA2418FN	CH18287	—	PA2419	RE33883
6059T	BT259	T19044	BF909	AR50041	—	—	PA2426FN	AZ20625	—	—	—
6068D	BT259	T19044	BF909	AR50041	—	—	PA2418FN	CH18287	—	PA2419	RE33883
6068T (-92)	BT259	T19044	BF909	AR50041	—	—	PA2426FN	AZ20625	—	—	—
6068T (92-)	BT259	T19044	BF909	AR50041	—	—	PA1681FN	AT44377	—	—	—
6076A (-92)	BT486	RE57394	BF959	AR86745	—	—	PA1884	AR46003	—	—	—
6076A (92-)	BT486	RE57394	BF959	AR86745	—	—	PA1681FN	AT44377	—	—	—
6076T (-92)	BT486	RE57394	BF959	AR86745	—	—	PA1884	AR46003	—	—	—
6076T (92-)	BT486	RE57394	BF959	AR86745	—	—	PA1681FN	AT44377	—	—	—
6329D	BT259	T19044	BF909	AR50041	—	—	PA2418FN	CH18287	—	PA2419	RE33883
6359A	BT259	T19044	BF909	AR50041	—	—	PA2426FN	AZ20625	—	—	—
6359D	BT259	T19044	BF909	AR50041	—	—	PA2418FN	CH18287	—	PA2419	RE33883
6359T	BT259	T19044	BF909	AR50041	—	—	PA2426FN	AZ20625	—	—	—
6414D	BT259	T19044	BF909	AR50041	—	—	PA2418FN	CH18287	—	PA2419	RE33883
6414T	BT259	T19044	BF909	AR50041	—	—	PA2426FN	AZ20625	—	—	—
6444T	BT259	T19044	BF909	AR50041	—	—	PA1884	AR46003	—	—	—
6466A	BT259	T19044	BF909	AR50041	—	—	PA1884	AR46003	—	—	—
6466D	BT486	RE57394	BF909	AR50041	—	—	PA2418FN	CH18287	—	PA2419	RE33883
6618A	BT486	RE57394	BF959	AR86745	—	—	PA1637FN	PMAF351KM	—	—	—
6619A	BT486	RE57394	BF959	AR86745	—	—	PA1637FN	PMAF351KM	—	—	—
6D125	B7125	RE59754	BF7673D	RE62418	—	—	RS3544	AT171853	—	—	—
6H140	B7322	RE504836	BF9891D	RE541922	BF7949D	RE522878	RS3744	AT175223	—	RS3507	AT323638
6H156	B7322	RE504836	BF9891D	RE541922	BF7949D	RE522878	RS3744	AT175223	—	RS3507	AT323638
6H185	B7322	RE504836	BF9891D	RE541922	BF7949D	RE522878	RS4638	AT308575	—	RS3871	TT220747
6H200	B7322	RE504836	BF9891D	RE541922	BF7949D	RE522878	RS4638	AT308575	—	RS3871	TT220747
6H225	B7322	RE504836	BF9891D	RE541922	BF7949D	RE522878	RS4638	AT308575	—	RS3871	TT220747
6T155	B7125	RE59754	BF7673D	RE62418	—	—	PA1902FN	T46316	—	—	—
6T170	B7125	RE59754	BF7673D	RE62418	—	—	PA1902FN	T46316	—	—	—
6T185	B7125	RE59754	BF7673D	RE62418	—	—	PA1902FN	T46316	—	—	—
81T200	BT486	RE57394	BF959	AR86745	—	—	PA1884	AR46003	—	—	—
81T225	BT486	RE57394	BF959	AR86745	—	—	PA1884	AR46003	—	—	—
9H225	P7233	RE509672	—	—	—	—	RS4638	AT308575	—	RS3871	TT220747
9H250	P7233	RE509672	—	—	—	—	RS4638	AT308575	—	RS3871	TT220747
9H275	P7233	RE509672	—	—	—	—	RS4638	AT308575	—	RS3871	TT220747
9H300	P7233	RE509672	—	—	—	—	RS4638	AT308575	—	RS3871	TT220747

FILTERS — OIL / FUEL CASE IH POWER UNITS




Model	Part No.	Replaces	Part No.	Replaces	Part No.	Replaces
OIL			FUEL - PRIMARY		FUEL - PRIMARY	
4390	BT427	J908616	BF1280	J903410	BF788	J903640
4390T	BT427	J908616	BF1280	J903410	BF788	J903640
4391	BT427	J908616	BF1226	J931062	BF1173	D139225
4391T	BT427	J908616	BF1226	J931062	BF1173	D139225
4391TA	BT427	J908616	BF1226	J931062	BF1173	D139225
6591T	BT339	J908615	BF1226	J843760	BF7693	BF7693
6591TA	BT339	J908615	BF1226	J931062	BF7693	BF7693
6830T	BD324	J919562	BF1280	J903410	BF788	J903640
6830TA	BD324	J919562	BF1280	J903410	BF788	J903640
6831T	BD324	J919562	BF1280	J925274	BF788	J903640
6831TA	BD324	J919562	BF1280	J925274	BF788	J903640
P70 (Tier 2)	B7327	84228488	BF7998	84565884	BF1173	D139225
P70 (Tier 3)	BT7237	BT7237	-	-	BF1173	D139225
P85 (Tier 2)	B7327	84228488	BF7998	84565884	BF1173	D139225
P85 (Tier 3)	BT7237	BT7237	BF7772	2380348	BF1173	D139225
P110	B7327	84228488	BF7998	84565884	BF1173	D139225
P170	B7327	84228488	BF7772	2830348	BF1173	D139225
PX70	B7327	87803206	BF7772	BF7772	-	-
PX85	B7327	87803206	BF7772	BF7772	-	-
PX110	B7327	87803206	BF7998	84565884	-	-
PX140	B7327	87803206	-	-	-	-
PX170	B7327	87803206	BF1367	BF1367	-	-
PX190	BD7309	366700A1	BF1367	BF1367	-	-
PX215	BD7309	366700A1	BF788	J931063	BF7693	BF7693
PX240	BD7309	366700A1	BF788	J931063	BF7693	BF7693

FILTERS — AIR / COOLANT CASE IH POWER UNITS



Model	Part No.	Replaces	Part No.	Replaces	Part No.	Replaces
AIR - PRIMARY			AIR - SECONDARY		COOLANT	
4390	PA2418FN	D56453	PA2419	L55204	-	-
4390T	PA2418FN	D56453	PA2419	L55204	-	-
4391	RS3545	222422A1	RS3545	222422A1	-	-
4391T	RS3934	187471A1	-	-	-	-
4391TA	RS3934	187471A1	-	-	-	-
6591T	RS3517	249987A1	RS3717	P533781	-	-
6591TA	RS3517	249987A1	RS3717	P533781	-	-
6830T	PA2688	S238646	PA2621	S238647	BW5071	A77544
6830TA	PA2688	S238646	PA2621	S238647	BW5071	A77544
6831T	RS3718	132151A1	RS3719	1321419A1	BW5071	A77544
6831TA	RS3718	132151A1	RS3719	1321419A1	BW5071	A77544
P70 (Tier 2)	CA5450	87037984	PA5451	82988917, 87037985, 87356353	-	-
P70 (Tier 3)	CA5450	87037984	PA5451	82988917, 87037985, 87356353	-	-
P85 (Tier 2)	CA5450	87037984	PA5451	82988917, 87037985, 87356353	-	-
P85 (Tier 3)	CA30079	87720898	PA4704	P606121	-	-
P110	CA30079	87720898	PA4704	P606121	-	-
P170	CA30079	87720898	PA4704	P606121	-	-
PX70	RS3544	222421A1	RS3545	222422A1	-	-
PX85	DSRS3971	381230A1	-	-	-	-
PX110	DSRS3971	381230A1	-	-	-	-
PX140	RS3517	249987A1	RS3717	P533781	-	-
PX170	RS3517	249987A1	RS3717	P533781	-	-
PX190	RS3718	132151A1	RS3719	1321419A1	BF1280	J930942
PX215	RS3718	132151A1	RS3719	1321419A1	BF1280	J930942
PX240	RS3718	132151A1	RS3719	1321419A1	BF1280	J930942

HITCH PINS



Part No.	Pin Diameter	Usable Length
----------	--------------	---------------

1 BENT

873-71118	3/8"	3"
873-7111	1/2"	3"
873-71122	1/2"	4"
873-71112	5/8"	3"
873-71126	5/8"	4"
873-71113	3/4"	3-1/2"

2 BLUE HEAD

873-PB7511	1/2"	3-5/8"
873-PB7521	5/8"	4"
873-PB7522	5/8"	6"
873-PB7531	3/4"	4"
873-PB7532	3/4"	6-1/2"
873-PB700841	7/8"	4-1/4"
873-PB7542	7/8"	6-1/2"
873-PB700851	1"	4-3/4"
873-PB7552	1"	7"
873-PB7562	1-1/8"	7"
873-PB7572	1-1/4"	7"
873-PB7582	1-1/2"	8-1/2"
873-PB759213	1-3/4"	13"
873-PB759285	1-3/4"	8-1/2"

3 FIXED HANDLE

873-1196	1/2"	3-1/2"
873-1219	5/8"	6"
873-1206	3/4"	4"
873-1221	3/4"	6-1/4"
873-1226	7/8"	6-1/2"
873-1231	1"	6-3/4"

4 HANDLE LOCK

873-15195	1/2"	4-1/4"
873-15205	5/8"	4-1/4"
873-15215	3/4"	4-1/4"

Part No.	Pin Diameter	Usable Length
----------	--------------	---------------

873-80160	3/4"	6"
873-14895	3/4"	6-1/4"
873-80170	7/8"	6"
873-17885	1"	4-1/4"
873-80180	1"	6"
873-80190	1-1/8"	7"
873-80200	1-1/4"	7"
873-80210	1-1/2"	8"

5 KING RED HEAD

2796-S586	5/8"	6"
2796-S344	3/4"	4"
2796-S346	3/4"	6"
2796-S787	7/8"	7"
2796-S15	1"	5"
2796-S18	1"	8"
2796-S1188	1-1/8"	8"
2796-S1148	1-1/4"	8"
2796-S1388	1-3/8"	8"
2796-S1128	1-1/2"	8"

6 RED HEAD

873-P7511	1/2"	3-5/8"
873-P7521	5/8"	4"
873-P7522	5/8"	5-3/4"
873-P7531	3/4"	4"
873-P7532	3/4"	6-1/2"
873-P7541	7/8"	4-1/4"
873-P7542	7/8"	6-1/2"
873-P7554	1"	12"
873-P7551	1"	4-3/4"
873-P7552	1"	7-1/2"
873-P756212	1-1/8"	12"
873-P7562	1-1/8"	8-1/2"
873-P757212	1-1/4"	12"

Part No.	Pin Diameter	Usable Length
----------	--------------	---------------

873-P7572	1-1/4"	8-1/2"
873-P758213	1-1/2"	13"
873-P7582	1-1/2"	8-1/2"
873-P759213	1-3/4"	13"
873-P759285	1-3/4"	8-1/2"
873-P760213	2"	13"
873-P760285	2"	8-1/2"

4 SWIVEL HANDLE

873-15190	1/2"	3-1/2"
873-PS5004	1/2"	4-1/4"
873-15200	5/8"	4-1/4"
873-14880	5/8"	6-1/4"
873-15210	3/4"	4-1/4"
873-P7505	3/4"	5-1/4"
873-14890	3/4"	6-1/4"
873-14891	3/4"	6-1/4"
873-17800	7/8"	4-1/4"
873-17880	7/8"	6-1/4"
873-17881	7/8"	6-1/4"
873-17890	1"	6-1/4"
873-17891	1"	6-1/4"
873-17900	1-1/8"	4-1/4"
873-17901	1-1/8"	6-1/4"
873-18000	1-1/4"	6-1/4"

TOP LINK PINS

Part No.	Hitch Category	Pin Diameter	Usable Length
873-776	Cat 0	5/8"	2-3/4"
873-15013	Cat 1	3/4"	1-5/8"
Overall Length: 4-5/16" For Kubota			
873-74	Cat 1	3/4"	4"
873-73	Cat 1	3/4"	2-3/4"
873-77	Cat 1	3/4"	4-3/4"
P1012	Cat 1	3/4"	9-3/4"
Overall Length: 10-5/16" For MF			
873-40957	-	3/4"	3-1/3"
For JD			



Part No.	Hitch Category	Pin Diameter	Usable Length
873-79	Cat 2	1"	3"
873-76	Cat 2	1"	3-9/16"
873-3011	Cat 2	1"	4-3/8"
873-1892	Cat 2	1"	5-3/8"
873-3026	Cat 3	1-1/4"	4-3/8"
873-111	Cat 1	-	-
For IH			
873-110	Cat 2	-	-
FOR IH			

LIFT ARM PINS



Part No.	Hitch Category	Overall Length	Pin Diameter	Usable Length
873-202	Cat 1 to 2	5-1/4"	1-1/8"	1-3/4"
873-1887	Cat 1 to 2	7-1/2"	1-1/8"	2"
873-3178	Cat 1 to 2	6-5/16"	1-1/8"	2-1/4"
873-3001	Cat 1 to 2	5-3/16"	1-1/8"	Adjustable
873-3006	Cat 2	6-1/4"	1-1/8"	2"
873-3002	Cat 2	6-1/4"	1-1/8"	Adjustable
873-3005	Cat 2 to 3	5-7/8"	1-7/16"	-
873-7220	Cat 0	3-7/8"	5/8"	Adjustable
873-200	Cat 1	5-1/2"	7/8"	1-3/4"
873-3004	Cat 1	6-1/2"	7/8"	2-1/4"
P2000SPL	Cat 1	4-1/4"	7/8"	5/8"
873-211	Cat 1	5-5/16"	7/8"	Adjustable
873-3000	Cat 1	6-1/4"	7/8"	Adjustable
873-3022	Cat 1 to 2	5-3/4"	7/8"	1-3/4"

LYNCH PINS



Part No.	Pin Diameter	Usable Length
873-B2704	1/4"	1-3/4"
873-2704	1/4"	1-3/4"
873-B3548	3/16"	1-5/8"
873-3548	3/16"	1-5/8"
873-3501	3/8"	2-13/16"
873-B2709	5/16"	1-3/4"
873-2709	5/16"	1-3/4"
873-B2703	7/16"	2-1/16"
873-B3027	7/16"	2-3/8"
DKPWCH	7/16"	1-5/8"
DKP-SD-1	7/16"	1-7/8"
873-2703	7/16"	2-1/16"
873-2699	7/16"	2-1/2"
873-3027	7/16"	2-3/8"

Retail Display

HITCH & LINKAGE

QUICK HITCH



- Lift Hook Diameter: 1-1/2"
- Top Hook Diameter: 1-1/4"

Part No.	Hitch Category	Inside Width	Lift Hook to Top Hook	Lift Hook to Top Link	Top Link Pin Diameter	Lift Pin Diameter
873-HF141101	1	27-1/4"	15"	18-1/2"	3/4"	7/8"
873-HF141102	2	32-3/4"	15"	21-1/2"	1"	1-1/8"
873-HF141103	3	38-1/4"	15"	21-1/2"	1-1/8"	1-1/8"
873-HF141106	3 Narrow	32-1/2"	19"	24-1/2"	1-1/8"	1-3/8"
873-HF141107	2 HD	32-1/2"	15"	24-1/2"	1-1/8"	1-3/8"
873-HF141108	2 and 3	38-1/4"	19"	24-1/2"	1-1/8"	1-1/8"

DRAWBAR / CENTER DRAWBAR



Part No.	Length	Thickness	Width
C5NN805C	32-7/8"	1"	1-3/4"

DRAWBAR LIFT ARM



Part No.	Hitch Category	Hole Diameter	Length	Number of Holes	Pin Diameter	Thickness	Width
873-418	0	5/8"	23-3/4"	7	5/8"	5/8"	2"
873-DB4130	0	2-5/8"	1-1/4"	-	-	1-1/4"	-
873-411	1	3/4"	31-1/3"	11	7/8"	1"	2-1/2"
873-419	1	3/4"	24-1/2"	7	7/8"	1"	2-1/2"
873-421	2	3/4"	31-1/2"	11	1-1/8"	1-1/4"	3"
873-422	2	3/4"	37-15/16"	13	1-1/8"	1-1/4"	3"
873-431	3	1-1/4"	44"	5	1-7/16"	1-3/4"	3-1/2"

DRAWBAR LIFT ARM



Part No.	Hole Diameter	Length	Pin Diameter	Thickness	Width	Color	Usable Length
Hitch Category: Cat 1							
Number of Holes: 11							
9N5182A	3/4"	30-1/2"	7/8"	1"	2-1/2"	Red	26"
9N5182B	3/4"	30-1/2"	7/8"	1"	2-1/2"	Blue	26"
9N5182	3/4"	30-1/2"	7/8"	1-1/8"	2-1/2"	Red	26"
S04011500	3/4"	30-1/2"	7/8"	1-1/8"	2-1/2"	Blue	26"
Hitch Category: Cat 2							
Number of Holes: 11							
DB118HTG	3/4"	31-1/2"	1-1/8"	1-1/4"	3"	Green	26"
DKN5182	3/4"	30-1/2"	1-1/8"	1-1/4"	3"	Blue	26"
DB214	1-3/16"	31-1/2"	1-1/8"	1-1/4"	3"	Red	32"

TOP LINK / ASSEMBLY

Part No.	Pin Diameter	Thread Size	Center Tube Length	Closed Length	Extended Length
Hitch Category: Cat 0					
873-199	5/8"	3/4"	7-1/2"	10-3/4"	16-3/8"
Hitch Category: Cat 1					
873-470	3/4"	1-1/8"	9"	13"	19"
	LH Replacement End: 873-342 / RH Replacement End: 873-343				
873-480	3/4"	1-1/8"	13"	17-1/2"	26"
	LH Replacement End: 873-342 / RH Replacement End: 873-343				
873-332	3/4"	1-1/8"	16"	20-1/2"	29"
	LH Replacement End: 873-342 / RH Replacement End: 873-343				
JSA1000B	3/4"	1-1/8"	16"	20-1/2"	29"
JSA1000R	3/4"	1-1/8"	16"	20-1/2"	29"
JSA1020B	3/4"	1-1/8"	20"	25"	35"
JSA1020R	3/4"	1-1/8"	20"	25"	35"
873-166	3/4"	1-1/8"	20"	24-1/2"	33"
	LH Replacement End: 873-342 / RH Replacement End: 873-343				
JSA1024B	3/4"	1-1/8"	24"	29"	39"
JSA1024R	3/4"	1-1/8"	24"	29"	39"
Hitch Category: Cat 1 and 2					
873-25101	3/4" and 1"	1-1/8"	-	21-1/2"	30"
	For John Deere				
JSA1012-12C	3/4" and 1"	1-1/8"	12"	16"	24"
873-338	3/4" and 1"	1-1/8"	16"	21"	33"
	LH Replacement End: 873-342 / RH Replacement End: 873-347				
JSA1200B	3/4" and 1"	1-1/8"	16"	19-1/2"	29-1/2"
	Blue top				



Part No.	Pin Diameter	Thread Size	Center Tube Length	Closed Length	Extended Length
JSA1200R	3/4" and 1"	1-1/8"	16"	19-1/2"	29-1/2"
	Red top				
DONN576B	3/4" and 1"	1-1/8"	16-3/4"	24-1/2"	34-1/2"
TL1218C	3/4" and 1"	1-1/8"	18-3/4"	23"	30"
19875A91	3/4" and 1"	1-1/8"	21-1/2"	26"	32-1/2"
Hitch Category: Cat 2					
873-34208	7/8"	1-1/4"	-	22-15/16"	29-13/16"
	For John Deere				
873-25102	1"	1-1/8"	-	21-1/2"	30"
	For John Deere				
873-340	1"	1-1/8"	16"	21"	33"
	LH Replacement End: 873-346 / RH Replacement End: 873-347				
JSA2000B	1"	1-1/8"	16"	21"	33"
JSA2000R	1"	1-1/8"	16"	21"	33"
TL173A	1"	1-1/4"	16"	23"	32"
DONN576A	1"	1-1/8"	16-3/4"	24-3/4"	34-3/4"
JSA2020B	1"	1-1/8"	20"	25"	37"
JSA2020R	1"	1-1/8"	20"	25"	37"
873-176	1"	1-1/8"	20"	25"	37"
	LH Replacement End: 873-346 / RH Replacement End: 873-347				
19876A91	1"	1-1/8"	21-1/2"	26"	32-1/2"
JSA2024B	1"	1-1/8"	24"	29"	41"
JSA2024R	1"	1-1/8"	24"	29"	41"
Hitch Category: Cat 3					
873-44558	1-1/4"	1-5/8"	-	29-3/8"	36-1/8"
	For John Deere				
TL185	1-1/4"	1-3/8"	19"	25-1/2"	36-1/2"

LIFT ARM / BUSHING

Part No.	Hole Diameter	Length	Pin Diameter
Hitch Category: Cat 1 and 2			
873-351	7/8"	1-1/8"	1-3/4"
873-B351	7/8"	1-1/8"	1-3/4"
Hitch Category: Cat 2 and 3			
873-3009	1-1/8"	1-7/16"	1-3/4"
873-C3009	1-1/8"	1-7/16"	1-3/4"



TOP LINK / REPLACEMENT END

Part No.	Pin Diameter	Thread Size	Thread Direction
Hitch Category: Cat 0			
TL-0-1R	5/8"	3/4"	Right Hand
Hitch Category: Cat 1			
TL501R	3/4"	1"	Right Hand
873-342	3/4"	1-1/8"	Left Hand
873-343	3/4"	1-1/8"	Right Hand
873-310	3/4"	Weld-On	Weld-On
Hitch Category: Cat 2			
873-346	1"	1-1/8"	Left Hand
873-347	1"	1-1/8"	Right Hand
873-C310	3/4"	Weld-On	Weld-On
	1 Piece clamshell		
873-C311	1"	Weld-On	Weld-On
	1 Piece clamshell		
873-311	1"	Weld-On	Weld-On



TOP LINK BALL / SOCKET



Part No.	Pin Diameter	Bore Length	Outside Diameter	Sleeve Width
Hitch Category: Cat 1				
873-212	3/4"	1-5/8"	2-1/8"	7/8"
873-213	3/4"	1-5/8"	2"	3/4"
873-241	3/4"	1-3/4"	2"	-"
Hitch Category: Cat 2				
873-2220	1"	7/8"	2-3/4"	7/8"
873-242	1"	1-3/4"	2"	-"
873-2229	1-1/4"	1-3/4"	3-1/8"	1-1/4"
Hitch Category: Cat 3				
873-2231	1-7/16"	1-3/4"	3-1/2"	1-5/16"
BJ5211	1-1/4"	1-3/4"	2-3/8"	7/8"

TOP LINK BUSHINGS



Part No.	Pin Diameter	Bore Length	Outside Diameter
Hitch Category: Cat 0 and 1			
873-829	5/8"	1-5/8"	3/4"
Hitch Category: Cat 1 and 2			
873-353	3/4"	1-15/16"	1"
873-3530	1"	1-5/8"	1"
Hitch Category: Cat 2			
873-827	13/16"	1-3/4"	1"
Hitch Category: Cat 2 and 3			
873-3008	1"	2"	1-1/4"

CLEVISES



Part No.	Working Load (lbs.)	Body Diameter	Usable Length	Pin Diameter
1 SCREW PIN				
567-MB1646	1000	1/4"	1-1/8"	5/16"
567-MB1647	2000	1/3"	1-1/4"	3/8"
567-MB1648	3000	3/8"	1-7/16"	7/16"
567-MB1649	4000	4/9"	1-11/16"	1/2"
567-MB1650	6500	1/2"	1-15/16"	5/8"
567-MB1651	9000	5/8"	2-1/2"	3/4"
567-MB1652	13000	3/4"	3"	7/8"
567-MB1653	15000	7/8"	3-1/4"	1"
567-MB1654	17000	1"	3-3/4"	1-1/8"
567-MB1655	24000	1-1/8"	4-1/4"	1-1/4"
567-MB1656	28000	1-1/4"	4-1/2"	1-3/8"
2 STRAIGHT				
567-MB8158	6000	5/8"	3-1/4"	
567-MB8134	12000	3/4"	3-3/4"	5/8"
567-MB8878	16000	7/8"	3-1/4"	3/4"
567-MB8178	16000	7/8"	4-1/4"	3/4"
567-MB8190	20000	15/16"	4-5/8"	7/8"
567-MB8195	25000	1"	5-5/16"	1"
3 TWISTED				
567-MB8258	6000	5/8"	3"	
567-MB8234	12000	3/4"	3-1/2"	5/8"
567-MB8078	16000	7/8"	3"	3/4"
567-MB8278	16000	7/8"	3-7/8"	3/4"
567-MB8290	20000	15/16"	4-1/4"	7/8"
567-MB8295	25000	1"	5"	1"
4 CLEVIS PINS				
B811	-	-	2-1/4"	1/2"
B813	-	-	3-1/8"	5/8"
B817	-	-	3-1/4"	3/4"
B819	-	-	3-3/4"	7/8"
B829	-	-	4-1/4"	1"

Part No.	Working Load (lbs.)	Body Diameter	Usable Length	Pin Diameter
5 UNIVERSAL				
567-MB1546	1000	1/4"	7/8"	5/16"
567-MB1547	1500	5/16"	1"	3/8"
567-MB1548	2000	3/8"	1-1/4"	7/16"
567-MB1549	3000	4/9"	1-1/2"	1/2"
567-MB1550	6000	1/2"	1-11/16"	5/8"
567-MB1551	9000	5/8"	2"	3/4"

CHAIN HOOKS / CLEVIS SLIP HOOKS



Part No.	Size	Working Load (lbs.)
567-M904L	1/4"	2600
511-G4314	1/4"	2600
567-M905L	5/16"	3900
511-G43516	5/16"	3900
567-M906L	3/8"	5400
511-G4338	3/8"	5400
511-G43716	7/16"	7200

SHUTS / LINKS DOUBLE CLEVIS MID-LINK



Part No.	Size	Length (lbs.)
567-81180	1/4"	3900
567-81380	3/8"	5400
567-81480	7/16"	9200

UNIVERSAL CLEVIS PINS



Part No.	Wire Shape	Pin Diameter	Usable Length
CP101	Round	1/4"	2"
CP102	Round	5/16"	2"
CP103	Round	3/8"	2"
CP104	Round	7/16"	2"
CP106	Round	7/16"	2-1/2"
CP105	Square	1/2"	2"

HAIR PINS



Part No.	Pin Diameter	Usable Length
970-22P	1/16"	1-5/16"
970-B19P	1/4"	4"
970-19P	1/4"	4-3/8"
HP2	1/4"	4-3/8"
970-16P	1/8"	1-3/4"
970-3611	1/8"	2-9/16"
	Box Quantity: 100 Pins	
970-11P	1/8"	2-9/16"
970-B11P	1/8"	2-9/16"
HP5	1/8"	2-9/16"
970-3616	1/8"	5/8"
	Box Quantity: 100 Pins	
970-6P	3/16"	3-1/4"
970-3608	3/16"	3-3/4"
	Box Quantity: 100 Pins	
970-B6P	3/16"	3-3/4"
HP3	3/16"	3-3/4"
HP7	3/32"	1-3/16"
970-3P	3/32"	1-5/8"
HP6	3/32"	1-5/8"
970-14P	3/32"	2-1/2"
HP8	3/32"	2-15/16"
HP1	5/16"	3-15/16"
970-20P	5/16"	4-1/16"
970-10P	5/32"	2-15/16"
970-B10P	5/32"	2-15/16"
HP4	5/32"	2-15/16"
970-3610	5/32"	2-3/4"
	Box Quantity: 100 Pins	
970-B22P	5/64"	1-5/16"

DRAW PINS



Part No.	Hitch Category	Pin Diameter	Usable Length
873-3149	Cat 1	7/8"	3-3/4"
873-3032	Cat 2	1"	4-3/4"
873-3132	Cat 2	1-1/8"	9"
873-2256	Cat 2 to 3	1-1/8"	4-1/4"
873-7710	Cat 3	1-7/16"	3-3/8"
873-3033	Cat 3	1-7/16"	4-3/4"
873-7231	Cat 3	1-7/16"	6-1/2"

HITCH PINS



Part No.	Overall Length	Wire Shape	Pin Diameter	Usable Length
B1231T	10-17/32	Round	1"	6-3/4"
B1200T	6-15/16	Round	5/8"	3-3/4"
B1206T	7-7/16	Round	3/4"	4"
B1215T	8-17/32	Round	1"	4-3/4"
B1219	-	Round	5/8"	6"
B1226T	10-11/16	Square	7/8"	6-1/2"
B1211T	7-3/5	Square	7/8"	4-1/4"
B1221	9-7/16	Square	3/4"	6-1/4"
873-2107	10-1/2	-	1-7/16"	9"
B1195T	5-11/32	-	1/2"	3-1/2"
B1190T	5-11/32	-	7/16"	3-1/2"
873-7104	-	-	1"	5"
873-7105	-	-	1-1/8"	5-3/4"
873-7102	-	-	3/4"	5"
873-7101	-	-	5/8"	5"
873-7103	-	-	7/8"	5"

PTO LOCK PINS



Part No.	Pin Diameter	Usable Length
873-7938	1/4"	1-3/4"
873-264	1/4"	2-1/4"
873-7952	1/4"	2-1/4"
873-265	3/8"	2-1/4"
873-275	3/8"	2-1/4"
873-276	5/16"	2-1/4"
873-266	5/16"	2-5/8"

DIAMOND CHAIN / 10 FT. COIL SPROCKET CHAIN / ATTACHMENT LINKS

Part No.	Description	Pitch
1 DIAMOND CHAIN		
042-CA550	Conveyor chain	0.25
2 10 FT. COIL SPROCKET CHAIN		
042-T2500	13.3 Links per foot	0.2
042-T3200	10.4 Links per foot	0.33
042-T3400	8.6 Links per foot	0.4

Part No.	Description	Pitch
042-T4200	8.7 Links per foot	0.48
042-T5200	8.0 Links per foot	0.7
042-T5500	7.4 Links per foot	0.6
042-T6200	7.3 Links per foot	1
042-T6700	5.2 Links per foot	1.3



Part No.	Description	Pitch
3 ATTACHMENT LINK		
042-U6716	67HA-S LH	0.5
042-U6717	67HA-S RH	0.3

AGSMART CONNECTING LINKS / OFFSET LINKS

Part No.	Description	Pitch	Chain Size
1 CONNECTING LINK			
<i>Double Strand</i>			
673-CD60	#60 Double strand 2 per package	1	60
<i>Single Strand</i>			
673-CL40	#40 4 Per package	0.2	40
673-CL41	#41 4 Per package	0.1	41
673-CH50	#50 Heavy plate 3 per package	0.2	50
673-CL50	#50 4 Per package	0.2	50
673-CH60	#60 Heavy plate 3 per package	0.2	60
673-CL60	#60 3 Per package	0.2	60
673-CH80	#80 Heavy plate 2 per package	0.33	80
673-CL80	#80 2 Per package	1	80
673-CL100	#100 1 Per package	0.5	100
673-CL2050	#A2050 double pitch 3 per package	1.5	2050

Part No.	Description	Pitch	Chain Size
2 OFFSET / HALF LINK			
<i>Single Strand</i>			
673-HL40	#40 4 Per package	0.2	40
673-HL50	#50 4 Per package	0.2	50
673-HH60	#60 Heavy plate 2 per package	1	60
673-HL60	#60 3 Per package	0.2	60
673-HH80	#80 Heavy plate 2 per package	0.43	80
673-HL80	#80 2 Per package	1	80
673-HL100	#100 1 Per package	0.5	100
673-HL120	#120 1 Per package	0.5	120
673-HL2050	#A2050 double pitch 4 per package	1.5	2050

Part No.	Description	Pitch	Chain Size
3 ROLLER CHAIN			
<i>Single Strand</i>			
673-R35	#35 Single strand 10 feet per box	0.24	35
673-R40	#40 Single strand 10 feet per box	0.45	40
673-R40100	#40 Single strand 100 feet reel	0.44	40
673-R4050	#40 Single strand 50 feet reel	0.44	40
673-R40SS	#40 Stainless steel 10 feet per box	0.4	40
673-R41	#41 Single Strand 10 feet per box	0.3	41
673-R41100	#41 Single strand 100 feet reel	0.3	41
673-R50	#50 Single strand 10 feet per box	0.7	50
673-R50100	#50 Single strand 100 feet reel	0.73	50
673-R5050	#50 Single strand 50 feet reel	0.73	50
673-R50SS	#50 Stainless steel 10 feet per box	0.7	50


Part No.	Description	Pitch	Chain Size
673-RH50	#50 Heavy plate 10 feet per box	0.9	50
673-R60	#60 Single strand 10 feet per box	0.9	60
673-R60100	#60 Single strand 100 feet reel	1.11	60
673-R6050	#60 Single strand 50 feet reel	1.11	60
673-R60SS	#60 Stainless steel 10 feet per box	1	60
673-RH60	#60 Heavy plate 10 feet per box	1.2	60
673-RH6050	#60 Heavy plate 50 feet reel	1.28	60
673-R80	#80 Single strand 10 feet per box	1.7	80
673-R8050	#80 Heavy plate 50 feet reel	1.82	80
673-RH80	#80 Heavy plate 10 feet per box	2	80
673-RH8050	#80 Single strand / heavy plate 50 feet reel	2.14	80
673-R100	#100 Single strand 10 feet per box	2	100
673-R120	#120 Single strand 10 feet per box	3.7	120
673-R2040	#2040 Double Pitch 10 feet per box	0.3	2040
673-R2050	#2050 Double Pitch 10 feet per box	0.45	2050
673-R2050SS	#2050 Stainless Steel Double Pitch 10 feet per box	0.45	2050
673-R2060	#2060 Double Pitch 10 feet per box	0.6	2060
<i>Double Strand</i>			
673-RD40	#40 Double strand 10 feet per box	0.9	40
673-RD50	#50 Double strand 10 feet per box	1.5	50
673-RD60	#60 Double strand 10 feet per box	1.2	60
673-RD80	#80 Double strand 10 feet per box	0.2	80

Stainless Steel **I** / Metric **□**



CHAIN DETACHER

Part No.	Description	Pitch
707-PE2560	#1- 25 Thru 60 w/extra tip	0.76
707-PE60100	#2 -60 Thru 100 w/xtra tip	0.57



DIAMOND USA ROLLER CHAIN / CONNECTING LINKS



Part No.	Description	Pitch	Chain Size
1 ROLLER CHAIN			
<i>Single Strand</i>			
803-10350010	#35 Single strand 10 feet per box	0.22	35
803-10400010	#40 Single strand 10 feet per box	0.43	40
803-10400050	#40 Single strand 50 feet reel	0.42	40
803-10410010	#41 Single strand 10 feet per box	0.28	41
803-10410050	#41 Single strand 50 feet reel	0.28	41
803-10500010	#50 Single strand 10 feet per box	0.7	50
803-10500050	#50 Single strand 50 feet reel	0.74	50
803-10600010	#60 Single strand 10 feet per box	0.99	60
803-10600050	#60 Single strand 50 feet reel	1.2	60
803-10600100	#60 Single strand 100 feet reel	1	60
803-10605010	#60 Heavy plate 10 feet per box	1.22	60
803-10605050	#60 Heavy plate 50 feet per reel	1.1	60
803-10800010	#80 Single strand 10 feet per box	1.65	80
803-10800050	#80 Single strand 50 feet reel	1.69	80
803-10805010	#80 Heavy plate 10 feet per box	1.93	80
803-10805050	#80 Single strand / heavy plate 50 feet reel	2.14	80
803-11000010	#100 Single strand 10 feet per box	2.53	100
803-11005010	#100 Heavy plate 10 feet per box	3	100
803-11200010	#120 Single strand 10 feet per box	3.66	120
803-12040010	#A2040 double pitch 10 feet per box	0.27	2040
803-12050010	#A2050 double pitch 10 feet per box	0.44	2050
803-12050050	#A2050 double pitch 50 feet reel	0.48	2050
803-12060010	#A2060 double pitch 10 feet per box	0.71	2060
<i>Double Strand</i>			
803-20500010	#50 Double strand 10 feet per box	1.41	50
803-20600010	#60 Double strand 10 feet per box	1.9	60
803-20800010	#80 Double strand 10 feet per box	3.26	80

Part No.	Description	Pitch	Chain Size
2 CONNECTING LINK			
<i>Single Strand</i>			
803-310400	#40	0.03	40
803-310410	#41	0.01	41
803-310500	#50	0.05	50
803-310600	#60	0.06	60
803-310605	#60 Heavy plate.	0.07	60
803-310800	#80	0.12	80
803-310805	#80 Heavy plate	0.2	80
803-311000	#100	0.5	100
803-311005	#100 Heavy plate	0.5	100
803-311200	#120	0.39	120
<i>Double Strand</i>			
803-320600	#60 Double strand	0.11	60
803-320800	#80 Double strand	0.23	80
1 ROLLER CHAIN			
803-312050	#A2050 double pitch	0.05	2050
3 OFFSET / HALF LINK			
<i>Single Strand</i>			
803-410400	#40	0.04	40
803-410410	#41	0.01	41
803-410500	#50	0.04	50
803-410600	#60	0.07	60
803-410605	#60 Heavy plate	0.09	60
803-410800	#80	0.15	80
803-410805	#80 Heavy plate	0.21	80
803-411000	#100	0.3	100
803-411005	#100 Heavy plate	0.1	100
803-412050	#A2050 double pitch	0.05	2050
<i>Double Strand</i>			
803-420600	#60 Double strand	0.5	60
803-420800	#80 Double strand	0.3	80

DRIVES ROLLER CHAIN / OFFSET LINKS / CONNECTING LINKS



Part No.	Description	Pitch	Chain Size
1 CONNECTING LINK			
<i>Single Strand</i>			
CL40P	#40	0.02	40
CL60HP	Heavy #60	0.08	60
CL60P	#60	0.06	60
CL80HP	Heavy #80	0.17	80
CL80P	#80	0.13	80
<i>Double Strand</i>			
CL50P	#50	0.04	50
2 OFFSET LINK			
<i>Single Strand</i>			
HL40P	#40	0.03	40
HL50P	#50	0.04	50
HL60HP	Heavy #60	0.09	60
HL60P	#60	0.07	60
HL80HP	Heavy #80	0.2	80

Part No.	Description	Pitch	Chain Size
3 ROLLER CHAIN			
<i>Single Strand</i>			
RC40P	#40 x 10 feet box	0.45	40
RC40PX50	#40 x 50 feet reel	0.52	40
RC41P	#41 x 10 feet box	0.34	41
RC41PX50	#41 x 50 feet reel	0.34	41
RC50P	#50 x 10 feet box	0.72	50
RC50PX50	#50 x 50 feet reel	0.24	50
RC60HP	#60 heavy x 10 feet box	1.26	60
RC60HPX50	#60 heavy x 50 feet reel	1.42	60
RC60P	#60 x 10 feet box	1.02	60

Part No.	Description	Pitch	Chain Size
RC60PX50	#60 x 50 feet reel	1.15	60
RC80HP	#80 heavy x 10 feet box	2.15	80
RC80HPX50	#80 heavy x 50 feet reel	2.2	80
RC80P	#80 x 10 feet box	1.86	80
RC80PX50	#80 x 50 feet reel	1.88	80
RC2040P	#2040 double pitch x 10 feet box	0.06	2040
RC2050P	#2050 double pitch x 10 feet box	0.51	2050
RC2060P	#2060 double pitch x 10 feet box	0.65	2060

FLAT IDLER PULLEYS



Part No.	Description	Pitch	Pulley Diameter
240-BCFI76	4-3/4" OD	1.19	4-3/4"
240-BCFI92	5-3/4" OD	1.56	5-3/4"
240-BCFI100	6-1/4" OD	1.9	6-1/4"
240-BCFI108	6-3/4" OD	2.06	6-3/4"

ROLLER CHAIN TIGHTENERS



Part No.	Description	Pitch
2550BE3	Roller chain tightener	1.7

HUBS



Part No.	Description	Pulley Diameter
W-SERIES		
673-S80020500	5/8" HUB	5/8"
673-S80020700	3/4" HUB	3/4"
673-S80020900	7/8" HUB	7/8"
673-S80021100	1" HUB	1"
673-S80021500	1-1/4" HUB	1-1/4"
X-SERIES		
673-S80031100	1" HUB	1"
673-S80031300	1-1/8" HUB	1-1/8"
673-S80031500	1-1/4" HUB	1-1/4"
673-S80031700	1-3/8" HUB	1-3/8"
673-S80031800	1-7/16" HUB	16"
673-S80031900	1-1/2" HUB	1-1/2"

IDLER SPROCKETS




Part No.	Description	Pitch	Pulley Diameter	Fits Chain Size
Number of Teeth Range: 19 or less				
673-S80441700	40-17	0.44	12"	40
673-S80541300	50-13	0.38	13"	50
673-S80541500	50-15	0.56	15"	50
673-S80541700	50-17	0.69	17"	50
673-S80551500	50-58	0.5	15"	50
673-S80551700	50-17	0.63	17"	50
673-S80641500	60-15	0.94	15"	60
673-S80651100	60-11	0.5	11"	60
673-S80651300	60-13	0.69	13"	60
673-S80651500	60-15	0.88	15"	60
Number of Teeth Range: 50-60				
673-S80451700	40-58	0.44	54"	40

TOOTH SPROCKETS

Part No.	Description	Pitch	Pulley Diameter	Fits Chain Size
W-SERIES				
Number of Teeth Range: 19 or less				
673-S80501600	50-16	0.48	16"	50
673-S80601200	60-12	0.44	12"	60
X-SERIES				
Number of Teeth Range: 19 or less				
673-S80501800	50-18	0.56	18"	50
673-S80601500	60-15	0.75	15"	60
673-S80601800	60-18	1.3	18"	60

Part No.	Description	Pitch	Pulley Diameter	Fits Chain Size
Number of Teeth Range: 20-29				
673-S80602000	60-20	1.63	20"	60
673-S80602400	60-24	2.67	24"	60
673-S80602800	60-28	3.7	28"	60
Number of Teeth Range: 30-39				
673-S80503600	50-36	3.1	36"	50
673-S80603000	60-30	4.49	30"	60
Number of Teeth Range: 40-49				
673-S80404800	40-48	2.9	45"	40
673-S80504000	50-40	3.75	40"	50
673-S80604000	60-40	8.1	40"	60

PICKER BARS FOR JOHN DEERE®

Part No.	Replaces	Image	Description
SMA276734	AN276734		Bar Assembly 20 Spindles, Pro-16
SMA274501	AN274501		Spindle Bar, Pro-12
SMA273434	AN273434		Spindle Bar, Pro-16
SMA198724	N198724		Right Hand Cam Arm
SMA193500	N193500		Cam Roller Bushing
SMA370976	N370976		Bar Journal
SMA279372	N279372		Service Sleeve Pro Series
SMA277078	KK28390, N277078		PickSmart Double Chrome Spindle. 100 Per Box
SMA274216	AKK18840, AKK24309, AN274216		PickSmart Double Chrome Spindle Assembly. 50 Per Box



Part No.	Replaces	Image	Description
SMA275063	N275063		Spindle Nut Wrench
SMA111948	AN111948		Spindle Nut with Bushings
SMA112394	N112394		Straight Bushing
SMA113307	N113307		Flanged Bushing
SMA2889	L2889N		Shim, 0.005"
SMA110223	N110223		Shim, 0.010"
SMA112291	N112291		Bar Stool Pivot
SMA374832	N374832		Bar Bushing
SMA193694	N193694		Shim, 0.003"
SMA190952	N190952		Shim, 0.005"
SMA190953	N190953		Shim, 0.01"


SPINDLE DRIVE & DOFFERS FOR JOHN DEERE®

Part No.	Replaces	Image	Description
SMA276743	AN276743		Drive Shaft Assembly, Pro-12
SMA276737	AN276737		Drive Shaft Assembly, Pro-16
SMA278037	N278037, N371720		Drive Shaft, Pro-12
SMA118289	N118289		Top Gear
SMA23694	T23694		Snap Ring
SMA278781	N278781		Thrust Washer, Pro Series




Part No.	Replaces	Image	Description
SMA2456	L2456N		Drive Gear, 1/8" Pin Hole
SMA371626	N371626		Drive Gear, 5/32" Pin Hole
SMA8804	JD8804		Needle Bearing
SMA34H266	34H266		Spring Pin 5/32" x 1" for Top Gear, Zinc Plated. Bag of 100
SMA34H235	34H235		Spring Pin 3/32" x 1" for Top Gear, Zinc Plated. Bag of 100
SMA34H60	34H60		Spring Pin 5/32" x 1" for Drive Gear, Black. Bag of 100
SMA34H45	34H45		Spring Pin 1/8" x 1" for Drive Gear, Black. Bag of 100

GRID BARS FOR JOHN DEERE®

Part No.	Replaces	Image	Description
SMA116513	N116513		Front Grid Bar, 9960/65 InLine
SMA197039	N197039		Rear Grid Bar, 9960/65 InLine

Part No.	Replaces	Image	Description
SMA277542	N277542		Front Grid Bar, Pro Series
SMA277543	N277543		Rear Grid Bar, Pro Series

DOFFERS FOR JOHN DEERE®

Part No.	Replaces	Image	Description
SMA274508	AN274508		Doffer Assembly, Pro-12
SMA273445	AN273445		Doffer Assembly, Pro-16. Uses SMA272152 Doffer
SMA17562	AKK17562		Doffer Assembly, High Speed, Pro-16. Uses SMA406038 Doffer
SMA274506	AN274506		Doffer Shaft, Pro-12
SMA273701	AN273701		Doffer Shaft, Pro-16
SMA16193	AKK16193		Doffer Shaft, High Speed, Pro-16
SMA272152	AN272152		Poly Doffer
SMA406038	AN406038		Poly Doffer, High Speed

Part No.	Replaces	Image	Description
SMA275022	AN275022		Doffer Bearing, Pro Series
SMA10123	JD10123		Doffer Bearing, 9960-65 In-Line
SMA275038	N275038		Doffer Nut, Pro Series
SMA82619	H82619		Doffer Nut, 9960-65 In-Line
SMA275471	N275471		Doffer Cap, Pro Series
SMA273953	AN273953		Doffer Housing


DOFFER ACCESSORIES FOR JOHN DEERE®

Part No.	Replaces	Image	Description
SMA275607	N275607		PickSmart Poly Moistener Pad
SMA279609	AN279609		Moistener Pad Stand, Pro-16
SMA273816	AN273816		Moistener Pad Holder, Pro Series
SMA276745	N276745		Nozzle Body, Pro-16
SMA276747	N276747		Nozzle Cover, Pro-16
SMA276746	N276746		Distributor Plate, Pro-16
SMA117044	N117044		Water Line Clamp

DOFFER ACCESSORIES FOR JOHN DEERE®

Part No.	Replaces	Image	Description
SMA3197	L3197N		Shim
SMA400789	N400789		Shim, High Speed, TK=0.25mm
SMA275381	N275381		Long Spacer, Splined
SMA15280	KK15280		Long Spacer, High Speed
SMA198746	N198746		Short Spacer Splined
SMA15281	KK15281		Short Spacer, High Speed
SMA371318	N410874, N371318		Lower Bearing Spacer

POLY SKID FOR JOHN DEERE®

Part No.	Replaces	Image	Description
SMA377420	N377420		Poly Skid Shoe Pro Series, Pair



DUCTING HOSE

- Puncture and Abrasion Resistant
- Flex-Fatigue Resistant
- Reinforced with Wire Helix
- Rated -65° to 200°F

Part No.	Size
UFD BLACK POLYURETHANE	
485-UFDB0325	3"
485-UFDB0425	4"
485-UFDB0525	5"
485-UFDB0625	6"
485-UFDB0725	7"
485-UFDB0825	8"


Part No.	Size
RFH BLACK THERMOPLASTIC RUBBER	
485-RFH0325	3"
485-RFH0425	4"
485-RFH0525	5"
485-RFH0625	6"
485-RFH0725	7"
485-RFH0825	8"

SPINDLES, DOFFERS, GRID BARS FOR CASE IH

Part No.	Replaces	Image	Description
SMA346041	346041A1		LH Spindle, 90 Microns
SMA346042	346042A1		RH Spindle, 90 Microns
SMA364347	364347A1B		LH Spindle Assembly, 90 Microns
SMA364348	364348A1B		RH Spindle Assembly, 90 Microns
SMA383311	383311A1		PickSmart Poly Doffer

Part No.	Replaces	Image	Description
SMA216828	216828C2		LH Grid Bar
SMA216829	216829C2		RH Grid Bar
SMA1338720	1338720C2		PickSmart Moistener Pad
SMA214500	214500C2		Pad Holder

BELTING FOR ROUND MODULES



Part No.	Replaces	Description
BELTS WITH PIN AND LACING — INSTALLATION READY		
301-AN373217T	AN373217	Round Bale Module Belt Textured Finish 7" x 711.88"
301-AN373217S	AN373217	Round Bale Module Belt Smooth Finish 7" x 711.88"
301-AKK23004T	AKK23004, AN373216	Round Bale Module Belt Textured Finish 8.74" x 717.91"
301-AKK23004S	AKK23004, AN373216	Round Bale Module Belt Smooth Finish 8.74"x 717.91"

Part No.	Replaces	Description
REPAIR SECTIONS, LACING & PINS		
301-AN375051T	AN375051	Belt Repair Section Textured Finish 7" x 72"
301-AN375051S	AN375051	Belt Repair Section Smooth Finish 7" x 72"
301-AN375050T	AN375050	Belt Repair Section Textured Finish 8.74" x 72"
301-AN375050S	AN375050	Belt Repair Section Smooth Finish 8.74" x 72"
946-411295862	AE53298	Lacing for 7" Belts, Mato Heavy Duty U24BS 14 Segment.
946-411145902	AKK25568	Lacing for 8.74" Belts, Mato Heavy Duty U24BS 17 Segment.
946-411295930	E86147	Lacing Pin for 7" Belts, Heavy Duty 6.5" Long, Notched Spring Steel
946-411296930	KK36931, N380413	Lacing Pin for 8.74" Belts, Heavy Duty 7.87" Long, Notched Spring Steel

FIELD CULTIVATOR SWEEPS

AGRITUF SWEEPS



AGRITUF's unique chrome blend makes them longer lasting than the conventional pressed steel sweep. Their design ensures excellent penetration throughout the sweep's life and leaves a first-rate seedbed finish in almost all soil conditions.

Part No.	Description
ATSP7-716	7" Chrome Alloy Sweep for 47 deg. Shank
ATSPC7-716	7" Chrome Alloy Sweep for Case IH and DMI
ATSP9-716	9" Chrome Alloy Sweep for 47 deg. Shank
ATSPC9-716	9" Chrome Alloy Sweep for Case IH and DMI

FIELD CULTIVATOR SWEEPS
OSMONDSON ®
FIELD MASTER

1/4" Thick, 47° Stem Angle, Punched Hole & Slot, 1-5/8" to 1-3/4" Spacing

Part No.	Description
1 FCH SERIES	
686-7FCH447	7" FCH Series
686-9FCH447	9" FCH Series
686-10FCH447	10" FCH Series
2 FIELD MASTER	
686-FM477	7" Field Master
686-FM479	9" Field Master
686-FM4710	10" Field Master

FIELD CULTIVATOR
KNOCK-ON SWEEPS

Part No.	Description
686-FMK477	7" Cast Iron Sweep for Use with 47° F. C. Shank, AgSmart
686-FMK479	9" Cast Iron Sweep for Use with 47° F. C. Shank, AgSmart
686-CL47	Forged Clip for Use with 47° F. C. Shank
686-SP47	Retainer Spring for Use with CL47 Clip

FIELD CULTIVATOR
SHANKS

for John Deere ® Case IH

Part No.	Description
686-33017584	Shank 5/8" Thick for CIH TigerMate, DMI Cultivators and Double Fold. Fits 340, 370 True Tandem Disc, RMX340, RMX370 Tandem Disc. Replaces 33017584.
864-SMA231634	Shank with Rolled Eye at Top for Shank Mounting. For JD 980, 985 Field Cultivators, 726 Mulch Finisher and 730 Air Drill. Replaces AN231634.

FIELD CULTIVATOR PARTS

S-TINE SHANKS,
CLAMPS &
SWEEPS

Part No.	Description
348-3210560	Standard, 1.25" Wide x 3/8" Thick x 22" Tall. 32x10x560mm
348-3212560	Heavy Duty, 1.25" Wide x 1/2" Thick x 22" Tall. 32x12x560mm
348-3212660	High Clearance 1.25" Wide x 1/2" Thick x 26" Tall. 32x12x660mm
348-4512775	High Clearance Heavy Duty, 1.75" Wide x 1/2" Thick x 30.5" Tall.

CLAMPS

109-6475	For 2" Tool Bar, Fits 3/8" (10mm) Regular Shank, Use 1/2" Bolt.
109-6860	For 2" Tool Bar, Fits 1/2" (12mm) Heavy Duty Shank, Use 1/2" Bolt.

S-TINE SWEEPS

030-DS1	1-3/8" x 8" Reversible Point
030-DS3	2-3/4" Duck-foot Style
030-DS4	4" Duck-foot Style
030-DS32	2-3/4" with 2 Holes on 1-1/2" Center
030-WS4	6mm x 4" Danish Sweep

FIELD CULTIVATOR
POINTS

Part No.	Description
FIELD CULTIVATOR POINTS - DROP FORGED DOUBLE POINT	
686-107	5/16" x 1-3/4" Wide x 10" Long, Punched Hole and Slot for 7/16" Plow Bolt, 1-5/8" to 2" Spacing. Order Multiple 10.
686-211	5/16" x 2" Wide x 11" Long, Punched 2 Slotted Holes for 7/16" Plow Bolt, 1-5/8" to 2" Spacing. Order Multiple 10.
972-DP2276	3/8" x 2" Wide x 11.75" Long, Punched 2 Holes for 7/16" Bolt, 1-5/8" to 1-3/4" Spacing. Order Multiple 10.
FIELD CULTIVATOR POINTS - CHROME ALLOY POINT - AGRITUF	
ATSP112-716	AgriTuf 1-1/2" Wide, Single Point, 7/16" Bolt Hole
ATRP212-716	AgriTuf 2-1/2" Wide x 10" Long, Reversible, 7/16" Bolt Hole

Part No.	Description
864-SMA235292	Shank for JD 980, 985, 2200, 2210 Field Cultivators (with 150 lb trip), 726 Mulch Finisher and 730 Air Drill. Replaces N235292.

CHISEL PLOWS & CULTIVATORS

AGRITUF CHROME ALLOY POINT



Part No.	Description
1 ATCP2X15	2" Wide x 15" Long, Reversible Chisel Point.
2 686-582716	5/8" x 2" x 18" Uses 7/16" Plow Bolts 2.25" C-C
686-1858716	5/8" x 2" x 18" Uses 7/16" Plow Bolts 2.25" to 2.5" C-C
686-58212	5/8" x 2" x 18" Uses 1/2" Plow Bolts 2.25" C-C

Part No.	Description
686-185812	5/8" x 2" x 18" Uses 1/2" Plow Bolts 2.25" to 2.5" C-C
686-187812	7/8" x 2" x 18" Uses 1/2" Plow Bolts 2.25" to 2.5" C-C
972-SD225	7/8" x 2" x 19.5" Uses 1/2" Hex Bolts 2-1/4" C-C, O/M 1
2127-HD88	1" x 2" x 18" Uses 1/2" Hex Bolts 2.25" to 2.5" C-C, O/M1



Part No.	Description
CHROMIUM CARBIDE POINT	
3 686-C7812	7/8" x 2" x 15" Uses 1/2" Bolts 2.25" to 2.5" C-C. Single-Ended Point. Carbide Point Will Normally Outwear the Body

SHANK PROTECTORS



These Protectors Mount Between the Shank and Sweep Minimizing Wear and Reducing the Need for Replacement of Shanks.

Part No.	Description
142-110200	1.95" W x 10" L x .25", Slotted .50" Holes 1.75" - 2.5" C-C. White
142-110134	1.95" W x 10" L x .25", Slotted .50" Holes 1.75" - 2.5" C-C. Fits Between Wrap-around on Sweep, White.
142-110830	1.8" W x 9" L x .21", Slotted 7/16" Holes 1.75" - 2" C-C. Yellow, Replaces JD TY15990
142-892811	1.75" W x 8.8" L x .21", Slotted 7/16" Holes 1.625" - 2" C-C. Gray, Replaces CIH892811

SLASH POINTS / TWISTED CHISELS



Part No.	Description
SLASH POINTS	
686-CC124L5	LH 1/2" x 4" x 26", with Holes on 2.25" to 2.5" Centers for 1/2" Plow Bolts.
686-CC124R5	RH 1/2" x 4" x 26", with Holes on 2.25" to 2.5" Centers for 1/2" Plow Bolts.
TWISTED CHISELS	
686-123HL	LH 1/2" x 3" x 22" with 1/2" Bolt Holes on 2.25" Centers.
686-123HR	RH 1/2" x 3" x 22" with 1/2" Bolt Holes on 2.25" Centers.

FURROWERS & CHISEL SWEEPS

CHISEL SWEEPS



Designed for Cultivating in Hard Soil. The Penetrator's Raised "Dart" Center Rib Directs Dirt to the Sides, Away from Shank and Bolts.

- 1/4" Thick • 50 Degree Stem Angle
- 1/2" Plow bolts on 2.25" Centers

Part No.	Description
304-P5016K	16"
304-P5024K	24"
304-P5026K	26"

FURROWERS

Part No.	Description
FURROWERS - PUNCHED SLOT & HOLE	
686-42411NO	Narrow (8.25") Plain
686-42411NOH	Narrow (8.25") HardSurfaced
686-42411WO	Wide (9.63") Plain
686-42411WOH	Wide (9.63") HardSurfaced
PUNCHED 2 SLOTTED, 1 SQ. CENTER HOLE	
686-OSNF8	8" High Wing, 1/4" Thick



Part No.	Description
686-OSNF10	10" High Wing, 1/4" Thick
686-OSNF12	12" High Wing, 1/4" Thick
686-OSNF15	15" High Wing, 1/4" Thick
686-OSNF18	18" High Wing, 1/4" Thick
IRRIGATION SHOVELS - 3/16" THICK	
686-IS7	7" with 3/8" Plow Bolt Hole
686-IS75	7" with 5/8" Plow Bolt Hole

HEEL SWEEPS 1/4" THICK




Heel Sweeps are Used to Break Up Hard Pan and Encourage Better Root Penetration. Chisel Spikes are Mounted Over Sweeps so the Point of the Chisel Extends About 2" Below the Leading Edge of the Sweep.

Part No.	Description
686-16HEEL	16"
686-18HEEL	18"

SPRING HARROW TINES

Part No.	Replaces
1 FOR JOHN DEERE	
936-JD1B1	N136767
936-JD1B3	N188605
936-JD1B5	N232353
936-JD1B6	N236890
936-JD1B7	N236516



Part No.	Replaces
FOR CASE IH AND DMI	
936-D1	DMI 33443707
936-KS2	DMI33404416
936-IH5	CIH 814800C1
FOR KUHN/KRAUSE	
936-KS2	76-156
936-KS1	76-126
FOR GLENCOE	
936-GL2	P1546
FOR MIDWEST	
936-MW1	CH113A
FOR NOBLE	
936-N1	149781
FOR WILRICH	
936-WR2	41410/16429
FOR HERMAN/SUMMERS	
936-HS7	8H-1190S

SPIKE HARROW TEETH



Clamp Type

Part No.	Description
672-560220	5/8" x 7/8" x 8" Long, Headed Diamond Shape. Fits Most Forrest City Do-Alls
672-560221	5/8" x 7/8" x 8" Long Diamond Shape. Fits Most Forrest City Do-Alls
672-560232	5/8" x 10" Long, Headed, Square.
672-560249	3/4" x 12" Long, Headed, Square. Fits John Deere, Case IH and Noble Do-Alls

CULTIVATORS & PRIMARY TILLAGE

ROTARY
HOES

Part No.	Description
864-SMA3400112B	Black, Bolted Hub, Replaces Yetter 3400-111, JD AN142664.
864-SMA3400112G	Green, Bolted Hub, Replaces JD AN142664, Yetter 3400-111.

ROLLING
CULTIVATOR GANGS

Part No.	Description
332-H164LH	16" x 4 Left Hand
332-H164RH	16" x 4 Right Hand
332-H165LH	16" x 5 Left Hand
332-H165RH	16" x 5 Right Hand
332-103052	Flange and Shield Kit

RIPPER &
SUBSOILER
POINTS

Part No.	Description
SUBSOILER & RIPPER POINTS	
918-TF123	Para-Till Ripper Point, Cast Chrome for Tye/Bigham. Replaces 550-148, 681-002.
693-TY1512	Shear Bolt for Para-Till
972-PBS30012	Booted Ripper Point Chrome for Boy Dog, MG Dickey.
972-69547KU	1.25" x 1.75" x 11" with Dorsal Fin Capped, 3/4" Shank (to 2012). For Unverferth, KMC, Replaces KMC 16-080-282.
972-U64322B	Ripper Point (no fin), Replaces Unverferth.
972-KMC100	Wear Shin 1.75" x 1.25" x 11" Made of Ductile Iron, Replaces KMC 17-057-004.
851-SMA86263	3-Bolt Flange Bearing with Cast Housing, 1" Round Bore Sealed Bearing, Threaded Flange, Bolts Included. For Unverferth Rolling Harrow, Ripper Stripper, Zone Builder, and Zone Stripper. Replaces 86263, 97245B.
321-CDS209TTR6PB	Disc Bearing with Rubber Ring for 1.75" Round Axle. Replaces 40-167.
972-41B2512JDC	1" x 2.50" x 12", Capped. Fits 510, 912, 915, 2700, Replaces AA21507.
972-41B2512JDW	1" x 2.50" x 12", with 10" Wing, Capped. Fit 510, 912, 915, 2700, Replaces AA21507.

RIPPER SHANK WEAR SHIN GUARDS

2179-D038	Half Round Shin Guard 1.25" x 14" Made of Agri-Chrome Alloy
2179-D035	Half Round Shin Guard 1.50" x 14" Made of Agri-Chrome Alloy
2179-D036	Half Round Shin Guard 1.75" x 14" Made of Agri-Chrome Alloy

PRIMARY TILLAGE

RIPPER
POINT

For Case IH EcoloTil 2500 In-Line Ripper

Part No.	Description
972-87388006	AGSMART - 8" No-Till Replaces 87388006
ATSRC8NT-34	AGRITUF - 8" No-Till Replaces 87388008

SHANKS



For Case IH EcoloTil 2500 In-Line Ripper

Part No.	Description
972-33020046	3/4" No-Till Replaces 33020046 and Replaces 87665693 (Pre 2008)
972-87665693	3/4" No-Till Replaces 33020046 and Replaces 87665693 (2008 and Up)

COULTER
BLADES

For Case IH EcoloTil 2500 In-Line Ripper

Part No.	Description
845-P22451	22" x 4.5mm Coultter, Has 3-11/16" Center Hole, 4 Bolt Pattern on 5" Bolt Circle for 1/2" Bolts. Replaces 433635A1 and 33502240.

WEAR
SHIN

Part No.	Description
ATRSSU	AgriTuf Wear Shin for KMC and Unverferth 3/4" Shanks

RIPPER
POINTS

Part No.	Description
ATRSPU	AgriTuf 1.75" Ripper Point with Fin for KMC and Unverferth Rippers. Fits 3/4" shank. Replaces 16-080-283


WELDED STEEL DISC CHAIN

FOR KELLY
DIAMOND
HARROWS

Part No.	Description
114-W3616	16 Disc Chain, Welded
114-W3648	48 Disc Chain, Welded
114-W3658	58 Disc Chain, Welded
851-K62112	Bearing Unit, Replaces PCHB55
851-K62112KIT	Bearing Rebuild Kit



PO BOX 2446
JONESBORO, AR 72402



Download
OUR APP!

OVER 25,000 PARTS & SUPPLIES READY TO SHIP STRAIGHT TO YOUR DOOR

AVAILABLE ON GOOGLE & APPLE APP STORES



PHONE 855-428-9737

EMAIL qfs.help@qualityfarmsupply.com

www.QualityFarmSupply.com