


| | | | |
|---|---|---|--|
| Job Specs | Stall Mounting Style: Floor Mounted Headrail Braced | Pilaster Height: 82.75" | Material Option: Hiny Hider -Standard (HDPE) Color: Unknown |
| Bracket Type: Aluminum Stirrups Shoe Type: Stainless | | Hinge Type: 8" Alum. Wrap Around, 2-per Door Door Hrdw Type: Aluminum (Emergency Access) | Pencil Slot: No Heat-sinc: No Fastener: 2 1/2" |

Room Name: C3060438


55" High Doors, 55" Total Panel Height



| | | | | |
|---|---|---|--|--|
| Job Specs | Stall Mounting Style: Floor Mounted Headrail Braced | Pilaster Height: 82.75" | Material Option: Hiny Hider -Standard (HDPE) Color: Unknown | |
| Bracket Type: Aluminum Stirrups Shoe Type: Stainless | | Hinge Type: 8" Alum. Wrap Around, 2-per Door Door Hrdw Type: Aluminum (Emergency Access) | | Pencil Slot: No Heat-sinc: No Fastener: 2 1/2" |

Room Name: C3060438

55" High Doors, 55" Total Panel Height



| | | |
|--------------------------------------|--------------------|--|
| CUSTOMER NAME: SUSTAINABLE SUPPLY | SCALE: NTS | SERIAL #: C-673413 - DWG C-721450 - Room |
| PROJECT NAME: Urinal Screen | DATE: 9/12/2019 | REVISION #: 4 SO# DRAWN BY: Chad Parmenter |

| |
|--|
| Standard Notes: 1. Doors larger than 30" are to be set to the closed position. 2. Where pilasters and panels meet there is a 1/2" space. 3. Where pilasters and/or panels meet a wall there is a 1" space. 4. Headrail shall be supplied in 12" increments, ranging from 36" to 84". 5. Pilasters over 24" will receive a doghouse detail. |
|--|


COLOR & TEXTURE OPTIONS

Textures




ROTARY BRUSHED RB ORANGE PEEL OP HAMMERED H EX EX

TRADITIONAL COLOR COLLECTION



METALLIC COLOR COLLECTION



BOLD COLOR COLLECTION



WARM TONE COLOR COLLECTION



CUSTOM COLORS AVAILABLE UPON REQUEST

Color matching is limited by printing process. Actual samples are available and recommended prior to color selections.

*Special orders require extended lead times.
Minimum order requirements may apply.