

August 02, 2019

PRISMATIC PLANTS

221 Chattanooga St
San Francisco, CA 94114

Order No. 507378
Sample No. 1030639

SAMPLE INFORMATION

Description Good Night
Lot Number 190322NT1
Category (Type) Other (Tincture)
Received July 24, 2019

ANALYTICAL RESULTS

Analysis Cannabinoid Profile ✔ Pass
Instrument Liquid Chromatography Diode Array Detector (LC-DAD)
Method MF12D012
Analysis Date July 24, 2019 to August 02, 2019

Analyte	mg/g	%	mg/ml	mg/serving	mg/package	Status
δ8 THC	ND	ND	ND	ND	ND	-
δ9 THC	0.41	0.041	0.39	0.39	5.91	-
THCV	ND	ND	ND	ND	ND	-
THCVA	ND	ND	ND	ND	ND	-
THCA	ND	ND	ND	ND	ND	-
CBD	10.88	1.088	10.46	10.46	156.93	-
CBDA	ND	ND	ND	ND	ND	-
CBC	<LOQ (0.15)	<LOQ (0.015)	0.14	0.14	2.16	-
CBCA	ND	ND	ND	ND	ND	-
CBDV	ND	ND	ND	ND	ND	-
CBG	0.27	0.027	0.26	0.26	3.89	-
CBGA	ND	ND	ND	ND	ND	-
CBN	0.38	0.038	0.37	0.37	5.48	-
Total THC	0.41	0.041	0.39	0.39	5.91	Pass
Total CBD	10.88	1.088	10.46	10.46	156.93	-
Total Cannabinoids	12.09	1.209	11.63	11.63	174.39	-
Total Active Cannabinoids	12.09	1.209	11.63	11.63	174.39	-
Measured Serving Weight (g)	0.9616					
Servings / Unit	15					
g/ml Conversion Factor	0.9616					

Reported by
Anresco, Inc.



Eric Tam
Senior Chemist

August 02, 2019

Limit of Quantitation: 0.2 mg/g
Limit of Detection: 0.08 mg/g
ND = None Detected
<LOQ = Below Limit of Quantitation
<LOD = Below Limit of Detection

July 30, 2019

PRISMATIC PLANTS

221 Chattanooga St
 San Francisco, CA 94114

Order No. 507378
 Sample No. 1030639

SAMPLE INFORMATION

Description Good Night
Lot Number 190322NT1
Category (Type) Other (Tincture)
Received July 24, 2019

ANALYTICAL RESULTS

Analysis Pesticide Residue Screen ✔ Pass
Instrument Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)
Method MF 21P030
Analysis Date July 24, 2019 to July 30, 2019

Analyte	LOD / LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Abamectin	0.04/0.10	ND	0.3	Pass
Acephate	0.04/0.10	ND	5.0	Pass
Acequinocyl	0.04/0.10	ND	4.0	Pass
Acetamiprid	0.04/0.10	ND	5.0	Pass
Aldicarb	0.04/0.10	ND	0.04	Pass
Azoxystrobin	0.04/0.10	ND	40.0	Pass
Bifenazate	0.04/0.10	ND	5.0	Pass
Bifenthrin	0.20/0.50	ND	0.5	Pass
Boscalid	0.04/0.10	ND	10.0	Pass
Captan	0.25/0.70	ND	5.0	Pass
Carbaryl	0.20/0.50	ND	0.5	Pass
Carbofuran	0.04/0.10	ND	0.04	Pass
Chlorantraniliprole	0.04/0.10	ND	40.0	Pass
Chlordane	0.04/0.10	ND	0.04	Pass
Chlorfenapyr	0.04/0.10	ND	0.04	Pass
Chlorpyrifos	0.04/0.10	ND	0.04	Pass
Clofentezine	0.04/0.10	ND	0.5	Pass
Coumaphos	0.04/0.10	ND	0.04	Pass
Cyfluthrin	0.70/2.00	ND	1.0	Pass
Cypermethrin	0.35/1.00	ND	1.0	Pass
Daminozide	0.04/0.10	ND	0.04	Pass
DDVP (Dichlorovous)	0.04/0.10	ND	0.04	Pass
Diazinon	0.04/0.10	ND	0.2	Pass
Dimethoate	0.04/0.10	ND	0.04	Pass
Dimethomorph	0.04/0.10	ND	20.0	Pass
Ethoprop(hos)	0.04/0.10	ND	0.04	Pass
Etofenprox	0.04/0.10	ND	0.04	Pass
Etoxazole	0.04/0.10	ND	1.5	Pass
Fenhexamid	0.04/0.10	ND	10.0	Pass

If there are any questions with this report, please contact "iso@anresco.com".

page 1 of 3

Analyte	LOD / LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Fenoxycarb	0.04/0.10	ND	0.04	Pass
Fenpyroximate	0.04/0.10	ND	2.0	Pass
Fipronil	0.04/0.10	ND	0.04	Pass
Flonicamid	0.04/0.10	ND	2.0	Pass
Fludioxanil	0.04/0.10	ND	30.0	Pass
Hexythiazox	0.04/0.10	ND	2.0	Pass
Imazalil	0.04/0.10	ND	0.04	Pass
Imidacloprid	0.04/0.10	ND	3.0	Pass
Kresoxim Methyl	0.04/0.10	ND	1.0	Pass
Malathion	0.20/0.50	ND	5.0	Pass
Metalaxyl	0.04/0.10	ND	15.0	Pass
Methiocarb	0.04/0.10	ND	0.04	Pass
Methomyl	0.04/1.00	ND	0.1	Pass
Methyl parathion	0.04/0.10	ND	0.04	Pass
Mevinphos	0.04/0.10	ND	0.04	Pass
Myclobutanil	0.04/0.10	ND	9.0	Pass
Naled	0.50/1.50	ND	0.5	Pass
Oxamyl	0.20/0.50	ND	0.2	Pass
Paclobutrazol	0.04/0.10	ND	0.04	Pass
Pentachloronitrobenzene	0.04/0.10	ND	0.2	Pass
Permethrins	0.20/0.50	ND	20.0	Pass
Phosmet	0.04/0.10	ND	0.2	Pass
Piperonyl Butoxide	0.04/0.10	ND	8.0	Pass
Prallethrin	0.50/1.50	ND	0.4	Pass
Propiconazole	0.04/0.10	ND	20.0	Pass
Propoxur	0.04/0.10	ND	0.04	Pass
Pyrethrins	0.20/0.50	ND	1.0	Pass
Pyridaben	0.04/0.10	ND	3.0	Pass
Spinetoram	0.04/0.10	ND	3.0	Pass
Spinosad	0.04/0.10	ND	3.0	Pass
Spiromesifen	0.04/0.10	ND	12.0	Pass
Spirotetramat	0.04/0.10	ND	13.0	Pass
Spiroxamine	0.04/0.10	ND	0.04	Pass
Tebuconazole	0.04/0.10	ND	2.0	Pass
Thiacloprid	0.04/0.10	ND	0.04	Pass
Thiamethoxam	0.35/1.00	ND	4.5	Pass
Trifloxystrobin	0.04/0.10	ND	30.0	Pass

If there are any questions with this report, please contact "iso@anresco.com".

page 2 of 3

ANALYTICAL RESULTS

Analysis Mycotoxin Screen ✔ Pass
Instrument Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)
Method MF 21P030
Analysis Date July 24, 2019 to July 30, 2019

Analyte	LOD / LOQ (µg/kg)	Findings (µg/kg)	Limit (µg/kg)	Status
Aflatoxin B1	10/20	ND	-	-
Afalatoxin B2	10/20	ND	-	-
Aflatoxin G1	10/20	ND	-	-
Aflatoxin G2	10/20	ND	-	-
Total Aflatoxins	10/20	ND	20	Pass
Ochratoxin A	10/20	ND	20	Pass

Reported by
Anresco, Inc.

ND = None Detected
 <LOQ = Below Limit of Quantitation
 <LOD = Below Limit of Detection




Eric Tam
Senior Chemist

July 30, 2019

July 31, 2019

PRISMATIC PLANTS

221 Chattanooga St
San Francisco, CA 94114

Order No. 507378
Sample No. 1030639

SAMPLE INFORMATION

Description Good Night
Lot Number 190322NT1
Category (Type) Other (Tincture)
Received July 24, 2019

ANALYTICAL RESULTS

Analysis Date July 24, 2019 to July 31, 2019

Findings	Analysis	Results	Method
	Salmonella	Negative/1g	AOAC 2016.01
	STEC	Negative/1g	EC Mug

Reported by
Anresco, Inc.




Allen Zhu
Analyst

July 31, 2019

PRISMATIC PLANTS

221 Chattanooga St
San Francisco, CA 94114

Order No. 507378
Sample No. 1030639

SAMPLE INFORMATION

Description Good Night
Lot Number 190322NT1
Category (Type) Other (Tincture)
Received July 24, 2019

ANALYTICAL RESULTS

Analysis Date July 24, 2019 to July 31, 2019

Findings	Analysis	Results	Method
	SPC	<10 cfu/g	FDA BAM
	Yeast	<10 cfu/g	AOAC 2014.05
	Mold	<10 cfu/g	AOAC 2014.05
	Coliforms	<10 cfu/g	FDA BAM - ECC Agar
	E. coli	<10 cfu/g	FDA BAM - ECC Agar

Reported by
Anresco, Inc.



Allen Zhu
Analyst

If there are any questions with this report, please contact "compliance@anresco.com".

page 1 of 1

July 30, 2019

PRISMATIC PLANTS

221 Chattanooga St
San Francisco, CA 94114

Order No. 507378
Sample No. 1030639

SAMPLE INFORMATION

Description Good Night
Lot Number 190322NT1
Category (Type) Other (Tincture)
Received July 24, 2019

ANALYTICAL RESULTS

Analysis Heavy Metal Screen ✔ Pass
Instrument ICP-MS
Method MF 24E020
Analysis Date July 24, 2019 to July 30, 2019

Analyte	LOD / LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Arsenic	0.02/0.05	ND	1.5	Pass
Cadmium	0.02/0.05	ND	0.5	Pass
Lead	0.02/0.05	ND	0.5	Pass
Mercury	0.02/0.05	ND	3.0	Pass

Reported by
Anresco, Inc.

ND = None Detected
<LOQ = Below Limit of Quantitation
<LOD = Below Limit of Detection



Eric Tam
Senior Chemist

July 30, 2019

July 30, 2019

PRISMATIC PLANTS

221 Chattanooga St
San Francisco, CA 94114

Order No. 507378
Sample No. 1030639

SAMPLE INFORMATION

Description Good Night
Lot Number 190322NT1
Category (Type) Other (Tincture)
Received July 24, 2019

ANALYTICAL RESULTS

Analysis Residual Solvent Screen ✔ Pass
Instrument Gas Chromatography Mass Spectrometry (GC/MS)
Method USP OVI<467>
Analysis Date July 24, 2019 to July 30, 2019

Analyte	LOD / LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
1,2-Dichloroethane	0.40/1.00	ND	1.0	Pass
Acetone	17/75	ND	5000	Pass
Acetonitrile	1/6	ND	410	Pass
Benzene	0.40/1.00	ND	1.0	Pass
n-Butane	200/600	ND	5000	Pass
Chloroform	0.40/1.00	ND	1.0	Pass
Ethanol	22/100	246	5000	Pass
Ethyl Acetate	9/40	ND	5000	Pass
Ethyl Ether	11/50	ND	5000	Pass
Ethylene Oxide	0.40/1.00	ND	1.0	Pass
n-Heptane	11/50	ND	5000	Pass
n-Hexane	1/5	ND	290	Pass
Isopropyl Alcohol	11/50	ND	5000	Pass
Methanol	6/25	ND	3000	Pass
Methylene Chloride	0.40/1.00	ND	1.0	Pass
n-Pentane	17/75	ND	5000	Pass
Propane	125/250	ND	5000	Pass
Toluene	3/15	ND	890	Pass
Total Xylenes	1/3	ND	2170	Pass
Trichloroethylene	0.40/1.00	ND	1.0	Pass

Reported by
Anresco, Inc.

ND = None Detected
<LOQ = Below Limit of Quantitation
<LOD = Below Limit of Detection


Darryl Cudia
Analyst



July 30, 2019