

# Dream

Sample ID: 2009CGL1145.3064  
Strain: Night Creme  
Matrix: Topical  
Type: Lotion  
Sample Size: 1 units; Batch:

Produced:  
Collected:  
Received: 09/11/2020  
Completed: 09/15/2020  
Batch#:

Client  
**Halsa Botanicals**  
Lic. #  
1055 W 7th St #3100  
Los Angeles, CA 90017



## Summary

Test	Date Tested	Result
Batch		Complete
Cannabinoids	09/14/2020	Complete
Moisture	09/15/2020	NR - Complete

## Cannabinoids

Complete

<b>0.079%</b> 0.079% Total THC	<b>2.298%</b> 2.298% Total CBD	<b>2.484%</b> 2.484% Total Cannabinoids
--------------------------------------	--------------------------------------	---

Analyte	LOD	LOQ	Result	Result
	mg/g	mg/g	%	mg/g
THCa	0.01	0.02	ND	ND
$\Delta$ 9-THC	0.02	0.02	0.079	0.79
$\Delta$ 8-THC	0.02	0.02	ND	ND
THCV	0.02	0.02	ND	ND
CBDa	0.01	0.02	ND	ND
CBD	0.02	0.02	2.298	22.98
CBDV	0.02	0.02	0.020	0.20
CBN	0.01	0.02	ND	ND
CBGa	0.01	0.02	ND	ND
CBG	0.02	0.02	ND	ND
CBC	0.01	0.02	0.087	0.87
<b>Total THC</b>			<b>0.079</b>	<b>0.79</b>
<b>Total CBD</b>			<b>2.298</b>	<b>22.98</b>
<b>Total</b>			<b>2.484</b>	<b>24.84</b>

Date Tested: 09/14/2020

1 mL = 1.0339g.

Method: CGL-POT-UHPLC-v1.0

Total THC = THCa \* 0.877 +  $\Delta$ 9-THC; Total CBD = CBDa \* 0.877 + CBD

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



*C. S. LeVesque*

Cynthia LeVesque - Laboratory Director

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866



This product has been tested by Caligreen Laboratories using valid testing methodologies and a quality system as required by state law. Water activity and moisture content method: CGL-WAMC-ROHAUS. The instruments used are the Rotronic HC2-AW-USB Water Activity and Temperature meter and OHAUS MB27 Moisture Analyzer. The SOP for foreign material is CGL-FM-DINO performed with the Dino-Lite A904126 digital microscope. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analyte limits are regulatory limits set by the BCC. This constitutes the required decision rule. Values reported relate only to the product tested. Caligreen Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Caligreen Laboratories.