

C6W

Pan & Tilt Wi-Fi Camera

The décor that protects your home.

Elegant and versatile, the C6W camera is all the protection you need for a large home. It records in 2K resolution and automatically tracks motion in 4x zoom to make sure nothing escapes the eye.

4MP

2K Resolution



Auto-Zoom Tracking



Person Detection



360° Panoramic



True-WDR



Infrared Night Vision up to 10m (33 ft.)



Privacy Shutter



Two-Way Talk



H.265 Video Technology



MicroSD Card up to 256 GB



EZVIZ CloudPlay Storage





Auto-zoom motion tracking, especially for human movements.

After enabling the auto-zoom tracking function, the camera automatically zooms in up to 4 times to track a moving object so you can easily tell what's going on when viewing live. In the app, it also offers the option to track motion that is specifically human.





Whole-room coverage is a breeze.

Keep tabs on every corner with just one C6W camera. Its expansive 360-degree field-of-view ensures a full coverage, so you won't miss a thing.



True-WDR for truly clear images.

The C6W Camera uses sensor-based True-WDR technology to eliminate overexposure or underexposure in high-contrast scenes, delivering evenly-bright images from dawn to dusk.




C6W True-WDR



Digital WDR

Two-way talk.


Use the EZVIZ App on your mobile device to call home when you are away. You'll love the opportunity to have a two-way conversation now that both sides can speak to and hear each other – just like a normal phone call.






H.265 Video Compression

The camera features the advanced H.265 video compression technology, achieving better video quality with only half the bandwidth and half the storage space of the previous H.264 video compression standard.



We protect your data and privacy.

Protecting your data and privacy is our highest priority. Data transmission between the camera and the EZVIZ Cloud is encrypted from end to end. Only you have the keys to decrypt your data.



Specifications Model CS-C6W-A0-3H4WF

Camera

Image Sensor 1/2.7" Progressive Scan CMOS

Shutter Speed Self-adaptive shutter

Lens 4mm@ F2.0, view angle: 83° (Horizontal), 57°

(Vertical), 104° (Diagonal)

PT Angle Pan: 340°, Tilt: 75°

Minimum Illumination 0.5 Lux @ (F2.0, AGC ON), 0 Lux with IR

Lens Mount M12

Day & Night IR-cut filter with auto-switching

DNR 3D DNR WDR True-WDR Supports

Night Vision 10m

Video & Audio

Max. Resolution 2560 × 1440

Frame Rate Max: 25fps; Self-Adaptive during network

transmission

Video Compression H.265 / H.264

Video Bit Rate Ultra-HD; HD; Standard. Adaptive bit rate.

Audio Bit Rate Self-Adaptive

Max. Bitrate 4Mbps

Storage

Local Storage MicroSD card slot (Max. 256G)

Cloud Storage EZVIZ Cloud Storage

Network

Wi-Fi Standard IEEE802.11b, 802.11g, 802.11n

Frequency Range 2.412 GHz ~ 2.472 GHz

Channel Bandwidth Supports 20MHz

Security 64/128-bit WEP, WPA/WPA2, WPA-PSK/WPA2-PSK

Transmission Rate 11b: 11Mbps, 11g: 54Mbps, 11n: 72Mbps

Wi-Fi Pairing AP pairing

Protocol EZVIZ cloud proprietary protocol

Interface Protocol EZVIZ cloud proprietary protocol

Wired Network RJ45 × 1 (10M/100M Adaptive Ethernet Port)

General

Operating Conditions -10°C ~ 45°C (14°F to 113 °F), Humidity 95% or less

(non-condensing)

Power Supply DC 5V / 2A
Power Consumption MAX. 8W

Dimensions 95.8 x 95.8 x 90.6 mm (3.77 x 3.77 x 3.57 inch)

Packaging Dimensions 126 x 126 x 160 mm (4.96 x 4.96 x 6.30 inch)

 Net Weight
 252 g (8.89 oz)

 Weight
 513 g (1.13 oz)

Function

Smart Alarm Al Person Detection

Customized Alert Area Supports
Two-Way Talk Supports

General Function Anti-Flicker, Dual-Stream, Heart Beat, Mirror Image,

Password Protection, Watermark

In the box:

- C6W Camera
- 3-Meter Power Cable
- Power Adapter
- Drill Template
- Base
- Screw Kit
- Regulatory Information
- Quick Start Guide

Certifications:

CE / WEEE / REACH / RoHS / FCC / UL



Specifications are subject to change without notice. " "," EZVIZ" and other EZVIZ's trademarks and logos are the properties of EZVIZ in various jurisdictions. Other brands and product names are trademarks or registered trademarks of their respective holders.