HW2 SST

Height: 24.0" Width: 7.1" Depth: 14.3" (61.0cm) (18.0cm) (36.3cm)



- 2gal (7.57L) of hot water in a space-saving machine just 7.1" (18.03cm) wide to fit any counter
- · Includes drip tray
- High quality, easy-to-clean stainless steel exterior and tank for a long, dependable life
- Fresh, hot water is always available since the HW2 is plumbed to your water line

Agency:

Specifications

Water Access: Plumbed

Finish: Stainless
Faucet: Upper

Electrical & Capacity

			,						
Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H ² O Temp.	Phase	# Wires plus Ground	Hertz
-	-	-	-	-	-	60°F (15.5°C)	-	-	-

"When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

Plumbing Requirements


	<u> </u>			
PSI	kPa	Fitting Supplied	Water Flow Required (GPM)	2D
20-90	138-621	1/4" Male Flare Fitting	-	•

CAD Drawings

Additional Features

2D	Revit	KLC
•		





Unit				Shipping					
	Height Width Depth		Height	Width	Depth	Weight	Volume		
English	24.0 in.	7.1 in.	14.3 in.	-	-	-	-	-	
Metric	61.0 cm	18.0 cm	36.3 cm	-	-	-	-	-	



Related Products & Accessories: HW2 SST(02500.6000)

Related Products selections are currently unavailable. Please contact your sales representative to find out more information.



Serving & Holding Options: HW2 SST(02500.6000)

Serving and Holding selections are currently unavailable. Please contact your sales representative to find out more information.

