

# **Safety Data Sheet**

Issue Date: 11-Dec-2014

Revision Date: 1-May-2021

Version 1

# **1. IDENTIFICATION**

Product Identifier Product Name

www.aquacoat.com

AquaTone Stain Base

Other means of identification SDS #

ACI-013

Recommended use of the chemical and restrictions on useRecommended UseWater-based stain base-interior

Details of the supplier of the safety data sheet Supplier Address Aqua Coat Inc. 1061 Davis Rd. Elgin, IL 60123

Emergency Telephone Number Company Phone Number Emergency Telephone (24 hr)

877-886-2422 INFOTRAC 1-352-323-3500 (International) 1-800-535-5053 (North America)

# 2. HAZARDS IDENTIFICATION

Physical State Liquid

# **Classification**

This chemical does not meet the hazardous criteria set forth by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). However, this Safety Data Sheet (SDS) contains valuable information critical to the safe handling and proper use of this product. This SDS should be retained and available for employees and other users of this product.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Diethylene Glycol Monobutyl Ether	112-34-5	1-5
Chromium	7440-47-3	<2

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

# 4. FIRST-AID MEASURES

#### **First Aid Measures**

General Advice	Provide this SDS to medical personnel for treatment. If exposed or concerned: Get medical advice/attention.
Eye Contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.

Skin ContactWash off immediately with plenty of water for at least 15 minutes.InhalationRemove to fresh air.IngestionClean mouth with water and drink afterwards plenty of water.

#### Most important symptoms and effects

Symptoms

Not determined.

#### Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

#### Specific Hazards Arising from the Chemical

Not determined.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal Precautions	Use personal protective equipment as required.	
<b>Environmental Precautions</b>	See Section 12 for additional Ecological Information.	
Methods and material for containm	ent and cleaning up	
Methods for Containment	Prevent further leakage or spillage if safe to do so.	
Methods for Clean-Up	Keep in suitable, closed containers for disposal.	
7. HANDLING AND STORAGE		
Precautions for safe handling		
Advice on Safe Handling	Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse.	
Conditions for safe storage, including any incompatibilities		
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place.	
Incompatible Materials	None known based on information supplied.	

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Chromium	TWA: 0.5 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	IDLH: 250 mg/m <sup>3</sup>
7440-47-3	-	(vacated) TWA: 1 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup>
Dipropylene Glycol Monomethyl Ether	STEL: 150 ppm	TWA: 100 ppm	IDLH: 600 ppm
(DPM)	TWA: 100 ppm	TWA: 600 mg/m <sup>3</sup>	TWA: 100 ppm
34590-94-8	S*	(vacated) TWA: 100 ppm	TWA: 600 mg/m <sup>3</sup>
		(vacated) TWA: 600 mg/m <sup>3</sup>	STEL: 150 ppm
		(vacated) STEL: 150 ppm	STEL: 900 mg/m <sup>3</sup>
		(vacated) STEL: 900 mg/m <sup>3</sup>	-
		(vacated) S*	
		S* ´	

# Appropriate engineering controls

**Engineering Controls** Apply technical measures to comply with the occupational exposure limits.

### Individual protection measures, such as personal protective equipment

Eye/Face Protection	Avoid contact with eyes.
Skin and Body Protection	Wear suitable protective clothing.
Respiratory Protection	Ensure adequate ventilation, especially in confined areas.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

AppearanceNot determinedOdorColorNot determinedOdor	hreshold Not determined
Property pHValues Not determinedpHNot determinedBoiling Point/Freezing PointNot determinedBoiling Point/Boiling RangeNot determinedFlash PointNot determinedFlash PointNot determinedEvaporation RateNot determinedFlammability (Solid, Gas)Liquid- Not ApplicableUpper Flammability LimitsNot determinedLower Flammability LimitNot determinedVapor PressureNot determinedVapor DensityNot determinedSpecific GravityNot determinedWater SolubilityNot determinedPartition CoefficientNot determinedAuto-ignition TemperatureNot determinedDecomposition TemperatureNot determinedKinematic ViscosityNot determinedExplosive PropertiesNot determinedExplosive PropertiesNot determined	<u>ks • Method</u>

# **10. STABILITY AND REACTIVITY**

#### **Reactivity**

Not reactive under normal conditions.

#### Chemical Stability

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

### Conditions to Avoid

Keep out of reach of children.

#### Incompatible Materials

None known based on information supplied.

#### Hazardous Decomposition Products

None known based on information supplied.

# **11. TOXICOLOGICAL INFORMATION**

### Information on likely routes of exposure

Product Information	
Eye Contact	Avoid contact with eyes.
Skin Contact	Avoid contact with skin.
Inhalation	Avoid breathing vapors or mists.
Ingestion	Do not ingest.

#### Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Diethylene Glycol Monobutyl Ether	= 3384 mg/kg (Rat)	= 2700 mg/kg (Rabbit)	-
112-34-5	· ·		
Dipropylene Glycol Monomethyl	= 5230 mg/kg (Rat)	= 9500 mg/kg (Rabbit)	-
Ether (DPM)			
34590-94-8			

#### Information on physical, chemical and toxicological effects

Symptoms

Please see section 4 of this SDS for symptoms.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

#### Carcinogenicity

Group 3 IARC components are "not classifiable as human carcinogens".

Chemical Name	ACGIH	IARC	NTP	OSHA
Chromium		Group 3		
7440-47-3				

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

#### Numerical measures of toxicity

Not determined

# 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

#### **Component Information**

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Diethylene Glycol Monobutyl Ether 112-34-5	100: 96 h Desmodesmus subspicatus mg/L EC50	1300: 96 h Lepomis macrochirus mg/L LC50 static		2850: 24 h Daphnia magna mg/L EC50 100: 48 h Daphnia magna mg/L EC50
Dipropylene Glycol Monomethyl Ether (DPM) 34590-94-8		10000: 96 h Pimephales promelas mg/L LC50 static		1919: 48 h Daphnia magna mg/L LC50

### Persistence/Degradability

Not determined.

#### **Bioaccumulation**

Not determined.

#### **Mobility**

Chemical Name	Partition Coefficient
Dipropylene Glycol Monomethyl Ether (DPM)	-0.064
34590-94-8	

#### Other Adverse Effects

Not determined

# **13. DISPOSAL CONSIDERATIONS**

#### Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

# US EPA Waste Number

Chemical Name	RCRA	RCRA - Basis for Listing	<b>RCRA - D Series Wastes</b>	<b>RCRA - U Series Wastes</b>
Chromium		Included in waste streams:	5.0 mg/L regulatory level	
7440-47-3		F032, F034, F035, F037,		
		F038, F039		

# California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Chromium	Toxic
7440-47-3	Corrosive
	Ignitable

# 14. TRANSPORT INFORMATION Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT	Not regulated
IATA_	Not regulated
IMDG_	Not regulated

# 15. REGULATORY INFORMATION

### International Inventories

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Diethylene Glycol Monobutyl	Present	Х		Present		Present	Х	Present	Х	Х
Ether										
Chromium	Present	Х		Present			Х	Present	Х	Х

Legend:

Note

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### US Federal Regulations

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Chromium	5000 lb 10 lb		RQ 5000 lb final RQ
7440-47-3			RQ 2270 kg final RQ RQ 10 lb final
			RQ
			RQ 4.54 kg final RQ

# <u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Diethylene Glycol Monobutyl Ether - 112-34-5	112-34-5	1-5	1.0
Chromium - 7440-47-3	7440-47-3	<2	1.0
Dipropylene Glycol Monomethyl Ether (DPM) - 34590-94-8	34590-94-8	<1	1.0

# CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Chromium		Х	Х	

# US State Regulations

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

# U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Diethylene Glycol Monobutyl Ether 112-34-5	Х		Х
Chromium 7440-47-3	Х	X	Х
Dipropylene Glycol Monomethyl Ether (DPM) 34590-94-8	x	X	Х

# **16. OTHER INFORMATION**

<u>NFPA</u>	Health Hazards	Flammability	Instability	Special Hazards
	Not determined	Not determined	Not determined	Not determined
<u>HMIS</u>	Health Hazards	Flammability	Physical Hazards	Personal Protection
	Not determined	Not determined	Not determined	Not determined
Issue Date: Revision Date:	11-Dec- 1-May-2			
Revision Note:	New for	mat		

**Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet