# **Safety Data Sheet**

Issue Date: 20-Apr-2015 Revision Date: 3-May-2016 Version 1

# 1. IDENTIFICATION

**Product Identifier** 

Product Name Black Acrylic

Other means of identification

**SDS #** ACI-018

Recommended use of the chemical and restrictions on use

Recommended Use High solids pigmented finish used for cabinets and millwork. It is ideal for cabinets and

millwork.

Details of the supplier of the safety data sheet

Supplier Address Aqua Coat Inc. 1061 Davis Rd Elgin, IL 60123 www.aquacoat.com

**Emergency Telephone Number** 

Company Phone Number 877-886-2422

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

# 2. HAZARDS IDENTIFICATION

Appearance Black liquid Physical State Liquid

### Classification

This chemical does not meet the hazardous criteria set forth by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). However, this Safety Data Sheet (SDS) contains valuable information critical to the safe handling and proper use of this product. This SDS should be retained and available for employees and other users of this product.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
tributoxyethyl phosphate	78-51-3	<5
Dipropylene Glycol Monomethyl Ether (DPM)	34590-94-8	<5

<sup>\*\*</sup>If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

# 4. FIRST-AID MEASURES

### First Aid Measures

**General Advice** Provide this SDS to medical personnel for treatment.

Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes.

**Inhalation** Remove to fresh air.

**Ingestion** Clean mouth with water and drink afterwards plenty of water.

#### Most important symptoms and effects

**Symptoms** Direct contact with eyes may cause temporary irritation.

### Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

#### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

#### Specific Hazards Arising from the Chemical

Not determined.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

**Personal Precautions**Use personal protective equipment as required.

**Environmental Precautions** See Section 12 for additional Ecological Information.

# Methods and material for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for Clean-Up** Keep in suitable, closed containers for disposal.

# 7. HANDLING AND STORAGE

# Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice.

### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

**Incompatible Materials**None known based on information supplied.

\_\_\_\_\_

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Dipropylene Glycol Monomethyl Ether	STEL: 150 ppm	TWA: 100 ppm	IDLH: 600 ppm
(DPM)	TWA: 100 ppm	TWA: 600 mg/m <sup>3</sup>	TWA: 100 ppm
34590-94-8	S*	(vacated) TWA: 100 ppm	TWA: 600 mg/m <sup>3</sup>
		(vacated) TWA: 600 mg/m <sup>3</sup>	STEL: 150 ppm
		(vacated) STEL: 150 ppm	STEL: 900 mg/m <sup>3</sup>
		(vacated) STEL: 900 mg/m <sup>3</sup>	_
		(vacated) S*	
		S*	

### **Appropriate engineering controls**

**Engineering Controls** Apply technical measures to comply with the occupational exposure limits.

# Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Avoid contact with eyes.

**Skin and Body Protection** Wear suitable protective clothing.

**Respiratory Protection** Ensure adequate ventilation, especially in confined areas.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical StateLiquidAppearanceBlack liquidOdorNot determinedColorBlackOdor ThresholdNot determined

Property Values Remarks • Method

Hq Not determined Melting Point/Freezing Point Not determined **Boiling Point/Boiling Range** Not determined Flash Point Not determined **Evaporation Rate** Not determined Flammability (Solid, Gas) Not determined **Upper Flammability Limits** Not determined **Lower Flammability Limit** Not determined **Vapor Pressure** Not determined **Vapor Density** Not determined **Specific Gravity** Not determined Not determined **Water Solubility** Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined

Oxidizing Properties Not determined

# 10. STABILITY AND REACTIVITY

# Reactivity

Not reactive under normal conditions.

# **Chemical Stability**

Stable under recommended storage conditions.

# Possibility of Hazardous Reactions

None under normal processing.

#### **Conditions to Avoid**

Keep out of reach of children.

#### **Incompatible Materials**

None known based on information supplied.

# **Hazardous Decomposition Products**

None known based on information supplied.

# 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

**Product Information** 

**Eye Contact** Avoid contact with eyes.

**Skin Contact** Avoid contact with skin.

**Inhalation** Avoid breathing vapors or mists.

**Ingestion** Do not ingest.

#### **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
tributoxyethyl phosphate 78-51-3	= 3000 mg/kg (Rat)	> 16 mL/kg (Rabbit)	> 6.4 mg/L (Rat) 4 h
Di(ethylene glycol) ethyl ether 111-90-0	= 1920 mg/kg (Rat)	= 6 mL/kg(Rat)= 4200 μL/kg( Rabbit)	> 5240 mg/m <sup>3</sup> (Rat) 4 h
Dipropylene Glycol Monomethyl Ether (DPM) 34590-94-8	= 5230 mg/kg(Rat)	= 9500 mg/kg(Rabbit)	-

# Information on physical, chemical and toxicological effects

**Symptoms** Please see section 4 of this SDS for symptoms.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity Based on the information provided, this product does not contain any carcinogens or

potential carcinogens as listed by OSHA, IARC or NTP.

**Numerical measures of toxicity** 

Not determined

\_\_\_\_\_

# 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

### **Component Information**

Chemical Name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
tributoxyethyl phosphate		10.4 - 12.0: 96 h Pimephales		
78-51-3		promelas mg/L LC50 flow-		
		through		
Di(ethylene glycol) ethyl		10000: 96 h Lepomis		3940 - 4670: 48 h Daphnia
ether		macrochirus mg/L LC50		magna mg/L EC50
111-90-0		static 19100 - 23900: 96 h		
		Lepomis macrochirus mg/L		
		LC50 flow-through 11400 -		
		15700: 96 h Oncorhynchus		
		mykiss mg/L LC50 flow-		
		through 11600 - 16700: 96 h		
		Pimephales promelas mg/L		
		LC50 flow-through 13400: 96		
		h Salmo gairdneri mg/L		
		LC50 flow-through		
Dipropylene Glycol		10000: 96 h Pimephales		1919: 48 h Daphnia magna
Monomethyl Ether (DPM)		promelas mg/L LC50 static		mg/L LC50
34590-94-8				-

# Persistence/Degradability

Not determined.

### **Bioaccumulation**

Not determined.

# **Mobility**

Chemical Name	Partition Coefficient
tributoxyethyl phosphate 78-51-3	3.65 - 4.78
Di(ethylene glycol) ethyl ether 111-90-0	-0.8
Dipropylene Glycol Monomethyl Ether (DPM) 34590-94-8	-0.064

### **Other Adverse Effects**

Not determined

# 13. DISPOSAL CONSIDERATIONS

# **Waste Treatment Methods**

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

# 14. TRANSPORT INFORMATION

**Note** Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

**DOT** Not regulated

IATA Not regulated

**IMDG** Not regulated

# 15. REGULATORY INFORMATION

### **International Inventories**

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
tributoxyethyl phosphate	Present	Х		Present		Present	Χ	Present	Х	Χ
Dipropylene Glycol Monomethyl Ether (DPM)	Present	Х		Present		Present	Х	Present	Х	Х

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### **US Federal Regulations**

### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

# **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Di(ethylene glycol) ethyl ether - 111-90-0	111-90-0	<5	1.0
Dipropylene Glycol Monomethyl Ether (DPM) - 34590-94-8	34590-94-8	<5	1.0

# **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

# **US State Regulations**

### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

# U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Di(ethylene glycol) ethyl ether	X		X
111-90-0			

Dipropylene Glycol Monomethyl	X	X	X
Ether (DPM)			
34590-94-8			

# **16. OTHER INFORMATION**

NFPA **Health Hazards Flammability** Instability **Special Hazards** Not determined Not determined Not determined Not determined **Physical Hazards Personal Protection** HMIS **Health Hazards Flammability** Not determined Not determined Not determined Not determined

Issue Date:20-Apr-2015Revision Date:01-May-2015Revision Note:New format

# **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**