



# Safety Data Sheet

Issue Date: 16-Feb-2024

Revision Date: 4-Feb-2025

Version 1

## 1. IDENTIFICATION

### Product identifier

**Product Name** Clear Acrylic Water Based Lacquer

### Other means of identification

**SDS #** ACI-045

### Recommended use of the chemical and restrictions on use

**Recommended Use** For industrial use.

### Details of the supplier of the safety data sheet

#### **Supplier Address**

Aqua Coat Inc.  
1061 Davis Road  
Elgin, IL 60123  
www.aquacoat.com

#### **Emergency telephone number**

**Company Phone Number** 815-209-0808  
**Emergency Telephone** INFOTRAC 1-352-323-3500 (International)  
1-800-535-5053 (North America)

## 2. HAZARDS IDENTIFICATION

**Appearance** Milky white liquid

**Physical state** Liquid

**Odor** Bland

### Classification

Serious eye damage/eye irritation

Category 2

### Signal Word

Warning

### Hazard statements

Causes serious eye irritation



### Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling  
Wear protective gloves/protective clothing/eye protection/face protection

### Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
If eye irritation persists: Get medical advice/attention

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical name	CAS No	Weight-%
tributoxyethyl phosphate	78-51-3	1-5
Dipropylene Glycol Monomethyl Ether (DPM)	34590-94-8	1-5

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

**4. FIRST AID MEASURES****Description of first aid measures**

<b>Eye Contact</b>	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
<b>Skin Contact</b>	Wash off immediately with plenty of water for at least 15 minutes.
<b>Inhalation</b>	Remove to fresh air.
<b>Ingestion</b>	Clean mouth with water and drink afterwards plenty of water.

**Most important symptoms and effects, both acute and delayed**

<b>Symptoms</b>	Causes serious eye irritation.
-----------------	--------------------------------

**Indication of any immediate medical attention and special treatment needed**

<b>Notes to Physician</b>	Treat symptomatically.
---------------------------	------------------------

**5. FIRE-FIGHTING MEASURES****Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable Extinguishing Media** Not determined.

**Specific Hazards Arising from the Chemical**

Not determined.

**Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**6. ACCIDENTAL RELEASE MEASURES****Personal precautions, protective equipment and emergency procedures**

<b>Personal Precautions</b>	Use personal protective equipment as required.
-----------------------------	------------------------------------------------

**Environmental precautions**

<b>Environmental precautions</b>	See Section 12 for additional Ecological Information.
----------------------------------	-------------------------------------------------------

**Methods and material for containment and cleaning up**

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for Clean-Up** Keep in suitable, closed containers for disposal.

## 7. HANDLING AND STORAGE

**Precautions for safe handling**

**Advice on Safe Handling** Wash face, hands and any exposed skin thoroughly after handling. Wear protective gloves/protective clothing and eye/face protection.

**Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place.

**Incompatible Materials** None known based on information supplied.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Exposure Guidelines**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Dipropylene Glycol Monomethyl Ether (DPM) 34590-94-8	TWA: 50 ppm	TWA: 100 ppm TWA: 600 mg/m <sup>3</sup> (vacated) TWA: 100 ppm (vacated) TWA: 600 mg/m <sup>3</sup> (vacated) STEL: 150 ppm (vacated) STEL: 900 mg/m <sup>3</sup> (vacated) S* S*	IDLH: 600 ppm TWA: 100 ppm TWA: 600 mg/m <sup>3</sup> STEL: 150 ppm STEL: 900 mg/m <sup>3</sup>

**Appropriate engineering controls**

**Engineering Controls** Apply technical measures to comply with the occupational exposure limits.

**Individual protection measures, such as personal protective equipment**

**Eye/Face Protection** Refer to 29 CFR 1910.133 for eye and face protection regulations.

**Skin and Body Protection** Refer to 29 CFR 1910.138 for appropriate skin and body protection.

**Respiratory Protection** Refer to 29 CFR 1910.134 for respiratory protection requirements.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Information on basic physical and chemical properties**

<b>Physical state</b>	Liquid	<b>Odor</b>	Bland
<b>Appearance</b>	Milky white liquid	<b>Odor Threshold</b>	Not determined
<b>Color</b>	Milky white		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	7.5-8.5	
Melting point / freezing point	0 °C / 32 °F	
Initial boiling point and boiling range	100 °C / 212 °F	
Flash point	>93.4 °C / >200 °F	
Evaporation Rate	Not determined	
Flammability (Solid, Gas)	Not determined	
Flammability Limit in Air		
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor Pressure	<4 kPa	
Vapor Density	<1	(Air=1)
Relative Density	1.05 g/cm3	
Water Solubility	Not determined	
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Autoignition temperature	No data available	
Decomposition temperature	Not determined	
Kinematic viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive Properties	Not determined	
Oxidizing Properties	Not determined	
<u>Other information</u>		
VOC Content	1.9 lbs./gal	

## 10. STABILITY AND REACTIVITY

### Reactivity

Not reactive under normal conditions.

### Chemical stability

Stable under recommended storage conditions.

### Possibility of hazardous reactions

None under normal processing.

### Conditions to Avoid

Keep out of reach of children.

### Incompatible materials

None known based on information supplied.

### Hazardous decomposition products

None known based on information supplied.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### Product Information

**Eye Contact** Avoid contact with eyes.

**Skin Contact** Avoid contact with skin.

**Inhalation** Do not inhale.

**Ingestion** Do not ingest.

### Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
tributoxyethyl phosphate 78-51-3	= 3 g/kg ( Rat )	> 5000 mg/kg ( Rabbit )	> 6.4 mg/L ( Rat ) 4 h
Di(ethylene glycol) ethyl ether 111-90-0	= 10502 mg/kg ( Rat )	= 9143 mg/kg ( Rabbit )	> 5240 mg/m <sup>3</sup> ( Rat ) 4 h
Dipropylene Glycol Monomethyl Ether (DPM) 34590-94-8	= 5.35 g/kg ( Rat )	= 9500 mg/kg ( Rabbit )	-

### Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** Please see section 4 of this SDS for symptoms.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Carcinogenicity** Based on the information provided, this product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

### Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

**Oral LD50** 32,495.50 mg/kg

**Dermal LD50** 48,235.00 mg/kg

**ATEmix (inhalation-dust/mist)** 104.80 mg/l

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

### Component Information

Chemical name	Algae/aquatic plants	Fish	Crustacea
tributoxyethyl phosphate 78-51-3		LC50: 10.4 - 12.0mg/L (96h, Pimephales promelas)	
Di(ethylene glycol) ethyl ether 111-90-0		LC50: =10000mg/L (96h, Lepomis macrochirus) LC50: 19100 - 23900mg/L (96h, Lepomis macrochirus) LC50: 11400 - 15700mg/L (96h, Oncorhynchus mykiss) LC50: 11600 - 16700mg/L (96h, Pimephales promelas)	EC50: 3940 - 4670mg/L (48h, Daphnia magna)
Dipropylene Glycol Monomethyl Ether (DPM) 34590-94-8		LC50: >10000mg/L (96h, Pimephales promelas)	LC50: =1919mg/L (48h, Daphnia magna)

### Persistence/Degradability

Not determined.

### Bioaccumulation

There is no data for this product.

**Mobility**

Chemical name	Partition coefficient
tributoxyethyl phosphate 78-51-3	3.75
Dipropylene Glycol Monomethyl Ether (DPM) 34590-94-8	0.35

**Other adverse effects**

Not determined

**13. DISPOSAL CONSIDERATIONS****Waste Treatment Methods****Disposal of Wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated Packaging**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**14. TRANSPORT INFORMATION****Note**

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

**DOT**

Not regulated

**IATA**

Not regulated

**IMDG**

Not regulated

**15. REGULATORY INFORMATION****International Inventories**

Chemical name	TSCA	TSCA Inventory Status	DSL/NDSL	EINECS/ELINCS	ENCS	IECSC	KECL	PICCS	AIIC
tributoxyethyl phosphate	X	ACTIVE	X	X	X	X	X	X	X
Di(ethylene glycol) ethyl ether	X	ACTIVE	X	X	X	X	X	X	X
Dipropylene Glycol Monomethyl Ether (DPM)	X	ACTIVE	X	X	X	X	X	X	X

**Legend:***TSCA - United States Toxic Substances Control Act Section 8(b) Inventory**DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List**EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances**ENCS - Japan Existing and New Chemical Substances**IECSC - China Inventory of Existing Chemical Substances**KECL - Korean Existing and Evaluated Chemical Substances**PICCS - Philippines Inventory of Chemicals and Chemical Substances**AIIC - Australian Inventory of Chemical Substances*

**US Federal Regulations****CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

**SARA 313**

Chemical name	CAS No	Weight-%	SARA 313 - Threshold Values %
Di(ethylene glycol) ethyl ether - 111-90-0	111-90-0	1-5	1.0
Dipropylene Glycol Monomethyl Ether (DPM) - 34590-94-8	34590-94-8	1-5	1.0

**CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

**US State Regulations****California Proposition 65**

This product does not contain any Proposition 65 chemicals.

**U.S. State Right-to-Know Regulations**

Chemical name	New Jersey	Massachusetts	Pennsylvania
Di(ethylene glycol) ethyl ether 111-90-0	X		X
Dipropylene Glycol Monomethyl Ether (DPM) 34590-94-8	X	X	X

**16. OTHER INFORMATION****NFPA****Health hazards**

-

**Flammability**

-

**Instability**

-

**Special hazards**

-

**HMIS****Health hazards**

-

**Flammability**

-

**Physical hazards**

-

**Personal Protection**

Not determined

Issue Date: 16-Feb-2024

Revision Date: 4-Feb-2025

Revision Note: New format

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**