



Safety Data Sheet

Issue Date: 08-Mar-2018

Revision Date: 09-Nov-2018

Version 3

1. IDENTIFICATION

Product identifier

Product Name PGF 650
Pore and Grain Filler

Other means of identification

SDS # ACI-030

Recommended use of the chemical and restrictions on use

Recommended Use Used to fill the grain and pores on wood.

Details of the supplier of the safety data sheet

Supplier Address

Aqua Coat Inc.
1061 Davis Road
Elgin, IL 60123
www.aquacoat.com

Emergency telephone number

Company Phone Number 877-886-2422
Emergency Telephone INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Clear gel

Physical state Gel

Classification

Reproductive toxicity	Category 2
-----------------------	------------

Signal Word

Warning

Hazard statements

Suspected of damaging fertility or the unborn child



Precautionary Statements - Prevention

Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Use personal protective equipment as required

Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Please also refer to subsequent sections of this SDS for additional information regarding the components of this product.

Chemical name	CAS No	Weight-%
tributoxyethyl phosphate	78-51-3	1-3
2-(2-methoxyethoxy)ethanol	111-77-3	1-3

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Skin Contact	Wash with soap and water.
Inhalation	Remove to fresh air. If symptoms persist, call a physician.
Ingestion	Drink 2-3 large glasses of water. Seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms	Direct contact with eyes may cause temporary irritation. Prolonged or repeated skin contact may cause irritation. May cause gastrointestinal irritation, nausea, diarrhea, and vomiting. Prolonged exposure in poorly ventilated area may cause respiratory irritation.
-----------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Indication of any immediate medical attention and special treatment needed

Notes to Physician	Treat symptomatically.
---------------------------	------------------------

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protective equipment as required.

Environmental precautions

Environmental precautions Prevent entry to sewers and public waters. See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Collect and reuse if possible. Absorb spill with inert material (e.g. dry sand or earth). Collect and place in suitable, properly labeled container for recovery or disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children.

Incompatible Materials None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Dipropylene Glycol Monomethyl Ether (DPM) 34590-94-8	STEL: 150 ppm TWA: 100 ppm S*	TWA: 100 ppm TWA: 600 mg/m ³ (vacated) TWA: 100 ppm (vacated) TWA: 600 mg/m ³ (vacated) STEL: 150 ppm (vacated) STEL: 900 mg/m ³ (vacated) S* S*	IDLH: 600 ppm TWA: 100 ppm TWA: 600 mg/m ³ STEL: 150 ppm STEL: 900 mg/m ³

Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Wear approved safety goggles where a splash hazard exists. Refer to 29 CFR 1910.133 for eye and face protection regulations.

Skin and Body Protection Wear protective equipment as needed to prevent wetting of clothing. Wear rubber gloves to protect sensitive skin. Refer to 29 CFR 1910.138 for appropriate skin and body protection.

Respiratory Protection No protection is ordinarily required under normal conditions of use and with adequate ventilation. Refer to 29 CFR 1910.134 for respiratory protection requirements.

General Hygiene Considerations Avoid contact with skin, eyes and clothing. After handling this product, wash hands before eating, drinking, or smoking. If contact occurs, remove contaminated clothing. If needed, take first aid action shown on section 4 of this SDS. Launder contaminated clothing before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Gel	Odor	Not determined
Appearance	Clear gel	Odor Threshold	Not established
Color	Clear		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	Not determined	
Melting point / freezing point	0 °C / 32 °F	
Boiling point / boiling range	100 °C / 212 °F	
Flash point	>200	
Evaporation Rate	Not established	
Flammability (Solid, Gas)	Not determined	
Flammability Limit in Air		
Upper flammability or explosive limits	Not determined	
Lower flammability or explosive limits	Not determined	
Vapor Pressure	Not determined	
Vapor Density	Not determined	
Relative Density	Not determined	
Water Solubility	Miscible in water	
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Autoignition temperature	Not determined	
Decomposition temperature	Not determined	
Kinematic viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive Properties	Not determined	
Oxidizing Properties	Not determined	

10. STABILITY AND REACTIVITY

Reactivity
 Not reactive under normal conditions.

Chemical stability
 Stable under recommended storage conditions.

Possibility of hazardous reactions
 None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid
 Keep out of reach of children.

Incompatible materials
 None known.

12. ECOLOGICAL INFORMATION

Ecotoxicity

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Component Information

Chemical name	Algae/aquatic plants	Fish	Crustacea
Di(ethylene glycol) ethyl ether 111-90-0		13400: 96 h Salmo gairdneri mg/L LC50 flow-through 19100 - 23900: 96 h Lepomis macrochirus mg/L LC50 flow-through 11400 - 15700: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 11600 - 16700: 96 h Pimephales promelas mg/L LC50 flow-through 10000: 96 h Lepomis macrochirus mg/L LC50 static	3940 - 4670: 48 h Daphnia magna mg/L EC50
2-(2-methoxyethoxy)ethanol 111-77-3	500: 72 h Desmodesmus subspicatus mg/L EC50	5741: 96 h Pimephales promelas mg/L LC50 7500: 96 h Lepomis macrochirus mg/L LC50 7500: 96 h Lepomis macrochirus mg/L LC50 static	500: 48 h Daphnia magna mg/L EC50
tributoxyethyl phosphate 78-51-3		10.4 - 12.0: 96 h Pimephales promelas mg/L LC50 flow-through	
Dipropylene Glycol Monomethyl Ether (DPM) 34590-94-8		10000: 96 h Pimephales promelas mg/L LC50 static	1919: 48 h Daphnia magna mg/L LC50

Persistence/Degradability

Not determined.

Bioaccumulation

There is no data for this product.

Mobility

Chemical name	Partition coefficient
tributoxyethyl phosphate 78-51-3	3.65 - 4.78
2-(2-methoxyethoxy)ethanol 111-77-3	-0.682

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. TRANSPORT INFORMATION

Note	Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.
DOT	Not regulated
IATA	Not regulated
IMDG	Not regulated

15. REGULATORY INFORMATION

International Inventories

Chemical name	TSCA	DSL/NDSL	EINECS/E LINCS	ENCS	IECSC	KECL	PICCS	AICS
Di(ethylene glycol) ethyl ether	X	X	X	X	X	X	X	X
2-(2-methoxyethoxy)ethanol	X	X	X	X	X	X	X	X
tributoxyethyl phosphate	X	X	X	X	X	X	X	X
Dipropylene Glycol Monomethyl Ether (DPM)	X	X	X	X	X	X	X	X
Hydrous sodium lithium magnesium silicate	X	X	X	X	X	X	X	X

Legend:

- TSCA - United States Toxic Substances Control Act Section 8(b) Inventory*
- DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List*
- EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances*
- ENCS - Japan Existing and New Chemical Substances*
- IECSC - China Inventory of Existing Chemical Substances*
- KECL - Korean Existing and Evaluated Chemical Substances*
- PICCS - Philippines Inventory of Chemicals and Chemical Substances*
- AICS - Australian Inventory of Chemical Substances*

US Federal Regulations

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No	Weight-%	SARA 313 - Threshold Values %
Di(ethylene glycol) ethyl ether - 111-90-0	111-90-0	1-5	1.0
2-(2-methoxyethoxy)ethanol - 111-77-3	111-77-3	1-3	1.0
Dipropylene Glycol Monomethyl Ether (DPM) - 34590-94-8	34590-94-8	<1.0	1.0

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Di(ethylene glycol) ethyl ether 111-90-0	X		X
2-(2-methoxyethoxy)ethanol 111-77-3	X	X	X
Dipropylene Glycol Monomethyl Ether (DPM) 34590-94-8	X	X	X

16. OTHER INFORMATION

<u>NFPA</u>	Health Hazards Not determined	Flammability Not determined	Instability Not determined	Special Hazards Not determined
<u>HMIS</u>	Health Hazards 1	Flammability 0	Physical hazards 0	Personal Protection B

Issue Date: 08-Mar-2018
Revision Date: 09-Nov-2018
Revision Note: New formula

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet