

TOOLING IS EVERYTHING

Xperience the difference



Knife Blades Catalog 2021



How we started

With more than 50 years combined experience in the CNC machine tool industry, we have learned a lot of things along the way. The most important being that if you want to achieve what no one else has done, you have to do what no one else has tried. We threw out the standard feed rate and chip load calculators. We started from scratch and created a tool that defied conventional knowledge by reaching feed rates and edge quality that previously seemed impossible. The X-Edge Razor was born.

Since then, we applied our "break all the rules" strategy to create tools that excel in every CNC router application. Our product line has expanded dramatically to include router bits, oscillating and drag knives, toolholders, collets, coolants, cleaning and maintenance items. Our knives and router bits are made with high grade solid carbide that are held to the highest standard. X-Edge Products is dedicated to helping our customers achieve the best possible performance and edge quality results never before seen on a CNC router.

CONTENT



ZUND KNIFE BLADES

1,2

2

2,3

3,4

Oscillating Blades-Pointed

XZ 0020

Drag and Oscillating Blades-Pointed

Oscillating Blades-Flat

XZ 0026

Drag Blade-Flat Stock



Drag Blades-Round Stock

V-Cut Blades

Passepartout/Mat Cutting Blades

XZ0031

Rotary Blades



4,5

4

MULTICAM KNIFE BLADES

Oscillating Knife Blades



6,7,8,9

Drag Knife Blades



9,10,11

Driven Rotary Tool Blades



11

Rotary Blades



V-Cut Blades



11

11

CONTENT

ESKO/KONGSBERG KNIFE BLADES

Single Edge Round 6mm Shaft Oscillating Blades

12

Single Edge Round 6mm Serrated Blades



12

8mm Shaft Blades



12

Single Edge Flat Blades



13,14,15

Double-Edge Flat & Rota Cut Blades



15,16

Special Purpose Heavy-Duty Flat Blades



16

Kiss Cut Blades



16

AXYZ KNIFE BLADES

Oscillating Knives



17,18,19,20

Tangential Knives



20

ECOCAM KNIFE BLADES

Universal Blades



21,22

EOT Blades

22,23,24

CONTENT



COLEX KNIFE BLADES

Oscillating Blades

XZ 0020

25

Double Edge Blades



25,26

Single Edge Blades



26

V-Cut Blades



Fabric Blades



26

26

ARISTO KNIFE BLADES

6mm Shaft Oscillating



27,28

Flat Blades



28,29

Circular Blades



29

SACRIFICIAL MAT / ROUTING UNDERLAY

2mm MatriX Mat



27,28

4mm MatriX Mat



29

OSCILLATING BLADE-POINTED

XZ0020	CUT LENGTH	14.3mm
	REPLACES	Z20
xz 0620	HOLDER	EOT/EOT-250/POT
XZ 0020	MATERIAL	Corrugated, Foam Board, Folding Carton, Magnetic Foil, Rubber, et
	NOTES	Very fine, delicate blade with min. overcut; designed for intricate cu
	and the second second	
XZ0021	CUT LENGTH	17.2mm
	REPLACES	Z21
XZ 5021	HOLDER	EOT/EOT-250/POT
No.	MATERIAL	Corrugated, Foam Board, Folding Carton, Magnetic Foil, Rubber, e
	NOTES	Fine blade with low overcut; designed to cut intricate detail
XZ0022	CUT LENGTH	14mm
ALIOULL	REPLACES	7.22
XZ 0022	HOLDER	EOT/EOT-250/POT
	MATERIAL	Corrugated, Foam Board, Folding Carton, Magnetic Foil, Rubber, e
	NOTES	Fine, robust blade; designed to cut intricate detail.
		2 112, 100 dot exame, dreighted to the invitable dreight
XZ0023	CUT LENGTH	22mm
	REPLACES	Z23
XZ 00532	HOLDER	EOT/EOT-250/POT
	MATERIAL	Corrugated, Foam Board, Foam, Folding Carton, Rubber, etc.
	NOTES	Fine, long blade; designed to cut small radii and intricate detail
XZ0028	CUT LENGTH	26mm
1120020	REPLACES	Z28
	HOLDER	EOT/EOT-250/POT
XZ0028	MATERIAL	Corrugated Cardboard, Foamboard, Foam, Insulation mat.
11	NOTES	Long oscillating blade for soft, thick materials
V70020	CUTTENCTH	31mm

XZ0029	CUT LENGTH	31mm
XZ0029	REPLACES	Z29
	HOLDER	EOT/POT
	MATERIAL	Corrugated Cardboard, Foamboard, Foam, Insulation mat.
	NOTES	Long oscillating blade for soft, thick materials





CUT LENGTH	16.5mm
REPLACES	Z60
HOLDER	EOT-250/POT
MATERIAL	Corrugated, sandwich board, felt, foamboard, rubber, leather hide
NOTES	Similar to XZ0021, but made for tougher materials

DRAG AND OSCILLATING BLADE-POINTED




CUT LENGTH	7.4mm
REPLACES	Z16
HOLDER	EOT/EOT-250/POT/SCT/UCT
MATERIAL	Canvas, vinyls, carton, magnetic foil, banner, paper, polyester, etc.
NOTES	Blade for soft materials; universal robust oscillating blade.



CUT LENGTH	12mm
REPLACES	Z17
HOLDER	EOT/EOT-250/POT/SCT/UCT
MATERIAL	Canvas, vinyls, carton, magnetic foil, banner, paper, polyester, etc.
NOTES	For cutting thin material; same as XZ0016 except smaller overcut

OSCILLATING BLADE-FLAT



CUT LENGTH	8.7mm
REPLACES	Z26
HOLDER	EOT/EOT-250/POT
MATERIAL	Aramid fibre, carbon fibre, corrugated, rubber, fabric, leather, etc.
NOTES	Simple, robust oscillating blade



CUT LENGTH	11.3mm
REPLACES	Z41
HOLDER	EOT/EOT-250/POT
MATERIAL	Aramid fibre, carbon fibre, corrugated, foam board, fabric, leather, etc.
NOTES	Oscillating blade with small pre-cut



CUT LENGTH	7.8mm
REPLACES	Z42
HOLDER	EOT/EOT-250/POT
MATERIAL	Aramid fibre, carbon fibre, corrugated, felt, fabric, leather, etc.
NOTES	Robust oscillating blade with small pre-cut; similar to XZ0026.



CUT LENGTH	7.8mm
REPLACES	Z43
HOLDER	EOT/EOT-250/POT
MATERIAL	Leather, fabric, corrugated cardboard
NOTES	Similar to XZ0042, but with smaller pre-cut & larger post-cut.

DRAG BLADE FLAT-STOCK



CUT LENGTH	4.8mm
REPLACES	Z10
HOLDER	SCT/UCT
MATERIAL	Canvas, corrugated, hardfoam, vinyls, carton, banner, paper, etc.
NOTES	Robust double-edged blade; similar to XZ0011 but with larger overcut



CUT LENGTH	6.9mm
REPLACES	Z11
HOLDER	SCT/UCT
MATERIAL	Canvas, corrugated, hardfoam, vinyls, carton, banner, paper, etc.
NOTES	Universal blade; similar to XZ0010 but with a smaller overcut



CUT LENGTH	6.9mm
REPLACES	Z13
HOLDER	SCT/UCT
MATERIAL	Canvas, corrugated, hardfoam, vinyls, carton, banner, paper, etc.
NOTES	Same as XZ0011 except double sided



CUT LENGTH	14mm
REPLACES	Z44
HOLDER	SCT/UCT
MATERIAL	Carpet, Tarpaulin
NOTES	For less tough, fibrous materials





CUT LENGTH	20mm
REPLACES	Z46
HOLDER	SCT/UCT
MATERIAL	Corrugated, foam board, foam, banner, polyester fabric, etc.
NOTES	For light, soft materials; low drag force but has large overcut

DRAG BLADE ROUND-STOCK



CUT LENGTH	1mm
REPLACES	Z1
HOLDER	C2/C2P/KCM-S/KCT
MATERIAL	Vinyls, magnetic foil, masking film, polycarb, cardstock
NOTES	For cutting any standard self-adhesive vinyls

V-CUT BLADE




CUT LENGTH	10/15.6mm
REPLACES	Z70
HOLDER	T75
MATERIAL	Corrugated, sandwich board, foam board/foam, carpet
NOTES	Blade for a 45°cut



CUT LENGTH	16/18.4mm
REPLACES	Z71
HOLDER	VCT
MATERIAL	Corrugated, sandwich board, foamboard/foam, carpet
NOTES	Stable, long-life carbide blade

PASSEPARTOUT/MAT CUTTING BLADE



CUT LENGTH	2mm
REPLACES	Z30
HOLDER	PPT
MATERIAL	Matboard
NOTES	For cutting straight lines & sharp corners from the back of matboard

XZ0031



CUT LENGTH	2mm
REPLACES	Z31
HOLDER	PPT
MATERIAL	Matboard
NOTES	For cutting straight lines from the back of matboard, radii from front

XZ0033




CUT LENGTH	5mm
REPLACES	Z33
HOLDER	PPT
MATERIAL	Matboard
NOTES	For cutting straight lines & sharp corners from the back of matboard

XZ0035



CUT LENGTH	5mm
REPLACES	Z35
HOLDER	PPT
MATERIAL	Matboard
NOTES	For cutting straight lines & sharp corners from the front of matboard

ROTARY BLADE





CUT LENGTH	3.5mm
REPLACES	Z50
HOLDER	DRT/PRT
MATERIAL	Aramid fibre, carbon fibre, fabric, felt, leather, nylon fabric, paper, etc.
NOTES	10-sided blade; smaller overcut & greater cutting force than XZ0051

XZ0051



CUT LENGTH	5mm
REPLACES	Z51
HOLDER	DRT/PRT
MATERIAL	Aramid fibre, carbon fibre, fabric, felt, leather, nylon fabric, paper, etc.
NOTES	10-sided blade

XZ0053



CUT LENGTH	2mm
REPLACES	Z53
HOLDER	DRT/PRT
MATERIAL	Aramid fibre, fabric, glass fibre
NOTES	Driven round-knife for cutting of single-layer textiles

OSCILLATING KNIFE BLADES





CUT LENGTH	6mm
REPLACES	K2
HOLDER	OSCILLATE/KH6
MATERIAL	Corrugated Boards, Plastic Soft, Foams Soft, Folding Carton, Rubber
NOTES	Tip at center of rotation



CUT LENGTH	10mm	
REPLACES	K4	
HOLDER	OSCILLATE/KH6	
MATERIAL	Corrugated Boards, Plastic Soft, Foams Soft, Folding Carton, Rubber Tip at center of rotation	
NOTES		



CUT LENGTH	15mm	
REPLACES	К6	
HOLDER	OSCILLATE/KH6	
MATERIAL	Corrugated Boards, Plastic Soft, Foams Soft, Folding Carton, Rubber	
NOTES Tip at center of rotation		



CUT LENGTH	20mm		
REPLACES	K8		
HOLDER	OSCILLATE/KH6		
MATERIAL	Corrugated Boards, Plastic Soft, Foams Soft, Folding Carton, Rubber		
NOTES	Tip at center of rotation		



CUT LENGTH	20mm	
REPLACES	K90	
HOLDER	OSCILLATE/KH6	
MATERIAL	Corrugated Boards, Plastic Soft, Foams Soft, etc.	
NOTES	NOTES Flat tip; cuts loose foams & fabrics better but less intricate cuts	



CUT LENGTH	20mm	
REPLACES	NO EQUIVALENT	
HOLDER	OSCILLATE/KH6	
MATERIAL	Rubber, foam	
NOTES	Best choice for cutting foam rubbers	

XESR6303	CUT LENGTH	20mm
	REPLACES	NO EQUIVALENT
	HOLDER	OSCILLATE/KH6
	MATERIAL	Foamboard, Ejection rubber (for dies), expanded polystyrene
	NOTES	Great choice for 15mm & 20mm foamboard
XK3025-ORP	CUT LENGTH	
AK3025-OKP	!	
	REPLACES	K10
	HOLDER	OSCILLATE/KH6
	MATERIAL	Corrugated, sandwich board, foamboard/foam, carpet
	NOTES	Stable, long-life carbide blade
XK3030-ORP	CUT LENGTH	30mm
	REPLACES	K12
	HOLDER	OSCILLATE/KH6
	MATERIAL	Corrugated, sandwich board, foamboard/foam, carpet
	NOTES	Stable, long-life carbide blade
	1,0120	otable, long the earbide blade
XK3035-OFP	CUT LENGTH	35mm
	REPLACES	K96
	HOLDER	OSCILLATE/KH6
	MATERIAL	Rubber backed carpet, corrugated plastic, foams, honeycomb etc.
	NOTES	Stable, long-life carbide blade
XK3040-OFP	CUT LENGTH	40mm
	REPLACES	K98
	HOLDER	OSCILLATE/KH6
	MATERIAL	Rubber backed carpet, corrugated plastic, foams, honeycomb, etc.
	NOTES	Stable, long-life carbide blade
XK3050-ORP	CUT LENGTH	50mm
	REPLACES	K13
	TYOT DED	OSCILLATE
	HOLDER	USCILLATE
	MATERIAL	Foams, soft rubber



XK3070-ORP	CUT LENGTH	70mm
	REPLACES	K77
	HOLDER	OSCILLATE
	MATERIAL	Foams, soft rubber, etc.
	NOTES	Blade for thick, soft materials
XK3090-ORP	CUT LENGTH	90mm
	REPLACES	K79
	HOLDER	OSCILLATE
	MATERIAL	Foams, soft rubber
	NOTES	Blade for thick, soft materials
XK3110-ORP	CUT LENGTH	110mm
	REPLACES	NO EQUIVALENT
	HOLDER	OSCILLATE
	MATERIAL	Foams, soft rubber
	NOTES	Blade for thick, soft materials
	NOTES	Diage for times, soft materials
XK3110-OFP	CUT LENGTH	110mm
	REPLACES	K106
	HOLDER	OSCILLATE
	MATERIAL	Foams, soft rubber
	NOTES	Flat tip for higher speed but less intricate cuts
XK3025D-O	CUT LENGTH	25mm
AK3023D O	REPLACES	
		K92
	HOLDER MATERIAL	OSCILLATE
	NOTES	Corrugated, sandwich board, foamboard/foam, carpet
	NOTES	Stable, long-life carbide blade
XK3040D-O	CUT LENGTH	40mm
	REPLACES	84-00193-BT-57240
	HOLDER	OSCILLATE
	MATERIAL	Corrugated, sandwich board, foamboard/foam, carpet
	NOTES	Stable, long-life carbide blade
	1.0120	outer, rong into outer orace

XK3055D-O	CUT LENGTH	55mm
	REPLACES	K114
	HOLDER	OSCILLATE
	MATERIAL	Cardboard, corrugated plastic, etc.
	NOTES	Stable, long-life carbide blade
XK3060D-O	CUT LENGTH	60mm
	REPLACES	NO EQUIVALENT
	HOLDER	OSCILLATE
	MATERIAL	Corrugated, sandwich board, foamboard/foam, carpet
	NOTES	Stable, long-life carbide blade
		All controls
XESR6352	CUT LENGTH	32mm
	REPLACES	NO EQUIVALENT
	HOLDER	OSCILLATE
	MATERIAL	Honeycomb, fluted cardboard, tough paper materials, etc.
	NOTES	Serrated knife design for less friction while cutting
XEKC0060	CUT LENGTH	55mm
	REPLACES	NO EQUIVALENT
vanananana -	HOLDER	OSCILLATE
	MATERIAL	Honeycomb, fluted cardboard, tough paper materials, etc.
	NOTES	Serrated knife design for less friction while cutting

DRAG KNIFE BLADES

XK4050-D	CUT LENGTH	4.8mm
	REPLACES	K22
\$884085A5	HOLDER	KH3
	MATERIAL	Folding carton, plastics, foil, PVC, textile fabrics
	NOTES	Similar to XK4060-D except with 50 ° angle blade
XK4060-D	CUT LENGTH	6.9mm
XK4060-D	CUT LENGTH REPLACES	6.9mm K24
XK4060-D		
	REPLACES	K24





CUT LENGTH	17.2mm	
REPLACES	K66	
HOLDER	KH2	
MATERIAL	Corrugated, Foam Board, Folding Carton, Magnetic Foil, Rubber, etc.	
NOTES Fine blade with low overcut; designed to cut intricate de		



CUT LENGTH	14mm		
REPLACES	003612-MC44		
HOLDER	KH3		
MATERIAL	Film, tarpaulin, canvas and carpet		
NOTES	Double-sided blade for less tough, fibrous materials		



CUT LENGTH	20mm
REPLACES	K20
HOLDER	KH4
MATERIAL	PVC, Corrugated plastic, Foam board/Foam, PVC Banner, etc.
NOTES	For light, soft materials; exerts little drag force but larger overcut



CUT LENGTH	5.5mm
REPLACES	K16
HOLDER	KH1
MATERIAL	General purpose, banner, cardstock, corrugated, styrene, etc.
NOTES	55 ° cut angle



CUT LENGTH	27mm
REPLACES	K70
HOLDER	KH1
MATERIAL	Corrugated, sandwich board, foamboard/foam, carpet
NOTES	Stable, long-life carbide blade



CUT LENGTH	4.8mm
REPLACES	K23
HOLDER	KH3
MATERIAL	Soft plastics, polypropylene, PVC, banner, folding carton, etc.
NOTES	Straight back blade for operations requiring no overcut

XKM0025

CUT LENGTH	6.9mm
REPLACES	K25
HOLDER	KH3
MATERIAL	Film tarpaulin, polypropylene, PVC, vinyl banner, folding carton, etc.
NOTES	Straight back blade for operations requiring no overcut

DRIVEN ROTARY TOOL BLADES / ROTARY BLADES



CUT LENGTH	3.5mm
REPLACES	003612-MC50-ROTARY
HOLDER	DRT
MATERIAL	Aramid fibre, carbon fibre, fabric, felt, leather, nylon fabric, paper, etc.
NOTES	25mm, 10-sided blade; smaller overcut/greater cut force than XZ0051



CUT LENGTH	5mm
REPLACES	003612-MC51-ROTARY
HOLDER	DRT
MATERIAL	Aramid fibre, carbon fibre, fabric, felt, leather, nylon fabric, paper, etc.
NOTES	28mm round 10-sided blade



CUT LENGTH	2mm cut edge, 6mm max cut depth
REPLACES	NO EQUIVALENT
HOLDER	KH13
MATERIAL	Fabrics, textiles
NOTES	25mm General purpose blade for thin, open-cell materials



CUT LENGTH	2mm cut edge, 16mm max cut depth
REPLACES	K46
HOLDER	KH13
MATERIAL	Fabrics, textiles
NOTES	45mm General purpose blade for thin, open-cell materials

V-CUT BLADES



CUT LENGTH	11.8/18.4mm
REPLACES	K71
HOLDER	KH20
MATERIAL	Corrugated honeycomb, cardboard, foamboard, Falconboard
NOTES	Use for 0 $^{\circ}$, 15 $^{\circ}$, 30 $^{\circ}$, or 45 $^{\circ}$ cutting



SINGLE EDGE ROUND 6MM SHAFT OSCILLATING BLADES



CUT LENGTH	20mm
REPLACES	BLD-SR6303
HOLDER	MP HF/LONG STROKE/VIBRACUT
MATERIAL	Foam board, other sandwich materials and rubber
NOTES	Good blade for 15mm & 20mm foamboard

SINGLE EDGE ROUND 6MM SHAFT SERRATED BLADES



CUT LENGTH	32mm
REPLACES	BLD-SR6352
HOLDER	FOAM KNIFE/FOAM HEAD/FOAM UNIT
MATERIAL	Honeycomb, fluted cardboard, tough paper materials, etc.
NOTES	Serrated blade to create less friction & get less hot while cutting



CUT LENGTH	55mm
REPLACES	BLD-SR6551
HOLDER	FOAM HEAD/FOAM UNIT
MATERIAL	Honeycomb, fluted cardboard, tough paper materials, etc.
NOTES	Serrated blade to create less friction & get less hot while cutting

8MM SHAFT BLADES



CUT LENGTH	6mm
REPLACES	BLD-DR8160
HOLDER	RM
MATERIAL	Rigid materials like gasket materials, Forex, and solid carton board
NOTES	0 lag blade



CUT LENGTH	5mm
REPLACES	BLD-DR8180
HOLDER	RM
MATERIAL	Rigid materials like gasket materials, Forex, and solid carton board
NOTES	Similar to XEDR8160, but blunter angle for tough materials; 0 lag

SINGLE EDGE FLAT BLADES

	XZ0016	CUT LENGTH	7.4mm
I	XZ 0016	REPLACES	BLD-SF216
		HOLDER	MP HF/STATIC KNIFE SE/VIBRACUT/HI-FORCE/STATIC KNIFE
1		MATERIAL	Paper, vinyl, etc.
1		NOTES	Single edge blade for soft, flexible materials
	XZ0017	CUT LENGTH	12mm
		REPLACES	BLD-SF217
1	XZ 0017	HOLDER	MP HF/STATIC KNIFE SE/VIBRACUT/HI-FORCE/STATIC KNIFE
		MATERIAL	Paper, vinyl, etc.
J		NOTES	Single edge blade for soft flexible materials



CUT LENGTH	14.3mm
REPLACES	BLD-SF420
HOLDER	MP HF/VIBRACUT/HI-FORCE
MATERIAL	Rubber/similar materials
NOTES	For high performance and long life



CUT LENGTH	17.2mm
REPLACES	BLD-SF421
HOLDER	MP HF/VIBRACUT/HI-FORCE
MATERIAL	Corrugated stock, foam board, etc.
NOTES	5 °/25 ° cut angle



CUT LENGTH	14mm
REPLACES	BLD-SF422
HOLDER	MP HF/VIBRACUT/HI-FORCE
MATERIAL	Corrugated stock, foam board, etc.
NOTES	10 °/25 ° cut angle



CUT LENGTH	22mm
REPLACES	BLD-SF428
HOLDER	MP HF
MATERIAL	Corrugated stock, foamboard, rubber
NOTES	4°/45° cut angle





CUT LENGTH	8.7mm
REPLACES	BLD-SF231
HOLDER	STATIC KNIFE SE/VIBRACUT/HI-FORCE/STATIC VARICUT
MATERIAL	Thin materials like folding carton, paper and vinyl
NOTES	Mat cutting, frame cutting, passepartout w/small radius



CUT LENGTH	26mm
REPLACES	BLD-SF429
HOLDER	MP HF
MATERIAL	Soft materials like rubber, foam board, etc.
NOTES	3.5 °/45 ° cut angle



CUT LENGTH	31mm
REPLACES	NO EQUIVALENT
HOLDER	MP HF
MATERIAL	Soft materials like rubber, foam board, etc.
NOTES	Similar to XZ0028 except longer cut length



CUT LENGTH	3.7mm
REPLACES	BLD-SF230
HOLDER	VIBRACUT/HI-FORCE/STATIC VARICUT
MATERIAL	Soft materials like rubber, foam board, etc.
NOTES	Mat cutting, frame cutting, passepartout, etc.



CUT LENGTH	5mm	
REPLACES	BLD-SF233	
HOLDER	STATIC SE/VIBRACUT/STATIC VARICUT	
MATERIAL	Thin materials like folding carton, paper, and vinyl	
NOTES	Mat cutting, frame cutting, passepartout w/small radius	



	CUT LENGTH	20mm	
1	REPLACES	BLD-SF346	
	HOLDER	STATIC KNIFE DE	
	MATERIAL	Foamcore board materials	
	NOTES	Soft and rigid foam blade; same as XZ004620 but longer overall	

XZ004620



CUT LENGTH	20mm
REPLACES	BLD-SF246
HOLDER	STATIC KNIFE DE
MATERIAL	Foamcore board materials
NOTES	Soft and rigid foam blade

XK4055-D



CUT LENGTH	5.5mm	
REPLACES	BLD-SF216	
HOLDER	MP HF/STATIC KNIFE SE/VIBRACUT/HI-FORCE/STATIC KNIFE	
MATERIAL	Thin materials like folding carton, paper, and vinyl	
NOTES Single-edge blade for soft, flexible materials		

DOUBLE-EDGE FLAT & ROTA CUT BLADES

XK4050-D



CUT LENGTH	5mm	
REPLACES	BLD-DF112	
HOLDER	HI-FORCE/STATIC KNIFE/VARICUT	
MATERIAL	Paper, cardboard, vinyl, thin plastics, styrene	
NOTES	Sword knife blade for flexible materials	

XK4060-D



CUT LENGTH	6.9mm	
REPLACES	BLD-DF113	
HOLDER	HI-FORCE/STATIC KNIFE/VARICUT	
MATERIAL	Paper, cardboard, vinyl, thin plastics, styrene	
NOTES Sword knife blade for flexible materials		

XZ0013



CUT LENGTH	6.9mm	
REPLACES	BLD-DF213	
HOLDER	STATIC KNIFE DOUBLE/HEAVY DUTY INSERT POWERHEA	
MATERIAL	Paper, cardboard, vinyl, thin plastics, styrene	
NOTES	Same as XK4060-D except longer and double sided	





CUT LENGTH	3.5mm	
REPLACES	BLD-RC110	
HOLDER	ROTACUT TOOL	
MATERIAL	Textiles	
NOTES	Decagonal knife blade with a 25mm diameter	

SPECIAL PURPOSE HEAVY-DUTY FLAT BLADES



CUT LENGTH	16mm	
REPLACES	BLD-DF570	
HOLDER	FOAM KNIFE/FOAM HEAD/FOAM UNIT	
MATERIAL	Fluted core boards, triple wall corrugated, etc.	
NOTES	Special made arrow shaped V-notch blade	

KISS CUT BLADES



CUT LENGTH	1mm
REPLACES	BLD-KC101
HOLDER	PRESSCUT TOOL/KISSCUT TOOL
MATERIAL	Adhesive vinyl
NOTES	General use kiss-cutting blade for standard thickness adhesive foils

OSCILLATING KNIFE BLADES

XK3006-ORP	CUT LENGTH	6mm
12210 000 0212	REPLACES	BT-57275
	HOLDER	OSCILLATING
3-000 StV	MATERIAL	Corrugated Boards, Plastic Soft, Foams Soft, Folding Carton, Rubber
	NOTES	Tip at center of rotation
XK3010-ORP	CUT LENGTH	10mm
	REPLACES	BT-57267
	HOLDER	OSCILLATING
	MATERIAL	Corrugated Boards, Plastic Soft, Foams Soft, Folding Carton, Rubber
	NOTES	Tip at center of rotation
XK3015-ORP	CUT LENGTH	15mm
	REPLACES	BT-57265
	HOLDER	OSCILLATING
	MATERIAL	Corrugated Boards, Plastic Soft, Foams Soft, Folding Carton, Rubber
	NOTES	Tip at center of rotation
XK3020-0RP	CUT LENGTH	20mm
AKJUZU UKI		
	DEDIACES	
	REPLACES	BT-57269 OSCILLATING
-	HOLDER	OSCILLATING
	HOLDER MATERIAL	OSCILLATING Corrugated Boards, Plastic Soft, Foams Soft, Folding Carton, Rubber
	HOLDER	OSCILLATING
XK3020-OFP	HOLDER MATERIAL	OSCILLATING Corrugated Boards, Plastic Soft, Foams Soft, Folding Carton, Rubber
XK3020-OFP	HOLDER MATERIAL NOTES	OSCILLATING Corrugated Boards, Plastic Soft, Foams Soft, Folding Carton, Rubber Tip at center of rotation
XK3020-OFP	HOLDER MATERIAL NOTES CUT LENGTH	OSCILLATING Corrugated Boards, Plastic Soft, Foams Soft, Folding Carton, Rubber Tip at center of rotation 20mm
XK3020-OFP	HOLDER MATERIAL NOTES CUT LENGTH REPLACES	OSCILLATING Corrugated Boards, Plastic Soft, Foams Soft, Folding Carton, Rubber Tip at center of rotation 20mm BT-57220
XK3020-OFP	HOLDER MATERIAL NOTES CUT LENGTH REPLACES HOLDER	OSCILLATING Corrugated Boards, Plastic Soft, Foams Soft, Folding Carton, Rubber Tip at center of rotation 20mm BT-57220 OSCILLATING
	HOLDER MATERIAL NOTES CUT LENGTH REPLACES HOLDER MATERIAL NOTES	OSCILLATING Corrugated Boards, Plastic Soft, Foams Soft, Folding Carton, Rubber Tip at center of rotation 20mm BT-57220 OSCILLATING Corrugated Boards, Plastic Soft, Foams Soft, etc. Flat tip cuts loose foams & fabrics better but less intricate cuts
XK3020-OFP XK3020-OCP	HOLDER MATERIAL NOTES CUT LENGTH REPLACES HOLDER MATERIAL NOTES CUT LENGTH	OSCILLATING Corrugated Boards, Plastic Soft, Foams Soft, Folding Carton, Rubber Tip at center of rotation 20mm BT-57220 OSCILLATING Corrugated Boards, Plastic Soft, Foams Soft, etc.
	HOLDER MATERIAL NOTES CUT LENGTH REPLACES HOLDER MATERIAL NOTES	OSCILLATING Corrugated Boards, Plastic Soft, Foams Soft, Folding Carton, Rubber Tip at center of rotation 20mm BT-57220 OSCILLATING Corrugated Boards, Plastic Soft, Foams Soft, etc. Flat tip cuts loose foams & fabrics better but less intricate cuts 20mm NO EQUIVALENT
	HOLDER MATERIAL NOTES CUT LENGTH REPLACES HOLDER MATERIAL NOTES CUT LENGTH	OSCILLATING Corrugated Boards, Plastic Soft, Foams Soft, Folding Carton, Rubber Tip at center of rotation 20mm BT-57220 OSCILLATING Corrugated Boards, Plastic Soft, Foams Soft, etc. Flat tip cuts loose foams & fabrics better but less intricate cuts
	HOLDER MATERIAL NOTES CUT LENGTH REPLACES HOLDER MATERIAL NOTES CUT LENGTH REPLACES	OSCILLATING Corrugated Boards, Plastic Soft, Foams Soft, Folding Carton, Rubber Tip at center of rotation 20mm BT-57220 OSCILLATING Corrugated Boards, Plastic Soft, Foams Soft, etc. Flat tip cuts loose foams & fabrics better but less intricate cuts 20mm NO EQUIVALENT



XESR6303	CUT LENGTH	20mm
ALSIOSOS	REPLACES	NO EQUIVALENT
	HOLDER	OSCILLATING
	MATERIAL	
	NOTES	Foamboard, Ejection rubber (for dies), expanded polystyrene Great choice for 15mm & 20mm foamboard
	NOTES	Great Choice for 15hini & 20hini loaniboard
XK3025-ORP	CUT LENGTH	25mm
	REPLACES	BT-57268
	HOLDER	OSCILLATING
	MATERIAL	Corrugated, sandwich board, foamboard/foam, carpet
	NOTES	Stable, long-life carbide blade
XK3030-ORP	CUT LENGTH	30mm
	REPLACES	NO EQUIVALENT
	HOLDER	OSCILLATING
	MATERIAL	Corrugated, sandwich board, foamboard/foam, carpet
	NOTES	Stable, long-life carbide blade
XK3035-OFP	CUT LENGTH	35mm
	REPLACES	BT-57235
	HOLDER	OSCILLATING
	MATERIAL	Rubber backed carpet, corrugated plastic, foams, honeycomb etc.
	NOTES	Stable, long-life carbide blade
XK3040-OFP	CUT LENGTH	40mm
333300000		
	REPLACES	BT-57240
	REPLACES HOLDER	BT-57240 OSCILLATING
	HOLDER	OSCILLATING
		OSCILLATING Rubber backed carpet, corrugated plastic, foams, honeycomb, etc.
	HOLDER MATERIAL	OSCILLATING
XK3050-ORP	HOLDER MATERIAL	OSCILLATING Rubber backed carpet, corrugated plastic, foams, honeycomb, etc.
	HOLDER MATERIAL NOTES	OSCILLATING Rubber backed carpet, corrugated plastic, foams, honeycomb, etc. Stable, long-life carbide blade
	HOLDER MATERIAL NOTES CUT LENGTH	OSCILLATING Rubber backed carpet, corrugated plastic, foams, honeycomb, etc. Stable, long-life carbide blade 50mm
	HOLDER MATERIAL NOTES CUT LENGTH REPLACES	OSCILLATING Rubber backed carpet, corrugated plastic, foams, honeycomb, etc. Stable, long-life carbide blade 50mm BT-572050

XK3070-ORP	CUT LENGTH	70mm
	REPLACES	BT-57270
	HOLDER	OSCILLATING
	MATERIAL	Foams, soft rubber
	NOTES	Blade for thick, soft materials
XK3090-ORP	CUT LENGTH	90mm
	REPLACES	BT-57290
	HOLDER	OSCILLATING
	MATERIAL	Foams, soft rubber
	NOTES	Blade for thick, soft materials
XK3110-ORP	CUT LENGTH	110mm
AK3110-OKP	REPLACES	· ·
		NO EQUIVALENT
	HOLDER	OSCILLATING Francis of with an
	MATERIAL NOTES	Foams, soft rubber Blade for thick, soft materials
	NOTES I	KINDS TOP THICK CONT MATERIALS
	TOTES	Diage for thick, soft materials
XK3110-OFP	CUT LENGTH	110mm
XK3110-OFP		
XK3110-OFP	CUT LENGTH	110mm
XK3110-OFP	CUT LENGTH REPLACES	110mm BT-572110 OSCILLATING
XK3110-OFP	CUT LENGTH REPLACES HOLDER	110mm BT-572110 OSCILLATING Foams, soft rubber
XK3110-OFP	CUT LENGTH REPLACES HOLDER MATERIAL	110mm BT-572110 OSCILLATING
XK3110-OFP XK3025D-O	CUT LENGTH REPLACES HOLDER MATERIAL	110mm BT-572110 OSCILLATING Foams, soft rubber
	CUT LENGTH REPLACES HOLDER MATERIAL NOTES	110mm BT-572110 OSCILLATING Foams, soft rubber Flat tip for higher speed, but less intricate cuts
	CUT LENGTH REPLACES HOLDER MATERIAL NOTES CUT LENGTH	110mm BT-572110 OSCILLATING Foams, soft rubber Flat tip for higher speed, but less intricate cuts 25mm
	CUT LENGTH REPLACES HOLDER MATERIAL NOTES CUT LENGTH REPLACES	110mm BT-572110 OSCILLATING Foams, soft rubber Flat tip for higher speed, but less intricate cuts 25mm NO EQUIVALENT
	CUT LENGTH REPLACES HOLDER MATERIAL NOTES CUT LENGTH REPLACES HOLDER	110mm BT-572110 OSCILLATING Foams, soft rubber Flat tip for higher speed, but less intricate cuts 25mm NO EQUIVALENT OSCILLATING
XK3025D-O	CUT LENGTH REPLACES HOLDER MATERIAL NOTES CUT LENGTH REPLACES HOLDER MATERIAL NOTES	110mm BT-572110 OSCILLATING Foams, soft rubber Flat tip for higher speed, but less intricate cuts 25mm NO EQUIVALENT OSCILLATING Corrugated, sandwich board, foamboard/foam, carpet Stable, long-life carbide blade
	CUT LENGTH REPLACES HOLDER MATERIAL NOTES CUT LENGTH REPLACES HOLDER MATERIAL NOTES CUT LENGTH	110mm BT-572110 OSCILLATING Foams, soft rubber Flat tip for higher speed, but less intricate cuts 25mm NO EQUIVALENT OSCILLATING Corrugated, sandwich board, foamboard/foam, carpet Stable, long-life carbide blade
XK3025D-O	CUT LENGTH REPLACES HOLDER MATERIAL NOTES CUT LENGTH REPLACES HOLDER MATERIAL NOTES	110mm BT-572110 OSCILLATING Foams, soft rubber Flat tip for higher speed, but less intricate cuts 25mm NO EQUIVALENT OSCILLATING Corrugated, sandwich board, foamboard/foam, carpet Stable, long-life carbide blade 40mm NO EQUIVALENT
XK3025D-O XK3040D-O	CUT LENGTH REPLACES HOLDER MATERIAL NOTES CUT LENGTH REPLACES HOLDER MATERIAL NOTES CUT LENGTH REPLACES HOLDER	110mm BT-572110 OSCILLATING Foams, soft rubber Flat tip for higher speed, but less intricate cuts 25mm NO EQUIVALENT OSCILLATING Corrugated, sandwich board, foamboard/foam, carpet Stable, long-life carbide blade 40mm NO EQUIVALENT OSCILLATING
XK3025D-O	CUT LENGTH REPLACES HOLDER MATERIAL NOTES CUT LENGTH REPLACES HOLDER MATERIAL NOTES CUT LENGTH REPLACES	110mm BT-572110 OSCILLATING Foams, soft rubber Flat tip for higher speed, but less intricate cuts 25mm NO EQUIVALENT OSCILLATING Corrugated, sandwich board, foamboard/foam, carpet Stable, long-life carbide blade 40mm NO EQUIVALENT





CUT LENGTH	55mm
REPLACES	NO EQUIVALENT
HOLDER	OSCILLATING
MATERIAL	Corrugated, sandwich board, foamboard/foam, carpet
NOTES	Stable, long-life carbide blade



CUT LENGTH	60mm
REPLACES	NO EQUIVALENT
HOLDER	OSCILLATING
MATERIAL	Corrugated, sandwich board, foamboard/foam, carpet
NOTES	Stable, long-life carbide blade



CUT LENGTH	32mm
REPLACES	NO EQUIVALENT
HOLDER	OSCILLATING
MATERIAL	Honeycomb, fluted cardboard, tough paper materials, etc.
NOTES	Serrated knife design for less friction while cutting



CUT LENGTH	55mm
REPLACES	BT-71060
HOLDER	OSCILLATING
MATERIAL	Honeycomb, fluted cardboard, tough paper materials, etc.
NOTES	Serrated knife design for less friction while cutting

TANGENGTIAL KNIFE BLADES



CUT LENGTH	4.8mm
REPLACES	NO EQUIVALENT
HOLDER	TANGENTIAL W/SABER BLADE HOLDER
MATERIAL	General purpose for flexible materials like cardboard, vinyl, & styrene
NOTES	Similar to XZ0013, except larger overcut/longer life and only 1-sided



CUT LENGTH	6.9mm
REPLACES	26082
HOLDER	TANGENTIAL W/SABER BLADE HOLDER
MATERIAL	General purpose for flexible materials like cardboard, vinyl, & styrene
NOTES	60 ° Double edge blade

UNIVERSAL KNIFE BLADES

CUT LENGTH	2.5mm
REPLACES	E30
HOLDER	TCM
MATERIAL	Foils and fine text on thin materials
NOTES	Wedge blade



CUT LENGTH	3.5mm
REPLACES	E50
HOLDER	TCM
MATERIAL	Flock textile foils, felt, cardboard
NOTES	Wedge blade



CUT LENGTH	8mm
REPLACES	E70
HOLDER	TCM
MATERIAL	Foils, felt, cardboard, rubber, and fine text on thin materials
NOTES	Tip at center of rotation



CUT LENGTH	10mm
REPLACES	NO EQUIVALENT
HOLDER	EOT, TCM
MATERIAL	Corrugated Boards, Plastic Soft, Foams Soft, Folding Carton, Rubber
NOTES	Tip at center of rotation



CUT LENGTH	12mm	
REPLACES	E12	
HOLDER	EOT, TCM	
MATERIAL	Cardboard, packing material, foam rubber, cork, etc.	
NOTES	Universal blade for various materials	



CUT LENGTH	13.5mm
REPLACES	E18
HOLDER	EOT, TCM
MATERIAL	Cardboard, gasket material, foam rubber, cork, etc.
NOTES	Universal blade for various materials; use for fine contour cutting





CUT LENGTH	20mm	
REPLACES	NO EQUIVALENT	
HOLDER	EOT, TCM	
MATERIAL	Corrugated Boards, Plastic Soft, Foams Soft, Folding Carton, Rubber	
NOTES	Universal blade for various materials	



CUT LENGTH	25mm	
REPLACES	E25	
HOLDER	EOT, TCM	
MATERIAL	Cardboard, gasket material, foam rubber, cork, etc.	
NOTES	Universal blade for various materials; use for fine contour cutting	

EOT KNIFE BLADES



CUT LENGTH	20mm	
REPLACES	NO EQUIVALENT	
HOLDER	EOT	
MATERIAL	Corrugated Boards, Plastic Soft, Foams Soft, etc.	
NOTES	Flat tip cuts loose foams & fabrics better, but less intricate cuts	



CUT LENGTH	20mm
REPLACES	NO EQUIVALENT
HOLDER	EOT
MATERIAL	Rubber, foam
NOTES	Best choice for cutting foam rubbers



CUT LENGTH	30mm	
REPLACES	NO EQUIVALENT	
HOLDER	ЕОТ	
MATERIAL	Corrugated, sandwich board, foamboard/foam, carpet	
NOTES	Stable, long life carbide blade	



CUT LENGTH	35mm
REPLACES	NO EQUIVALENT
HOLDER	EOT
MATERIAL	Rubber backed carpet, corrugated plastic, foams, honeycomb etc.
NOTES	Stable, long life carbide blade

XK3040-OFP	CUT LENGTH	40mm	
	REPLACES	NO EQUIVALENT	
	HOLDER	EOT	
	MATERIAL	Rubber backed carpet, corrugated plastic, foams, honeycomb etc.	
	NOTES	Stable, long life carbide blade	
XK3050-ORP	CUT LENGTH	50mm	
	REPLACES	E85	
	HOLDER	EOT	
	MATERIAL	Foams, soft rubber	
	NOTES	Stable, long life carbide blade	
XK3070-ORP	CUT LENGTH	70mm	
	REPLACES	E87	
	HOLDER	ЕОТ	
	MATERIAL	Foams, soft rubbers, etc.	
	NOTES	Blade for thick, soft materials	
XK3090-ORP	CUT LENGTH	90mm	
	REPLACES	NO EQUIVALENT	
	HOLDER	EOT	
	MATERIAL	Cardboard, packing material, foam rubber, cork, etc.	
	NOTES	Blade for thick, soft materials	
] [440	
XK3110-ORP	CUT LENGTH	110mm	
	REPLACES	NO EQUIVALENT	
	HOLDER	EOT	
	MATERIAL	Cardboard, gasket material, foam rubber, cork, etc.	
	NOTES	Blade for thick, soft materials	
VV2110 OFD	CUTTENOTY	110	
XK3110-OFP	CUT LENGTH	110mm	
	REPLACES	NO EQUIVALENT	
	HOLDER	EOT	
	MATERIAL	Corrugated Boards, Plastic Soft, Foams Soft, Folding Carton, Rubber	
	NOTES	Flat tip for higher speed, but less intricate cuts	



XK3025D-O	CUT LENGTH	25mm	
	REPLACES	NO EQUIVALENT	
Annual Control of the	HOLDER	EOT	
	MATERIAL	Corrugated Boards, Plastic Soft, Foams Soft, Folding Carton, Rubber	
	NOTES	Stable, long life carbide blade	
XK3040D-O	CUT LENGTH	40mm	
	REPLACES	NO EQUIVALENT	
	HOLDER	EOT	
	MATERIAL	Corrugated, sandwich board, foamboard/foam, carpet	
	NOTES	Stable, long life carbide blade	
XK3055D-O	CUT LENGTH	55mm	
	REPLACES	NO EQUIVALENT	
	HOLDER	ЕОТ	
	MATERIAL	Corrugated, sandwich board, foamboard/foam, carpet	
	NOTES	Stable, long life carbide blade	
XK3060D-O	CUT LENGTH	60mm	
	REPLACES	NO EQUIVALENT	
	HOLDER	ЕОТ	
	MATERIAL	Corrugated, sandwich board, foamboard/foam, carpet	
	NOTES	Stable, long life carbide blade	

XKEC0038	CUT LENGTH	38mm	
	REPLACES	W38	
***********	HOLDER	EOT	
	MATERIAL	Honeycomb, fluted cardboard, tough paper materials, etc.	
	NOTES	Serrated knife design for less friction while cutting	
VVECOOCO	CUTIENCE	55*****	
XKEC0060	CUT LENGTH	55mm	
	REPLACES	W60	
-	HOLDER	EOT	
	MATERIAL	Honeycomb, fluted cardboard, tough paper materials, etc.	
	NOTES	Serrated knife design for less friction while cutting	

COLEX KNIFE BLADES

OSCILLATING BLADES

XZ0020	0
	XZ 0020

CUT LENGTH	14.3mm	
REPLACES	T00420	
HOLDER	T00126	
MATERIAL	Corrugated stock, foam board, styrofoam	
NOTES	Stable, long life carbide blade	



CUT LENGTH	17.2mm
REPLACES	T00421
HOLDER	T00126
MATERIAL	Corrugated stock, foam board, styrofoam
NOTES	Same as XZ0020 except longer cut length



CUT LENGTH	22mm
REPLACES	T00423
HOLDER	T00126
MATERIAL	Honeycomb board, falcon board, etc.
NOTES	Best used for thick corrugated paper-based materials



CUT LENGTH	26mm
REPLACES	T00425
HOLDER	T00126
MATERIAL	Honeycomb board, falcon board, etc.
NOTES	Same as XZ0023 except longer cut length



CUT LENGTH	31mm
REPLACES	T00428
HOLDER	T00126
MATERIAL	Honeycomb board, falcon board, etc.
NOTES	Same as XZ0028 except longer cut length

DOUBLE EDGE BLADES



CUT LENGTH	4.8mm
REPLACES	T00312
HOLDER	T00120
MATERIAL	Vinyl, magnet, PVC
NOTES	80° cut angle

COLEX KNIFE BLADES





CUT LENGTH	6.9mm
REPLACES	T00313
HOLDER	T00120
MATERIAL	Vinyl, magnet, PVC
NOTES	60° cut angle

SINGLE EDGE BLADES



CUT LENGTH	19mm
REPLACES	T00330
HOLDER	T00139
MATERIAL	Sintra, styrene, foamboard
NOTES	Best used for wide curves & straight lines



CUT LENGTH	6.5mm
REPLACES	T00335
HOLDER	T00139
MATERIAL	Vinyl, paper, cardboard, foil, Sintra, styrene, coroplast, card stock, etc.
NOTES	Stable, long life carbide blade

V-CUT BLADES



CUT LENGTH	19mm
REPLACES	T00340
HOLDER	T00140
MATERIAL	Falcon board, Xanita, foam board, triple wall, corrugated
NOTES	Special V-cut knife

FABRIC BLADES



CUT LENGTH	3.5mm
REPLACES	T00360
HOLDER	T00143
MATERIAL	Fabric, textile
NOTES	10-sided rotary blade 25mm

ARISTO KNIFE BLADES

6MM SHAFT OSCILLATING

K3006-ORP	CUT LENGTH	6mm
	REPLACES	00000.7275
O-SDOENK-	HOLDER	7553
	MATERIAL	Gasket, packaging, foam materials
	NOTES	Stable, long life carbide blade
K3010-ORP	CUT LENGTH	10mm
	REPLACES	00000.7267
	HOLDER	7553
	MATERIAL	Gasket, packaging, foam materials
	NOTES	Stable, long life carbide blade
	1	
X3015-ORP	CUT LENGTH	15mm
	REPLACES	00000.7265
	HOLDER	7553
	MATERIAL	Gasket, packaging, foam materials
	NOTES	Stable, long life carbide blade
3020-ORP	CUT LENGTH	20mm
C3020 OKI	REPLACES	NO EQUIVALENT
	HOLDER	7553
	MATERIAL	Gasket, packaging, foam materials
	NOTES	Stable, long life carbide blade
	IVOTES	Stable, long me carbide blade
K3020-OFP	CUT LENGTH	20mm
	REPLACES	NO EQUIVALENT
	HOLDER	7553
	MATERIAL	Gasket, packaging, foam materials
	NOTES	Flat tip for higher cut speed, but less intricate cuts
		25
K3025-ORP	CUT LENGTH	25mm
K3025-ORP	CUT LENGTH REPLACES	00000.7354 EXCEPT WITH 6MM SHANK
K3025-ORP		
K3025-ORP	REPLACES	00000.7354 EXCEPT WITH 6MM SHANK

ARISTO KNIFE BLADES





CUT LENGTH	30mm
REPLACES	00000.7394 EXCEPT WITH 6MM SHANK
HOLDER	7553
MATERIAL	Gasket, packaging, foam materials
NOTES	Stable, long life carbide blade



CUT LENGTH	35mm
REPLACES	NO EQUIVALENT
HOLDER	7553
MATERIAL	Corrugated, sandwich board, foamboard/foam, carpet
NOTES	Flat tip for higher cut speed, but less intricate cuts

FLAT BLADES



CUT LENGTH	14.3mm
REPLACES	910.313
HOLDER	4560
MATERIAL	Rubber, foam, corrugated panels, etc.
NOTES	65°/85°



CUT LENGTH	17.2mm
REPLACES	910.314
HOLDER	4560
MATERIAL	Rubber, foam, corrugated panels, etc.
NOTES	Same as XZ0020 except longer cut length



CUT LENGTH	14mm
REPLACES	910.315
HOLDER	4560
MATERIAL	Rubber, foam, or solid boards up to 3mm
NOTES	Similar to XZ0021 with longer cut length



CUT LENGTH	7.8mm
REPLACES	910.324
HOLDER	7085/7111
MATERIAL	Fabrics, leather, etc.
NOTES	Special tip designed for above materials

ARISTO KNIFE BLADES

XK4055-D



CUT LENGTH	5.5mm
REPLACES	910.306-L
HOLDER	7563/7085/7111
MATERIAL	Folding carton
NOTES	55° Single Edge

XK4050-D



CUT LENGTH	4.8mm
REPLACES	910.301-S
HOLDER	4520/4550
MATERIAL	Folding carton, plastics, etc.
NOTES	50° cut angle, 20° wedge

XK4060-D



CUT LENGTH	6.9mm
REPLACES	910.309-S
HOLDER	4520/4550
MATERIAL	Folding carton, plastics, etc.
NOTES	60° cut angle, 20° wedge

XZ0046



CUT LENGTH	20mm
REPLACES	4800.073-AR35
HOLDER	4570
MATERIAL	Foam boards, carpet, & thick fibrous materials
NOTES	Flat tip for higher cut speed, but less intricate cuts

CIRCULAR BLADES



CUT LENGTH	2mm
REPLACES	00000.7263
HOLDER	7031
MATERIAL	Fabrics, etc.
NOTES	25mm round, .6mm thick

XZ0051



CUT LENGTH	5mm
REPLACES	00000.7459
HOLDER	7031
MATERIAL	Fabrics, felt, paper, tarpaulin etc.
NOTES	28mm round .6mm; thick decagonal (10-sided) rotary blade

SACRIFICIAL MAT / UNDERLAY



MatriX Mat was created for the purpose of protecting knife blades from wear & breakage when used on a CNC router equipped with a knife system, or protecting conveyor beds on knife cutting machines. Not only is it great for knife systems, but due to it's permeable composition, air flow is maximized while providing a grip surface. This allows for a greater lateral hold on the sheet stock being cut which in turn allows for smaller parts to be held in place when utilizing a routing head.

MATRIX MAT



THICKNESS	2mm
LENGTH	40.5"
WIDTH	50"
COLOR	Dark Gray
NOTES	Use 3 pieces to cover 4' x 8' or 4' x 10' table



THICKNESS	2mm
LENGTH	40.5"
WIDTH	63"
COLOR	Dark Gray
NOTES	Use 3 pieces to cover 5' x 10' table



THICKNESS	2mm
LENGTH	40.5"
WIDTH	80"
COLOR	Dark Gray
NOTES	Use 3 pieces to cover 80" x 10' table



THICKNESS	4mm
LENGTH	60"
WIDTH	120"
COLOR	Light Gray
NOTES	1 piece covers 5' x 10' table



THICKNESS	2mm
LENGTH	40.5"
WIDTH	2362.2"(196.8')
COLOR	Dark Gray
NOTES	Roll

Knife Blades Catalog





Distributor: MultiCam Canada



Ph. (905) 738-7954 Ext. 201 E-mail: order@multicam.ca www.multicam.ca